

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
24 October 2002 (24.10.2002)

PCT

(10) International Publication Number  
**WO 02/083855 A2**

- (51) International Patent Classification: C12N  
Lawrence [US/US]; 9 Glenley Terrace, Brighton, MA 02135 (US).
- (21) International Application Number: PCT/US02/11524
- (22) International Filing Date: 12 April 2002 (12.04.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/283,948 16 April 2001 (16.04.2001) US  
60/284,443 18 April 2001 (18.04.2001) US
- (71) Applicant (for all designated States except US): AMERICAN CYANAMID COMPANY [US/US]; Five Giralda Farms, Madison, NJ 07940 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): ZAGURSKY, Robert, John [US/US]; 569 Fox Hunt Drive, Victor, NY 14564 (US). MASI, Amy, Wadhams [US/US]; 326 Grand Circle, Caledonia, NY 14423 (US). GREEN, Bruce, Arthur [US/US]; 49 Northfield Gate, Pittsford, NY 14534 (US). CHAKRAVARTI, Deb, Narayan [IN/US]; 2 Fairway Crossing, Pittsford, NY 14534 (US). RUSSELL, David, Parrish [US/US]; 240 North Pleasant Street, Canandaigua, NY 14424 (US). WOOTERS, Joseph,
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NOVEL STREPTOCOCCUS PNEUMONIAE OPEN READING FRAMES ENCODING POLYPEPTIDE ANTIGENS AND USES THEREOF

(57) Abstract: The present invention relates to newly identified open reading frames comprised within the genomic nucleotide sequence of *Streptococcus pneumoniae*, wherein the open reading frames encode polypeptides that are surface localized on *Streptococcus pneumoniae*. Thus, the invention relates to *Streptococcus pneumoniae* open reading frames that encode polypeptide antigens, polypeptides, preferably antigenic polypeptides, encoded by the *Streptococcus pneumoniae* open reading frames, vectors comprising open reading frame sequences and cells or animals transformed with these vectors. The invention relates also to methods of detecting these nucleic acids or polypeptides and kits for diagnosing *Streptococcus pneumoniae* infection. The invention finally relates to pharmaceutical compositions, in particular immunogenic compositions, for the prevention and/or treatment of bacterial infection, in particular infections with *Streptococcus pneumoniae*. In particular embodiments, the immunogenic compositions are used for the treatment or prevention of systemic diseases which are induced or exacerbated by *Streptococcus pneumoniae*. In other embodiments, the immunogenic compositions are used for the treatment or prevention of non-systemic diseases, particularly of the otitis media, which are induced or exacerbated by *Streptococcus pneumoniae*.

WO 02/083855 A2

RES1 AVAILABLE COPY

5                   **NOVEL *STREPTOCOCCUS PNEUMONIAE* OPEN READING FRAMES**  
                          **ENCODING POLYPEPTIDE ANTIGENS**  
                          **AND USES THEREOF**

10                   This application claims priority from copending provisional application serial  
                          number 60/283,948, filed on April 16, 2001, the entire disclosure of which is hereby  
                          incorporated by reference and provisional application serial number 60/284,443, filed  
                          April 18, 2001, the entire disclosure of which is hereby incorporated by reference.

**FIELD OF THE INVENTION**

15                   The invention relates to *Streptococcus pneumoniae* genomic sequence and  
                          polynucleotide sequences encoding polypeptides of *Streptococcus pneumoniae*.  
                          More particularly, the invention relates to newly identified polynucleotide open  
                          reading frames comprised within the genomic nucleotide sequence of *Streptococcus*  
                          *pneumoniae*, wherein the open reading frames encode *Streptococcus pneumoniae*  
20                   polypeptides, preferably polypeptides that are surface localized, secreted, membrane  
                          associated or exposed on *Streptococcus pneumoniae*.

**BACKGROUND OF THE INVENTION**

*Streptococcus pneumoniae* infections are a major cause of human diseases  
25                   such as otitis media, bacteremia, meningitis, septic arthritis and fatal pneumonia  
                          worldwide (Butler *et al.*, 1999; James and Thomas, 2000). Over the past 10-20  
                          years, *Streptococcus pneumoniae* has developed resistance to most antibiotics used  
                          for its treatment. In fact, it is common for *Streptococcus pneumoniae* to become  
                          resistant to more than one class of antibiotic, *e.g.*,  $\beta$ -lactams, macrolides,  
30                   lincosamides, trimethoprim-sulfamethoxazole, tetracyclines (Tauber, 2000), meaning  
                          *Streptococcus pneumoniae* treatment is becoming more difficult.

                          Thus, the rapid emergence of multi-drug resistant pneumococcal strains  
                          throughout the world has led to increased emphasis on prevention of pneumococcal



infections by immunization (Goldstein and Garau, 1997). The currently available 23-valent pneumococcal capsular polysaccharide vaccine, is not effective in children of less than 2 years of age or in immunocompromised patients, two of the major populations at risk from pneumococcal infection (Douglas *et al.*, 1983). A 7-valent pneumococcal polysaccharide-protein conjugate vaccine, recently licensed in the United States, was shown to be highly effective in infants and children against systemic pneumococcal disease caused by the vaccine serotypes and against cross-reactive capsular serotypes (Shinefield and Black, 2000). The seven capsular types cover greater than 80% of the invasive disease isolates in children in the United States, but only 57-60% of disease isolates in other areas of the world (Hausdorff *et al.*, 2000). There is therefore an immediate need for a cost-effective vaccine to cover most or all of the disease causing serotypes of pneumococci. While this can be achieved by adding conjugates covering additional serotypes, efforts continue to find non-capsular vaccine antigens that are conserved among all pneumococcal serotypes and effective against pneumococcal disease.

Protein antigens of *Streptococcus pneumoniae* have been evaluated for protective efficacy in animal models of pneumococcal infection. Some of the most commonly studied candidate antigens include the PspA proteins, PsaA lipoprotein, and the CbpA protein. Numerous studies have shown that PspA protein is a virulence factor (Crain *et al.*, 1990; McDaniel *et al.*, 1984) but it is antigenically variable among pneumococcal strains. A recent study has indicated that some antigenically conserved regions of a recombinant PspA variant may elicit cross-reactive antibodies in human adults (Nabors *et al.*, 2000). PsaA, a 37 kD lipoprotein with similarity to other gram-positive adhesins, is involved in Mn<sup>+</sup> transport in pneumococci (Sampson *et al.*, 1994; Dintilhac *et al.*, 1997) and has also been shown to be protective in mouse models of systemic disease (Talkington *et al.*, 1996). The surface exposed choline binding protein CbpA is antigenically conserved and protective in mouse models of pneumococcal disease (Rosenow *et al.*, 1997). Since nasopharyngeal colonization is a prerequisite for otic disease, intranasal immunization of mice with pneumococcal proteins and appropriate mucosal adjuvants has been used to enhance the mucosal antibody response and thus, the effectiveness of candidate antigens (Yamamoto *et al.*, 1998; Briles *et al.*, 2000).

While the PspA protein, PsaA lipoprotein and the CbpA protein antigens appear promising, it is possible that no one protein antigen will be effective against all *Streptococcus pneumoniae* serotypes. Laboratories therefore continue to search for additional candidates that are antigenically conserved and elicit antibodies that  
5 reduce colonization (important for otitis media), are protective against systemic disease, or both. Thus, there is an immediate need for a cost-effective vaccine to cover most or all of the disease causing serotypes of *Streptococcus pneumoniae* and methods of diagnosing *Streptococcus pneumoniae* infection. A better understanding  
10 of the genetic and molecular levels of *Streptococcus pneumoniae* infection will provide the basis for further development of preventative treatments, therapeutic treatments, new diagnostics and vaccine strategies which are specific for *Streptococcus pneumoniae*.

#### SUMMARY OF THE INVENTION

15 The present invention broadly relates to *Streptococcus pneumoniae* genomic sequence. More particularly, the invention relates to newly identified polynucleotide open reading frames comprised within the genomic nucleotide sequence of *Streptococcus pneumoniae*, wherein the open reading frames encode polypeptides that are surface localized, membrane associated, secreted, or exposed on  
20 *Streptococcus pneumoniae*.

Thus, in certain aspects, the invention relates to *Streptococcus pneumoniae* open reading frames that encode *Streptococcus pneumoniae* polypeptides. In preferred embodiments, these *Streptococcus pneumoniae* polypeptides are antigenic polypeptides. As defined hereinafter, a *Streptococcus pneumoniae* antigenic  
25 polypeptide, antigen or immunogen, is a *Streptococcus pneumoniae* polypeptide that is immunoreactive with an antibody or is a *Streptococcus pneumoniae* polypeptide that elicits an immune response. In other embodiments, the invention relates to the polynucleotides encoding these antigenic polypeptides. In other aspects, the invention relates to vectors comprising open reading frame sequences and cells or  
30 animals transformed, transfected or infected with these vectors. The invention relates also to methods of detecting these nucleic acids or polypeptides and kits for diagnosing *Streptococcus pneumoniae* infection. The invention further relates to pharmaceutical compositions, in particular immunogenic compositions, for the

prevention and/or treatment of bacterial infection, in particular infections with *Streptococcus pneumoniae*. In a preferred embodiment, the immunogenic compositions are used for the treatment or prevention of systemic diseases that are induced or worsened by *Streptococcus pneumoniae*. In another preferred  
5 embodiment, the immunogenic compositions are used for the treatment or prevention of non-systemic diseases, particularly of the otitis media, which are induced or worsened by *Streptococcus pneumoniae*.

In particular embodiments, an isolated polynucleotide of the present invention is a polynucleotide comprising a nucleotide sequence having at least about 95%  
10 identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a degenerate variant thereof, or a fragment thereof. As defined hereinafter, a "degenerate variant" is defined as a polynucleotide that differs from the nucleotide sequence shown in SEQ ID NO:1 through SEQ ID NO:215 and SEQ ID NO:431 through SEQ ID NO:591 (and  
15 fragments thereof) due to degeneracy of the genetic code, but still encodes the same *Streptococcus pneumoniae* polypeptide (i.e., SEQ ID NO:216 through SEQ ID NO:430 and SEQ ID NO:592 through SEQ ID NO:752) as that encoded by the nucleotide sequence shown in SEQ ID NO:1 through SEQ ID NO:215 and SEQ ID NO:431 through SEQ ID NO:591.

20 In other embodiments, the polynucleotide is a complement to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a degenerate variant thereof, or a fragment thereof. In yet other embodiments, the polynucleotide is selected from the group consisting of DNA, chromosomal DNA, cDNA and RNA and may further comprise  
25 heterologous nucleotides.

In another embodiment, the invention comprises an isolated polynucleotide that hybridizes to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a complement thereof, a degenerate variant thereof, or a fragment thereof, under high stringency  
30 hybridization conditions. In yet other embodiments, the polynucleotide hybridizes under intermediate stringency hybridization conditions.

In a preferred embodiment, an isolated polynucleotide of a *Streptococcus pneumoniae* genomic sequence comprises a nucleotide sequence chosen from one

of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a fragment thereof, or a degenerate variant thereof, and encodes a polypeptide, a biological equivalent thereof, or a fragment thereof, selected from the group consisting of a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2  
5 transmembrane domains, a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains, a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain, a *Streptococcus pneumoniae* polypeptide having an inner membrane domain, a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis, a *Streptococcus pneumoniae* polypeptide  
10 identified by Pfam analysis, a *Streptococcus pneumoniae* lipoprotein, a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer, a *Streptococcus pneumoniae*  
15 polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid, a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD sequence, a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed and a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated.

20 In other embodiments, the isolated polynucleotide is a complement to a *Streptococcus pneumoniae* genomic sequence comprising a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a fragment thereof, or a degenerate variant thereof, and encodes a polypeptide, a biological equivalent thereof, or a fragment thereof,  
25 selected from the group consisting of a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains, a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains, a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain, a *Streptococcus pneumoniae* polypeptide having an inner membrane domain, a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis, a *Streptococcus pneumoniae*  
30 polypeptide identified by Pfam analysis, a *Streptococcus pneumoniae* lipoprotein, a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer, a *Streptococcus*

*pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid, a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD sequence, a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed and a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated. In certain embodiments, the polynucleotide is selected from the group consisting of DNA, chromosomal DNA, cDNA and RNA and may further comprise heterologous nucleotides. In still other embodiments, the polynucleotide encodes a fusion polypeptide.

In a preferred embodiment, a polynucleotide encoding a polypeptide having 0, 1 or 2 transmembrane domains comprises a nucleotide sequence chosen from one of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 22, SEQ ID NO: 23, SEQ ID NO: 24, SEQ ID NO: 25, SEQ ID NO: 28, SEQ ID NO: 29, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 42, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 50, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 67, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 73, SEQ ID NO: 74, SEQ ID NO: 78, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 86, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 92, SEQ ID NO: 95, SEQ ID NO: 96, SEQ ID NO: 97, SEQ ID NO: 100, SEQ ID NO: 104, SEQ ID NO: 105, SEQ ID NO: 106, SEQ ID NO: 109, SEQ ID NO: 110, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 116, SEQ ID NO: 121, SEQ ID NO: 122, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 126, SEQ ID NO: 127, SEQ ID NO: 128, SEQ ID NO: 131, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 137, SEQ ID NO: 138, SEQ ID NO: 141, SEQ ID NO: 142, SEQ ID NO: 143, SEQ ID NO: 144, SEQ ID NO: 147, SEQ ID NO: 148, SEQ ID NO: 149, SEQ ID NO: 150, SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID NO: 161, SEQ ID NO: 162, SEQ ID NO: 165, SEQ ID NO: 170, SEQ ID NO: 171, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 179, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID

NO: 187, SEQ ID NO: 192, SEQ ID NO: 195, SEQ ID NO: 196, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 200, SEQ ID NO: 201, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209 and SEQ ID NO: 210.

In another preferred embodiment, a polynucleotide encoding a polypeptide  
5 having 3 or more transmembrane domains comprises a nucleotide sequence chosen from one of SEQ ID NO: 2, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 15, SEQ ID NO: 20, SEQ ID NO: 21, SEQ ID NO: 26, SEQ ID NO: 27, SEQ ID NO: 30, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 59, SEQ ID NO: 65, SEQ ID NO: 71, SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 87, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 93, SEQ ID NO: 94, SEQ ID NO: 98, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 102, SEQ ID NO: 103, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 119, SEQ ID NO: 120, SEQ ID NO: 124, SEQ ID NO: 129, SEQ ID NO: 130, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 145, SEQ ID NO: 146, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO: 154, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 163, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 168, SEQ ID NO: 169, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 181, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 190, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 194, SEQ ID NO: 198, SEQ ID NO: 203, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 211, SEQ ID NO: 212, SEQ ID NO: 213, SEQ ID NO: 214 and SEQ ID NO: 215.

In other preferred embodiments, a polynucleotide encoding a polypeptide having an outer membrane domain or a periplasmic domain comprises a nucleotide sequence chosen from one of SEQ ID NO: 3, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 23, SEQ ID NO: 39, SEQ ID NO: 50, SEQ ID NO: 62, SEQ ID NO: 67, SEQ ID NO: 78, SEQ ID NO: 85, SEQ ID NO: 125, SEQ ID NO: 134, SEQ ID NO: 147, SEQ ID NO: 165, SEQ ID NO: 172 and SEQ ID NO: 179.

In other preferred embodiments, a polynucleotide encoding a polypeptide having an inner membrane domain comprises a nucleotide sequence chosen from one of SEQ ID NO: 2, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 15, SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 20, SEQ ID NO: 21, SEQ ID NO: 22, SEQ ID NO: 26, SEQ ID NO: 27, SEQ ID NO: 28, SEQ ID NO: 29, SEQ ID NO: 30, SEQ ID NO: 31, SEQ ID NO: 32, SEQ ID NO: 33, SEQ ID NO: 34, SEQ ID NO: 35, SEQ ID NO: 36, SEQ ID NO: 37, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 47, SEQ ID NO: 48, SEQ ID NO: 51, SEQ ID NO: 52, SEQ ID NO: 53, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 59, SEQ ID NO: 60, SEQ ID NO: 61, SEQ ID NO: 65, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NO: 81, SEQ ID NO: 82, SEQ ID NO: 83, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 87, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 94, SEQ ID NO: 95, SEQ ID NO: 96, SEQ ID NO: 97, SEQ ID NO: 98, SEQ ID NO: 99, SEQ ID NO: 100, SEQ ID NO: 101, SEQ ID NO: 102, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 106, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO: 109, SEQ ID NO: 112, SEQ ID NO: 113, SEQ ID NO: 114, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 119, SEQ ID NO: 120, SEQ ID NO: 121, SEQ ID NO: 122, SEQ ID NO: 123, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 127, SEQ ID NO: 128, SEQ ID NO: 129, SEQ ID NO: 130, SEQ ID NO: 131, SEQ ID NO: 132, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 141, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 145, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 163, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 168, SEQ ID NO: 169, SEQ ID NO: 170, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 176, SEQ ID NO: 177, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 181, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 187, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 190, SEQ ID NO: 191, SEQ ID NO: 192, SEQ ID NO: 193, SEQ ID NO: 194, SEQ ID NO: 195, SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 203, SEQ ID

NO: 206, SEQ ID NO: 208, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 212, SEQ ID NO: 213, SEQ ID NO: 214 and SEQ ID NO: 215.

In yet another preferred embodiment, a polynucleotide encoding a polypeptide identified by Blastp analysis comprises a nucleotide sequence chosen from one of SEQ ID NO: 1, SEQ ID NO: 2, SEQ ID NO: 7, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 16, SEQ ID NO: 20, SEQ ID NO: 24, SEQ ID NO: 27, SEQ ID NO: 30, SEQ ID NO: 31, SEQ ID NO: 32, SEQ ID NO: 33, SEQ ID NO: 34, SEQ ID NO: 35, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 48, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 59, SEQ ID NO: 60, SEQ ID NO: 61, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70, SEQ ID NO: 71, SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 78, SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NO: 87, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 94, SEQ ID NO: 95, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO: 109, SEQ ID NO: 112, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 122, SEQ ID NO: 123, SEQ ID NO: 124, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 132, SEQ ID NO: 133, SEQ ID NO: 134, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 147, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 161, SEQ ID NO: 162, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 172, SEQ ID NO: 173, SEQ ID NO: 176, SEQ ID NO: 177, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 181, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 185, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 196, SEQ ID NO: 197, SEQ ID NO: 198, SEQ ID NO: 199, SEQ ID NO: 200, SEQ ID NO: 201, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 205, SEQ ID NO: 206, SEQ ID NO: 207, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 213 and SEQ ID NO: 214.

In still further preferred embodiments, a polynucleotide encoding a polypeptide identified by Pfam analysis comprises a nucleotide sequence chosen from one of SEQ ID NO: 4, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 63, SEQ ID



NO: 64, SEQ ID NO: 66, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 89, SEQ ID NO: 92, SEQ ID NO: 104, SEQ ID NO: 111, SEQ ID NO: 116, SEQ ID NO: 119, SEQ ID NO: 128, SEQ ID NO: 137, SEQ ID NO: 142, SEQ ID NO: 143, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 163, SEQ ID NO: 164, SEQ ID NO: 165, SEQ ID NO: 166, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 183, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 195, SEQ ID NO: 198, SEQ ID NO: 199, SEQ ID NO: 205, SEQ ID NO: 212 and SEQ ID NO: 213.

10 In another preferred embodiment, a polynucleotide encoding a lipoprotein comprises a nucleotide sequence chosen from one of SEQ ID NO: 3, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 13, SEQ ID NO: 21, SEQ ID NO: 26, SEQ ID NO: 34, SEQ ID NO: 62, SEQ ID NO: 67, SEQ ID NO: 85, SEQ ID NO: 134, SEQ ID NO: 147, SEQ ID NO: 150, SEQ ID NO: 168, SEQ ID NO: 170 and SEQ ID NO: 173.

15 In other preferred embodiments, a polynucleotide encoding a polypeptide having a LPXTG motif and is covalently attached to the peptidoglycan layer comprises a nucleotide sequence chosen from one of SEQ ID NO: 13, SEQ ID NO: 21, SEQ ID NO: 34 and SEQ ID NO: 170; or a polynucleotide encoding a polypeptide having a peptidoglycan binding motif and associated with the peptidoglycan layer  
20 comprises a nucleotide sequence chosen from one of SEQ ID NO: 25, SEQ ID NO: 49 and SEQ ID NO: 110.

In another preferred embodiment, a polynucleotide encoding a polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid comprises a nucleotide sequence chosen from one of SEQ ID NO:11, SEQ ID NO:39, SEQ ID NO:73, SEQ ID NO:97, SEQ ID NO:106, SEQ ID NO: 125 and SEQ ID NO:187.

In yet another preferred embodiment, a polynucleotide encoding a polypeptide having a tripeptide RGD sequence that potentially is involved in cell attachment comprises a nucleotide sequence chosen from one of SEQ ID NO:1, SEQ ID NO:21, SEQ ID NO:66 and SEQ ID NO:67.

30 In another preferred embodiment, a polynucleotide encoding a polypeptide identified by proteomics as surface exposed comprises a nucleotide sequence chosen from one of SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:46,

SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:74, SEQ ID NO:91, SEQ ID NO:103, SEQ ID NO:116, SEQ ID NO:128, SEQ ID NO:131, SEQ ID NO:136, SEQ ID NO:151, SEQ ID NO:156, SEQ ID NO:159, SEQ ID NO:162, SEQ ID NO:164, SEQ ID NO:172, SEQ ID NO:176, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:182 and SEQ ID NO:205.

In still another embodiment, a polynucleotide encoding a polypeptide identified by proteomics as membrane associated comprises a nucleotide sequence chosen from one of SEQ ID NO:431 through SEQ ID NO:591.

In certain aspects, the invention relates to *Streptococcus pneumoniae* polypeptides. More particularly, the invention relates to *Streptococcus pneumoniae* polypeptides, more preferably antigenic polypeptides, encoded by *Streptococcus pneumoniae* polynucleotide open reading frames. Thus, in certain embodiments, an isolated polypeptide is encoded by a polynucleotide comprising a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof. In a preferred embodiment, the isolated polypeptide encoded by one of the above polynucleotides comprises an amino acid sequence having at least about 95% identity to an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof. In other embodiments, the polypeptide is a fusion polypeptide. In a preferred embodiment, the polypeptide immunoreacts with seropositive serum of an individual infected with *Streptococcus pneumoniae*.

In preferred embodiments, the isolated polypeptide encoded by a polynucleotide comprising a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof, is further defined as a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains, a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains, a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain, a *Streptococcus pneumoniae* polypeptide having an inner membrane domain, a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis, a *Streptococcus pneumoniae*

polypeptide identified by Pfam analysis, a *Streptococcus pneumoniae* lipoprotein, a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid, a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD sequence, a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed or a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated, where each of these groups has the set of ORFs identified above as within SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591.

In a particularly preferred embodiment, an isolated polypeptide comprises an amino acid sequence having at least about 95% identity to an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof. In another embodiment, the polypeptide is a fusion polypeptide. In a particularly preferred embodiment, the polypeptide immunoreacts with seropositive serum of an individual infected with *Streptococcus pneumoniae*. In yet other preferred embodiments, the polypeptide is further defined as a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains, a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains, a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain, a *Streptococcus pneumoniae* polypeptide having an inner membrane domain, a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis, a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis, a *Streptococcus pneumoniae* lipoprotein, a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid, a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD sequence, a *Streptococcus pneumoniae* polypeptide identified by

proteomics as surface exposed or a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated.

In a preferred embodiment, a polypeptide having 0, 1 or 2 transmembrane domains comprises an amino acid sequence chosen from one of SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 219, SEQ ID NO: 222, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 243, SEQ ID NO: 244, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 257, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID NO: 264, SEQ ID NO: 265, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 277, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 307, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 315, SEQ ID NO: 319, SEQ ID NO: 320, SEQ ID NO: 321, SEQ ID NO: 324, SEQ ID NO: 325, SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 331, SEQ ID NO: 336, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 343, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 352, SEQ ID NO: 353, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 358, SEQ ID NO: 359, SEQ ID NO: 362, SEQ ID NO: 363, SEQ ID NO: 364, SEQ ID NO: 365, SEQ ID NO: 370, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 380, SEQ ID NO: 385, SEQ ID NO: 386, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 394, SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 407, SEQ ID NO: 410, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 425, a biological equivalent thereof, or a fragment thereof.

In another preferred embodiment, a polypeptide having 3 or more transmembrane domains comprises an amino acid sequence chosen from one of SEQ ID NO: 217, SEQ ID NO: 220, SEQ ID NO: 221, SEQ ID NO: 225, SEQ ID NO:

227, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID  
NO: 241, SEQ ID NO: 242, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 248,  
SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO:  
258, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 267, SEQ ID  
5 NO: 269, SEQ ID NO: 271, SEQ ID NO: 274, SEQ ID NO: 280, SEQ ID NO: 286,  
SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 295, SEQ ID NO:  
297, SEQ ID NO: 299, SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID  
NO: 308, SEQ ID NO: 309, SEQ ID NO: 313, SEQ ID NO: 314, SEQ ID NO: 316,  
SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO:  
10 327, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID  
NO: 334, SEQ ID NO: 335, SEQ ID NO: 339, SEQ ID NO: 344, SEQ ID NO: 345,  
SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 354, SEQ ID NO: 355, SEQ ID NO:  
360, SEQ ID NO: 361, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID  
NO: 369, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 378,  
15 SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 383, SEQ ID NO:  
384, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID  
NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401,  
SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO:  
408, SEQ ID NO: 409, SEQ ID NO: 413, SEQ ID NO: 418, SEQ ID NO: 421, SEQ ID  
20 NO: 423, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429,  
SEQ ID NO: 430, a biological equivalent thereof, or a fragment thereof.

In yet other preferred embodiments, a polypeptide having an outer membrane  
domain or a periplasmic domain comprises an amino acid sequence chosen from  
one of SEQ ID NO: 218, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 238, SEQ  
25 ID NO: 254, SEQ ID NO: 265, SEQ ID NO: 277, SEQ ID NO: 282, SEQ ID NO: 293,  
SEQ ID NO: 300, SEQ ID NO: 340, SEQ ID NO: 349, SEQ ID NO: 362, SEQ ID NO:  
380, SEQ ID NO: 387, SEQ ID NO: 394, a biological equivalent thereof, or a  
fragment thereof.

In yet other preferred embodiments, a polynucleotide encoding a polypeptide  
30 having an inner membrane domain comprises an amino acid sequence chosen from  
one of SEQ ID NO: 217, SEQ ID NO: 220, SEQ ID NO: 221, SEQ ID NO: 222, SEQ  
ID NO: 225, SEQ ID NO: 226, SEQ ID NO: 227, SEQ ID NO: 228, SEQ ID NO: 229,  
SEQ ID NO: 230, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO:

235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID  
NO: 243, SEQ ID NO: 244, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247,  
SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO: 251, SEQ ID NO:  
252, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID  
5 NO: 261, SEQ ID NO: 262, SEQ ID NO: 263, SEQ ID NO: 266, SEQ ID NO: 267,  
SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 274, SEQ ID NO:  
275, SEQ ID NO: 276, SEQ ID NO: 280, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID  
NO: 285, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID NO: 291,  
SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 295, SEQ ID NO: 296, SEQ ID NO:  
10 297, SEQ ID NO: 298, SEQ ID NO: 299, SEQ ID NO: 301 SEQ ID NO: 302, SEQ ID  
NO: 303, SEQ ID NO: 305, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID NO: 309,  
SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 313, SEQ ID NO:  
314, SEQ ID NO: 315, SEQ ID NO: 316, SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID  
NO: 320, SEQ ID NO: 321, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 324,  
15 SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO:  
332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 336, SEQ ID  
NO: 337, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 342,  
SEQ ID NO: 343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO:  
347, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 351, SEQ ID NO: 354, SEQ ID  
20 NO: 355, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 360,  
SEQ ID NO: 361, SEQ ID NO: 362, SEQ ID NO: 365, SEQ ID NO: 366, SEQ ID NO:  
367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 372, SEQ ID  
NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 378,  
SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 383, SEQ ID NO:  
25 384, SEQ ID NO: 385, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 391, SEQ ID  
NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397,  
SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 402, SEQ ID NO: 403, SEQ ID NO:  
404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO: 407, SEQ ID NO: 408, SEQ ID  
NO: 409, SEQ ID NO: 410, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 418,  
30 SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 426, SEQ ID NO:  
427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, a biological equivalent  
thereof, or a fragment thereof.

In still another preferred embodiment, a polypeptide identified by Blastp analysis comprises an amino acid sequence chosen from one of SEQ ID NO: 216, SEQ ID NO: 217, SEQ ID NO: 222, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 231, SEQ ID NO: 235, SEQ ID NO: 239, SEQ ID NO: 242, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 263, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO: 295, SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 324, SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 348, SEQ ID NO: 349, SEQ ID NO: 350, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 362, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 387, SEQ ID NO: 388, SEQ ID NO: 391, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 400, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, a biological equivalent thereof, or a fragment thereof.

In other preferred embodiments, a polypeptide identified by Pfam analysis comprises an amino acid sequence chosen from one of SEQ ID NO: 219, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 255, SEQ ID NO: 260, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 304, SEQ ID NO: 307, SEQ ID

NO: 319, SEQ ID NO: 326, SEQ ID NO: 331, SEQ ID NO: 334, SEQ ID NO: 343, SEQ ID NO: 352, SEQ ID NO: 357, SEQ ID NO: 358, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 380, 5 SEQ ID NO: 381, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 398, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 410, SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 420, SEQ ID NO: 427, SEQ ID NO: 428, a biological equivalent thereof, or a fragment thereof.

10 In one preferred embodiment, a polypeptide is a lipoprotein and comprises an amino acid sequence chosen from one of SEQ ID NO: 218, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 228, SEQ ID NO: 236, SEQ ID NO: 241, SEQ ID NO: 249, SEQ ID NO: 277, SEQ ID NO: 282, SEQ ID NO: 300, SEQ ID NO: 349, SEQ ID NO: 362, SEQ ID NO: 365, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 388, a 15 biological equivalent thereof, or a fragment thereof.

In certain other preferred embodiments, a polypeptide having a LPXTG motif and covalently attached to the peptidoglycan layer, comprises an amino acid sequence chosen from one of SEQ ID NO: 228, SEQ ID NO: 236, SEQ ID NO: 249, SEQ ID NO: 385, a biological equivalent thereof, or a fragment thereof; or a 20 polypeptide having a peptidoglycan binding motif and associated with the peptidoglycan layer comprises an amino acid sequence chosen from one of SEQ ID NO: 240, SEQ ID NO: 264, SEQ ID NO: 325, a biological equivalent thereof, or a fragment thereof.

In another preferred embodiment, a polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid comprises an amino acid 25 sequence chosen from one of SEQ ID NO: 226, SEQ ID NO: 254, SEQ ID NO: 289, SEQ ID NO: 312, SEQ ID NO: 321, SEQ ID NO: 340, SEQ ID NO: 402, a biological equivalent thereof, or a fragment thereof.

In yet another preferred embodiment, a polypeptide having a tripeptide RGD 30 sequence that potentially is involved in cell attachment comprises an amino acid sequence chosen from one of SEQ ID NO: 216, SEQ ID NO: 236, SEQ ID NO: 281, SEQ ID NO: 282, a biological equivalent thereof, or a fragment thereof.



In still another embodiment, a polypeptide identified by proteomics as surface exposed comprises an amino acid sequence chosen from one of SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 261, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 289, SEQ ID NO: 306, SEQ ID NO: 318, SEQ ID NO: 331, SEQ ID NO: 343, SEQ ID NO: 346, SEQ ID NO: 351, SEQ ID NO: 366, SEQ ID NO: 371, SEQ ID NO: 374, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 387, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 394, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 420, a biological equivalent thereof, or a fragment thereof.

10 In yet another embodiment, a polypeptide identified by proteomics as membrane associated comprises an amino acid sequence chosen from one of SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.

15 In another aspect of the invention, the polypeptides are expressed and purified in a recombinant expression system. Thus, in certain embodiments, the invention provides a recombinant expression vector comprising a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof. In certain other  
20 embodiments, the polynucleotide is selected from the group consisting of DNA, chromosomal DNA, cDNA, RNA and antisense RNA. In another embodiment, the polynucleotide comprised within the vector further comprises heterologous nucleotide sequences. In other embodiments, the polynucleotide is operatively linked to one or more gene expression regulatory elements. In yet other embodiments, the  
25 polynucleotide encodes a polypeptide comprising an amino acid sequence having at least about 95% identity to an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof. In a preferred embodiment, the vector is a plasmid.

30 In another aspect of the invention, there is provided a genetically engineered host cell, transfected, transformed or infected with a recombinant expression vector comprising a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID

NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof. In a preferred embodiment, the host cell is a bacterial cell. In a further embodiment, the polynucleotide is expressed under suitable conditions to produce the encoded polypeptide, a biological equivalent thereof, or a fragment thereof, which  
5 is then recovered.

In other embodiments, the present invention provides an antibody specific for a *Streptococcus pneumoniae* polynucleotide chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a fragment thereof, a degenerate variant thereof, or an antibody specific for a *Streptococcus*  
10 *pneumoniae* polypeptide chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof. In certain embodiments, the antibody is selected from the group consisting of monoclonal, polyclonal, chimeric, humanized and single chain. In a preferred embodiment, the antibody is monoclonal. In another preferred  
15 embodiment, the antibody is humanized.

The present invention further provides pharmaceutical compositions, in particular immunogenic compositions, for the prevention and/or treatment of bacterial infection. Thus, in one embodiment an immunogenic composition is provided comprising a polypeptide having an amino acid sequence chosen from one or more  
20 of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof. In certain embodiments, the composition further comprises a pharmaceutically acceptable carrier. In yet other embodiments, the immunogenic composition further comprises one or more adjuvants. In a preferred embodiment, the polypeptide of the  
25 immunogenic composition is further defined as a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains, a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains, a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain, a *Streptococcus pneumoniae* polypeptide having an inner membrane domain, a  
30 *Streptococcus pneumoniae* polypeptide identified by Blastp analysis, a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis, a *Streptococcus pneumoniae* lipoprotein, a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer, a

*Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid, a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD sequence, a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed or a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated. In certain other embodiments, the immunogenic composition further comprises heterologous amino acids. In particular embodiments, the polypeptide is a fusion polypeptide.

In further embodiments, provided is an immunogenic composition comprising a polynucleotide having a nucleotide sequence chosen from one or more of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof and is comprised in an expression vector. In preferred embodiments, the vector is plasmid DNA. In another embodiment, the polynucleotide comprises heterologous nucleotides. In still other embodiments, the polynucleotide is operatively linked to one or more gene expression regulatory elements. In yet other embodiments, the polynucleotide directs the expression of a neutralizing epitope of *Streptococcus pneumoniae*. In preferred embodiments, the immunogenic composition further comprises one or more adjuvants.

Also provided is a pharmaceutical composition comprising a polypeptide and a pharmaceutically acceptable carrier, wherein the polypeptide comprises an amino acid chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof. In preferred embodiments, the polypeptide is further defined as a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains, a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains, a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain, a *Streptococcus pneumoniae* polypeptide having an inner membrane domain, a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis, a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis, a *Streptococcus pneumoniae* lipoprotein, a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer, a

*Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer, a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid, a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD sequence, a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed or a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated. In certain embodiments, the polypeptide further comprises heterologous amino acids. In still other embodiments, the polypeptide is a fusion polypeptide.

10 In another embodiment, a method of immunizing against *Streptococcus pneumoniae* is provided comprising administering to a host an immunizing amount of an immunogenic composition comprising one or more polypeptides and a pharmaceutically acceptable carrier, wherein the polypeptide comprises an amino acid sequence chosen from one or more of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof. In certain embodiments, the polypeptide is a fusion polypeptide. In other embodiments, the method further comprises administering an adjuvant.

20 Other embodiments of the invention provide a DNA chip comprising an array of polynucleotides, wherein at least one of the polynucleotides comprise a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a complement thereof, a degenerate variant thereof, or a fragment thereof.

25 Also provided is a protein chip comprising an array of polypeptides, wherein at least one of the polypeptides comprises an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.

The invention further provides methods of detecting *Streptococcus pneumoniae* polynucleotides and polypeptides as well as kits for diagnosing *Streptococcus pneumoniae* infection.

30 Other embodiments provide a method for the detection and/or identification of *Streptococcus pneumoniae* in a biological sample comprising contacting the sample with an oligonucleotide probe of a polynucleotide comprising the nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID

NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof, under conditions permitting hybridization and detecting the presence of hybridization complexes in the sample, wherein hybridization complexes indicate the presence of *Streptococcus pneumoniae* in the sample.

5        Still other embodiments provide a method for the detection and/or identification of *Streptococcus pneumoniae* in a biological sample comprising a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof, in the presence of nucleotides and a polymerase enzyme under  
10       conditions permitting primer extension and detecting the presence of primer extension products in the sample, wherein extension products indicate the presence of *Streptococcus pneumoniae* in the sample.

         Further embodiments provide a method for the detection and/or identification of *Streptococcus pneumoniae* in a biological sample comprising contacting the  
15       sample with an antibody specific for a polypeptide comprising an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof, under conditions permitting immune complex formation and detecting the presence of immune complexes in the sample, wherein immune complexes indicate  
20       the presence of *Streptococcus pneumoniae* in the sample.

         In certain embodiments, provided is a method for the detection and/or identification of antibodies to *Streptococcus pneumoniae* in a biological sample comprising contacting the sample with a polypeptide comprising an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID  
25       NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof, under conditions permitting immune complex formation and detecting the presence of immune complexes in the sample, wherein immune complexes indicate the presence of *Streptococcus pneumoniae* in the sample.

         Other embodiments of the invention provide a kit comprising a container  
30       containing an isolated polynucleotide comprising a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof. In a preferred embodiment, the polynucleotide is a primer or a probe, wherein when the

polynucleotide is a primer, the kit further comprises a container containing a polymerase. In another embodiment, the kit further comprises a container containing dNTP.

5 Provided further is a kit comprising a container containing an antibody that immunospecifically binds to a polypeptide comprising the amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.

10 Provided also is a kit comprising a container containing an antibody that immunospecifically binds to a fusion polypeptide comprising at least the amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.

15 In a preferred embodiment of the invention, provided is a genetically engineered host cell, transfected, transformed or infected with a recombinant expression vector comprising a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof under conditions suitable to produce one of the polypeptides of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752; and recovering the polypeptide.

20 Other features and advantages of the invention will be apparent from the following detailed description, from the preferred embodiments thereof, and from the claims.

25

#### DETAILED DESCRIPTION OF THE INVENTION

The invention described hereinafter addresses the need for *Streptococcus pneumoniae* immunogenic compositions that effectively prevent or treat most or all of the disease caused by serotypes of *Streptococcus pneumoniae*. The invention 30 further addresses the need for methods of diagnosing *Streptococcus pneumoniae* infection. The present invention has identified novel *Streptococcus pneumoniae* open reading frames, hereinafter ORFs, which encode antigenic polypeptides. More particularly, the newly identified ORFs encode polypeptides that are secreted, exposed, membrane associated or surface localized on *Streptococcus pneumoniae*,

and thus serve as potential antigenic polypeptides in immunogenic compositions. Thus, in certain embodiments, the invention comprises *Streptococcus pneumoniae* polynucleotide ORFs encoding surface localized, exposed, secreted or membrane associated polypeptide antigens. The present invention therefore comprises in other  
5   embodiments, these polypeptides, preferably antigenic polypeptides, encoded by the *Streptococcus pneumoniae* ORFs.

In other embodiments, the invention comprises vectors comprising ORF sequences and host cells or animals transformed, transfected or infected with these vectors. The invention also comprises transcriptional gene products of  
10   *Streptococcus pneumoniae* ORFs, such as, for example, mRNA, antisense RNA, antisense oligonucleotides and ribozyme molecules, which can be used to inhibit or control growth of the microorganism. The invention relates also to methods of detecting these nucleic acids or polypeptides and kits for diagnosing *Streptococcus pneumoniae* infection. The invention also relates to pharmaceutical compositions, in  
15   particular immunogenic compositions, for the prevention and/or treatment of bacterial infection, in particular infection caused by or exacerbated by *Streptococcus pneumoniae*. In particular embodiments, the immunogenic compositions are used for the treatment or prevention of systemic diseases which are induced or exacerbated by *Streptococcus pneumoniae*. In other embodiments, the immunogenic  
20   compositions are used for the treatment or prevention of non-systemic diseases, particularly of the otitis media, which are induced or exacerbated by *Streptococcus pneumoniae*.

**A.   IDENTIFYING ORFs WITHIN THE GENOMIC SEQUENCE OF *STREPTOCOCCUS***  
25   ***PNEUMONIAE***

The invention is directed in particular embodiments to the identification of polynucleotides, more particularly ORFs, that encode *Streptococcus pneumoniae* polypeptides. The availability of complete bacterial genome sequences has begun to play an important role in the identification of candidate antigens through genomics,  
30   transcriptional profiling, and proteomics, coupled with the information processing capabilities of bioinformatics (McAtee *et al.*, 1998a; McAtee *et al.*, 1998b; Pizza *et al.*, 2000; Sonnenberg and Belisle, 1997; Weldingh *et al.*, 1998; McAtee *et al.*, 1998c). Currently, no more than approximately 60% of all ORFs within a bacterial genome

have some match with a polypeptide whose function has been determined. This leaves approximately 40% of genomic ORFs uncharacterized. Thus, the inventors have analyzed the *Streptococcus pneumoniae* genome and utilized bioinformatic tools to identify novel ORFs encoding polypeptides of the present invention. In addition to genomic analysis, the inventors analyzed the *Streptococcus pneumoniae* membrane proteome component to identify novel and/or confirm ORFs encoding polypeptides of the present invention. As described below, the ORFs were analyzed for a variety of characteristics.

Specifically, an extensive genomic analysis was performed *in silico* of the *Streptococcus pneumoniae* type 4 genome from The Institute for Genomic Research (TIGR) using algorithms designed to identify genes that encode novel surface localized polypeptides or polypeptides with putative similarity to polypeptides of known interest in other organisms. Thus, a combined analysis of the *Streptococcus pneumoniae* genome, using a unique set of two ORF finder algorithms (*i.e.*, GLIMMER, Salzberg *et al.*, 1998 and inventors' assignee's own program), produced 3,799 ORFs. The most stringent of the ORF finders; Glimmer, produced 2,022 ORFs, while the assignee's ORF finder produced the most with 3,798 ORFs. There were 2,021 ORFs identified by the two algorithms. The difference in results between the different ORF finders is primarily due to the particular start codons used by each program; however, Glimmer also incorporates some evaluation for a Shine-Dalgarno box and an interpolated Markov model. For the purposes here, all ORFs with common stop codons are given the same ORF designation and will be treated as if they are the same ORF. As used hereinafter, an ORF is defined as having one of three potential start site codons, ATG, GTG or TTG and one of three potential stop codons, TAA, TAG or TGA. The lower limit of amino acid length selected as a cutoff (*e.g.*, ~74 amino acids) may also cause the algorithms to overlook some reading frames. However, these "true" reading frames become an increasingly rare event as the ORFs become shorter.

The initial annotation of the *Streptococcus pneumoniae* ORFs was performed using the Basic Local Alignment Search Tool (BLAST; version 2.0) Gapped search algorithm, Blastp, to identify homologous sequences (Altschul *et al.*, 1997). A cutoff 'e' value of anything  $< e^{-10}$  was considered significant. The non-redundant protein sequence database used for the homology searches consisted of GenBank, SWISS-



PROT (Bairoch and Apweiler, 2000), PIR (Barker *et al.*, 2001), and TREMBL (Bairoch and Apweiler, 2000); whose database sequences are updated daily. In the present invention, ORFs with a Blastp result of  $> e^{-10}$  are considered to be unique to *Streptococcus pneumoniae*. Alternate quantitative expression values other than Blastp 'e', e.g., percent identity, may also be used to compare database sequences with the *Streptococcus pneumoniae* ORFs of the present invention.

A keyword search of the entire BLAST results was carried out using known or suspected target genes for immunogenic compositions as well as words that identified the location of a protein or function.

Several parameters were used to determine grouping of the predicted *Streptococcus pneumoniae* polypeptides of the invention. For example, polypeptides destined for translocation across the cytoplasmic membrane encode a leader signal (also called signal sequence) composed of a central hydrophobic region flanked at the N-terminus by positively charged residues (Pugsley, 1993). A software program, called SignalP, which identifies signal peptides and their cleavage sites based on neural networks (Nielsen *et al.*, 1997), was used in the present invention to analyze the amino acid sequence of an ORF for such a signal peptide. The first 60 N-terminal amino acids of each ORF were analyzed by SignalP using the Gram-positive software database. The output generated four separate values, maximum C, maximum Y, maximum S, and mean S. The S-score, or signal region, is the probability of the position belonging to the signal peptide. The C-score, or cleavage site, is the probability of the position being the first in the mature protein. The Y-score is the geometric average of the C-score and a smoothed derivative of the S-score. A conclusion of either a Yes or No is given next to each score. If all four conclusions are Yes, then a 'YES' is listed for that ORF; if three of the conclusions are Yes, then a 'yes' is listed for that ORF; if two of the conclusions are Yes, then a 'maybe' is listed for that ORF; for all other cases, a 'no' is listed for that ORF.

To predict polypeptide localization in bacteria, the software program PSORT was used (Nakai, 1991). PSORT predicts localization of polypeptides to the 'cytoplasm', 'periplasm', and/or 'cytoplasmic membrane' for Gram-positive bacteria, as well as 'outer membrane' for Gram-negative bacteria. Transmembrane (TM) domains of polypeptides were analyzed using the software program TopPred II (Cserzo *et al.*, 1997).

The Hidden Markov Model (HMM) Pfam database (Bateman, 2000) was used to identify *Streptococcus pneumoniae* proteins that may belong to an existing protein family. Keyword searching of this output was further used to help identify additional candidate antigens that may have been missed by the BLAST search criteria.

5        A computer algorithm, called HMM Lipo, was developed by inventors' assignee to predict lipoproteins using approximately 131 biologically proven bacterial lipoproteins. The protein sequence from the start of the protein to the cysteine amino acid, plus the next two additional amino acids, was used to generate the HMM (Eddy and Markov, 1996)

10        The inventor's assignee's also developed a HMM using approximately 70 known prokaryotic proteins containing the LPXTG cell wall sorting signal, to predict cell wall proteins that are anchored to the peptidoglycan layer (Mazmanian *et al.*, 1999; Navarre and Schneewind, 1999). The model used not only the LPXTG sequence, but also included two features of the downstream sequence, first the  
15        hydrophobic transmembrane domain and secondly, the positively charged carboxy terminus. There are also a number of proteins that interact, non-covalently, with the peptidoglycan layer and are distinct from the LPXTG protein class described above. These proteins seem to have a consensus sequence at their carboxy terminus (Koebnik, 1995). The inventors therefore developed and used a HMM of this region  
20        to identify any *Streptococcus pneumoniae* that may fall into this class of proteins.

*Streptococcus pneumoniae* ORFs encoding surface localized, exposed, or membrane associated polypeptides were also identified by proteomics (see, Example 3). This proteomic analysis confirmed many of the *Streptococcus pneumoniae* ORFs identified by the above genomic analysis and further identified novel *Streptococcus*  
25        *pneumoniae* ORFs encoding membrane associated polypeptides.

The following Tables (*i.e.*, Tables 1-12) represent 12 groups into which the ORFs identified according to the above characteristics of present invention have been classified. Thus, all of the groups described below are ORFs comprised within the *Streptococcus pneumoniae* genome and identified as encoding putative surface  
30        localized, exposed, membrane associated or secreted polypeptides. These groups are not meant to limit the scope of the present invention, as analysis of additional ORF characteristics also are contemplated. These additional characteristics, *e.g.*, RGD sequence, may serve to further expand the total number of ORF groupings or

to parse the presently identified ORFs into more defined groups, broader groups, narrower groups or group subsets. In addition, some ORFs will meet the criteria of more than one category, and will therefore appear in more than one of the following groups.

- 5        Listed in Table 1 are ORFs that comprise a cytoplasmic membrane signal sequence (*i.e.*, a SignalP value of 'YES') and have one or fewer membrane spanning domains (MSD), as defined by the TopPred II program. Thirteen ORFs are found that match these criteria and are considered to be surface exposed.

**Table 1.** ORFs encoding surface exposed polypeptides, SignalP value = 'YES' and  $\leq 1$  MSDs.

SEQ ID	ORF
11	190
17	403
23	469
39	790
50	935
70	1143
83	1475
91	1568
97	1724
128	2271
148	2621
179	3212
209	3600

5

Listed in Table 2 are ORFs that comprise a cytoplasmic membrane signal sequence (*i.e.*, a SignalP value of 'YES') and an outer membrane (OM) or periplasmic (Peri) prediction value when analyzed *via* the program Psort. Five ORFs are found that match these criteria and are considered to be surface exposed.

10

**Table 2.** ORFs encoding surface exposed polypeptides, a SignalP value = 'YES' and a Psort value of 'OM or Peri'.

SEQ ID	ORF
23	469
39	790
50	935
125	2228
179	3212

Listed in Table 3 are ORFs that comprise a cytoplasmic membrane signal sequence (*i.e.*, a SignalP value of 'YES') and have 2 or more membrane spanning domains (MSD), as defined by the TopPred II program. Twenty two ORFs are found that match these criteria and are considered to be surface exposed.

5

**Table 3.** ORFs encoding surface exposed polypeptides, a SignalP = 'YES' and  $\leq 1$  MSDs.

SEQ ID	ORF
11	190
13	339
17	403
23	469
34	640
39	790
50	935
70	1143
73	1207
83	1475
91	1568
97	1724
106	1947
121	2196
125	2228
126	2234
128	2271
148	2621
179	3212
187	3361
192	3384
209	3600

10

Listed in Table 4 are ORFs that comprise at least 3 of 4 SignalP values (*i.e.*, a SignalP value of 'yes') and have 2 or more membrane spanning domains (MSD), as defined by the TopPred II program. Forty-nine ORFs are found that match these criteria and are considered to be surface exposed.

**Table 4.** ORFs encoding surface exposed polypeptides, a SignalP = 'yes' and  $\geq 2$  MSDs.

SEQ ID	ORF	SEQ ID	ORF
2	72	129	2304
6	94	133	2350
10	141	140	2470
14	356	145	2594
22	462	146	2613
28	597	152	2676
29	598	156	2838
36	715	168	3072
37	716	175	3141
40	823	180	3256
46	885	184	3340
47	904	188	3369
48	916	190	3373
56	989	194	3386
59	998	203	3558
71	1178	211	3631
77	1339	213	3770
80	1412	215	3799
81	1437		
86	1493		
87	1528		
88	1530		
93	1623		
99	1816		
101	1849		
102	1863		
105	1904		
112	2026		
114	2061		
115	2112		
120	2195		

5

Keyword search of the Blastp data for putative surface exposed proteins produced 119 ORFs and are listed in Table 5.

**Table 5.** ORFs encoding surface exposed polypeptides identified by keyword search of Blastp data.

SEQ ID	ORF	SEQ ID	ORF	SEQ ID	ORF	SEQ ID	ORF
1	51	88	1530	158	2847	213	3770
2	72	90	1560	159	2894	214	3789
7	113	94	1630	160	2969		
10	141	95	1632	161	2975		
12	304	96	1710	162	2979		
16	378	98	1765	163	2980		
20	410	100	1835	165	3039		
24	493	103	1864	166	3040		
27	580	105	1904	167	3060		
30	607	107	1966	169	3079		
31	612	108	1999	172	3107		
32	624	109	2001	173	3115		
33	639	112	2026	176	3167		
34	640	113	2027	177	3198		
35	703	115	2112	178	3209		
38	772	117	2132	180	3256		
40	823	118	2191	181	3262		
42	838	122	2198	182	3298		
43	854	123	2201	184	3340		
44	855	124	2215	185	3346		
48	916	127	2239	186	3349		
51	945	129	2304	188	3369		
53	979	131	2329	189	3372		
59	998	132	2348	191	3378		
60	1013	133	2350	193	3385		
61	1048	134	2352	196	3457		
65	1072	135	2354	197	3473		
67	1104	136	2385	198	3479		
68	1117	138	2431	199	3480		
69	1141	139	2452	200	3487		
70	1143	141	2488	201	3493		
71	1178	144	2591	202	3494		
75	1244	146	2613	204	3568		
76	1267	147	2615	205	3576		
77	1339	151	2661	206	3578		
78	1350	152	2676	207	3584		
79	1410	154	2734	208	3585		
80	1412	155	2814	210	3627		
87	1528	157	2845	212	3669		

HMM Pfam analysis helps identify ORFs encoding proteins with domains or amino acid patterns similar to proteins that belong to an existing protein family. Keyword search of the Pfam family classification for potential surface exposed proteins produced 52 ORFs and are listed in Table 6.

5

**Table 6.** ORFs encoding surface exposed polypeptides identified by HMM Pfam analysis.

SEQ ID	ORF	SEQ ID	ORF
4	79	160	2969
18	404	162	2979
19	406	163	2980
41	828	164	2983
45	869	165	3039
55	983	166	3040
57	992	169	3079
58	996	171	3083
63	1064	174	3140
64	1070	176	3167
66	1097	180	3256
72	1179	182	3298
74	1220	183	3327
89	1559	184	3340
92	1572	186	3349
104	1868	188	3369
111	2025	189	3372
116	2129	195	3413
119	2193	198	3479
128	2271	199	3480
137	2400	205	3576
142	2499	212	3669
143	2543	213	3770
149	2642		
151	2661		
152	2676		
153	2678		
157	2845		
159	2894		



An algorithm called HMM Lipo was developed for use in the present invention. The HMM Lipo program predicts lipoproteins using approximately 131 biologically proven bacterial lipoproteins. HMM Lipo identified 16 ORFs that are putative lipoproteins and are listed in Table 7.

5

**Table 7.** ORFs encoding surface exposed lipoproteins.

SEQ ID	ORF
3	75
8	132
9	140
13	339
21	423
26	502
34	640
62	1059
67	1104
85	1479
134	2352
147	2615
150	2655
168	3072
170	3081
173	3115

10       The inventors developed an HMM using approximately 70 known prokaryotic polypeptides containing the LPXTG cell wall sorting signal. Thus, this HMM was used to predict cell wall polypeptides that are anchored to the peptidoglycan layer. Listed in Table 8 are 4 ORFs predicted to have the LPXTG motif and are classified as proteins that might be targeted by sortase.

**Table 8.** ORFs encoding surface exposed polypeptides anchored to the peptidoglycan layer.

SEQ ID	ORF
13	339
21	423
34	640
170	3081

5

In addition, listed in Table 9 are 3 ORFs predicted by HMM PGB analysis to encode polypeptides potentially binding to the peptidoglycan layer in a manner independently of the sortase.

10

**Table 9.** ORFs encoding surface exposed polypeptides non-covalently anchored to the peptidoglycan layer.

SEQ ID	ORF
25	494
49	927
110	2012

15

ORFs that give a SignalP value of 'YES' and whose carboxy terminal amino acid is either a Phenylalanine or Tyrosine are considered to be surface exposed.

20 Listed in Table 10 are 7 ORFs matching these criteria.

**Table 10.** ORFs encoding surface exposed polypeptides, a cytoplasmic membrane signal sequence (*i.e.*, SignalP = 'YES') and a C-terminal Phe or Tyr amino acid.

5

SEQ ID	ORF
11	190
39	790
73	1207
97	1724
106	1947
125	2228
187	3361

10

Twenty eight *Streptococcus pneumoniae* ORFs were additionally identified by proteomics as encoding membrane associated polypeptides and are listed in Table 11. The ORFs listed in Table 11 further support the *Streptococcus pneumoniae* ORFs identified by the genomic mining algorithms described above (*i.e.*, ORFs encoding surface localized, secreted, or exposed polypeptides; Tables 1-10).

15

**Table 11.** *Streptococcus pneumoniae* ORFs confirmed by proteomics as surface exposed.

SEQ ID	ORF
14	356
16	378
17	403
46	885
64	1070
66	1097
67	1104
69	1141
71	1178
74	1220
91	1568
103	1864
116	2129
128	2271
131	2329
136	2385
151	2661
156	2838
159	2894
162	2979
164	2983
172	3107
176	3167
178	3209
179	3212
180	3256
182	3298
205	3576

5

Finally, 161 novel *Streptococcus pneumoniae* ORFs were identified by proteomics as encoding membrane associated polypeptides and are listed in Table 12.

**Table 12.** *Streptococcus pneumoniae* ORFs identified by proteomics as membrane associated.

SEQ ID	ORF	SEQ ID	ORF	SEQ ID	ORF	SEQ ID	ORF
431	64	463	357	495	1344	527	2284
432	120	464	390	496	1347	528	2315
433	121	465	431	497	1356	529	2317
434	152	466	434	498	1417	530	2318
435	153	467	436	499	1465	531	2319
436	156	468	439	500	1477	532	2320
437	159	469	513	501	1515	533	2372
438	160	470	515	502	1527	534	2374
439	163	471	583	503	1565	535	2376
440	164	472	633	504	1601	536	2387
441	166	473	683	505	1606	537	2394
442	172	474	686	506	1641	538	2410
443	174	475	720	507	1770	539	2425
444	175	476	726	508	1773	540	2443
445	178	477	818	509	1774	541	2451
446	180	478	861	510	1785	542	2454
447	181	479	863	511	1803	543	2508
448	183	480	960	512	1817	544	2513
449	186	481	1004	513	1823	545	2542
450	188	482	1037	514	1847	546	2558
451	189	483	1049	515	1917	547	2568
452	192	484	1054	516	1923	548	2575
453	194	485	1061	517	1964	549	2587
454	199	486	1082	518	1970	550	2754
455	268	487	1105	519	2039	551	2800
456	269	488	1111	520	2041	552	2839
457	294	489	1175	521	2047	553	2892
458	296	490	1248	522	2058	554	2906
459	298	491	1262	523	2068	555	2958
460	301	492	1266	524	2130	556	2963
461	316	493	1312	525	2251	557	3021
462	320	494	1314	526	2282	558	3048

**Table 12.** *Streptococcus pneumoniae* ORFs identified by proteomics as membrane associated.

SEQ ID	ORF	SEQ ID	ORF	SEQ ID	ORF	SEQ ID	ORF
559	3065	569	3248	579	3552	589	3739
560	3095	570	3303	580	3555	590	3766
561	3111	571	3331	581	3560	591	3778
562	3125	572	3367	582	3564		
563	3151	573	3410	583	3566		
564	3153	574	3446	584	3632		
565	3161	575	3454	585	3653		
566	3178	576	3525	586	3714		
567	3180	577	3538	587	3732		
568	3234	578	3540	588	3735		

5

As further contemplated in the present invention, *Streptococcus pneumoniae* ORFs are searched and evaluated for other important characteristics. For example, proteins that contain the Arg-Gly-Asp (RGD) attachment motif, together with integrins that serve as their receptor, constitute a major recognition system for cell adhesion, and thus are putative *Streptococcus pneumoniae* polypeptide antigens. Four *Streptococcus pneumoniae* ORFs, i.e., ORF 51, ORF 423, ORF 1097 and ORF 1104, have been identified as having a tripeptide RGD sequence that potentially is involved in cell attachment.

10

ORFs RGD recognition is one mechanism used by microbes to gain entry into eukaryotic tissues (Stockbauer *et al.*, 1999; Isberg and Nhieu, 1994). However, not all RGD-containing proteins mediate cell attachment. It has been shown that RGD-containing peptides with a proline at the carboxy end (RGDP) are inactive in cell attachment assays (Pierschbacher and Rouslahti, 1987) and are excluded. A tandem repeat finder (Benson, 1999) may also be used, as has been used to identify ORFs containing repeated DNA sequences such as those found in MSCRAMMs (Foster and Hook, 1998) and phase variable surface proteins of *Neisseria meningitidis* (Parkhill *et al.*, 2000).

15

20

The present inventors also have used the Geanfammer software to cluster proteins into homologous families (Park and Teichmann, 1998). Preliminary analysis

of the family classes has provided novel ORFs within a vaccine candidate cluster as well as defining potential protein function.

The ORFs listed in Table 13, were identified by analysis of the *Streptococcus pneumoniae* genome. A total of 215 ORFs were identified based on the analysis criteria described above and listed in Tables 1-10. The 215 ORFs identified are listed vertically in Table 13 (column 1). The nucleotide SEQ ID NOS: 1 through SEQ ID NOS: 215 (column 2) and the encoded polypeptide SEQ ID NOS: 216 through SEQ ID NOS: 430 (column 3) are listed horizontally to their respective ORF. For example, in Table 13, ORF 51 has the nucleotide sequence of SEQ ID NO:1 and the encoded polypeptide has the amino acid sequence of SEQ ID NO: 216, ORF 72 has nucleotide SEQ ID NO:2 and encoded polypeptide SEQ ID NO: 217, etc.

Proteomic analysis identified twenty eight ORFs (see, Table 11) already listed in Table 13 (e.g., SEQ ID NO: 14, SEQ ID NO:16, SEQ ID NO:27, etc.) Proteomic analysis further identified 161 novel ORFs encoding membrane associated proteins (see, Table 12). These 161 novel ORFs identified by proteomics as membrane associated are listed vertically in Table 14 (column 1). The nucleotide SEQ ID NOS: 431 through SEQ ID NO: 591 (column 2) and the encoded polypeptide SEQ ID NOS: 592 through 752 (column 3) are listed horizontally to their respective ORF.

Table 13. *Streptococcus Pneumoniae* open reading frames (ORFs)

ORF	Nucleotide SEQ ID NO	Polypeptide SEQ ID NO
51	1	216
72	2	217
75	3	218
79	4	219
86	5	220
94	6	221
113	7	222
132	8	223
140	9	224
141	10	225
190	11	226
304	12	227
339	13	228
356	14	229
370	15	230
378	16	231
403	17	232
404	18	233
406	19	234
410	20	235
423	21	236
462	22	237
469	23	238
493	24	239
494	25	240
502	26	241
580	27	242
597	28	243
598	29	244
607	30	245
612	31	246
624	32	247
639	33	248
640	34	249
703	35	250
715	36	251
716	37	252
772	38	253
790	39	254
823	40	255



**Table 13. *Streptococcus Pneumoniae* open reading frames (ORFs)**

<b>ORF</b>	<b>Nucleotide SEQ ID NO</b>	<b>Polypeptide SEQ ID NO</b>
823	40	255
828	41	256
838	42	257
854	43	258
855	44	259
869	45	260
885	46	261
904	47	262
916	48	263
927	49	264
935	50	265
945	51	266
965	52	267
979	53	268
980	54	269
983	55	270
989	56	271
992	57	272
996	58	273
998	59	274
1013	60	275
1048	61	276
1059	62	277
1064	63	278
1070	64	279
1072	65	280
1097	66	281
1104	67	282
1117	68	283
1141	69	284
1143	70	285
1178	71	286
1179	72	287
1207	73	288
1220	74	289
1244	75	290
1267	76	291
1339	77	292
1350	78	293
1410	79	294

Table 13. *Streptococcus Pneumoniae* open reading frames (ORFs)

ORF	Nucleotide SEQ ID NO	Polypeptide SEQ ID NO
1412	80	295
1437	81	296
1459	82	297
1475	83	298
1476	84	299
1479	85	300
1493	86	301
1528	87	302
1530	88	303
1559	89	304
1560	90	305
1568	91	306
1572	92	307
1623	93	308
1630	94	309
1632	95	310
1710	96	311
1724	97	312
1765	98	313
1816	99	314
1835	100	315
1849	101	316
1863	102	317
1864	103	318
1868	104	319
1904	105	320
1947	106	321
1966	107	322
1999	108	323
2001	109	324
2012	110	325
2025	111	326
2026	112	327
2027	113	328
2061	114	329
2112	115	330
2129	116	331
2132	117	332
2191	118	333
2193	119	334

Table 13. *Streptococcus Pneumoniae* open reading frames (ORFs)

ORF	Nucleotide SEQ ID NO	Polypeptide SEQ ID NO
2195	120	335
2196	121	336
2198	122	337
2201	123	338
2215	124	339
2228	125	340
2234	126	341
2239	127	342
2271	128	343
2304	129	344
2322	130	345
2329	131	346
2348	132	347
2350	133	348
2352	134	349
2354	135	350
2385	136	351
2400	137	352
2431	138	353
2452	139	354
2470	140	355
2488	141	356
2499	142	357
2543	143	358
2591	144	359
2594	145	360
2613	146	361
2615	147	362
2621	148	363
2642	149	364
2655	150	365
2661	151	366
2676	152	367
2678	153	368
2734	154	369
2814	155	370
2838	156	371
2845	157	372
2847	158	373
2894	159	374

Table 13. *Streptococcus Pneumoniae* open reading frames (ORFs)

ORF	Nucleotide SEQ ID NO	Polypeptide SEQ ID NO
2969	160	375
2975	161	376
2979	162	377
2980	163	378
2983	164	379
3039	165	380
3040	166	381
3060	167	382
3072	168	383
3079	169	384
3081	170	385
3083	171	386
3107	172	387
3115	173	388
3140	174	389
3141	175	390
3167	176	391
3198	177	392
3209	178	393
3212	179	394
3256	180	395
3262	181	396
3298	182	397
3327	183	398
3340	184	399
3346	185	400
3349	186	401
3361	187	402
3369	188	403
3372	189	404
3373	190	405
3378	191	406
3384	192	407
3385	193	408
3386	194	409
3413	195	410
3457	196	411
3473	197	412
3479	198	413
3480	199	414

**Table 13. *Streptococcus Pneumoniae* open reading frames (ORFs)**

<b>ORF</b>	<b>Nucleotide SEQ ID NO</b>	<b>Polypeptide SEQ ID NO</b>
3487	200	415
3493	201	416
3494	202	417
3558	203	418
3568	204	419
3576	205	420
3578	206	421
3584	207	422
3585	208	423
3600	209	424
3627	210	425
3631	211	426
3669	212	427
3770	213	428
3789	214	429
3799	215	430

**Table 14. *Streptococcus Pneumoniae* open reading frames (ORFs)**

ORF	Nucleotide SEQ ID NO	Polypeptide SEQ ID NO
64	431	592
120	432	593
121	433	594
152	434	595
153	435	596
156	436	597
159	437	598
160	438	599
163	439	600
164	440	601
166	441	602
172	442	603
174	443	604
175	444	605
178	445	606
180	446	607
181	447	608
183	448	609
186	449	610
188	450	611
189	451	612
192	452	613
194	453	614
199	454	615
268	455	616
269	456	617
294	457	618
296	458	619
298	459	620
301	460	621
316	461	622
320	462	623
357	463	624
390	464	625
431	465	626
434	466	627
436	467	628

**Table 14. *Streptococcus Pneumoniae* open reading frames (ORFs)**

<b>ORF</b>	<b>Nucleotide SEQ ID NO</b>	<b>Polypeptide SEQ ID NO</b>
439	468	629
513	469	630
515	470	631
583	471	632
633	472	633
683	473	634
686	474	635
720	475	636
726	476	637
818	477	638
861	478	639
863	479	640
960	480	641
1004	481	642
1037	482	643
1049	483	644
1054	484	645
1061	485	646
1082	486	647
1105	487	648
1111	488	649
1175	489	650
1248	490	651
1262	491	652
1266	492	653
1312	493	654
1314	494	655
1344	495	656
1347	496	657
1356	497	658
1417	498	659
1465	499	660
1477	500	661
1515	501	662
1527	502	663
1565	503	664
1601	504	665

**Table 14. *Streptococcus Pneumoniae* open reading frames (ORFs)**

<b>ORF</b>	<b>Nucleotide SEQ ID NO</b>	<b>Polypeptide SEQ ID NO</b>
1606	505	666
1641	506	667
1770	507	668
1773	508	669
1774	509	670
1785	510	671
1803	511	672
1817	512	673
1823	513	674
1847	514	675
1917	515	676
1923	516	677
1964	517	678
1970	518	679
2039	519	680
2041	520	681
2047	521	682
2058	522	683
2068	523	684
2130	524	685
2251	525	686
2282	526	687
2284	527	688
2315	528	689
2317	529	690
2318	530	691
2319	531	692
2320	532	693
2372	533	694
2374	534	695
2376	535	696
2387	536	697
2394	537	698
2410	538	699
2425	539	700
2443	540	701
2451	541	702



**Table 14. *Streptococcus Pneumoniae* open reading frames (ORFs)**

<b>ORF</b>	<b>Nucleotide SEQ ID NO</b>	<b>Polypeptide SEQ ID NO</b>
2454	542	703
2508	543	704
2513	544	705
2542	545	706
2558	546	707
2568	547	708
2575	548	709
2587	549	710
2754	550	711
2800	551	712
2839	552	713
2892	553	714
2906	554	715
2958	555	716
2963	556	717
3021	557	718
3048	558	719
3065	559	720
3095	560	721
3111	561	722
3125	562	723
3151	563	724
3153	564	725
3161	565	726
3178	566	727
3180	567	728
3234	568	729
3248	569	730
3303	570	731
3331	571	732
3367	572	733
3410	573	734
3446	574	735
3454	575	736
3525	576	737
3538	577	738
3540	578	739

**Table 14. *Streptococcus Pneumoniae* open reading frames (ORFs)**

ORF	Nucleotide SEQ ID NO	Polypeptide SEQ ID NO
3552	579	740
3555	580	741
3560	581	742
3564	582	743
3566	583	744
3632	584	745
3653	585	746
3714	586	747
3732	587	748
3735	588	749
3739	589	750
3766	590	751
3778	591	752

**B. *STREPTOCOCCUS PNEUMONIAE* ORF POLYNUCLEOTIDES ENCODING SURFACE EXPOSED POLYPEPTIDES**

Isolated and purified *Streptococcus pneumoniae* ORF polynucleotides of the present invention are contemplated for use in the production of *Streptococcus pneumoniae* polypeptides. More specifically, in certain embodiments, the ORFs encode *Streptococcus pneumoniae* surface localized, exposed, membrane associated or secreted polypeptides, particularly antigenic polypeptides. Thus, in one aspect, the present invention provides isolated and purified polynucleotides (ORFs) that encode *Streptococcus pneumoniae* surface localized, exposed, membrane associated or secreted polypeptides. In particular embodiments, a polynucleotide of the present invention is a DNA molecule, wherein the DNA may be genomic DNA, chromosomal DNA, plasmid DNA or cDNA. In a preferred embodiment, a polynucleotide of the present invention is a recombinant polynucleotide, which encodes a *Streptococcus pneumoniae* polypeptide comprising an amino acid sequence that has at least 95% identity to an amino acid sequence of one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, or a fragment thereof. In another embodiment, an isolated and purified ORF polynucleotide comprises a nucleotide sequence that has at least 95% identity

to one of the ORF nucleotide sequences of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a complement thereof. In a preferred embodiment, an ORF polynucleotide of one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591 is comprised in a plasmid vector and expressed in a prokaryotic host cell.

As used hereinafter, the term "polynucleotide" means a sequence of nucleotides connected by phosphodiester linkages. Polynucleotides are presented hereinafter in the direction from the 5' to the 3' direction. A polynucleotide of the present invention can comprise from about 10 to about several hundred thousand base pairs. Preferably, a polynucleotide comprises from about 10 to about 3,000 base pairs. Preferred lengths of particular polynucleotide are set forth hereinafter.

A polynucleotide of the present invention can be a deoxyribonucleic acid (DNA) molecule, a ribonucleic acid (RNA) molecule, or analogs of the DNA or RNA generated using nucleotide analogs. The nucleic acid molecule can be single-stranded or double-stranded, but preferably is double-stranded DNA. Where a polynucleotide is a DNA molecule, that molecule can be a gene, a cDNA molecule or a genomic DNA molecule. Nucleotide bases are indicated hereinafter by a single letter code: adenine (A), guanine (G), thymine (T), cytosine (C), inosine (I) and uracil (U).

"Isolated" means altered "by the hand of man" from the natural state. If an "isolated" composition or substance occurs in nature, it has been changed or removed from its original environment, or both. For example, a polynucleotide or a polypeptide naturally present in a living animal is not "isolated," but the same polynucleotide or polypeptide separated from the coexisting materials of its natural state is "isolated," as the term is employed hereinafter.

Preferably, an "isolated" polynucleotide is free of sequences which naturally flank the nucleic acid (*i.e.*, sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated *Streptococcus pneumoniae* nucleic acid molecule can contain less than about 5 kb, 4 kb, 3 kb, 2 kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived. However, the

*Streptococcus pneumoniae* nucleic acid molecule can be fused to other protein encoding or regulatory sequences and still be considered isolated.

ORF polynucleotides of the present invention may be obtained, using standard cloning and screening techniques, from a cDNA library derived from mRNA.

5 Polynucleotides of the invention can also be obtained from natural sources such as genomic DNA libraries (e.g., a *Streptococcus pneumoniae* library) or can be synthesized using well known and commercially available techniques. Contemplated in the present invention, ORF polynucleotides will be obtained using *Streptococcus pneumoniae* type 3, type 14 or type 19F chromosomal DNA as the template.

10 The invention further encompasses nucleic acid molecules that differ from the nucleotide sequences shown in SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591 (and fragments thereof) due to degeneracy of the genetic code and thus encode the same *Streptococcus pneumoniae* polypeptide as that encoded by the nucleotide sequence shown SEQ ID NO:1 through SEQ ID  
15 NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591.

Orthologues and allelic variants of the *Streptococcus pneumoniae* polynucleotides can readily be identified using methods well known in the art. Allelic variants and orthologues of the polynucleotides will comprise a nucleotide sequence that is typically at least about 70-75%, more typically at least about 80-85%, and  
20 most typically at least about 90-95% or more homologous to the nucleotide sequence shown in SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, or a fragment of these nucleotide sequences. Such nucleic acid molecules can readily be identified as being able to hybridize, preferably under stringent conditions, to the nucleotide sequence shown in SEQ ID NO:1 through SEQ ID  
25 NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, or a fragment of these nucleotide sequences.

Moreover, the polynucleotide of the invention can comprise only a fragment of the coding region of a *Streptococcus pneumoniae* polynucleotide or gene, such as a fragment of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431  
30 through SEQ ID NO: 591. Preferably, such fragments are immunogenic fragments.

When the ORF polynucleotides of the invention are used for the recombinant production of *Streptococcus pneumoniae* polypeptides of the present invention, the polynucleotide may include the coding sequence for the mature polypeptide, by itself,

or the coding sequence for the mature polypeptide in reading frame with other coding sequences, such as those encoding a leader or secretory sequence, a pre-, or pro- or prepro- protein sequence, or other fusion peptide portions. For example, a marker sequence which facilitates purification of the fused polypeptide can be linked to the coding sequence (see Gentz *et al.*, 1989, incorporated by reference hereinafter in its entirety). Thus, contemplated in the present invention is the preparation of polynucleotides encoding fusion polypeptides permitting His-tag purification of expression products. The polynucleotide may also contain non-coding 5' and 3' sequences, such as transcribed, non-translated sequences, splicing and polyadenylation signals.

Thus, a polynucleotide encoding a polypeptide of the present invention, including homologs and orthologs from species other than *Streptococcus pneumoniae*, may be obtained by a process which comprises the steps of screening an appropriate library under stringent hybridization conditions with a labeled probe having the sequence of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO:431 through SEQ ID NO: 591, a fragment thereof; and isolating full-length cDNA and genomic clones containing the polynucleotide sequence. Such hybridization techniques are well known to the skilled artisan. The skilled artisan will appreciate that, in many cases, an isolated cDNA sequence will be incomplete, in that the region coding for the polypeptide is cut short at the 5' end of the cDNA. This is a consequence of reverse transcriptase, an enzyme with inherently low "processivity" (a measure of the ability of the enzyme to remain attached to the template during the polymerization reaction), failing to complete a DNA copy of the mRNA template during 1st strand cDNA synthesis.

Thus, in certain embodiments, the polynucleotide sequence information provided by the present invention allows for the preparation of relatively short DNA (or RNA) oligonucleotide sequences having the ability to specifically hybridize to gene sequences of the selected polynucleotides disclosed hereinafter. The term "oligonucleotide" as used hereinafter is defined as a molecule comprised of two or more deoxyribonucleotides or ribonucleotides, usually more than three (3), and typically more than ten (10) and up to one hundred (100) or more (although preferably between twenty and thirty). The exact size will depend on many factors, which in turn depends on the ultimate function or use of the oligonucleotide. Thus, in

particular embodiments of the invention, nucleic acid probes of an appropriate length are prepared based on a consideration of a selected nucleotide sequence, e.g., a sequence such as that shown in SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591. The ability of such nucleic acid probes to  
5 specifically hybridize to a polynucleotide encoding a *Streptococcus pneumoniae* polypeptide lends them particular utility in a variety of embodiments. Most importantly, the probes can be used in a variety of assays for detecting the presence of complementary sequences in a given sample.

In certain embodiments, it is advantageous to use oligonucleotide primers.  
10 These primers may be generated in any manner, including chemical synthesis, DNA replication, reverse transcription, or a combination thereof. The sequence of such primers is designed using a polynucleotide of the present invention for use in detecting, amplifying or mutating a defined segment of an ORF polynucleotide that encodes a *Streptococcus pneumoniae* polypeptide from prokaryotic cells using  
15 polymerase chain reaction (PCR) technology.

In certain embodiments, it is advantageous to employ a polynucleotide of the present invention in combination with an appropriate label for detecting hybrid formation. A wide variety of appropriate labels are known in the art, including radioactive, enzymatic or other ligands, such as avidin/biotin, which are capable of  
20 giving a detectable signal.

Polynucleotides which are identical or sufficiently identical to a nucleotide sequence contained in one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, or a fragment thereof, may be used as hybridization probes for cDNA and genomic DNA or as primers for a nucleic acid amplification  
25 (PCR) reaction, to isolate full-length cDNAs and genomic clones encoding polypeptides of the present invention and to isolate cDNA and genomic clones of other genes (including genes encoding homologs and orthologs from species other than *Streptococcus pneumoniae*) that have a high sequence similarity to the polynucleotide sequences set forth in of SEQ ID NO:1 through SEQ ID NO:215 or  
30 SEQ ID NO: 431 through SEQ ID NO: 591, or a fragment thereof. Typically these nucleotide sequences are from at least about 70% identical to at least about 95% identical to that of the reference polynucleotide sequence. The probes or primers will generally comprise at least 15 nucleotides, preferably, at least 30 nucleotides and

may have at least 50 nucleotides. Particularly preferred probes will have between 30 and 50 nucleotides.

There are several methods available and well known to those skilled in the art to obtain full-length cDNAs, or extend short cDNAs, for example those based on the method of Rapid Amplification of cDNA ends (RACE) (see, Frohman *et al.*, 1988). Recent modifications of the technique, exemplified by the Marathon™ technology (Clontech Laboratories Inc.) for example, have significantly simplified the search for longer cDNAs. In the Marathon™ technology, cDNAs have been prepared from mRNA extracted from a chosen tissue and an "adaptor" sequence ligated onto each end. Nucleic acid amplification (PCR) is then carried out to amplify the "missing" 5' end of the cDNA using a combination of gene specific and adaptor specific oligonucleotide primers. The PCR reaction is then repeated using "nested" primers, that is, primers designed to anneal within the amplified product (typically an adaptor specific primer that anneals further 3' in the adaptor sequence and a gene specific primer that anneals further 5' in the known gene sequence). The products of this reaction can then be analyzed by DNA sequencing and a full-length cDNA constructed either by joining the product directly to the existing cDNA to give a complete sequence, or carrying out a separate full-length PCR using the new sequence information for the design of the 5' primer.

To provide certain of the advantages in accordance with the present invention, a preferred nucleic acid sequence employed for hybridization studies or assays includes probe molecules that are complementary to at least a 10 to about 70 nucleotides long stretch of a polynucleotide that encodes a *Streptococcus pneumoniae* polypeptide, such as that shown in one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. A size of at least 10 nucleotides in length helps to ensure that the fragment will be of sufficient length to form a duplex molecule that is both stable and selective. Molecules having complementary sequences over stretches greater than 10 bases in length are generally preferred, though, in order to increase stability and selectivity of the hybrid, and thereby improve the quality and degree of specific hybrid molecules obtained. One will generally prefer to design nucleic acid molecules having gene-complementary stretches of 25 to 40 nucleotides, 55 to 70 nucleotides, or even longer where desired. Such fragments can be readily prepared by, for example,

directly synthesizing the fragment by chemical means, by application of nucleic acid reproduction technology, such as the PCR technology of (U.S. Patent 4,683,202, incorporated hereinafter by reference) or by excising selected DNA fragments from recombinant plasmids containing appropriate inserts and suitable restriction enzyme sites.

In another aspect, the present invention contemplates an isolated and purified polynucleotide comprising a nucleotide sequence that is identical or complementary to a segment of at least 10 contiguous bases of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, wherein the polynucleotide hybridizes to a polynucleotide that encodes a *Streptococcus pneumoniae* polypeptide. Preferably, the isolated and purified polynucleotide comprises a base sequence that is identical or complementary to a segment of at least 25 to about 70 contiguous bases of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591. For example, the polynucleotide of the invention can comprise a segment of bases identical or complementary to 40 or 55 contiguous bases of the disclosed nucleotide sequences.

Accordingly, a polynucleotide probe molecule of the invention can be used for its ability to selectively form duplex molecules with complementary stretches of the gene. Depending on the application envisioned, one will desire to employ varying conditions of hybridization to achieve varying degree of selectivity of the probe toward the target sequence (see Table 15 below). For applications requiring a high degree of selectivity, one will typically desire to employ relatively stringent conditions to form the hybrids. Of course, for some applications, for example, where one desires to prepare mutants employing a mutant primer strand hybridized to an underlying template or where one seeks to isolate a *Streptococcus pneumoniae* homologous polypeptide coding sequence from other cells, functional equivalents, or the like, less stringent hybridization conditions are typically needed to allow formation of the heteroduplex (see Table 15). Cross-hybridizing species can thereby be readily identified as positively hybridizing signals with respect to control hybridizations. Thus, hybridization conditions are readily manipulated, and thus will generally be a method of choice depending on the desired results.

Of course, for some applications, for example, where one desires to prepare mutants employing a mutant primer strand hybridized to an underlying template or



where one seeks to isolate a homologous polypeptide coding sequence from other cells, functional equivalents, or the like, less stringent hybridization conditions are typically needed to allow formation of the heteroduplex. Cross-hybridizing species are thereby readily identified as positively hybridizing signals with respect to control  
5 hybridizations. In any case, it is generally appreciated that conditions can be rendered more stringent by the addition of increasing amounts of formamide, which serves to destabilize the hybrid duplex in the same manner as increased temperature. Thus, hybridization conditions are readily manipulated, and thus will generally be a method of choice depending on the desired results.

10 The present invention also includes polynucleotides capable of hybridizing under reduced stringency conditions, more preferably stringent conditions, and most preferably highly stringent conditions, to polynucleotides described hereinafter. Examples of stringency conditions are shown in the table below: highly stringent  
15 stringent conditions are those that are at least as stringent as, for example, conditions A-F; stringent conditions are at least as stringent as, for example, conditions G-L; and reduced stringency conditions are at least as stringent as, for example, conditions M-R.

**Table 15**  
**Stringency Conditions**

Stringency Condition	Polynucleotide Hybrid	Hybrid Length (bp) <sup>1</sup>	Hybridization Temperature and Buffer <sup>H</sup>	Wash Temperature and Buffer <sup>H</sup>
A	DNA:DNA	> 50	65°C; 1xSSC -or- 42°C; 1xSSC, 50% formamide	65°C; 0.3xSSC
B	DNA:DNA	< 50	T <sub>B</sub> ; 1xSSC	T <sub>B</sub> ; 1xSSC
C	DNA:RNA	> 50	67°C; 1xSSC -or- 45°C; 1xSSC, 50% formamide	67°C; 0.3xSSC
D	DNA:RNA	< 50	T <sub>D</sub> ; 1xSSC	T <sub>D</sub> ; 1xSSC
E	RNA:RNA	> 50	70°C; 1xSSC -or- 50°C; 1xSSC, 50% formamide	70°C; 0.3xSSC
F	RNA:RNA	< 50	T <sub>F</sub> ; 1xSSC	T <sub>F</sub> ; 1xSSC
G	DNA:DNA	> 50	65°C; 4xSSC -or- 42°C; 4xSSC, 50% formamide	65°C; 1xSSC
H	DNA:DNA	< 50	T <sub>H</sub> ; 4xSSC	T <sub>H</sub> ; 4xSSC
I	DNA:RNA	> 50	67°C; 4xSSC -or- 45°C; 4xSSC, 50% formamide	67°C; 1xSSC
J	DNA:RNA	< 50	T <sub>J</sub> ; 4xSSC	T <sub>J</sub> ; 4xSSC
K	RNA:RNA	> 50	70°C; 4xSSC -or- 50°C; 4xSSC, 50% formamide	67°C; 1xSSC
L	RNA:RNA	< 50	T <sub>L</sub> ; 2xSSC	T <sub>L</sub> ; 2xSSC
M	DNA:DNA	> 50	50°C; 4xSSC -or- 40°C; 6xSSC, 50% formamide	50°C; 2xSSC
N	DNA:DNA	< 50	T <sub>N</sub> ; 6xSSC	T <sub>N</sub> ; 6xSSC

O	DNA:RNA	> 50	55°C; 4xSSC -or- 42°C; 6xSSC, 50% formamide	55°C; 2xSSC
P	DNA:RNA	< 50	T <sub>P</sub> ; 6xSSC	T <sub>P</sub> ; 6xSSC
Q	RNA:RNA	> 50	60°C; 4xSSC -or- 45°C; 6xSSC, 50% formamide	60°C; 2xSSC
R	RNA:RNA	< 50	T <sub>R</sub> ; 4xSSC	T <sub>R</sub> ; 4xSSC

(bp)<sup>1</sup>: The hybrid length is that anticipated for the hybridized region(s) of the hybridizing polynucleotides. When hybridizing a polynucleotide to a target polynucleotide of unknown sequence, the hybrid length is assumed to be that of the hybridizing polynucleotide. When polynucleotides of known sequence are hybridized, the hybrid length can be determined by aligning the sequences of the polynucleotides and identifying the region or regions of optimal sequence complementarity.

Buffer<sup>H</sup>: SSPE (1xSSPE is 0.15M NaCl, 10mM NaH<sub>2</sub>PO<sub>4</sub>, and 1.25mM EDTA, pH 7.4) can be substituted for SSC (1xSSC is 0.15M NaCl and 15mM sodium citrate) in the hybridization and wash buffers; washes are performed for 15 minutes after hybridization is complete.

T<sub>B</sub> through T<sub>R</sub>: The hybridization temperature for hybrids anticipated to be less than 50 base pairs in length should be 5-10°C less than the melting temperature (T<sub>m</sub>) of the hybrid, where T<sub>m</sub> is determined according to the following equations. For hybrids less than 18 base pairs in length, T<sub>m</sub>(°C) = 2(# of A + T bases) + 4(# of G + C bases). For hybrids between 18 and 49 base pairs in length, T<sub>m</sub>(°C) = 81.5 + 16.6(log<sub>10</sub>[Na<sup>+</sup>]) + 0.41(%G+C) - (600/N), where N is the number of bases in the hybrid, and [Na<sup>+</sup>] is the concentration of sodium ions in the hybridization buffer ([Na<sup>+</sup>] for 1xSSC = 0.165 M).

Additional examples of stringency conditions for polynucleotide hybridization are provided in Sambrook *et al.*, 1989, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, chapters 9 and 11, and Ausubel *et al.*, 1995, Current Protocols in Molecular Biology, eds., John Wiley & Sons, Inc., sections 2.10 and 6.3-6.4, incorporated hereinafter by reference.

In addition to the nucleic acid molecules encoding *Streptococcus pneumoniae* polypeptides described above, another aspect of the invention pertains to isolated nucleic acid molecules which are antisense thereto. An "antisense" nucleic acid comprises a nucleotide sequence which is complementary to a "sense" nucleic acid

encoding a protein, e.g., complementary to the coding strand of a double-stranded cDNA molecule or complementary to an mRNA sequence. Accordingly, an antisense nucleic acid can hydrogen bond to a sense nucleic acid. The antisense nucleic acid can be complementary to an entire *Streptococcus pneumoniae* coding strand, or to  
5 only a fragment thereof. In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence encoding a *Streptococcus pneumoniae* polypeptide.

The term "coding region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues, e.g., the entire  
10 coding region of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591. In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence encoding a *Streptococcus pneumoniae* polypeptide. The term "noncoding region" refers to 5' and 3' sequences that flank the coding region that are not  
15 translated into amino acids (i.e., also referred to as 5' and 3' untranslated regions).

Given the coding strand sequence encoding the *Streptococcus pneumoniae* polypeptide disclosed hereinafter (e.g., one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 571), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick base pairing.  
20 The antisense nucleic acid molecule can be complementary to the entire coding region of *Streptococcus pneumoniae* mRNA, but more preferably is an oligonucleotide which is antisense to only a fragment of the coding or noncoding region of *Streptococcus pneumoniae* mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start  
25 site of *Streptococcus pneumoniae* mRNA.

An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an  
30 antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives

and acridine substituted nucleotides can be used. Examples of modified nucleotides which can be used to generate the antisense nucleic acid include 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (*i.e.*, RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

The antisense nucleic acid molecules of the invention are typically administered to a subject or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding a *Streptococcus pneumoniae* polypeptide to thereby inhibit expression of the polypeptide, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule which binds to DNA duplexes, through specific interactions in the major groove of the double helix. An example of a route of administration of an antisense nucleic acid molecule of the invention includes direct injection at a tissue site. Alternatively, an antisense nucleic acid molecule can be modified to target selected cells and then administered systemically. For example, for systemic administration, an antisense molecule can be modified such that it specifically binds to a receptor or an antigen expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecule to a peptide or an antibody which binds to a cell

surface receptor or antigen. The antisense nucleic acid molecule can also be delivered to cells using the vectors described hereinafter.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an  $\alpha$ -anomeric nucleic acid molecule. An  $\alpha$ -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual  $\gamma$ -units, the strands run parallel to each other (Gaultier *et al.*, 1987). The antisense nucleic acid molecule can also comprise a 2'-o-methylribonucleotide (Inoue *et al.*, 1987 (a)) or a chimeric RNA-DNA analogue (Inoue *et al.*, 1987(b)).

In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity which are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (e.g., hammerhead ribozymes (described in Haselhoff and Gerlach, 1988)) can be used to catalytically cleave *Streptococcus pneumoniae* mRNA transcripts to thereby inhibit translation of *Streptococcus pneumoniae* mRNA. A ribozyme having specificity for a *Streptococcus pneumoniae*-encoding nucleic acid can be designed based upon the nucleotide sequence of a *Streptococcus pneumoniae* cDNA disclosed hereinafter (i.e., SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in a *Streptococcus pneumoniae*-encoding mRNA. See, e.g., Cech *et al.* U.S. Patent 4,987,071 and Cech *et al.* U.S. Patent 5,116,742 both incorporated by reference. Alternatively, *Streptococcus pneumoniae* mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, e.g., Bartel and Szostak, 1993.

Alternatively *Streptococcus pneumoniae* gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of the *Streptococcus pneumoniae* gene (e.g., the *Streptococcus pneumoniae* gene promoter and/or enhancers) to form triple helical structures that prevent transcription of the *Streptococcus pneumoniae* gene in target cells. See generally, Helene, 1991; Helene *et al.*, 1992; and Maher, 1992.

*Streptococcus pneumoniae* gene expression can also be inhibited using RNA interference (RNAi). This is a technique for post-transcriptional gene silencing (PTGS), in which target gene activity is specifically abolished with cognate double-stranded RNA (dsRNA). RNAi resembles in many aspects PTGS in plants and has  
5 been detected in many invertebrates including trypanosome, hydra, planaria, nematode and fruit fly (*Drosophila melanogaster*). It may be involved in the modulation of transposable element mobilization and antiviral state formation. RNAi in mammalian systems is disclosed in International Application WO 00/63364 which is incorporated by reference hereinafter in its entirety. Basically, dsRNA of at least  
10 about 600 nucleotides, homologous to the target is introduced into the cell and a sequence specific reduction in gene activity is observed.

### C. *STREPTOCOCCUS PNEUMONIAE* POLYPEPTIDES

In particular embodiments, the present invention provides isolated and  
15 purified *Streptococcus pneumoniae* polypeptides. Preferably, a *Streptococcus pneumoniae* polypeptide of the invention is a recombinant polypeptide. In certain embodiments, a *Streptococcus pneumoniae* polypeptide of the present invention comprises the amino acid sequence that has at least 95% identity to the amino acid sequence of one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592  
20 through SEQ ID NO: 752 a biological equivalent thereof, or a fragment thereof.

A *Streptococcus pneumoniae* polypeptide according to the present invention encompasses a polypeptide that comprises: 1) the amino acid sequence shown in one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 or SEQ ID NO: 752; 2) functional and non-functional naturally occurring variants or biological  
25 equivalents of *Streptococcus pneumoniae* polypeptides of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through 752; 3) recombinantly produced variants or biological equivalents of *Streptococcus pneumoniae* polypeptides of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752; and  
30 4) polypeptides isolated from organisms other than *Streptococcus pneumoniae* (orthologues of *Streptococcus pneumoniae* polypeptides.)

A biological equivalent or variant of a *Streptococcus pneumoniae* polypeptide according to the present invention encompasses 1) a polypeptide isolated from

*Streptococcus pneumoniae*; and 2) a polypeptide that contains substantially homology to a *Streptococcus pneumoniae* polypeptide.

Biological equivalents or variants of *Streptococcus pneumoniae* include both functional and non-functional *Streptococcus pneumoniae* polypeptides. Functional biological equivalents or variants are naturally occurring amino acid sequence variants of a *Streptococcus pneumoniae* polypeptide that maintains the ability to elicit an immunological or antigenic response in a subject. Functional variants will typically contain only conservative substitution of one or more amino acids of one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752, or substitution, deletion or insertion of non-critical residues in non-critical regions of the polypeptide (e.g., not in regions containing antigenic determinants or protective epitopes).

The present invention further provides non-*Streptococcus pneumoniae* orthologues of *Streptococcus pneumoniae* polypeptides. Orthologues of *Streptococcus pneumoniae* polypeptides are polypeptides that are isolated from non-*Streptococcus pneumoniae* organisms and possess antigenic capabilities of the *Streptococcus pneumoniae* polypeptide. Orthologues of a *Streptococcus pneumoniae* polypeptide can readily be identified as comprising an amino acid sequence that is substantially homologous to one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752.

Modifications and changes can be made in the structure of a polypeptide of the present invention and still obtain a molecule having *Streptococcus pneumoniae* antigenicity. For example, certain amino acids can be substituted for other amino acids in a sequence without appreciable loss of antigenicity. Because it is the interactive capacity and nature of a polypeptide that defines that polypeptide's biological functional activity, certain amino acid sequence substitutions can be made in a polypeptide sequence (or, of course, its underlying DNA coding sequence) and nevertheless obtain a polypeptide with like properties.

In making such changes, the hydropathic index of amino acids can be considered. The importance of the hydropathic amino acid index in conferring interactive biologic function on a polypeptide is generally understood in the art (Kyte & Doolittle, 1982). It is known that certain amino acids can be substituted for other amino acids having a similar hydropathic index or score and still result in a



polypeptide with similar biological activity. Each amino acid has been assigned a hydropathic index on the basis of its hydrophobicity and charge characteristics. Those indices are: isoleucine (+4.5); valine (+4.2); leucine (+3.8); phenylalanine (+2.8); cysteine/cystine (+2.5); methionine (+1.9); alanine (+1.8); glycine (-0.4);  
5 threonine (-0.7); serine (-0.8); tryptophan (-0.9); tyrosine (-1.3); proline (-1.6); histidine (-3.2); glutamate (-3.5); glutamine (-3.5); aspartate (-3.5); asparagine (-3.5); lysine (-3.9); and arginine (-4.5).

It is believed that the relative hydropathic character of the amino acid residue determines the secondary and tertiary structure of the resultant polypeptide, which in  
10 turn defines the interaction of the polypeptide with other molecules, such as enzymes, substrates, receptors, antibodies, antigens, and the like. It is known in the art that an amino acid can be substituted by another amino acid having a similar hydropathic index and still obtain a functionally equivalent polypeptide. In such changes, the substitution of amino acids whose hydropathic indices are within  $\pm 2$  is  
15 preferred, those that are within  $\pm 1$  are particularly preferred, and those within  $\pm 0.5$  are even more particularly preferred.

Substitution of like amino acids can also be made on the basis of hydrophilicity, particularly where the biological functional equivalent polypeptide or peptide thereby created is intended for use in immunological embodiments. U.S.  
20 Patent 4,554,101, incorporated hereinafter by reference, states that the greatest local average hydrophilicity of a polypeptide, as governed by the hydrophilicity of its adjacent amino acids, correlates with its immunogenicity and antigenicity, *i.e.* with a biological property of the polypeptide.

As detailed in U.S. Patent 4,554,101, the following hydrophilicity values have  
25 been assigned to amino acid residues: arginine (+3.0); lysine (+3.0); aspartate (+3.0  $\pm 1$ ); glutamate (+3.0  $\pm 1$ ); serine (+0.3); asparagine (+0.2); glutamine (+0.2); glycine (0); proline (-0.5  $\pm 1$ ); threonine (-0.4); alanine (-0.5); histidine (-0.5); cysteine (-1.0); methionine (-1.3); valine (-1.5); leucine (-1.8); isoleucine (-1.8); tyrosine (-2.3); phenylalanine (-2.5); tryptophan (-3.4). It is understood that an amino acid can be  
30 substituted for another having a similar hydrophilicity value and still obtain a biologically equivalent, and in particular, an immunologically equivalent polypeptide. In such changes, the substitution of amino acids whose hydrophilicity values are

within  $\pm 2$  is preferred, those that are within  $\pm 1$  are particularly preferred, and those within  $\pm 0.5$  are even more particularly preferred.

As outlined above, amino acid substitutions are generally therefore based on the relative similarity of the amino acid side-chain substituents, for example, their hydrophobicity, hydrophilicity, charge, size, and the like. Exemplary substitutions which take various of the foregoing characteristics into consideration are well known to those of skill in the art and include: arginine and lysine; glutamate and aspartate; serine and threonine; glutamine and asparagine; and valine, leucine and isoleucine (See Table 16, below). The present invention thus contemplates functional or biological equivalents of a *Streptococcus pneumoniae* polypeptide as set forth above.

**TABLE 16**  
**Amino Acid Substitutions**

Original Residue	Exemplary Residue Substitution
Ala	Gly; Ser
Arg	Lys
Asn	Gln; His
Asp	Glu
Cys	Ser
Gln	Asn
Glu	Asp
Gly	Ala
His	Asn; Gln
Ile	Leu; Val
Leu	Ile; Val
Lys	Arg
Met	Leu; Tyr
Ser	Thr
Thr	Ser
Trp	Tyr
Tyr	Trp; Phe
Val	Ile; Leu

15

Biological or functional equivalents of a polypeptide can also be prepared using site-specific mutagenesis. Site-specific mutagenesis is a technique useful in the preparation of second generation polypeptides, or biologically functional equivalent polypeptides or peptides, derived from the sequences thereof, through specific mutagenesis of the underlying DNA. As noted above, such changes can be

20

desirable where amino acid substitutions are desirable. The technique further provides a ready ability to prepare and test sequence variants, for example, incorporating one or more of the foregoing considerations, by introducing one or more nucleotide sequence changes into the DNA. Site-specific mutagenesis allows  
5 the production of mutants through the use of specific oligonucleotide sequences which encode the DNA sequence of the desired mutation, as well as a sufficient number of adjacent nucleotides, to provide a primer sequence of sufficient size and sequence complexity to form a stable duplex on both sides of the deletion junction being traversed. Typically, a primer of about 17 to 25 nucleotides in length is  
10 preferred, with about 5 to 10 residues on both sides of the junction of the sequence being altered.

In general, the technique of site-specific mutagenesis is well known in the art. As will be appreciated, the technique typically employs a phage vector which can exist in both a single stranded and double stranded form. Typically, site-directed  
15 mutagenesis in accordance herewith is performed by first obtaining a single-stranded vector which includes within its sequence a DNA sequence which encodes all or a portion of the *Streptococcus pneumoniae* polypeptide sequence selected. An oligonucleotide primer bearing the desired mutated sequence is prepared (e.g., synthetically). This primer is then annealed to the singled-stranded vector, and  
20 extended by the use of enzymes such as *E. coli* polymerase I Klenow fragment, in order to complete the synthesis of the mutation-bearing strand. Thus, a heteroduplex is formed wherein one strand encodes the original non-mutated sequence and the second strand bears the desired mutation. This heteroduplex vector is then used to transform appropriate cells such as *E. coli* cells and clones are selected which  
25 include recombinant vectors bearing the mutation. Commercially available kits come with all the reagents necessary, except the oligonucleotide primers.

A *Streptococcus pneumoniae* polypeptide or polypeptide antigen of the present invention is understood to be any *Streptococcus pneumoniae* polypeptide comprising substantial sequence similarity, structural similarity and/or functional  
30 similarity to a *Streptococcus pneumoniae* polypeptide comprising the amino acid sequence of one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. In addition, a *Streptococcus pneumoniae* polypeptide or polypeptide antigen of the invention is not limited to a particular source. Thus, the

invention provides for the general detection and isolation of the polypeptides from a variety of sources.

It is contemplated in the present invention, that a *Streptococcus pneumoniae* polypeptide may advantageously be cleaved into fragments for use in further structural or functional analysis, or in the generation of reagents such as *Streptococcus pneumoniae*-related polypeptides and *Streptococcus pneumoniae*-specific antibodies. This can be accomplished by treating purified or unpurified *Streptococcus pneumoniae* polypeptides with a peptidase such as endoproteinase glu-C (Boehringer, Indianapolis, IN). Treatment with CNBr is another method by which peptide fragments may be produced from natural *Streptococcus pneumoniae* polypeptides. Recombinant techniques also can be used to produce specific fragments of a *Streptococcus pneumoniae* polypeptide.

In addition, the inventors also contemplate that compounds sterically similar to a particular *Streptococcus pneumoniae* polypeptide antigen may be formulated to mimic the key portions of the peptide structure, called peptidomimetics. Mimetics are peptide-containing molecules which mimic elements of protein secondary structure. (see, e.g. Johnson *et al.*, 1993). The underlying rationale behind the use of peptide mimetics is that the peptide backbone of proteins exists chiefly to orient amino acid side chains in such a way as to facilitate molecular interactions, such as those of receptor and ligand.

Successful applications of the peptide mimetic concept have thus far focused on mimetics of  $\beta$ -turns within proteins. Likely  $\beta$ -turn structures within *Streptococcus pneumoniae* can be predicted by computer-based algorithms as discussed above. Once the component amino acids of the turn are determined, mimetics can be constructed to achieve a similar spatial orientation of the essential elements of the amino acid side chains, as discussed in Johnson *et al.*, 1993.

Fragments of the *Streptococcus pneumoniae* polypeptides are also included in the invention. A fragment is a polypeptide having an amino acid sequence that entirely is the same as part, but not all, of the amino acid sequence. The fragment can comprise, for example, at least 7 or more (e.g., 8, 10, 12, 14, 16, 18, 20, or more) contiguous amino acids of an amino acid sequence of one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752. Fragments may be "freestanding" or comprised within a larger polypeptide of which they form a

part or region, most preferably as a single, continuous region. In one embodiment, the fragments include at least one epitope of the mature polypeptide sequence.

"Fusion protein" refers to a protein or polypeptide encoded by two, often unrelated, fused genes or fragments thereof. For example, fusion proteins or polypeptides comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof have been described. In many cases, employing an immunoglobulin Fc region as a part of a fusion protein or polypeptide is advantageous for use in therapy and diagnosis resulting in, for example, improved pharmacokinetic properties (see e.g., International Application EP-A 0232 2621). On the other hand, for some uses it would be desirable to be able to delete the Fc part after the fusion protein or polypeptide has been expressed, detected and purified.

#### **D. *STREPTOCOCCUS PNEUMONIAE* POLYNUCLEOTIDE AND POLYPEPTIDE VARIANTS**

"Variant" as the term is used hereinafter, is a polynucleotide or polypeptide that differs from a reference polynucleotide or polypeptide respectively, but retains essential properties. A typical variant of a polynucleotide differs in nucleotide sequence from another, reference polynucleotide. Changes in the nucleotide sequence of the variant may or may not alter the amino acid sequence of a polypeptide encoded by the reference polynucleotide. Nucleotide changes may result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptide encoded by the reference sequence, as discussed below. A typical variant of a polypeptide differs in amino acid sequence from another, reference polypeptide. Generally, differences are limited so that the sequences of the reference polypeptide and the variant are closely similar overall and, in many regions, identical. A variant and reference polypeptide may differ in amino acid sequence by one or more substitutions, additions, deletions in any combination. A substituted or inserted amino acid residue may or may not be one encoded by the genetic code. A variant of a polynucleotide or polypeptide may be a naturally occurring such as an allelic variant, or it may be a variant that is not known to occur naturally. Non-naturally occurring variants of polynucleotides and polypeptides may be made by mutagenesis techniques or by direct synthesis.

"Identity," as known in the art, is a relationship between two or more polypeptide sequences or two or more polynucleotide sequences, as determined by comparing the sequences. In the art, "identity" also means the degree of sequence relatedness between polypeptide or polynucleotide sequences, as the case may be, as determined by the match between strings of such sequences. "Identity" and "similarity" can be readily calculated by known methods, including but not limited to those described in (Computational Molecular Biology, Lesk, A. M., ed., Oxford University Press, New York, 1988; Biocomputing: Informatics and Genome Projects, Smith, D. W., ed., Academic Press, New York, 1993; Computer Analysis of Sequence Data, Part I, Griffin, A. M., and Griffin, H. G., eds., Humana Press, New Jersey, 1994; Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press, 1987; and Sequence Analysis Primer, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991; and Carillo, H., and Lipman, D., SIAM J. Applied Math., 48: 1073 (1988). Preferred methods to determine identity are designed to give the largest match between the sequences tested. Methods to determine identity and similarity are codified in publicly available computer programs. Preferred computer program methods to determine identity and similarity between two sequences include, but are not limited to, the GCG program package (Devereux, J., *et al* 1984), BLASTP, BLASTN, TBLASTN and FASTA (Altschul, S. F., *et al.*, 1990). The BLASTX program is publicly available from NCBI and other sources (BLAST Manual, Altschul, S., *et al.*, NCBI NLM NIH Bethesda, Md. 20894; Altschul, S., *et al.*, 1990). The well known Smith-Waterman algorithm may also be used to determine identity.

By way of example, a polynucleotide sequence of the present invention may be identical to the reference sequence of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, that is be 100% identical, or it may include up to a certain integer number of nucleotide alterations as compared to the reference sequence. Such alterations are selected from the group consisting of at least one nucleotide deletion, substitution, including transition and transversion, or insertion, and wherein said alterations may occur at the 5' or 3' terminal positions of the reference nucleotide sequence or anywhere between those terminal positions, interspersed either individually among the nucleotides in the reference sequence or in one or more contiguous groups within the reference sequence. The number of

nucleotide alterations is determined by multiplying the total number of nucleotides in one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591 by the numerical percent of the respective percent identity (divided by 100) and subtracting that product from said total number of nucleotides in one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591.

For example, an isolated *Streptococcus pneumoniae* polynucleotide comprising a polynucleotide sequence that has at least 70% identity to the nucleic acid sequence of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591; a degenerate variant thereof or a fragment thereof, wherein the polynucleotide sequence may include up to  $n_n$  nucleic acid alterations over the entire polynucleotide region of the nucleic acid sequence of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, wherein  $n_n$  is the maximum number of alterations and is calculated by the formula:

$$n_n \leq x_n - (x_n \cdot y),$$

in which  $x_n$  is the total number of nucleic acids of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591 and  $y$  has a value of 0.70, wherein any non-integer product of  $x_n$  and  $y$  is rounded down to the nearest integer prior to subtracting such product from  $x_n$ . Of course,  $y$  may also have a value of 0.80 for 80%, 0.85 for 85%, 0.90 for 90% 0.95 for 95%, etc. Alterations of a polynucleotide sequence encoding one of the polypeptides of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752 may create nonsense, missense or frameshift mutations in this coding sequence and thereby alter the polypeptide encoded by the polynucleotide following such alterations.

Similarly, a polypeptide sequence of the present invention may be identical to the reference sequence of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752, that is be 100% identical, or it may include up to a certain integer number of amino acid alterations as compared to the reference sequence such that the % identity is less than 100%. Such alterations are selected from the group consisting of at least one amino acid deletion, substitution, including conservative and non-conservative substitution, or insertion, and wherein said alterations may occur at the amino- or carboxy-terminal positions of the reference polypeptide sequence or anywhere between those terminal positions, interspersed either individually among the amino acids in the reference sequence or in one or

more contiguous groups within the reference sequence. The number of amino acid alterations for a given % identity is determined by multiplying the total number of amino acids in one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752 by the numerical percent of the respective percent identity (divided by 100) and then subtracting that product from said total number of amino acids in one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752, or:

$$n_a \leq x_a - (x_a \cdot y),$$

wherein  $n_a$  is the number of amino acid alterations,  $x_a$  is the total number of amino acids in one of SEQ ID NO:216 through SEQ ID NO:430 SEQ ID NO: 592 through SEQ ID NO: 752, and  $y$  is, for instance 0.70 for 70%, 0.80 for 80%, 0.85 for 85% etc., and wherein any non-integer product of  $x_a$  and  $y$  is rounded down to the nearest integer prior to subtracting it from  $x_a$ .

#### E. VECTORS, HOST CELLS AND RECOMBINANT *STREPTOCOCCUS PNEUMONIAE* POLYPEPTIDES

In a preferred embodiment, the present invention provides expression vectors comprising ORF polynucleotides that encode *Streptococcus pneumoniae* polypeptides. Preferably, the expression vectors of the present invention comprise ORF polynucleotides that encode *Streptococcus pneumoniae* polypeptides comprising the amino acid residue sequence of one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. More preferably, the expression vectors of the present invention comprise a polynucleotide comprising the nucleotide base sequence of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591. Even more preferably, the expression vectors of the invention comprise a polynucleotide operatively linked to an enhancer-promoter. More preferably still, the expression vectors of the invention comprise polynucleotide operatively linked to a prokaryotic promoter. Alternatively, the expression vectors of the present invention comprise polynucleotide operatively linked to an enhancer-promoter that is a eukaryotic promoter, and the expression vectors further comprise a polyadenylation signal that is positioned 3' of the carboxy-terminal amino acid and within a transcriptional unit of the encoded polypeptide.



Expression of proteins in prokaryotes is most often carried out in *E. coli* with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein.

5 Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant protein; 2) to increase the solubility of the recombinant protein; and 3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable  
10 separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase.

Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith and Johnson, 1988), pMAL (New England Biolabs, Beverly, MA) and pRIT5  
15 (Pharmacia, Piscataway, NJ) which fuse glutathione S- transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein.

In one embodiment, the coding sequence of the *Streptococcus pneumoniae* polynucleotide is cloned into a pGEX expression vector to create a vector encoding a fusion protein comprising, from the N-terminus to the C-terminus, GST-thrombin  
20 cleavage site-*Streptococcus pneumoniae* polypeptide. The fusion protein can be purified by affinity chromatography using glutathione-agarose resin. Recombinant *Streptococcus pneumoniae* polypeptide unfused to GST can be recovered by cleavage of the fusion protein with thrombin.

Examples of suitable inducible non-fusion *E. coli* expression vectors include  
25 pTrc (Amann *et al.*, 1988), pET 11d (Studier *et al.*, 1990), pBAD and pCRT7. Target gene expression from the pTrc vector relies on host RNA polymerase transcription from a hybrid trp-lac fusion promoter. Target gene expression from the pET 11d vector relies on transcription from a T7 gn1 0-lac fusion promoter mediated by a coexpressed viral RNA polymerase J7 gnl. This viral polymerase is supplied by host  
30 strains BL21 (DE3) or HMS 1 74(DE3) from a resident prophage harboring a T7 gnl gene under the transcriptional control of the lacUV 5 promoter.

One strategy to maximize recombinant protein expression in *E. coli* is to express the protein in a host bacterium with an impaired capacity to proteolytically

cleave the recombinant protein. Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in *E. coli*. Such alteration of nucleic acid sequences of the invention can be carried out by standard  
5 DNA mutagenesis or synthesis techniques.

In another embodiment, the *Streptococcus pneumoniae* polynucleotide expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec I (Baldari, *et al.*, 1987), pMFa (Kurjan and Herskowitz, 1982), pJRY88 (Schultz *et al.*, 1987), and pYES2 (Invitrogen  
10 Corporation, San Diego, CA).

Alternatively, a *Streptococcus pneumoniae* polynucleotide can be expressed in insect cells using, for example, baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., Sf 9 cells) include the pAc series (Smith *et al.*, 1983) and the pVL series (Lucklow and  
15 Summers, 1989).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed, 1987) and pMT2PC (Kaufman *et al.*, 1987). When used in mammalian cells, the expression vector's control functions are  
20 often provided by viral regulatory elements.

As used hereinafter, a promoter is a region of a DNA molecule typically within about 100 nucleotide pairs in front of (upstream of) the point at which transcription begins (*i.e.*, a transcription start site). That region typically contains several types of DNA sequence elements that are located in similar relative positions in different  
25 genes. As used hereinafter, the term "promoter" includes what is referred to in the art as an upstream promoter region, a promoter region or a promoter of a generalized eukaryotic RNA Polymerase II transcription unit.

Another type of discrete transcription regulatory sequence element is an enhancer. An enhancer provides specificity of time, location and expression level for  
30 a particular encoding region (e.g., gene). A major function of an enhancer is to increase the level of transcription of a coding sequence in a cell that contains one or more transcription factors that bind to that enhancer. Unlike a promoter, an enhancer

can function when located at variable distances from transcription start sites so long as a promoter is present.

As used hereinafter, the phrase "enhancer-promoter" means a composite unit that contains both enhancer and promoter elements. An enhancer-promoter is operatively linked to a coding sequence that encodes at least one gene product. As used hereinafter, the phrase "operatively linked" means that an enhancer-promoter is connected to a coding sequence in such a way that the transcription of that coding sequence is controlled and regulated by that enhancer-promoter. Means for operatively linking an enhancer-promoter to a coding sequence are well known in the art. As is also well known in the art, the precise orientation and location relative to a coding sequence whose transcription is controlled, is dependent *inter alia* upon the specific nature of the enhancer-promoter. Thus, a TATA box minimal promoter is typically located from about 25 to about 30 base pairs upstream of a transcription initiation site and an upstream promoter element is typically located from about 100 to about 200 base pairs upstream of a transcription initiation site. In contrast, an enhancer can be located downstream from the initiation site and can be at a considerable distance from that site.

An enhancer-promoter used in a vector construct of the present invention can be any enhancer-promoter that drives expression in a cell to be transfected. By employing an enhancer-promoter with well-known properties, the level and pattern of gene product expression can be optimized.

For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both prokaryotic and eukaryotic cells see chapters 16 and 17 of Sambrook *et al.*, "Molecular Cloning: A Laboratory Manual" 2nd, ed, Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989, incorporated hereinafter by reference.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissue-specific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert *et al.*, 1987), lymphoid-specific promoters (Calame and Eaton, 1988), in particular,

promoters of T cell receptors (Winoto and Baltimore, 1989) and immunoglobulins (Banerji *et al.*, 1983), Queen and Baltimore (1983), neuron-specific promoters (e.g., the neurofilament promoter; Byrne and Ruddle, 1989), pancreas-specific promoters (Edlund *et al.*, 1985), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Patent 4,873,316 and International Application EP 264,166).  
5 Developmentally-regulated promoters are also encompassed, for example the murine hox promoters (Kessel and Gruss, 1990) and the  $\alpha$ -fetoprotein promoter (Campes and Tilghman, 1989).

The invention further provides a recombinant expression vector comprising a  
10 DNA molecule encoding a *Streptococcus pneumoniae* polypeptide cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner which allows for expression (by transcription of the DNA molecule) of an RNA molecule which is antisense to *Streptococcus pneumoniae* mRNA. Regulatory sequences operatively linked to a  
15 nucleic acid cloned in the antisense orientation can be chosen which direct the continuous expression of the antisense RNA molecule in a variety of cell types. For instance viral promoters and/or enhancers, or regulatory sequences can be chosen which direct constitutive, tissue specific or cell type specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid,  
20 phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell type into which the vector is introduced.

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms  
25 "host cell" and "recombinant host cell" are used interchangeably hereinafter. It is understood that such terms refer not only to the particular subject cell, but to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included  
30 within the scope of the term as used hereinafter. A host cell can be any prokaryotic or eukaryotic cell. For example, a *Streptococcus pneumoniae* polypeptide can be expressed in bacterial cells such as *E. coli*, insect cells (such as Sf9, Sf21), yeast or mammalian cells (such as Chinese hamster ovary cells (CHO), VERO, chick embryo

fibroblasts, BHK cells or COS cells). Other suitable host cells are known to those skilled in the art.

Vector DNA is introduced into prokaryotic or eukaryotic cells *via* conventional transformation, infection or transfection techniques. As used hereinafter, the terms "transformation" and "transfection" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, ultrasound or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, *et al.* ("Molecular Cloning: A Laboratory Manual" 2nd, ed, Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989), and other laboratory manuals.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (*i.e.*, express) a *Streptococcus pneumoniae* polypeptide. Accordingly, the invention further provides methods for producing a *Streptococcus pneumoniae* polypeptide using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding a *Streptococcus pneumoniae* polypeptide has been introduced) in a suitable medium until the *Streptococcus pneumoniae* polypeptide is produced. In another embodiment, the method further comprises isolating the *Streptococcus pneumoniae* polypeptide from the medium or the host cell.

A coding sequence of an expression vector is operatively linked to a transcription termination region. RNA polymerase transcribes an encoding DNA sequence through a site where polyadenylation occurs. Typically, DNA sequences located a few hundred base pairs downstream of the polyadenylation site serve to terminate transcription. Those DNA sequences are referred to hereinafter as transcription-termination regions. Those regions are required for efficient polyadenylation of transcribed messenger RNA (mRNA). Transcription-termination regions are well known in the art. A preferred transcription-termination region used in an adenovirus vector construct of the present invention comprises a polyadenylation signal of SV40 or the protamine gene.

An expression vector comprises a polynucleotide that encodes a *Streptococcus pneumoniae* polypeptide. Such a polypeptide is meant to include a sequence of nucleotide bases encoding a *Streptococcus pneumoniae* polypeptide sufficient in length to distinguish the segment from a polynucleotide segment encoding a non-*Streptococcus pneumoniae* polypeptide. A polypeptide of the invention can also encode biologically functional polypeptides or peptides which have variant amino acid sequences, such as with changes selected based on considerations such as the relative hydropathic score of the amino acids being exchanged. These variant sequences are those isolated from natural sources or induced in the sequences disclosed hereinafter using a mutagenic procedure such as site-directed mutagenesis.

Preferably, the expression vectors of the present invention comprise polynucleotide that encode polypeptides comprising the amino acid residue sequence of one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. An expression vector can include a *Streptococcus pneumoniae* polypeptide coding region itself of any of the *Streptococcus pneumoniae* polypeptides noted above or it can contain coding regions bearing selected alterations or modifications in the basic coding region of such a *Streptococcus pneumoniae* polypeptide. Alternatively, such vectors or fragments can code larger polypeptides or polypeptides which nevertheless include the basic coding region. In any event, it should be appreciated that due to codon redundancy as well as biological functional equivalence, this aspect of the invention is not limited to the particular DNA molecules corresponding to the polypeptide sequences noted above.

Exemplary vectors include the mammalian expression vectors of the pCMV family including pCMV6b and pCMV6c (Chiron Corp., Emeryville CA.). In certain cases, and specifically in the case of these individual mammalian expression vectors, the resulting constructs can require co-transfection with a vector containing a selectable marker such as pSV2neo. Via co-transfection into a dihydrofolate reductase-deficient Chinese hamster ovary cell line, such as DG44, clones expressing *Streptococcus pneumoniae* polypeptides by virtue of DNA incorporated into such expression vectors can be detected.

A DNA molecule of the present invention can be incorporated into a vector by a number of techniques that are well known in the art. For instance, the vector

pUC18 has been demonstrated to be of particular value in cloning and expression of genes. Likewise, the related vectors M13mp18 and M13mp19 can be used in certain embodiments of the invention, in particular, in performing dideoxy sequencing.

5 An expression vector of the present invention is useful both as a means for preparing quantities of the *Streptococcus pneumoniae* polypeptide-encoding DNA itself, and as a means for preparing the encoded polypeptide and peptides. It is contemplated that where *Streptococcus pneumoniae* polypeptides of the invention are made by recombinant means, one can employ either prokaryotic or eukaryotic expression vectors as shuttle systems.

10 In another aspect, the recombinant host cells of the present invention are prokaryotic host cells. Preferably, the recombinant host cells of the invention are bacterial cells of the DH5  $\alpha$  strain of *Escherichia coli*. In general, prokaryotes are preferred for the initial cloning of DNA sequences and constructing the vectors useful in the invention. For example, *E. coli* K12 strains can be particularly useful. Other  
15 microbial strains that can be used include *E. coli* B, and *E. coli* 1976 (ATCC No. 31537). These examples are, of course, intended to be illustrative rather than limiting.

The aforementioned strains, as well as *E. coli* W3110 (ATCC No. 273325), *E. coli* BL21(DE3), *E. coli* Top10, bacilli such as *Bacillus subtilis*, or other  
20 enterobacteriaceae such as *Salmonella typhimurium* (or other attenuated *Salmonella* strains as described in U.S. Patent 4,837,151) or *Serratia marcesans*, and various *Pseudomonas* species can be used.

In general, plasmid vectors containing replicon and control sequences, which are derived from species compatible with the host cell are used in connection with  
25 these hosts. The vector ordinarily carries a replication site, as well as marking sequences which are capable of providing phenotypic selection in transformed cells. For example, *E. coli* can be transformed using pBR322, a plasmid derived from an *E. coli* species (Bolivar, *et al.* 1977). pBR322 contains genes for ampicillin and tetracycline resistance and thus provides easy means for identifying transformed  
30 cells. The pBR plasmid, or other microbial plasmid or phage must also contain, or be modified to contain, promoters which can be used by the microbial organism for expression of its own polypeptides.

Those promoters most commonly used in recombinant DNA construction include the  $\beta$ -lactamase (penicillinase) and lactose promoter systems (Chang, *et al.* 1978; Itakura, *et al.* 1977, Goeddel, *et al.* 1979; Goeddel, *et al.* 1980) and a tryptophan (TRP) promoter system (EP 0036776; Siebwenlist *et al.* 1980). While  
5 these are the most commonly used, other microbial promoters have been discovered and utilized, and details concerning their nucleotide sequences have been published, enabling a skilled worker to introduce functional promoters into plasmid vectors (Siebwenlist, *et al.* 1980).

In addition to prokaryotes, eukaryotic microbes such as yeast can also be  
10 used. *Saccharomyces cerevisiae* or common baker's yeast is the most commonly used among eukaryotic microorganisms, although a number of other strains are commonly available. For expression in *Saccharomyces*, the plasmid YRp7, for example, is commonly used (Stinchcomb, *et al.* 1979; Kingsman, *et al.* 1979; Tschemper, *et al.* 1980). This plasmid already contains the *trp1* gene which provides  
15 a selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example ATCC No. 44076 or PEP4-1 (Jones, 1977). The presence of the *trp1* lesion as a characteristic of the yeast host cell genome then provides an effective environment for detecting transformation by growth in the absence of tryptophan.

Suitable promoter sequences in yeast vectors include the promoters for 3-phosphoglycerate kinase (Hitzeman, *et al.* 1980) or other glycolytic enzymes (Hess, *et al.* 1968; Holland, *et al.* 1978) such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase,  
25 triosephosphate isomerase, phosphoglucose isomerase, and glucokinase. In constructing suitable expression plasmids, the termination sequences associated with these genes are also introduced into the expression vector downstream from the sequences to be expressed to provide polyadenylation of the mRNA and termination. Other promoters, which have the additional advantage of transcription controlled by  
30 growth conditions are the promoter region for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, and the aforementioned glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Any plasmid vector



containing a yeast-compatible promoter, origin or replication and termination sequences are suitable.

In addition to microorganisms, cultures of cells derived from multicellular organisms can also be used as hosts. In principle, any such cell culture is workable, whether from vertebrate or invertebrate culture. However, interest has been greatest in vertebrate cells, and propagation of vertebrate cells in culture (tissue culture) has become a routine procedure in recent years. Examples of such useful host cell lines are AtT-20, VERO, HeLa, NSO, PER C6, Chinese hamster ovary (CHO) cell lines, and W138, BHK, COSM6, COS-7, 293 and MDCK cell lines. Expression vectors for such cells ordinarily include (if necessary) an origin of replication, a promoter located upstream of the gene to be expressed, along with any necessary ribosome binding sites, RNA splice sites, polyadenylation site, and transcriptional terminator sequences.

Where expression of recombinant *Streptococcus pneumoniae* polypeptides is desired and a eukaryotic host is contemplated, it is most desirable to employ a vector such as a plasmid, that incorporates a eukaryotic origin of replication. Additionally, for the purposes of expression in eukaryotic systems, one desires to position the *Streptococcus pneumoniae* encoding sequence adjacent to and under the control of an effective eukaryotic promoter such as promoters used in combination with Chinese hamster ovary cells. To bring a coding sequence under control of a promoter, whether it is eukaryotic or prokaryotic, the 5' end of the translation initiation region of the proper translational reading frame of the polypeptide must be positioned between about 1 and about 50 nucleotides 3' of or downstream with respect to the promoter chosen. Furthermore, where eukaryotic expression is anticipated, one would typically desire to incorporate into the transcriptional unit which includes the *Streptococcus pneumoniae* polypeptide.

Means of transforming or transfecting cells with exogenous polynucleotide such as DNA molecules are well known in the art and include techniques such as calcium-phosphate or DEAE-dextran-mediated transfection, protoplast fusion, electroporation, liposome mediated transfection, direct microinjection and adenovirus infection (see e.g., Sambrook, Fritsch and Maniatis, 1989).

The most widely used method is transfection mediated by either calcium phosphate or DEAE-dextran. Although the mechanism remains obscure, it is

believed that the transfected DNA enters the cytoplasm of the cell by endocytosis and is transported to the nucleus. Depending on the cell type, up to 90% of a population of cultured cells can be transfected at any one time. Because of its high efficiency, transfection mediated by calcium phosphate or DEAE-dextran is the method of choice for experiments that require transient expression of the foreign DNA in large numbers of cells. Calcium phosphate-mediated transfection is also used to establish cell lines that integrate copies of the foreign DNA, which are usually arranged in head-to-tail tandem arrays into the host cell genome.

In the protoplast fusion method, protoplasts derived from bacteria carrying high numbers of copies of a plasmid of interest are mixed directly with cultured mammalian cells. After fusion of the cell membranes (usually with polyethylene glycol), the contents of the bacteria are delivered into the cytoplasm of the mammalian cells and the plasmid DNA is transported to the nucleus. Protoplast fusion is not as efficient as transfection for many of the cell lines that are commonly used for transient expression assays, but it is useful for cell lines in which endocytosis of DNA occurs inefficiently. Protoplast fusion frequently yields multiple copies of the plasmid DNA tandemly integrated into the host chromosome.

The application of brief, high-voltage electric pulses to a variety of mammalian and plant cells leads to the formation of nanometer-sized pores in the plasma membrane. DNA is taken directly into the cell cytoplasm either through these pores or as a consequence of the redistribution of membrane components that accompanies closure of the pores. Electroporation can be extremely efficient and can be used both for transient expression of cloned genes and for establishment of cell lines that carry integrated copies of the gene of interest. Electroporation, in contrast to calcium phosphate-mediated transfection and protoplast fusion, frequently gives rise to cell lines that carry one, or at most a few, integrated copies of the foreign DNA.

Liposome transfection involves encapsulation of DNA and RNA within liposomes, followed by fusion of the liposomes with the cell membrane. The mechanism of how DNA is delivered into the cell is unclear but transfection efficiencies can be as high as 90%.

Direct microinjection of a DNA molecule into nuclei has the advantage of not exposing DNA to cellular compartments such as low-pH endosomes. Microinjection

is therefore used primarily as a method to establish lines of cells that carry integrated copies of the DNA of interest.

The use of adenovirus as a vector for cell transfection is well known in the art. Adenovirus vector-mediated cell transfection has been reported for various cells  
5 (Stratford-Perricaudet, *et al.* 1992).

A transfected cell can be prokaryotic or eukaryotic. Preferably, the host cells of the invention are prokaryotic host cells. Where it is of interest to produce a *Streptococcus pneumoniae* polypeptide, cultured prokaryotic host cells are of particular interest.

10 In yet another embodiment, the present invention contemplates a process or method of preparing *Streptococcus pneumoniae* polypeptides comprising transforming, transfecting or infecting cells with a polynucleotide that encodes a *Streptococcus pneumoniae* polypeptide to produce transformed host cells; and  
15 maintaining the transformed host cells under biological conditions sufficient for expression of the polypeptide. Preferably, the transformed host cells are prokaryotic cells. Alternatively, the host cells are eukaryotic cells. More preferably, the prokaryotic cells are bacterial cells of the DH5- $\alpha$  strain of *Escherichia coli*. Even more preferably, the polynucleotide transfected into the transformed cells comprise the  
20 nucleic acid sequence of one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591. Additionally, transfection is accomplished using an expression vector disclosed above. A host cell used in the process is capable of expressing a functional, recombinant *Streptococcus pneumoniae* polypeptide.

Following transfection, the cell is maintained under culture conditions for a period of time sufficient for expression of a *Streptococcus pneumoniae* polypeptide.  
25 Culture conditions are well known in the art and include ionic composition and concentration, temperature, pH and the like. Typically, transfected cells are maintained under culture conditions in a culture medium. Suitable media for various cell types are well known in the art. In a preferred embodiment, temperature is from about 20°C to about 50°C, more preferably from about 30°C to about 40°C and, even  
30 more preferably about 37°C.

The pH is preferably from about a value of 6.0 to a value of about 8.0; more preferably from about a value of about 6.8 to a value of about 7.8 and, most preferably about 7.4. Osmolality is preferably from about 200 milliosmols per liter

(mosm/L) to about 400 mosm/l and, more preferably from about 290 mosm/L to about 310 mosm/L. Other biological conditions needed for transfection and expression of an encoded protein are well known in the art.

Transfected cells are maintained for a period of time sufficient for expression of an *Streptococcus pneumoniae* polypeptide. A suitable time depends *inter alia* upon the cell type used and is readily determinable by a skilled artisan. Typically, maintenance time is from about 2 to about 14 days.

Recombinant *Streptococcus pneumoniae* polypeptide is recovered or collected either from the transfected cells or the medium in which those cells are cultured. Recovery comprises isolating and purifying the *Streptococcus pneumoniae* polypeptide. Isolation and purification techniques for polypeptides are well known in the art and include such procedures as precipitation, filtration, chromatography, electrophoresis and the like.

#### 15 F. ANTIBODIES IMMUNOREACTIVE WITH STREPTOCOCCUS PNEUMONIAE POLYPEPTIDES

In still another embodiment, the present invention provides antibodies immunoreactive with *Streptococcus pneumoniae* polypeptides. Preferably, the antibodies of the invention are monoclonal antibodies. Additionally, the *Streptococcus pneumoniae* polypeptides comprise the amino acid residue sequence of one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. Means for preparing and characterizing antibodies are well known in the art (See, e.g., Antibodies "A Laboratory Manual", E. Harlow and D. Lane, Cold Spring Harbor Laboratory, 1988).

Briefly, a polyclonal antibody is prepared by immunizing an animal with an immunogen comprising a polypeptide or polynucleotide of the present invention, and collecting antisera from that immunized animal. A wide range of animal species can be used for the production of antisera. Typically an animal used for production of anti-antisera is a rabbit, a mouse, a rat, a hamster or a guinea pig. Because of the relatively large blood volume of rabbits, a rabbit is a preferred choice for production of polyclonal antibodies.

As is well known in the art, a given polypeptide or polynucleotide may vary in its immunogenicity. It is often necessary therefore to couple the immunogen (e.g., a

polypeptide or polynucleotide) of the present invention with a carrier. Exemplary and preferred carriers are CRM<sub>197</sub>, keyhole limpet hemocyanin (KLH) and bovine serum albumin (BSA). Other albumins such as ovalbumin, mouse serum albumin or rabbit serum albumin can also be used as carriers.

5           Means for conjugating a polypeptide or a polynucleotide to a carrier protein are well known in the art and include glutaraldehyde, m-maleimidobencoyl-N-hydroxysuccinimide ester, carbodiimide and bis-biazotized benzidine.

          The amount of immunogen used for the production of polyclonal antibodies varies *inter alia*, upon the nature of the immunogen as well as the animal used for  
10 immunization. A variety of routes can be used to administer the immunogen (subcutaneous, intramuscular, intradermal, intravenous and intraperitoneal). The production of polyclonal antibodies is monitored by sampling blood of the immunized animal at various points following immunization. When a desired level of immunogenicity is obtained, the immunized animal can be bled and the serum  
15 isolated and stored.

          In another aspect, the present invention contemplates a process of producing an antibody immunoreactive with a *Streptococcus pneumoniae* polypeptide comprising the steps of (a) transfecting recombinant host cells with a polynucleotide that encodes a *Streptococcus pneumoniae* polypeptide; (b) culturing the host cells  
20 under conditions sufficient for expression of the polypeptide; (c) recovering the polypeptides; and (d) preparing the antibodies to the polypeptides. Preferably, the host cell is transfected with the polynucleotide of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591. Even more preferably, the present invention provides antibodies prepared according to the process described  
25 above.

          A monoclonal antibody of the present invention can be readily prepared through use of well-known techniques such as those exemplified in U.S. Patent 4,196,265, hereinafter incorporated by reference. Typically, a technique involves first immunizing a suitable animal with a selected antigen (e.g., a polypeptide or  
30 polynucleotide of the present invention) in a manner sufficient to provide an immune response. Rodents, such as mice and rats, are preferred animals. Spleen cells from the immunized animal are then fused with cells of an immortal myeloma cell. Where

the immunized animal is a mouse, a preferred myeloma cell is a murine NS-1 myeloma cell.

The fused spleen/myeloma cells are cultured in a selective medium to select fused spleen/myeloma cells from the parental cells. Fused cells are separated from the mixture of non-fused parental cells, e.g., by the addition of agents that block the *de novo* synthesis of nucleotides in the tissue culture media. Exemplary and preferred agents are aminopterin, methotrexate, and azaserine. Aminopterin and methotrexate block *de novo* synthesis of both purines and pyrimidines, whereas azaserine blocks only purine synthesis. Where aminopterin or methotrexate is used, the media is supplemented with hypoxanthine and thymidine as a source of nucleotides. Where azaserine is used, the media is supplemented with hypoxanthine.

This culturing provides a population of hybridomas from which specific hybridomas are selected. Typically, selection of hybridomas is performed by culturing the cells by single-clone dilution in microtiter plates, followed by testing the individual clonal supernatants for reactivity with an antigen-polypeptide. The selected clones can then be propagated indefinitely to provide the monoclonal antibody.

By way of specific example, to produce an antibody of the present invention, mice are injected intraperitoneally with between about 1-200  $\mu\text{g}$  of an antigen comprising a polypeptide of the present invention. B lymphocyte cells are stimulated to grow by injecting the antigen in association with an adjuvant such as complete Freund's adjuvant (a non-specific stimulator of the immune response containing killed *Mycobacterium tuberculosis*). At some time (e.g., at least two weeks) after the first injection, mice are boosted by injection with a second dose of the antigen mixed with incomplete Freund's adjuvant.

A few weeks after the second injection, mice are tail bled and the sera titrated by immunoprecipitation against radiolabeled antigen. Preferably, the process of boosting and titering is repeated until a suitable titer is achieved. The spleen of the mouse with the highest titer is removed and the spleen lymphocytes are obtained by homogenizing the spleen with a syringe. Typically, a spleen from an immunized mouse contains approximately  $5 \times 10^7$  to  $2 \times 10^8$  lymphocytes.

Mutant lymphocyte cells known as myeloma cells are obtained from laboratory animals in which such cells have been induced to grow by a variety of well-known methods. Myeloma cells lack the salvage pathway of nucleotide biosynthesis. Because myeloma cells are tumor cells, they can be propagated indefinitely in tissue culture, and are thus denominated immortal. Numerous cultured cell lines of myeloma cells from mice and rats, such as murine NS-1 myeloma cells, have been established.

Myeloma cells are combined under conditions appropriate to foster fusion with the normal antibody-producing cells from the spleen of the mouse or rat injected with the antigen/polypeptide of the present invention. Fusion conditions include, for example, the presence of polyethylene glycol. The resulting fused cells are hybridoma cells. Like myeloma cells, hybridoma cells grow indefinitely in culture.

Hybridoma cells are separated from unfused myeloma cells by culturing in a selection medium such as HAT media (hypoxanthine, aminopterin, thymidine). Unfused myeloma cells lack the enzymes necessary to synthesize nucleotides from the salvage pathway because they are killed in the presence of aminopterin, methotrexate, or azaserine. Unfused lymphocytes also do not continue to grow in tissue culture. Thus, only cells that have successfully fused (hybridoma cells) can grow in the selection media.

Each of the surviving hybridoma cells produces a single antibody. These cells are then screened for the production of the specific antibody immunoreactive with an antigen/polypeptide of the present invention. Single cell hybridomas are isolated by limiting dilutions of the hybridomas. The hybridomas are serially diluted many times and, after the dilutions are allowed to grow, the supernatant is tested for the presence of the monoclonal antibody. The clones producing that antibody are then cultured in large amounts to produce an antibody of the present invention in convenient quantity.

By use of a monoclonal antibody of the present invention, specific polypeptides and polynucleotide of the invention are identified as antigens. Once identified, those polypeptides and polynucleotides are isolated and purified by techniques such as antibody-affinity chromatography. In antibody-affinity chromatography, a monoclonal antibody is bound to a solid substrate and exposed to a solution containing the desired antigen. The antigen is removed from the solution

through an immunospecific reaction with the bound antibody. The polypeptide or polynucleotide is then easily removed from the substrate and purified.

Additionally, examples of methods and reagents particularly amenable for use in generating and screening antibody display library can be found in, for example, 5 U.S. Patent 5,223,409; International Application WO 92/18619; International Application WO 91/17271; International Application WO 92/20791; International Application WO 92/15679; International Application WO 93/01288; International Application WO 92/01047; International Application WO 92/09690; International Application WO 90/02809.

10 Additionally, recombinant anti-*Streptococcus pneumoniae* antibodies, such as chimeric and humanized monoclonal antibodies, comprising both human and non-human fragments, which can be made using standard recombinant DNA techniques, are within the scope of the invention. Such chimeric and humanized monoclonal antibodies can be produced by recombinant DNA techniques known in the art, for 15 example using methods described in International Application PCT/US86/02269; International Application EP 184,187; International Application EP 171,496; International Application EP 173,494; International Application WO 86/01533; U.S. Patent 4,816,567; and International Application EP 125,023.

An anti-*Streptococcus pneumoniae* antibody (e.g., monoclonal antibody) is 20 used to isolate *Streptococcus pneumoniae* polypeptides by standard techniques, such as affinity chromatography or immunoprecipitation. An anti-*Streptococcus pneumoniae* antibody facilitates the purification of a natural *Streptococcus pneumoniae* polypeptide from cells and recombinantly produced *Streptococcus pneumoniae* polypeptides expressed in host cells. Moreover, an anti-*Streptococcus pneumoniae* 25 antibody is used to detect *Streptococcus pneumoniae* polypeptide (e.g., in a cellular lysate or cell supernatant) in order to evaluate the abundance of the *Streptococcus pneumoniae* polypeptide. The detection of circulating fragments of a *Streptococcus pneumoniae* polypeptide is used to identify *Streptococcus pneumoniae* polypeptide turnover in a subject. Anti-*Streptococcus pneumoniae* 30 antibodies are used diagnostically to monitor protein levels in tissue as part of a clinical testing procedure, e.g., to, for example, determine the efficacy of a given treatment regimen. Detection is facilitated by coupling (i.e., physically linking) the antibody to a detectable substance. Examples of detectable substances include



various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, P-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and acquerin, and examples of suitable radioactive material include  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{15}\text{S}$  or  $^3\text{H}$ .

#### G. PHARMACEUTICAL AND IMMUNOGENIC COMPOSITIONS

In certain embodiments, the present invention provides pharmaceutical and immunogenic compositions comprising *Streptococcus pneumoniae* polypeptides and physiologically acceptable carriers. More preferably, the pharmaceutical compositions comprise one or more *Streptococcus pneumoniae* polypeptides comprising the amino acid residue sequence of one or more of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. In other embodiments, the pharmaceutical compositions of the invention comprise polynucleotides that encode *Streptococcus pneumoniae* polypeptides, and physiologically acceptable carriers. Preferably, the pharmaceutical and immunogenic compositions of the present invention comprise *Streptococcus pneumoniae* polypeptides comprising the amino acid sequence of one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. Alternatively, the pharmaceutical and immunogenic compositions comprise polynucleotides comprising the nucleotide sequence of one of SEQ ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591.

Various tests are used to assess the *in vitro* immunogenicity of the polypeptides of the invention. For example, an *in vitro* opsonic assay is conducted by incubating together a mixture of *Streptococcus pneumoniae* cells, heat inactivated human serum containing specific antibodies to the polypeptide in question, and an exogenous complement source. Opsonophagocytosis proceeds during incubation of freshly isolated human polymorphonuclear cells (PMN's) and the

antibody/complement/pneumococcal cell mixture. Bacterial cells that are coated with antibody and complement are killed upon opsonophagocytosis. Colony forming units (cfu) of surviving bacteria that escape from opsonophagocytosis are determined by plating the assay mixture. Titers are reported as the reciprocal of the highest dilution that gives  $\geq 50\%$  bacterial killing, as determined by comparison to assay controls. Specimens which demonstrate less than 50% killing at the lowest serum dilution tested (1:8), are reported as having an OPA titer of 4. The highest dilution tested is 1:2560. Samples with  $\geq 50\%$  killing at the highest dilution are repeated, beginning with a higher initial dilution. The method described above is a modification of Gray's method (Gray, 1990).

A test serum control, which contains test serum plus bacterial cells and heat inactivated complement, is included for each individual serum. This control can be used to assess whether the presence of antibiotics or other serum components are capable of killing the bacterial strain directly (*i.e.* in the absence of complement or PMN's). A human serum with known opsonic titer is used as a positive human serum control. The opsonic antibody titer for each unknown serum can be calculated as the reciprocal of the initial dilution of serum giving 50% cfu reduction compared to the control without serum.

A whole cell ELISA assay is also used to assess *in vitro* immunogenicity and surface exposure of the polypeptide antigen, wherein the bacterial strain of interest (*S. pneumoniae*) is coated onto a plate, such as a 96 well plate, and test sera from an immunized animal is reacted with the bacterial cells. If any antibody, specific for the test polypeptide antigen, is reactive with a surface exposed epitope of the polypeptide antigen, it can be detected by standard methods known to one skilled in the art.

Any polypeptide demonstrating the desired *in vitro* activity is then tested in an *in vivo* animal challenge model. In certain embodiments, immunogenic compositions are used in the immunization of an animal (*e.g.*, a mouse) by methods and routes of immunization known to those of skill in the art (*e.g.*, intranasal, parenteral, oral, rectal, vaginal, transdermal, intraperitoneal, intravenous, subcutaneous, *etc.*). Following immunization of the animal with a particular *Streptococcus pneumoniae* immunogenic composition, the animal is challenged with *Streptococcus pneumoniae* and assayed for resistance to *Streptococcus pneumoniae* infection.

In one embodiment, six-week old, pathogen-free, Balb/c mice are immunized and challenged with *Streptococcus pneumoniae*. For example, BALB/C mice, at 10 animals per group, are immunized (by slow instillation into the nostrils of each mouse) with one or more doses of the desired polypeptide in an immunogenic composition. *Streptococcus pneumoniae* colonizes the nasopharynx of Balb/c mice, but does not cause disease or death. Subsequently, the Balb/c mice are challenged with streptomycin-resistant *Streptococcus pneumoniae*. The Balb/c mice are sacrificed post-challenge, the noses removed, and homogenized in sterile saline. The homogenate is diluted in saline and plated on streptomycin-containing TSA plates. Plates are incubated overnight at 37°C and then colonies are counted. Statistically significant reduction of nasopharyngeal colonization indicates that the polypeptide is suitable for use in human clinical trials.

In another embodiment, six-week old, pathogen-free, male CBA/CaHN xid/J (CBA/N) mice are immunized intranasally or parenterally prior to *Streptococcus pneumoniae* challenge. CBA/N mice, at 10 animals per group, are immunized with an appropriate amount of the desired polypeptide in an immunogenic composition to be tested. CBA/N mice are immunodeficient (XID) and, when challenged with appropriate *Streptococcus pneumoniae*, develop nasopharyngeal colonization, bacteremia and death.

The CBA/N mice are immunized intranasally or subcutaneously with one or more doses of the desired immunogenic composition. Subsequently, the CBA/N mice are challenged with streptomycin-resistant *Streptococcus pneumoniae*. To determine the effects of immunization on intranasal colonization, the CBA/N mice are sacrificed post-challenge, the noses are removed, and homogenized in sterile saline. The homogenate is serially diluted in saline and plated on streptomycin-containing TSA plates. In addition, blood collected post-challenge from each mouse is also plated on streptomycin-containing TSA plates to determine levels of bacteremia. Plates are incubated overnight at 37°C and then colonies are counted. In another embodiment, CBA/N mice are immunized as described above and challenged intranasally. The CBA/N mice are observed daily after challenge, and the mortality is monitored for 14 days. Statistically significant reduction of nasopharyngeal colonization and/or mortality indicates that the polypeptide is suitable for use in human clinical trials.

The *Streptococcus pneumoniae* polynucleotides, polypeptides, modulators of a *Streptococcus pneumoniae* polypeptides, and anti-*Streptococcus pneumoniae* antibodies (also referred to hereinafter as "active compounds") of the invention are incorporated into pharmaceutical and immunogenic compositions suitable for administration to a subject, e.g., a human. Such compositions typically comprise the nucleic acid molecule, protein, modulator, or antibody and a pharmaceutically acceptable carrier. As used hereinafter the language "pharmaceutically acceptable carrier" is intended to include any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying agents, and the like, compatible with pharmaceutical administration. The use of such media and agents for pharmaceutically active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active compound, such media can be used in the compositions of the invention. Supplementary active compounds can also be incorporated into the compositions.

A pharmaceutical or immunogenic composition of the invention is formulated to be compatible with its intended route of administration. Examples of routes of administration include parenteral (e.g., intravenous, intradermal, subcutaneous, intraperitoneal), transmucosal (e.g., oral, rectal, intranasal, vaginal, respiratory) and transdermal (topical). Solutions or suspensions used for parenteral, intradermal, or subcutaneous application can include the following components: a sterile diluent such as water for injection, saline solution, fixed oils, polyethylene glycols, glycerine, propylene glycol or other synthetic solvents; antibacterial agents such as benzyl alcohol or methyl parabens; antioxidants such as ascorbic acid or sodium bisulfite; chelating agents such as ethylenediaminetetraacetic acid; buffers such as acetates, citrates or phosphates and agents for the adjustment of tonicity such as sodium chloride or dextrose. pH can be adjusted with acids or bases, such as hydrochloric acid or sodium hydroxide. The parenteral preparation can be enclosed in ampoules, disposable syringes or multiple dose vials made of glass or plastic.

Pharmaceutical compositions suitable for injectable use include sterile aqueous solutions (where water soluble) or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersion. For intravenous administration, suitable carriers include physiological saline, bacteriostatic water, Cremophor ELTM(BASF, Parsippany, NJ) or phosphate

buffered saline (PBS). In all cases, the composition must be sterile and should be fluid to the extent that easy syringability exists. It must be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol, and liquid polyethylene glycol, and the like), and suitable mixtures thereof. The proper fluidity can be maintained, for example, by the use of a coating such as lecithin, by the maintenance of the required particle size in the case of dispersion and by the use of surfactants. Prevention of the action of microorganisms can be achieved by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, ascorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars, polyalcohols such as manitol, sorbitol, sodium chloride in the composition. Prolonged absorption of the injectable compositions can be brought about by including in the composition an agent which delays absorption; for example, aluminum monostearate and gelatin.

Sterile injectable solutions can be prepared by incorporating the active compound (e.g., a *Streptococcus pneumoniae* polypeptide or anti-*Streptococcus pneumoniae* antibody) in the required amount in an appropriate solvent with one or a combination of ingredients enumerated above, as required, followed by filtered sterilization. Generally, dispersions are prepared by incorporating the active compound into a sterile vehicle which contains a basic dispersion medium and the required other ingredients from those enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, the preferred methods of preparation are vacuum drying and freeze-drying which yields a powder of the active ingredient plus any additional desired ingredient from a previously sterile-filtered solution thereof.

Oral compositions generally include an inert diluent or an edible carrier. They can be enclosed in gelatin capsules or compressed into tablets. For the purpose of oral therapeutic administration, the active compound can be incorporated with excipients and used in the form of tablets, troches, or capsules. Oral compositions can also be prepared using a fluid carrier for use as a mouthwash, wherein the compound in the fluid carrier is applied orally and swished and expectorated or

swallowed. Pharmaceutically compatible binding agents, and/or adjuvant materials can be included as part of the composition. The tablets, pills, capsules, troches and the like can contain any of the following ingredients, or compounds of a similar nature: a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel, or corn starch; a lubricant such as magnesium stearate or Sterotes; a glidant such as colloidal silicon dioxide; a sweetening agent such as sucrose or saccharin; or a flavoring agent such as peppermint, methyl salicylate, or orange flavoring.

10 For administration by inhalation, the compounds are delivered in the form of an aerosol spray from pressured container or dispenser which contains a suitable propellant, e.g., a gas such as carbon dioxide, or a nebulizer. Systemic administration can also be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art, and include, for example, for transmucosal administration, detergents, bile salts, and fusidic acid derivatives. Transmucosal administration can be accomplished through the use of nasal sprays or suppositories. For transdermal administration, the active compounds are formulated into ointments, salves, gels, or creams as generally known in the art.

The compounds can also be prepared in the form of suppositories (e.g., with conventional suppository bases such as cocoa butter and other glycerides) or retention enemas for rectal delivery.

25 In one embodiment, the active compounds are prepared with carriers that will protect the compound against rapid elimination from the body, such as a controlled release formulation, including implants and microencapsulated delivery systems.

Biodegradable, biocompatible polymers can be used, such as ethylene vinyl acetate, polyanhydrides, polyglycolic acid, collagen, polyorthoesters, and polylactic acid. Methods for preparation of such formulations will be apparent to those skilled in the art. The materials can also be obtained commercially from Alza Corporation and Nova Pharmaceuticals, Inc. Liposomal suspensions (including liposomes targeted to infected cells with monoclonal antibodies to viral antigens) can also be used as pharmaceutically acceptable carriers. These can be prepared according to methods

known to those skilled in the art, for example, as described in U.S. Patent 4,522,811 which is incorporated hereinafter by reference.

It is especially advantageous to formulate oral or parenteral compositions in dosage unit form for ease of administration and uniformity of dosage. Dosage unit  
5 form as used hereinafter refers to physically discrete units suited as unitary dosages for the subject to be treated; each unit containing a predetermined quantity of active compound calculated to produce the desired therapeutic effect in association with the required pharmaceutical carrier. The specification for the dosage unit forms of the invention are dictated by and directly dependent on the unique characteristics of the  
10 active compound and the particular therapeutic effect to be achieved, and the limitations inherent in the art of compounding such an active compound for the treatment of individuals.

Combination immunogenic compositions are provided by including two or more of the polypeptides of the invention, as well as by combining one or more of the  
15 polypeptides of the invention with one or more known *S. pyogenes* polypeptides, including, but not limited to, the C5a peptidase, the M proteins, adhesins and the like.

In other embodiments, combination immunogenic compositions are provided by combining one or more of the polypeptides of the invention with one or more known *S. pneumoniae* polysaccharides or polysaccharide-protein conjugates,  
20 including, but not limited to, the currently available 23-valent pneumococcal capsular polysaccharide vaccine and the 7-valent pneumococcal polysaccharide-protein conjugate vaccine.

The nucleic acid molecules of the invention are inserted into a variety of vectors and expression systems. A great variety of expression systems are used.  
25 Such systems include, among others, chromosomal, episomal and virus-derived systems, e.g., vectors derived from bacterial plasmids, attenuated bacteria such as *Salmonella* (U.S. Patent 4,837,151) from bacteriophage, from transposons, from yeast episomes, from insertion elements, from yeast chromosomal elements, from viruses such as vaccinia and other poxviruses, sindbis, adenovirus, baculoviruses,  
30 papova viruses, such as SV40, fowl pox viruses, pseudorabies viruses and retroviruses, alphaviruses such as Venezuelan equine encephalitis virus (U.S. Patent 5,643,576); nonsegmented negative-stranded RNA viruses such as vesicular stomatitis virus (U.S. Patent 6,168,943), and vectors derived from combinations

thereof, such as those derived from plasmid and bacteriophage genetic elements, such as cosmids and phagemids. The expression systems should include control regions that regulate as well as engender expression, such as promoters and other regulatory elements (such as a polyadenylation signal). Generally, any system or  
5 vector suitable to maintain, propagate or express polynucleotides to produce a polypeptide in a host may be used. The appropriate nucleotide sequence may be inserted into an expression system by any of a variety of well-known and routine techniques, such as, for example, those set forth in Sambrook et al., "Molecular Cloning: A Laboratory Manual" 2nd, ed, Cold Spring Harbor Laboratory, Cold Spring  
10 Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

A pharmaceutically acceptable vehicle is understood to designate a compound or a combination of compounds entering into a pharmaceutical or immunogenic composition which does not cause side effects and which makes it possible, for example, to facilitate the administration of the active compound, to  
15 increase its life and/or its efficacy in the body, to increase its solubility in solution or alternatively to enhance its preservation. These pharmaceutically acceptable vehicles are well known and will be adapted by persons skilled in the art according to the nature and the mode of administration of the active compound chosen.

As defined hereinafter, an "adjuvant" is a substance that serves to enhance  
20 the immunogenicity of an "antigen" or the immunogenic compositions comprising a polypeptide antigens having an amino acid sequence chosen from one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752. Thus, adjuvants are often given to boost the immune response and are well known to the skilled artisan. Examples of adjuvants contemplated in the present invention  
25 include, but are not limited to, aluminum salts (alum) such as aluminum phosphate and aluminum hydroxide, *Mycobacterium tuberculosis*, *Bordetella pertussis*, bacterial lipopolysaccharides, aminoalkyl glucosamine phosphate compounds (AGP), or derivatives or analogs thereof, which are available from Corixa (Hamilton, MT), and which are described in United States Patent Number 6,113,918; one such AGP is 2-  
30 [((R)-3-Tetradecanoyloxytetradecanoylamino]ethyl 2-Deoxy-4-O-phosphono-3-O-[(R)-3-tetradecanoyoxytetradecanoyl]-2-[(R)-3-tetradecanoyoxytetradecanoylamino]-b-D-glucopyranoside, which is also known as 529 (formerly known as RC529), which is formulated as an aqueous form or as a stable emulsion, MPL™ (3-O-deacylated



monophosphoryl lipid A) (Corixa) described in U.S. Patent Number 4,912,094, synthetic polynucleotides such as oligonucleotides containing a CpG motif (U.S. Patent Number 6,207,646), polypeptides, saponins such as Quil A or STIMULON™ QS-21 (Antigenics, Framingham, Massachusetts), described in U.S. Patent Number 5,057,540, a pertussis toxin (PT), or an *E. coli* heat-labile toxin (LT), particularly LT-K63, LT-R72, CT-S109, PT-K9/G129; see, e.g., International Patent Publication Nos. WO 93/13302 and WO 92/19265, cholera toxin (either in a wild-type or mutant form, e.g., wherein the glutamic acid at amino acid position 29 is replaced by another amino acid, preferably a histidine, in accordance with published International Patent Application number WO 00/18434). Various cytokines and lymphokines are suitable for use as adjuvants. One such adjuvant is granulocyte-macrophage colony stimulating factor (GM-CSF), which has a nucleotide sequence as described in U.S. Patent Number 5,078,996. A plasmid containing GM-CSF cDNA has been transformed into *E. coli* and has been deposited with the American Type Culture Collection (ATCC), 1081 University Boulevard, Manassas, VA 20110-2209, under Accession Number 39900. The cytokine Interleukin-12(IL-12) is another adjuvant which is described in U.S. Patent Number 5,723,127. Other cytokines or lymphokines have been shown to have immune modulating activity, including, but not limited to, the interleukins 1-alpha, 1-beta, 2, 4, 5,6, 7, 8, 10, 13, 14, 15, 16, 17 and 18, the interferons-alpha, beta and gamma, granulocyte colony stimulating factor, and the tumor necrosis factors alpha and beta, and are suitable for use as adjuvants.

A composition of the present invention is typically administered parenterally in dosage unit formulations containing standard, well-known nontoxic physiologically acceptable carriers, adjuvants, and vehicles as desired. The term parenteral as used hereinafter includes intravenous, intra-muscular, intraarterial injection, or infusion techniques.

Injectable preparations, for example sterile injectable aqueous or oleaginous suspensions, are formulated according to the known art using suitable dispersing or wetting agents and suspending agents. The sterile injectable preparation can also be a sterile injectable solution or suspension in a nontoxic parenterally acceptable diluent or solvent, for example, as a solution in 1,3-butanediol.

Among the acceptable vehicles and solvents that may be employed are water, Ringer's solution, and isotonic sodium chloride solution. In addition, sterile,

fixed oils are conventionally employed as a solvent or suspending medium. For this purpose any bland fixed oil can be employed including synthetic mono- or diglycerides. In addition, fatty acids such as oleic acid find use in the preparation of injectables.

5 Preferred carriers include neutral saline solutions buffered with phosphate, lactate, Tris, and the like. Of course, when administering viral vectors, one purifies the vector sufficiently to render it essentially free of undesirable contaminants, such as defective interfering adenovirus particles or endotoxins and other pyrogens such that it does not cause any untoward reactions in the individual receiving the vector  
10 construct. A preferred means of purifying the vector involves the use of buoyant density gradients, such as cesium chloride gradient centrifugation.

A carrier can also be a liposome. Means for using liposomes as delivery vehicles are well known in the art (see, e.g. Gabizon *et al.*, 1990; Ferruti *et al.*, 1986; and Ranade, 1989).

15 The immunogenic compositions of this invention also comprise a polynucleotide sequence of this invention operatively associated with a regulatory sequence that controls gene expression. The polynucleotide sequence of interest is engineered into an expression vector, such as a plasmid, under the control of regulatory elements which will promote expression of the DNA, that is, promoter  
20 and/or enhancer elements. In a preferred embodiment, the human cytomegalovirus immediate-early promoter/enhancer is used (U.S. Patent 5,168,062). The promoter may be cell-specific and permit substantial transcription of the polynucleotide only in predetermined cells.

The polynucleotide is introduced directly into the host either as "naked" DNA  
25 (U.S. Patent 5,580,859) or formulated in compositions with agents which facilitate immunization, such as bupivacaine and other local anesthetics (U.S. Patent 5,593,972) and cationic polyamines (U.S. Patent 6,127,170).

In this polynucleotide immunization procedure, the polypeptides of the invention are expressed on a transient basis *in vivo*; no genetic material is inserted or  
30 integrated into the chromosomes of the host. This procedure is to be distinguished from gene therapy, where the goal is to insert or integrate the genetic material of interest into the chromosome. An assay is used to confirm that the polynucleotides

administered by immunization do not give rise to a transformed phenotype in the host (U.S. Patent 6,168,918).

#### H. USES AND METHODS OF THE INVENTION

5       The *Streptococcus pneumoniae* polynucleotides, polypeptides, polypeptide homologues, modulators, adjuvants, and antibodies described in this invention can be used in methods of treatment, diagnostic assays particularly in disease identification, drug screening assays and monitoring of effects during clinical trials. The isolated polynucleotides of the invention can be used to express *Streptococcus*  
10 *pneumoniae* polypeptides (e.g., via a recombinant expression vector in a host cell or in polynucleotide immunization applications) and to detect *Streptococcus pneumoniae* mRNA (e.g., in a biological sample). Moreover, the anti-*Streptococcus pneumoniae* antibodies of the invention can be used to detect and isolate a *Streptococcus pneumoniae* polypeptide, particularly fragments of a *Streptococcus*  
15 *pneumoniae* polypeptides present in a biological sample, and to modulate *Streptococcus pneumoniae* polypeptide activity.

The invention provides immunogenic compositions comprising polypeptides having an amino acid sequence chosen from one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof  
20 or a fragment thereof. The immunogenic composition may further comprise a pharmaceutically acceptable carrier, as outlined in section G. In certain preferred embodiments, the immunogenic composition will comprise one or more adjuvants.

In another embodiment, the invention provides immunogenic compositions comprising a polynucleotide having a nucleotide sequence chosen from one of SEQ  
25 ID NO:1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, wherein the polynucleotide is comprised in a recombinant expression vector. Preferably the vector is plasmid DNA. Of course, the polynucleotide may further comprise heterologous nucleotides, e.g., the polynucleotide is operatively linked to one or more gene expression regulatory elements, and further comprise one or more  
30 adjuvants. In a preferred embodiment, the immunogenic polynucleotide composition directs the expression of a neutralizing epitope of *Streptococcus pneumoniae*.

Provided also are methods for immunizing a host against *Streptococcus pneumoniae* infection. In a preferred embodiment, the host is human. Thus, a host

or subject is administered an immunizing amount of an immunogenic composition comprising a polypeptide having an amino acid sequence chosen from one of SEQ ID NO:216 through SEQ ID NO:430 or SEQ ID NO: 592 through 752, a biological equivalent thereof or a fragment thereof and a pharmaceutically acceptable carrier.

- 5 An immunizing amount of an immunogenic composition can be determined by doing a dose response study in which subjects are immunized with gradually increasing amounts of the immunogenic composition and the immune response analyzed to determine the optimal dosage. Starting points for the study can be inferred from immunization data in animal models. The dosage amount can vary depending upon  
10 specific conditions of the individual. The amount can be determined in routine trials by means known to those skilled in the art.

- An immunologically effective amount of the immunogenic composition in an appropriate number of doses is administered to the subject to elicit an immune response. Immunologically effective amount, as used herein, means the  
15 administration of that amount to a mammalian host (preferably human), either in a single dose or as part of a series of doses, sufficient to at least cause the immune system of the individual treated to generate a response that reduces the clinical impact of the bacterial infection. Protection may be conferred by a single dose of the immunogenic composition or vaccine, or may require the administration of several  
20 doses, in addition to booster doses at later times to maintain protection. This may range from a minimal decrease in bacterial burden to prevention of the infection. Ideally, the treated individual will not exhibit the more serious clinical manifestations of the *Streptococcus pneumoniae* infection. The dosage amount can vary depending upon specific conditions of the individual, such as age and weight. This amount can  
25 be determined in routine trials by means known to those skilled in the art.

#### I. DIAGNOSTIC ASSAYS

- The invention provides methods for detecting the presence of a  
*Streptococcus pneumoniae* polypeptide or *Streptococcus pneumoniae*  
30 polynucleotide, or fragment thereof, in a biological sample. The method involves contacting the biological sample with a compound or an agent capable of detecting a *Streptococcus pneumoniae* polypeptide or mRNA such that the presence of the *Streptococcus pneumoniae* polypeptide/encoding nucleic acid molecule is detected

in the biological sample. A preferred agent for detecting *Streptococcus pneumoniae* mRNA or DNA is a labeled or labelable oligonucleotide probe capable of hybridizing to *Streptococcus pneumoniae* mRNA or DNA. The nucleic acid probe can be, for example, a full-length *Streptococcus pneumoniae* polynucleotide of one of SEQ ID NO: 1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, a complement thereof, or a fragment thereof, such as an oligonucleotide of at least 15, 30, 50, 100, 250 or 500 nucleotides in length and sufficient to specifically hybridize under stringent conditions to *Streptococcus pneumoniae* mRNA or DNA. Alternatively, the sample can be contacted with an oligonucleotide primer of a *Streptococcus pneumoniae* polynucleotide of one of SEQ ID NO: 1 through SEQ ID NO:215 or SEQ ID NO: 431 through SEQ ID NO: 591, a complement thereof, or a fragment thereof, in the presence of nucleotides and a polymerase, under conditions permitting primer extension.

A preferred agent for detecting *Streptococcus pneumoniae* polypeptide is a labeled or labelable antibody capable of binding to a *Streptococcus pneumoniae* polypeptide. Antibodies can be polyclonal, or more preferably, monoclonal. An intact antibody, or a fragment thereof (e.g., Fab or F(ab')<sub>2</sub>) can be used. The term "labeled or labelable," with regard to the probe or antibody, is intended to encompass direct labeling of the probe or antibody by coupling (i.e., physically linking) a detectable substance to the probe or antibody, as well as indirect labeling of the probe or antibody by reactivity with another reagent that is directly labeled. Examples of indirect labeling include detection of a primary antibody using a fluorescently labeled secondary antibody and end-labeling of a DNA probe with biotin such that it can be detected with fluorescently labeled streptavidin. The term "biological sample" is intended to include tissues, cells and biological fluids isolated from a subject, as well as tissues, cells and fluids present within a subject. That is, the detection method of the invention can be used to detect *Streptococcus pneumoniae* mRNA, DNA, or protein in a biological sample *in vitro* as well as *in vivo*. For example, *in vitro* techniques for detection of *Streptococcus pneumoniae* mRNA include Northern hybridizations and *in situ* hybridizations. *In vitro* techniques for detection of *Streptococcus pneumoniae* polypeptide include enzyme linked immunosorbent assays (ELISAs), Western blots, immunoprecipitations and immunofluorescence. Alternatively, *Streptococcus pneumoniae* polypeptides can be detected *in vivo* in a

subject by introducing into the subject a labeled anti-*Streptococcus pneumoniae* antibody. For example, the antibody can be labeled with a radioactive marker whose presence and location in a subject can be detected by standard imaging techniques.

The polynucleotides according to the invention may also be used in analytical  
5 DNA chips, which allow sequencing, the study of mutations and of the expression of genes, and which are currently of interest given their very small size and their high capacity in terms of number of analyses.

The principle of the operation of these chips is based on molecular probes, most often oligonucleotides, which are attached onto a miniaturized surface,  
10 generally of the order of a few square centimeters. During an analysis, a sample containing fragments of a target nucleic acid to be analysed, for example DNA or RNA labelled, for example, after amplification, is deposited onto the DNA chip in which the support has been coated beforehand with probes. Bringing the labelled target sequences into contact with the probes leads to the formation, through  
15 hybridization, of a duplex according to the rule of pairing defined by J.D. Watson and F. Crick. After a washing step, analysis of the surface of the chip allows the effective hybridizations to be located by means of the signals emitted by the labels tagging the target. A hybridization fingerprint results from this analysis which, by appropriate computer processing, will make it possible to determine information such as the  
20 presence of specific fragments in the sample, the determination of sequences and the presence of mutations.

The chip consists of a multitude of molecular probes, precisely organized or arrayed on a solid support whose surface is miniaturized. It is at the centre of a system where other elements (imaging system, microcomputer) allow the acquisition  
25 and interpretation of a hybridization fingerprint.

The hybridization supports are provided in the form of flat or porous surfaces (pierced with wells) composed of various materials. The choice of a support is determined by its physicochemical properties, or more precisely, by the relationship between the latter and the conditions under which the support will be placed during  
30 the synthesis or the attachment of the probes or during the use of the chip. It is therefore necessary, before considering the use of a particular support, to consider characteristics such as its stability to pH, its physical strength, its reactivity and its chemical stability as well as its capacity to nonspecifically bind nucleic acids.

Materials such as glass, silicon and polymers are commonly used. Their surface is, in a first step, called "functionalization", made reactive towards the groups which it is desired to attach thereon. After the functionalization, so-called spacer molecules are grafted onto the activated surface. Used as intermediates between the surface and  
5 the probe, these molecules of variable size render unimportant the surface properties of the supports, which often prove to be problematic for the synthesis or the attachment of the probes and for the hybridization.

Among the hybridization supports, there may be mentioned glass which is used, for example, in the method of *in situ* synthesis of oligonucleotides by  
10 photochemical addressing developed by the company Affymetrix (E.L. Sheldon, 1993), the glass surface being activated by silane. Genosensor Consortium (P. Mérel, 1994) also uses glass slides carrying wells 3 mm apart, this support being activated with epoxysilane.

The probes according to the invention may be synthesized directly *in situ* on  
15 the supports of the DNA chips. This *in situ* synthesis may be carried out by photochemical addressing (developed by the company Affymax (Amsterdam, Holland) and exploited industrially by its subsidiary Affymetrix (United States), or based on the VLSIPS (very large scale immobilized polymer synthesis) technology (S.P.A. Fodor *et al.*, 1991), which is based on a method of photochemically directed  
20 combinatory synthesis. The principle of which combines solid-phase chemistry, the use of photolabile protecting groups and photolithography.

The probes according to the invention may be attached to the DNA chips in various ways such as electrochemical addressing, automated addressing or the use of probe printers (T. Livache *et al.*, 1994; G. Yershov *et al.*, 1996; J. Derisi *et al.*,  
25 1996, and S. Borman, 1996).

The revealing of the hybridization between the probes of the invention, deposited or synthesized *in situ* on the supports of the DNA chips, and the sample to be analysed, may be determined, for example, by measurement of fluorescent signals, by radioactive counting or by electronic detection.

30 The use of fluorescent molecules such as fluorescein constitutes the most common method of labelling the samples. It allows direct or indirect revealing of the hybridization and allows the use of various fluorochromes.

Affymetrix currently provides an apparatus or a scanner designed to read its

Gene Chip™ chips. It makes it possible to detect the hybridizations by scanning the surface of the chip in confocal microscopy (R.J. Lipshutz *et al.*, 1995).

The nucleotide sequences according to the invention may also be used in DNA chips to carry out the analysis of the expression of the *Streptococcus pneumoniae* genes. This analysis of the expression of *Streptococcus pneumoniae* genes is based on the use of chips where probes of the invention, chosen for their specificity to characterize a given gene, are present (D.J. Lockhart *et al.*, 1996; D.D. Shoemaker *et al.*, 1996). For the methods of analysis of gene expression using the DNA chips, reference may, for example, be made to the methods described by D.J. Lockhart *et al.* (1996) and Sosnowsky *et al.* (1997) for the synthesis of probes *in situ* or for the addressing and the attachment of previously synthesized probes. The target sequences to be analysed are labelled and in general fragmented into sequences of about 50 to 100 nucleotides before being hybridized onto the chip. After washing as described, for example, by D.J. Lockhart *et al.* (1996) and application of different electric fields (Sosnowsky *et al.*, 1997), the labelled compounds are detected and quantified, the hybridizations being carried out at least in duplicate. Comparative analyses of the signal intensities obtained with respect to the same probe for different samples and/or for different probes with the same sample, determine the differential expression of RNA or copy numbers of DNA derived from the sample.

The nucleotide sequences according to the invention may, in addition, be used in DNA chips where other nucleotide probes specific for other microorganisms are also present, and may allow the carrying out of a serial test allowing rapid identification of the presence of a microorganism in a sample.

Accordingly, the subject of the invention is also the nucleotide sequences according to the invention, characterized in that they are immobilized on a support of a DNA chip.

The DNA chips, characterized in that they contain at least one nucleotide sequence according to the invention, immobilized on the support of the said chip, also form part of the invention.

The chips will preferably contain several probes or nucleotide sequences of the invention of different length and/or corresponding to different genes so as to identify, with greater certainty, the specificity of the target sequences or the desired



mutation in the sample to be analysed.

Accordingly, the analyses carried out by means of primers and/or probes according to the invention, immobilized on supports such as DNA chips, will make it possible, for example, to identify, in samples, mutations linked to variations such as  
5 intraspecies variations. These variations may be correlated or associated with pathologies specific to the variant identified and will make it possible to select the appropriate treatment.

The invention thus comprises a DNA chip according to the invention, characterized in that it contains, in addition, at least one nucleotide sequence of a  
10 microorganism different from *Streptococcus pneumoniae*, immobilized on the support of the said chip; preferably, the different microorganism will be chosen from an associated microorganism, a bacterium of the *Streptococcus* family, and a variant of the species *Streptococcus pneumoniae*.

The principle of the DNA chip as explained above, may also be used to  
15 produce protein "chips" on which the support has been coated with a polypeptide or an antibody according to the invention, or arrays thereof, in place of the DNA. These protein "chips" make it possible, for example, to analyse the biomolecular interactions (BIA) induced by the affinity capture of target analytes onto a support coated, for example, with proteins, by surface plasma resonance (SPR). Reference may be  
20 made, for example, to the techniques for coupling proteins onto a solid support which are described in International Application EP 524 800 or to the methods describing the use of biosensor-type protein chips such as the BIAcore-type technique (Pharmacia) (Arlinghaus *et al.*, 1997, Krone *et al.*, 1997, Chatelier *et al.*, 1995). These polypeptides or antibodies according to the invention, capable of specifically  
25 binding antibodies or polypeptides derived from the sample to be analysed, may thus be used in protein chips for the detection and/or the identification of proteins in samples. The said protein chips may in particular be used for infectious diagnosis and may preferably contain, per chip, several polypeptides and/or antibodies of the invention of different specificity, and/or polypeptides and/or antibodies capable of  
30 recognizing microorganisms different from *Streptococcus pneumoniae*.

Accordingly, the subject of the present invention is also the polypeptides and the antibodies according to the invention, characterized in that they are immobilized on a support, in particular of a protein chip.

The protein chips, characterized in that they contain at least one polypeptide or one antibody according to the invention immobilized on the support of the said chip, also form part of the invention.

5 The invention comprises, in addition, a protein chip according to the invention, characterized in that it contains, in addition, at least one polypeptide of a microorganism different from *Streptococcus pneumoniae* or at least one antibody directed against a compound of a microorganism different from *Streptococcus pneumoniae*, immobilized on the support of the chip.

10 The invention also relates to a kit or set for the detection and/or the identification of bacteria belonging to the species *Streptococcus pneumoniae* or to an associated microorganism, or for the detection and/or the identification of a microorganism characterized in that it comprises a protein chip according to the invention.

15 The present invention also provides a method for the detection and/or the identification of bacteria belonging to the species *Streptococcus pneumoniae* or to an associated microorganism in a biological sample, characterized in that it uses a nucleotide sequence according to the invention.

20 The invention also encompasses kits for detecting the presence of a *Streptococcus pneumoniae* polypeptide in a biological sample. For example, the kit comprises reagents such as a labeled or labelable compound or agent capable of detecting *Streptococcus pneumoniae* polypeptide or mRNA in a biological sample; means for determining the amount of *Streptococcus pneumoniae* polypeptide in the sample; and means for comparing the amount of *Streptococcus pneumoniae* polypeptide in the sample with a standard. The compound or agent is packaged in a  
25 suitable container. The kit further comprises instructions for using the kit to detect *Streptococcus pneumoniae* mRNA or protein.

30 In certain embodiments, detection involves the use of a probe/primer in a polymerase chain reaction (PCR) (see, e.g. U.S. Patent 4,683,195 and U.S. Patent 4,683,202), such as anchor PCR or RACE PCR, or, alternatively, in a ligation chain reaction (LCR). This method includes the steps of collecting a sample of cells from a patient, isolating nucleic acid (e.g., genomic, mRNA or both) from the cells of the sample, contacting the nucleic acid sample with one or more primers which specifically hybridize to a *Streptococcus pneumoniae* polynucleotide under conditions

such that hybridization and amplification of the *Streptococcus pneumoniae*-polynucleotide (if present) occurs, and detecting the presence or absence of an amplification product, or detecting the size of the amplification product and comparing the length to a control sample.

5 All patents and publications cited herein are hereby incorporated by reference.

#### EXAMPLES

10 The following examples are carried out using standard techniques, which are well known and routine to those of skill in the art, except where otherwise described in detail. The following examples are presented for illustrative purpose, and should not be construed in any way limiting the scope of this invention.

#### EXAMPLE 1

##### 15 BIOINFORMATICS AND GENE MINING OF *STREPTOCOCCUS PNEUMONIAE*

The genomic sequence of *Streptococcus pneumoniae* was downloaded from The Institute for Genomic Research (TIGR) website and novel open reading frames (ORFs) were determined in the following manner. An ORF was defined as having one of three potential start site codons, ATG, GTG or TTG and one of three potential  
20 stop codons, TAA, TAG or TGA. The inventors used a unique set of two ORF finder algorithms: GLIMMER (Salzberg *et al.*, 1998) and inventors' assignee's program to enhance the efficiency for finding "all" ORFs. In order to evaluate the accuracy of the ORFs determined, a program developed by inventors' assignee called DiCTion was employed that uses a discrete mathematical cosine function to assign a score for  
25 each ORF. An ORF with a DiCTion score > 1.5 is considered to have a high probability of encoding a protein product. The minimum length of an ORF predicted by the two ORF finding algorithms was set to 225 nucleotides (including stop codon) which would encode a protein of 74 amino acids. As a final search for remnants of ORFs, all noncoding regions > 75 nucleotides were searched against the public  
30 protein databases (described below) using tBLASTn. This helped to identify regions of genes that contain frameshifts (Mejlhede *et al.*, 1999) or fragments of genes that might have a role in causing antigenic variation (Fraser *et al.*, 1997). A graphical analysis program developed by inventors' assignee also allowed the inventors to see

all six reading frames and the location of the predicted ORFs relative to the genomic sequence for further inspection. This helped to eliminate those ORFs that have large overlaps with other ORFs, although there are known cases of ORFs being totally embedded within other ORFs (Loessner *et al.*, 1999; Hernandez-Sanchez *et al.*,  
5 1998).

The initial annotation of the *Streptococcus pneumoniae* ORFs was performed using the BLAST (v. 2.0) Gapped search algorithm, Blastp, to identify homologous sequences (Altschul *et al.*, 1997). A cutoff 'e' value of anything  $< e^{-10}$  was considered significant. Other search algorithms such as FASTA or PSI-BLAST were used as  
10 needed. The non-redundant protein sequence database used for the homology searches consisted of GenBank, SWISS-PROT (Bairoch and Apweiler, 2000), PIR (Barker *et al.*, 2001), and TREMBL (Bairoch and Apweiler, 2000) database sequences updated daily. ORFs with a Blastp result of  $> e^{-10}$  were considered to be unique to *Streptococcus pneumoniae*.

15 A keyword search of the entire BLAST results was carried out using known or suspected target genes for immunogenic compositions, as well as words that identified the location of a protein or function.

Several parameters were used to determine grouping of the predicted proteins. Proteins destined for translocation across the cytoplasmic membrane  
20 encode a leader signal (also called signal sequence) composed of a central hydrophobic region flanked at the N-terminus by positively charged residues (Pugsley, 1993). A program, called SignalP, identifies signal peptides and their cleavage sites (Nielsen *et al.*, 1997). To predict protein localization in bacteria, the software PSORT has been used (Nakai and Kanehisa, 1991). This program uses a  
25 neural net algorithm to predict localization of proteins to the 'cytoplasm', 'periplasm', and 'cytoplasmic membrane' for Gram-positive bacteria as well as 'outer membrane' for Gram-negative bacteria. Transmembrane (TM) domains of proteins have been analyzed using the software program TopPred II (Cserzo *et al.*, 1997).

The Hidden Markov Model (HMM) Pfam database of multiple alignments of  
30 protein domains or conserved protein regions (Sonnhammer *et al.*, 1997) was used to identify *Streptococcus pneumoniae* proteins that may belong to an existing protein family. Keyword searching of this output was used to help identify additional candidate ORFs that may have been missed by the BLAST search criteria. A

computer algorithm, called HMM Lipo, was developed by inventors' assignee to predict lipoproteins using approximately 131 biologically proven bacterial lipoproteins. This training set was generated from experimentally proven prokaryotic lipoproteins. The protein sequence from the start of the protein to the cysteine amino acid plus the  
5 next two additional amino acids was used to generate the HMM. Using approximately 70 known prokaryotic proteins containing the LPXTG cell wall sorting signal, a HMM (Eddy, 1996) was developed to predict cell wall proteins that are anchored to the peptidoglycan layer (Mazmanian *et al.*, 1999; Navarre and Schneewind, 1999). The model used not only the LPXTG sequence but also  
10 included two features of the downstream sequence, first the hydrophobic transmembrane domain and secondly, the positively charged carboxy terminus. There are also a number of proteins that interact, non-covalently, with the peptidoglycan layer and are distinct from the LPXTG protein class described above. These proteins seem to have a consensus sequence at their carboxy terminus  
15 (Koebnik, 1995). The inventors' assignee has also developed and used a HMM of this region to identify any *Streptococcus pneumoniae* that may fall into this class of proteins.

The proteins encoded by *Streptococcus pneumoniae* identified ORFs were also evaluated for other useful characteristics. A tandem repeat finder (Benson,  
20 1999) identified ORFs containing repeated DNA sequences such as those found in MSCRAMMs (Foster and Hook, 1998) and phase variable surface proteins of *Neisseria meningitidis* (Parkhill *et al.*, 2000). Proteins that contain the Arg-Gly-Asp (RGD) attachment motif, together with integrins that serve as their receptor, constitute a major recognition system for cell adhesion. RGD recognition is one  
25 mechanism used by microbes to gain entry into eukaryotic tissues (Stockbauer *et al.*, 1999; Isberg and Tran Van Nhieu, 1994). However, not all RGD containing proteins mediate cell attachment. It has been shown that RGD containing peptides with a proline at the carboxy end (RGDP) are inactive in cell attachment assays (Pierschbacher and Ruoslahti, 1987) and are excluded. The Geanfammer software  
30 was used to cluster proteins into homologous families (Park and Teichmann, 1998). Preliminary analysis of the family classes has provided novel ORFs within a candidate cluster as well as defining potential protein function.

**EXAMPLE 2**  
**CLONING, EXPRESSION AND ANALYSIS**  
**OF PREDICTED ORF PROTEINS**

**5 MATERIALS AND METHODS**

Growth of *Streptococcus pneumoniae*. *Streptococcus pneumoniae* were grown in Todd Hewitt broth (Difco) supplemented with 0.5% yeast extract. Bacteria were incubated at 35°C in 5% CO<sub>2</sub> without shaking. Mid-log phase cultures (OD<sub>550</sub> approx 0.3) were harvested after approximately 4 hours incubation and cells pelleted  
10 by centrifugation (5,000 x g) at 4°C.

Cloning and expression of predicted ORFs. The predicted ORFs were cloned and expressed in *E. coli* Top10 or BLR(DE3). Expression of each ORF was tested in both pBAD/Thio-TOPO (which contains an arabinose inducible promoter) and pCR-T7/NT-TOPO expression systems (Invitrogen, Carlsbad, CA). Gene specific primers  
15 were designed to amplify, by polymerase chains reaction (PCR), each selected ORF from *Streptococcus pneumoniae* CP1200 (Morrison *et al.*, 1983) genomic DNA purified using the Wizard Genomic DNA purification kit (Promega, Madison, WI). The 5' primers were designed to exclude the predicted signal sequence (as predicted by SignalP) and the 3' primer was designed to either include the stop codon (pCR-T7) or  
20 exclude the stop codon (pBAD). ORFs were amplified in a standard polymerase chain reaction (200 µM each dNTP (Invitrogen), 200 µM each 5' and 3' gene specific primer, 1 µL stock of chromosomal DNA, 2.5U *Pfu* Turbo polymerase (Stratagene, LaJolla, CA) and 1x *Pfu* Turbo reaction buffer in a total volume of 50 µL). Overhanging A's were added to the PCR products by incubation for 10 minutes at  
25 72°C with 1U of Taq DNA polymerase (Roche Diagnostics, Indianapolis, IN). PCR products were cloned into the expression vectors and transformed into *E. coli* TOP10 following manufacturer's TOPO-TA cloning protocol (Invitrogen). Positive clones were identified by PCR using one gene specific primer and one vector specific primer to ensure correct orientation.

30 ORFs cloned into pCR-T7 were transformed into *E. coli* BL21(DE3) for protein expression using the T7 promoter and those cloned into pBAD were kept in TOP10. Protein expression was determined by growing overnight cultures of the positive clones in 2 mL HySoy broth (DMV International Nutritional, Fraser, NY)

supplemented with 100 µg/mL ampicillin. These cultures were then diluted 1:100 into fresh media and grown until  $OD_{600} = 1.0$ . Protein expression was induced with either 2% arabinose (pBAD) or 0.1 mM IPTG (pCRT7). Three hours post-induction, the cells were harvested and protein expression determined by Western blot analysis of whole-cell lysates using either anti-express epitope (pCRT7) or anti-thio (pBAD) antibodies. The best expressing clone (pBAD or pCRT7) was used for protein production and purification.

Fourteen of the ORFs that did not express in either pCRT7 or pBAD were cloned into pET27b(+) (Novagen, Madison, WI). The ORFs were again amplified by PCR and cloned using standard molecular biology techniques into the NcoI and XhoI sites of pET27b(+). Clones were again screened by PCR, and plasmids with the correct insert were transformed into BL21(DE3) and expression tested as described for pCR-T7. Protein expression was determined by Western blot analysis using anti-HSV epitope antibody.

Purification of Soluble His-tag ORF Proteins. Protein was expressed from positive clones in 4 x 1L of media as described above. Cells were harvested by centrifugation, resuspended in 100 mL of Ni Buffer A (20mM Tris, pH 7.5, 150 mM NaCl) and lysed by 2 passages through a French pressure cell at 16,000 psi (SLM Instruments, Inc., Rochester, NY).

For soluble proteins, the cell debris was pelleted by centrifugation at ~9,000 x g and the supernatant was loaded onto an iminodiaceticacid sepharose 6B (Sigma Chemical, St. Louis, MO) column charged with  $Ni^{2+}$ . Unbound proteins were washed from the column with Ni buffer A until  $A_{280}$  of eluate reached a baseline. The bound protein was then eluted with Ni buffer A containing 300 mM imidazole (Sigma Chemical). Purity was estimated by SDS-PAGE.

Samples requiring further purification were concentrated and buffer exchanged over a PD-10 column (Amersham-Pharmacia Biotech, Piscataway, NJ) equilibrated with buffer A (20 mM Tris, pH 8.0). The eluate was loaded onto a Q-sepharose High Performance (Amersham-Pharmacia Biotech) column and eluted with a 0–35% Buffer B (20 mM Tris, pH 8.0, 1M NaCl) gradient. Protein-containing fractions were determined by SDS-PAGE. All protein purification was done using an AKTA Explorer (Amersham-Pharmacia Biotech).

Isolation and Solubilization of Insoluble His-tag fusion proteins. Bacterial cell pellets were suspended at a ratio of 5:1 (buffer volume:pellet wet weight) in 10 mM NaPO<sub>4</sub>/150mM NaCl/pH 7.0 with Complete Protease Inhibitor Cocktail containing EDTA (Roche Diagnostics GmbH, Mannheim, Germany). The cells were disrupted using a Microfluidizer (Microfluidics Corp., Newton, MA) and centrifuged at 21,900 x g for 30 minutes at 4°C. The pellet, containing insoluble His-tag proteins, was subjected to a series of detergent extractions followed by a final solubilization step using 6M urea. The pellet was resuspended in 10 mM NaPO<sub>4</sub>/150 mM NaCl/pH 7.0 containing Complete Protease Inhibitor Cocktail and 1.0% Triton X-100 (TX-100) using the same 5:1 ratio described above. The suspension was stirred at 4°C for 30 minutes and centrifuged at 21,900 x g for 20 minutes at 4°C. The supernatant was removed and stored at 4°C for further analysis. The pellet was subjected to a second TX-100 extraction, as described, and the supernatant removed and stored at 4°C for further analysis. The TX-100 pellet was then resuspended in 10 mM NaPO<sub>4</sub>/150 mM NaCl /pH 7.0 containing Complete Protease Inhibitor Cocktail and 1.0% Zwittergent 3-14 (Z3-14) and stirred at 4°C for a minimum of 1 hour. The suspension was centrifuged at 21,900 x g for 20 minutes at 4°C. The supernatant was removed and stored at 4°C for further analysis. The Z3-14 pellet was resuspended in 100 mM Tris-HCl/6M urea/pH 8.0 and stirred a minimum of 4 hours at room temperature. The suspension was centrifuged at 21,900 x g for 20 minutes at 4°C and the supernatant stored at 4°C for further analysis.

Purification of Solubilized His-tag fusion proteins. Isolated extracts containing His-tag fusion proteins were identified as described by SDS-PAGE and/or Western blot analysis. Chromatography was carried out using POROS MC 20 micron metal chelate Ni<sup>2+</sup> media (Perseptive Biosystems, Framingham, MA) prepared according to the manufacturer. Protein extracts were loaded at approximately 5-10 mg of total protein per mL of column media.

For preparations in which the His-tag proteins were soluble in either the cytosolic fraction or detergent extractions by TX-100 or Z3-14, the material was applied directly to a MC 20 column equilibrated with a minimum of 3 column volumes of 10mM NaPO<sub>4</sub>/150 mM NaCl/pH 7.0 for cytosolic proteins, or the same buffer containing either 1.0% TX-100 or 1.0% Z3-14 for proteins isolated in the TX-100 and Z3-14 extractions respectively. For cytosolic material, unbound proteins were



washed through the column with a minimum of 5 column volumes of equilibration buffer. For TX-100 or Z3-14 containing extracts, unbound proteins were washed through the column with equilibration buffer containing either 0.05% TX-100 or Z3-14, depending on the solubility characteristics of the particular protein. His-tag fusion proteins were eluted using a step gradient of 2 column volumes each of 25 mM, 50 mM, 125 mM, and 250 mM imidazole in 10mM NaPO<sub>4</sub>/150 mM NaCl/pH 7.0 containing either 0.05% TX-100 or 0.05% Z3-14. Fractions containing His-tag protein were identified by SDS-PAGE and pooled. Imidazole was removed by dialysis into an appropriate buffer. Protein concentration was determined by BCA assay (Pierce) and, if necessary, preparations were concentrated by either ultrafiltration using Centriprep YM-10 membranes (Millipore, Bedford, MA) or by applying the material to a smaller MC 20 column, under the conditions described, and eluting with 250 mM imidazole followed by dialysis. Protein purity was estimated by SDS-PAGE and scanning densitometry.

For preparations in which urea was used to denature and solubilize the protein, the material was diluted 3 fold with 100 mM Tris-HCl/0.05% TX-100/pH 7.5 to give a final urea concentration of 2 M. The material was applied to a MC 20 column equilibrated with a minimum of 3 column volumes of 100 mM Tris-HCl/0.05% TX-100/2 M urea/pH 7.5 and unbound proteins were washed through the column with a minimum of 5 column volumes of equilibration buffer. His-tag fusion proteins were eluted using a step gradient of 2 column volumes each of 25 mM, 50 mM, 125 mM, and 250 mM imidazole in 100 mM Tris-HCl/0.05% TX-100/2 M urea pH 7.5. Fractions containing His-tag protein were identified by SDS-PAGE and pooled. Imidazole and urea were removed, and the protein refolded by dialysis into an appropriate buffer containing 0.05% TX-100. If necessary, preparations were concentrated by either ultrafiltration using Centriprep YM-10 membranes (Millipore, Bedford, MA) or by applying the material to a smaller MC 20 column, under the conditions described, and eluting with 250 mM imidazole followed by dialysis. Protein purity was estimated by SDS-PAGE and scanning densitometry.

SDS-PAGE & Western Analysis. SDS-PAGE was carried out as described by Laemmli (Laemmli, 1970), using 10-20% (wt/vol) gradient acrylamide gels (Zaxis, Hudson, OH). Proteins were visualized by staining the gels with Simply Blue Safestain (Invitrogen Life Technologies, Carlsbad, CA). The gels were scanned with

a Personal Densitometer SI (Molecular Dynamics Inc., Sunnyvale, CA) and purities were estimated using the Image Quant software (Molecular Dynamics Inc.).

Transfer of proteins to polyvinylidene difluoride (PVDF) membranes was accomplished with a semidry electroblotter and electroblot buffers (Owl Separation Systems, Portsmouth, NH). The PVDF membrane, containing the transferred protein, was blocked with 5 % non-fat dry milk prepared in PBS (Blotto) for 30 minutes. The membrane was then probed with one of the following primary antibody preparations at the indicated dilution specific for the individual protein expression system: Invitrogen anti-Xpress (1:5000), Invitrogen anti-thioredoxin (1:2000), Novagen anti-HSV epitope (1:5000), Qiagen anti-4X His (1:5000). The membrane was then washed with Blotto followed by Goat anti-mouse alkaline phosphatase conjugate (1:1500) as the secondary antibody (Biosource International, Camarillo, CA). Western blots were developed with 5-bromo-4-chloro-indolylphosphate-nitroblue tetrazolium (BCIP/NBT) phosphatase substrate system (Kirkegaard and Perry Laboratories, Gaithersburg, MD).

Protein quantitation. Protein concentrations were estimated by the bicinchoninic assay (Pierce, Rockford, IL) with bovine serum albumin as the standard.

Production of anti-ORF sera in mice. Female Swiss Webster mice (Taconic Farms, Germantown, NY) with ages 6 to 8 weeks old were immunized subcutaneously in the neck at weeks 0, 4, and 6 weeks with purified His tag protein. Two separate immunogenic compositions were prepared with each His-tag protein. One immunogenic composition was prepared with the protein formulated with STIMULON™ QS-21 and a second was prepared with the protein formulated with MPL™. Each dose for one group of mice contained 10 µg of purified protein and 20 µg STIMULON™ QS-21, while each dose for the second group of mice contained 10 µg of the same protein and 50 µg MPL™. Serum samples were collected at weeks 0, 4, 6 and 8. Mice were housed in a specific-pathogen free facility and provided water and food ad-libitum.

Pneumococcal whole-cell ELISAs. *Streptococcus pneumoniae* strains, either type 3 or type 14, were grown in Todd Hewitt broth (Difco) containing 100 µg/ml streptomycin at 35°C without shaking. The bacteria were grown to mid-log phase (OD<sub>550</sub> <1.0), and heat inactivated for 1 hour at 60°C. Bacteria were pelleted at

10,000 x g and resuspended in PBS to an  $OD_{550} = 0.1$ . Fifty-five  $\mu$ l of this suspension was then added to each well of 96-well Nunc plates and air dried at room temperature. Plates were stored at 4°C until used.

Wells were blocked with 150  $\mu$ l/well of PBS containing 5% (wt/vol) dry milk (blocking buffer) for 1 hour. Wells were washed 5 times with PBS in a Skantron washer, and mouse sera diluted in blocking buffer (100  $\mu$ l/well) added. Plates were incubated at room temperature for 2 hours and unbound antibodies removed by washing 5 times with PBS in a Skantron washer. Bound antibodies were detected with 100  $\mu$ l/well of peroxidase-labeled goat anti-mouse IgG (1:1,000 dilution of 1mg/ml in PBS; KPL) at room temperature for 2 hours. Plates were washed with PBS as above, and developed with 100  $\mu$ l/well ABTS (KPL) for 25 minutes at room temperature. The reactions were stopped with 100  $\mu$ l/well of 1% SDS and the  $OD_{405}$  of each well read on a VERSAmax microplate reader (Molecular Devices Corp., Sunnyvale, Calif.). Endpoint titers of each test serum were calculated as the inverse of the highest mean dilution giving an  $OD_{405} = 0.1$ .

FACS analysis of *Streptococcus pneumoniae*. Strains type 3 and 19F were grown in Todd-Hewitt broth + 0.5% yeast extract from frozen stocks of  $OD_{600} \sim 1.0$  cells. Incubation was at 37°C for 3 to 4 hours without shaking.  $2-3 \times 10^7$  cells, 100  $\mu$ l of  $OD_{600} = 0.5$  for type3, and 50  $\mu$ l for 19F, were pipetted into a 96-well microtiter plate and spun at 4000 rpm in an Eppendorf tabletop centrifuge for 5 minutes. Supernatant was aspirated and cells were resuspended in 95  $\mu$ l PBS-0.5%BSA-0.1% gelatin. Five  $\mu$ l primary antibody was added, mixed and left incubating on ice for 1 hour. Cells were pelleted as before, washed twice with 100  $\mu$ l buffer and resuspended in 99  $\mu$ l buffer. One  $\mu$ l goat anti-mouse secondary antibody conjugated to Alexa Fluor 488 (Molecular Probes, Eugene, OR) was added to the samples, mixed and left incubating on ice for 30 minutes. Cells were washed as before and resuspended in 100  $\mu$ l buffer. Before analyzing on the FACSVantageSE unit, samples were diluted to 1 ml with buffer. Samples were read on a Becton Dickinson FACSVantage unit with an Enterprise II laser. Excitation was at 488nm and emission was detected with a photomultiplier tube using a 530/30 filter. Week 0 antisera were run as background control for the week 8 antisera.

Comparison of message from cells grown *in vitro* and *in vivo*. Messenger RNA (mRNA) levels for specific transcripts can be examined by creating a double

stranded cDNA from the mRNA using reverse transcriptase. This cDNA is then amplified using standard PCR conditions. The resulting amplification products are thus indicative of the message produced. This technique is useful for comparing the expression of specific transcripts under varying environmental conditions, such as growth in culture flasks versus growth *in vivo*.

Preparation of RNA from cells grown *in vitro*. *In vitro* grown *Streptococcus pneumoniae* serotypes were grown to log phase in 60 ml THB -0.5%YE at 37°C with 5% CO<sub>2</sub>. Bacterial cells were harvested by centrifugation at 1000 x g for 15 minutes at 4°C. The supernatant was aspirated and the cells were resuspended in 1ml RNAlater (Ambion, Austin, TX) and stored for >1 hour at 4°C. The cells were then centrifuged in a microfuge for 5 minutes at 8000 x g. The supernatant was aspirated and the cells were resuspended in 100 µl 10% deoxycholate (DOC). 1100 µl of RNAZOL B (Tel-Test, Inc) were then added and the suspension mixed briefly by inversion. 120 µl of CHCl<sub>3</sub> were then added, the sample mixed by inversion and then centrifuged in a microfuge at full speed for 10 minutes at 4°C. The aqueous layer was removed and the RNA was precipitated by addition of an equal volume of 2-propanol. The RNA was incubated at 4°C for >1 hour and then centrifuged in a microfuge at full speed for 10 minutes at room temperature. The supernatant was aspirated and the RNA was washed with 75% ETOH and recentrifuged for 5 minutes. The supernatant was aspirated and the RNA was resuspended in 50-100 µl nuclease-free water. DNA was removed from the RNA by treating the sample with RNase-free DNAase (DNA FREE, Ambion) for 20 minutes at 37 °C, followed by inactivation of the enzyme by addition of the DNA FREE chelator. The purity and yield of the RNA was assessed by measuring the absorbance at 260 nm and 280 nm. Absorbance ratios were typically 1.9-2.0. RNA was stored at -70°C.

Preparation of RNA from cells grown *in vivo*. *In vivo* grown *Streptococcus pneumoniae* serotypes were harvested from sealed dialysis tubing incubated in the peritoneal cavities of Sprague-Dawley rats as described by Orihuela *et al.* (2000). Log phase *Streptococcus pneumoniae* cells were prepared as described above and resuspended to 10<sup>8</sup> cfu/ml in RPMI media (Celltech) supplemented with 0.4% glucose. One ml of the cell suspension was sealed in a PVDF dialysis membrane with a 80,000 M<sub>w</sub> cutoff (SprectraPor). Two such bags were implanted intraperitoneally in 400g Sprague Dawley rats (Taconic). The bags remained in the

rats for 22 hours, after which the rats were terminated and the bags were harvested. RNA was prepared from the intraperitoneally grown cells as described above.

RT-PCR to examine message levels. Specific message for each candidate gene was amplified out from RNA prepared from both *in vitro* and *in vivo* grown cells using RT-PCR. For each reaction, 0.5 µg RNA was incubated with 0.25 µM of the reverse mining primer for 3 minutes at 75°C, then cooled on ice and transferred to 44°C. The message was reverse transcribed using the RETROscript (Ambion) kit according to the manufacturer's directions. ReddyMix (ABgene) was used according to the manufacturer's directions to amplify each message from 2-5 µl of the sample, using 0.25 µM of the above reverse primer and the forward mining primer. Following amplification, 10 µl of the amplified product was electrophoresed on a 1% agarose gel.

## RESULTS

**Cloning of ORFs into expression vectors.** Fifty-nine ORFs were selected for cloning and expression based on prediction of surface exposure from genomic analysis as described above. These ORFs were amplified by PCR and cloned into the expression vectors as described in Materials and Methods. The ORFs were cloned into pBAD/Thio-TOPO and pCR-T7/NT-TOPO. Both vectors fuse a hexahistidine tag and a unique epitope to facilitate purification and identification by western blot respectively. The pBAD vector also fuses a thioredoxin moiety to the cloned protein to enhance solubility.

**Expression of ORFs in *E. coli*.** The genes encoding all 59 ORFs were induced in the appropriate host *E. coli* strains and examined for expression by SDS-PAGE and western blot analysis of whole cell extracts. Of the 59 ORFs, a total of 24 (41%) were expressed at detectable levels. Fourteen of the ORFs that did not express in either of the expression vectors were cloned into pET27b(+) which fuses a hexahistidine tag to the C-terminus and a PelB leader sequence at the N-terminus of the protein. One of the 14 ORFs cloned into pET27b(+) expressed protein.

**Purification of Expressed ORF Proteins.** All of the expressed ORFs contained a 6X His motif to aid in purification. Initial purification of all of the proteins was done using a Ni containing resin according to manufacturer's directions. Twenty of the expressed ORF proteins were purified to acceptable levels of homogeneity for

immunization studies using this affinity purification (Table 17). Specific purification conditions used are detailed in Materials and Methods and in Table 17. Thirteen of the 20 ORF proteins were used to immunize mice and obtain antisera specific for the expressed protein.

5

**Table 17**  
**Purification of Expressed *S. pneumoniae* ORF Proteins**

ORF #	[Protein] mg/ml	Total Protein mg	Purity %	Final Buffer	"PSORT" PREDICTED Location	Location in <i>E. coli</i>
75	0.52	6.8	94%	PBS/1mM EDTA pH 7.4	Outer membrane	Cytosol
2615	0.42	16.8	80%	PBS/1mM EDTA pH 7.4	Outer membrane	Cytosol
3039	0.53 (0.14)	2.91	82%	0.1MTris/150mM NaCl/ 0.05%Zw3-14/1mM EDTA pH 8.0	Outer membrane	Inclusion Bodies
1143	1.4	196	92%	PBS/0.05%tx-100/1mM EDTA pH 7.4	Inner membrane	Inclusion Bodies
1835	0.5 (0.2)	10.5	91.3%	PBS/0.05%tx-100/1mM EDTA pH 7.4	Inner membrane	Inclusion Bodies
1568	1.0	5.0	>85%	PBS/0.05%tx-100/1mM EDTA pH 7.4	Inner membrane	Inclusion Bodies
2271	4.9	122.5	>90%	PBS, pH 7.4	Inner Membrane	Cytosol
2621	1.5	4.5	>90%	PBS, pH 7.4	Inner Membrane	Cytosol
1104	2.0	-	85-90%	PBS, pH 7.4	Outer Membrane	Cytosol
935	0.1	.5	85%	50mM Glycine-NaOH/ 150mM NaCl/ 0.05%Z3-14 pH 10.0	Outer membrane	Inclusion Bodies

3361	1.67	3.34	98%	PBS/1mM EDTA pH 7.4	Inner membrane	Cytosol
339	0.91 (0.91)	127.4 (27.3)	93.2% (80.8%)	PBS/0.05%tx-100/ 1mM EDTA pH 7.4	Inner Membrane	Inclusion Bodies
2322	0.55 (0.23)	2.5 (0.92)	90%	BS/0.05%tx-100/ 1mM EDTA pH 7.4	Inner Membrane	Inclusion Bodies
1476	1.2 (0.6)	9.6	>80%	PBS/0.05%tx-100/ 1mM EDTA pH 7.4	Inner Membrane	Inclusion Bodies
3115	0.2 (0.5)	2.8	>85%	PBS/0.05%tx-100/ 1mM EDTA pH 7.4	Inner Membrane	Inclusion Bodies
132	4.6	460	95%	PBS pH 7.4	-	Cytosol
3386	3.1	27	85%	PBS pH 7.4	Inner Membrane	Cytosol
2112	0.6	1.8	85%	PBS pH 7.4	Inner Membrane	Cytosol
916	0.26	1.3	>85%	PBS 0.05% Tx-100 pH 7.4	-	Inclusion Bodies
3373	0.97	1.9	84%	PBS 0.05% Z3-14 pH 7.4	Inner Membrane	Inclusion Bodies

**Expression of ORF proteins in *Streptococcus pneumoniae* whole cell lysates.** To determine if the ORFs are being expressed in *Streptococcus pneumoniae*, whole cell lysates of *in vitro* grown cells were probed with the antisera in Western blot analysis. Each antiserum was reactive with the purified recombinant protein as a positive control (data not shown). Whole cell lysates from *Streptococcus pneumoniae* strains type 3, type 14, and type 19F were examined in Western blot, and the results are summarized in Table 18. Proteins from three of the ORFs were undetectable or barely detectable in all of the strains tested. Proteins from eight of the ORFs were expressed in at least 2 of the strains, while proteins from two ORFs were detected in only one of the three strains examined. These results demonstrate that the majority of the proteins from these ORFs were expressed in late log, early stationary phase *Streptococcus pneumoniae*, and that some strains may not express detectable amounts of each ORF at the time point examined.

Table 18

Whole Cell ELISA and Western Blot Expression Data for *S. pneumoniae* ORFs

		Whole Cell ELISA		Western Blot Expression <i>In vitro</i>			FACS Analysis	
Vaccine (10 µg)	Adjuvant (20 µg)	Type 3	Type 14	Type 3	Type 14	Type 19F	Type 3	Type 19F
2615	QS21	<200	<200	-	-	-	-	-
3039	QS21	<200	<200	+	++	++	-	-
75	QS21	256	<200	+++	+++	+++	+	-
1568	QS21	4,018	<200	++	+++	+++	-	-
1143	QS21	779	<200	+	++	+	+	-
1835	QS21	202	<200	-	+/-	-	+	-
2271	QS21	442	<200	+++	+++	+++	+	-
2621	QS21	739	<200	++	+	-	++	-
1104	QS21	409	<200	+++	+++	+++	+	-
339	QS21	<200	<200	-	+/-	-	-	ND
2322	QS21	<200	<200	-	-	+/-	-	ND
3361	QS21	<200	<200	-	+	+	+	ND
935	QS21	<200	<200	-	-	-	-	ND
Standard		~45,000	~10,000	ND	ND	ND		

- 5           **Surface exposure of ORF proteins: Whole Cell ELISA.** The 13 antisera against the recombinant ORF proteins were tested for surface reactivity by whole cell ELISA against two strains of *Streptococcus pneumoniae*, type 3 and type 14. The results are shown in Table 18. Seven of the 13 antisera gave detectable whole cell titers against type 3 *Streptococcus pneumoniae*, while none of them gave detectable
- 10 titers against the type 14 strain. When anticapsular serum was tested against the homologous capsular serotype, the titer against the type 14 strain was much lower than that against the type 3 strain (see row labeled "standard" in Table 18). This result indicated that there might have been sensitivity issues with the type 14 whole cell ELISA, because the Western blot data clearly demonstrate that type 14
- 15 *Streptococcus pneumoniae* do express the majority of the proteins of the ORFs (Table 18). The whole cell ELISA titers of antiserum against the proteins of ORF 75 (SEQ ID NO:218), ORF 1104 (SEQ ID NO:282), ORF 2621 (SEQ ID NO:363), ORF 1568 (SEQ ID NO:306), ORF 1143 (SEQ ID NO:285), ORF 2271 (SEQ ID NO:343), and ORF 1835 (SEQ ID NO:315) ranged from slightly above background to 20 times



above background. These results indicate that these antisera detect at least some surface exposed epitopes for these ORFs.

**Surface exposure of ORF proteins: FACS Analysis.** The polyclonal antisera against the proteins from ORFs 2615, 3039, 75, 1568, 1143, 1835, 2271, 2621, 1104, 339, 2322, 3361 and 935, were analyzed for surface reactivity with whole *Streptococcus pneumoniae* cells by FACS analysis as described above. The results of the analyses are shown in Table 18. *Streptococcus pneumoniae* type 3 cells showed a 9-fold increase in geometric mean fluorescence intensity when labeled with antiserum to ORF 2621 (SEQ ID NO:363). A less intense fluorescence intensity was detected with antisera directed against the proteins of ORF 1835 (SEQ ID NO:315), ORF 2271 (SEQ ID NO:343), ORF 75 (SEQ ID NO:218), ORF 1143 (SEQ ID NO:285), and ORF 1104 (SEQ ID NO:282). Nine of the antisera tested did not show any detectable surface reactivity with the *Streptococcus pneumoniae* type 19F strain. This may be due to the level of sensitivity of the technique or the capsule of 19F covering the surface exposed proteins more completely under the conditions tested.

**Analysis of ORF mRNA expression *in vitro* vs. *in vivo*.** Forward and reverse mining primers were used to amplify the full length message for several ORFs, identified by mining algorithms as potential vaccine antigens (Example 1), from type 3 and type 14 cells grown under *in vitro* and *in vivo* conditions. In three of the four ORFs examined, message was detected in both *in vitro* and *in vivo* grown cells. For ORFs 1104 (SEQ ID NO:282) and 1568 (SEQ ID NO:306), the detection of message correlated with the presence of an immunoreactive band on a Western blot of whole cell lysates for the same serotypes. However for ORF 2322 (SEQ ID NO:345), message was detected in both serotype 3 and 14, but no immunoreactive band was present for those serotypes, indicating that either the protein was secreted or that the antibodies generated by the recombinant protein did not recognize the native protein. No message was detected for ORF 935 (SEQ ID NO:265) in either growth condition, which correlates with the absence of an immunoreactive band on a Western blot. In a separate experiment, message of the expected size was detected from RNA made from serotype 14 grown *in vitro* for ORFs 1143 (SEQ ID NO:285), 1475 (SEQ ID NO:298), 3039 (SEQ ID NO:380), 2271 (SEQ ID NO:343), 3115 (SEQ ID NO:388) and 3361 (SEQ ID NO:402)(data not shown).

### DISCUSSION

Prediction of surface exposure is a critical step for genomic mining efforts for identifying candidate antigens. The algorithms utilized herein have been shown in the past to have predictive value for selecting candidate ORFs to examine. The results shown here demonstrate the utility of the algorithms for *Streptococcus pneumoniae* and that they represent an advance over the previously utilized algorithms. Here, 7 out of 13 proteins from ORFs tested are shown to be surface exposed by at least two of the techniques employed. These techniques, including whole cell ELISA and FACS analysis of whole *Streptococcus pneumoniae* cells, have different strengths for detection of surface exposed epitopes of proteins. Whole cell ELISA utilizes fixed cells bound to a solid phase support, while FACS analysis uses living *Streptococcus pneumoniae* in liquid suspension. However, the whole cell ELISA is more sensitive than the FACS analysis, and can thus give a more quantitative determination of surface exposed epitopes at low levels of antibody binding. It is not known why the protein of ORF 2621 was so strongly positive in the FACS analysis, yet had a comparatively low whole cell ELISA titer (Table 18). This may be the result of differing growth conditions or the differing detection conditions employed in each of the assays. However, the data are consistent in that the proteins from 6 ORFs that are noted to have surface exposed epitopes all are positive in both assays employed.

The lack of detection of surface exposure in the 19F strain by FACS is puzzling. None of the ORFs had detectable epitopes on the surface of the 19F strain in the FACS technique used, but the majority of them were well expressed in whole cell lysates from this strain (Table 18). This may be due to the unique capsular material of 19F covering the surface exposed proteins, or that the FACS technique is less sensitive against type 19F cells. It is also possible that none of the proteins tested have surface exposed epitopes in type 19F, but this is extremely unlikely, since even antiserum against another known candidate (PhpA protein) (Zhang *et al.*, 2001) that is surface exposed produced much less detectable surface antibody binding in FACS analysis as compared to type 3 cells (data not shown).

The failure to detect surface reactive antibody in the type 14 whole cell ELISA (Table 18) was also most likely due to the growth of the cells or the assay conditions,

because the standard sera employed gave a much lower titer than normally observed.

5 The RT-PCR data serve to reinforce the potential of the candidate proteins from these ORF's. The data show that *Streptococcus pneumoniae* grown either *in vitro* or *in vivo* produce mRNA specific for the ORFs examined. Since it is known that the ORFs are expressed *in vitro*, it is likely that they are also expressed *in vivo* as well. Experiments are in progress to confirm this using whole cell lysates from *in vivo* grown cells.

10 Not every ORF analyzed could be shown to be expressed in *Streptococcus pneumoniae*. For example, a protein from ORF 935 was not detected by Western blot analysis, whole cell ELISA (Table 18), or RT-PCR (data not shown). It may be that ORF 935 is only expressed under "real" *in vivo* conditions or that the sequencing of the region is incorrect and the expressed protein is out of frame with the true protein produced by *Streptococcus pneumoniae*.

15

## EXAMPLE 3

## STREPTOCOCCUS PNEUMONIAE PROTEOME ANALYSIS

## MATERIALS AND METHODS

5        Bacteria and media. *S. pneumoniae* type III (ATCC #6303) was obtained from the American Type Culture Collection, Manassas, VA. *S. pneumoniae* type 19F was obtained from Dr. Gerald Schiffman, State University of New York, Brooklyn, NY. A glycerol stock plate on Tryptic Soy Agar II (TSA II)/5.0% sheep blood plate (Becton Dickinson Microbiology Systems, Cockeysville, MD) was prepared and incubated  
10       overnight, at 37°C in the presence of 5.0% CO<sub>2</sub>. Cells from each plate were transferred to 20 ml of Todd-Hewitt Broth/0.5% Yeast Extract (THY) and incubated overnight at 37°C with gentle shaking (10 rpm) in the presence of 5.0% CO<sub>2</sub>. For type 3, the culture was then diluted 10 fold with 100 ml of THY. For type 19F, the culture was then diluted 40 fold with 200 ml of THY. Both of these diluted cultures  
15       were subsequently incubated under the above conditions. Type 19F required 9 h incubation time to reach a concentration of 1 x 10<sup>9</sup> cells/ml. Type 3 was incubated overnight and its concentration was not determined.

Isolation of membrane fraction. The bacterial cultures were spun down and washed with PBS/MgSO<sub>4</sub> (30 mM sodium phosphate/150 mM NaCl/1 mM MgSO<sub>4</sub>, pH  
20       6.8). The pellets were resuspended in 4 ml of PBS/MgSO<sub>4</sub> containing 5 µg Lysozyme (Sigma Chemical Co., St. Louis, MO), and 400 µg Mutanolysin (Sigma). The samples were incubated at 37°C for 1 hour with shaking. After the incubation, ~300 units of RNase Cocktail™ (Ambion Inc., Austin, TX) was added to each sample. The samples were centrifuged at low speed using a tabletop centrifuge (2.5  
25       k rpm, 10 min, at 4°C). The supernatant was subsequently spun at high speed to pellet the membrane fractions using a Beckman (Beckman Instruments, Inc., Palo Alto, CA) Model L8-70M Preparative Ultracentrifuge (60Ti rotor, at 40k rpm, 4°C, 1 h). The supernatant was removed and the membrane pellet was washed with PBS/MgSO<sub>4</sub>.

30       Trypsin digestion of excised SDS-PAGE gel bands. Mini SDS-PAGE gels (10 cm x 10 cm) were run with precast 10-20% (w/v, acrylamide) gradient gels (Zaxis, Hudson, OH) at 200 V. The See Blue molecular weight standard used was obtained from Invitrogen, Carlsbad, CA. The gels were stained with Simply Blue Safestain, a colloidal Coomassie Blue G250 stain (Invitrogen) as per manufacturer's instructions.

Each sample lane, in its entirety, was cut into 15 different bands. For each sample, bands representing identical molecular weight areas of the gel from three sample lanes, run next to each other, were collected together for further processing. The gel slices were washed twice with 0.5 ml of 50% (v/v) aqueous HPLC grade acetonitrile (Burdick & Jackson, Muskegon, MI) for 5 min with gentle shaking and stored frozen at -20°C following removal of the wash liquid. Frozen gel bands were thawed and cut into 1 mm cubes and subjected to in-gel trypsin digestion using a DigestPro robot (ABIMED Analysen-Technik GmbH, Langenfeld, Germany). In the configuration used, up to 30 samples could be processed simultaneously. The automated protocol consisted of the following steps in order: reduction of the protein in the gel bands with dithiothreitol, alkylation with iodoacetamide, digestion with trypsin and elution of the peptides. Sequencing Grade Modified Trypsin obtained from Promega Corporation, Madison, WI was used. This trypsin is highly specific for hydrolysis of peptide bonds at the carboxylic sides of lysine and arginine residues. It is modified by reductive methylation to make it extremely resistant to autolysis, which can generate pseudotrypsin with chymotrypsin-like specificity. Specificity is further improved by treatment with L-1-chloro-3-tosylamido-4-phenylbutan-2-one (TPCK) followed by affinity purification. The peptide digests were collected, dried using a SpeedVac (Thermo Savant, Holbrook, NY) to ~10 µl, and subsequently diluted to 50 µl with 0.1 M acetic acid. Samples were transferred to plastic autosampler vials, sealed, and injected using a 5 µl sample loop.

Microcapillary LC-Mass Spectrometry. Mass spectral data were acquired on a Thermo Finnigan LCQ DECA quadrupole ion trap mass spectrometer (Thermo Finnigan, San Jose, CA) equipped with a microcapillary reversed-phase HPLC/micro-electrospray interface. Peptide extracts were analyzed on an automated microelectrospray reversed phase HPLC. The microelectrospray interface consisted of a Picofrit fused silica spray needle, 10 cm length by 75 µm ID, 15 µm orifice diameter (New Objective, Cambridge, Massachusetts) packed with 10 µm C<sub>18</sub> reversed-phase beads (YMC, Wilmington, North Carolina) to a length of 10 cm. The Picofrit needle was mounted in a fiber optic holder (Melles Griot, Irvine, California) held on a base positioned at the front of the mass spectrometer detector. The rear of the column was plumbed through a titanium union to supply an electrical connection for the electrospray interface. The union was connected with a length of

fused silica capillary (FSC) tubing to a FAMOS autosampler (LC-Packings, San Francisco, California) that was connected to an HPLC solvent pump (ABI 140C, Perkin-Elmer, Norwalk, Connecticut). The HPLC solvent pump delivered a flow of 50  $\mu\text{L}/\text{min}$ . which was reduced to 250  $\text{nL}/\text{min}$ . using a PEEK microtight splitting tee (Upchurch Scientific, Oak Harbor, Washington), and then delivered to the autosampler using an FSC transfer line. The HPLC pump and autosampler were each controlled using their internal user programs.

Five microliters of the tryptic digest was separated using the  $\text{C}_{18}$  microcapillary HPLC column eluting directly into the orifice of the mass spectrometer. Peptides were separated at a flow rate of 250  $\text{nL}/\text{min}$  using a 50 minute gradient of 4-65% (v/v) acetonitrile in 0.1 M acetic acid. Peptide analyses were conducted on the LCQ-DECA ion trap mass spectrometer operating at a spray voltage of 1.5 kV, and using a heated capillary temperature of 140° C. Data were acquired in automated MS/MS mode using the data acquisition software provided with the instrument. As the peptides elute from the HPLC into the mass spectrometer, they are detected and fragmented in a data dependent manner using "dynamic exclusion". In this technique, the ion trap cycles between full scan and collision induced dissociation (CID) mode, first detecting candidate ions, and then collecting them for fragmentation. Decisions about which ions are going to be fragmented are performed by the instrument "on the fly". The ions, once collected, are then added to an exclusion list and are rejected for a window of two minutes. This technique allows the instrument to distribute its time efficiently when presented with analytes of very high complexity. The operation can result in the collection of as many as 1000 to 2000 fragmentation (CID) spectra in a single run. The acquisition method included 1 MS scan (375-600  $\text{m/z}$ ) followed by MS/MS scans of the top 2 most abundant ions in the MS scan. The instrument then conducted a second MS scan (600-1000  $\text{m/z}$ ) followed by MS/MS scans of the top 2 most abundant ions in that scan. The dynamic exclusion and isotope exclusion functions were employed to increase the number of peptide ions that were analyzed (settings: 3  $\text{amu}$  = exclusion width, 3 min = exclusion duration, 30 sec = pre-exclusion duration, 3  $\text{amu}$  = isotope exclusion width). For the current experiment involving 30 samples, the data was collected in a completely automated fashion over 48 hours using the autosampler.

Sequence database search for identification of proteins from CID spectra.

Automated analysis of MS/MS data was performed using the SEQUEST computer algorithm incorporated (Eng, McCormack and Yates, 1994) into the Finnigan Bioworks data analysis package (ThermoFinnigan, San Jose, California) using the protein sequence databases described below. SEQUEST is highly computation intensive, the searches for this study were performed on a dedicated 12 x 600 MHz PC cluster. Peptide matches with Xcorr values greater than 2.0 were loaded into a database for further computational analysis followed by manual verification of the data where necessary (as described below).

## RESULTS AND DISCUSSION

### Proteomics Based Approach

The term 'proteome' has been defined as the proteins expressed by the genome of an organism or tissue. One of the primary goals of analysis of the proteome or proteomics involves identification of proteins in a large-scale high-throughput format. Bacterial membrane preparations constitute a very important source for surface localized proteins, which are likely candidate antigens. A proteomics based approach was taken to identify the protein components of the complex mixture of proteins contained in the membrane fraction of *Streptococcus pneumoniae*. The study of membrane associated proteins offers a very specific and significant challenge for proteomics. The detergents required to keep these proteins in aqueous solution usually interfere with analytical methods. During two-dimensional (2-D) gel electrophoresis, which has been widely used for the analysis of soluble proteins, severe quantitative loss of membrane proteins is often observed. The problem is more severe when immobilized pH gradients are used in the first dimension. To minimize such solubility problems with membrane preparations from some other bacteria, several sample preparations, as well as some novel zwitterionic detergents were tested; all of which were shown to improve the analysis of membrane proteins by 2-D gel electrophoresis. However, applicants believe their success in identifying the major set of outer membrane proteins was quite limited. In view of this, a novel combination of a very simple and a very complex method for identification of the membrane proteome component of *Streptococcus pneumoniae* has been applied, as described below.

In this approach, the membrane preparation was first separated by sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) using a mini gel format, followed by staining of the gel with a colloidal Coomassie blue stain. Fifteen gel bands containing the entire sample lane were excised and the bands digested individually with trypsin. The tryptic peptides were analyzed using microcapillary reversed-phase liquid chromatography-micro-electrospray tandem mass spectrometry (LC-MS/MS) on a Finnigan LCQ Deca quadrupole ion trap mass spectrometer. Tandem mass spectrometry (MS/MS) has been shown to be a powerful approach to analyze proteins (Eng, McCormack and Yates, 1994). In the first step, MS/MS uses a mass analyzer to separate a peptide ion from a mixture of ions, then uses a second step or mass analyzer to activate and dissociate the ion of interest. This process, known as collision-induced dissociation (CID), causes the peptide to fragment at the peptide bonds between the amino acids, and the fragmentation pattern of a peptide is used to determine its amino acid sequence. The SEQUEST computer algorithm (Eng, McCormack and Yates, 1994) was used to search the uninterpreted experimental fragmentation spectra against protein or translated nucleotide sequence databases to identify the proteins present in each gel band. SEQUEST conceptually digests protein sequences in a database into tryptic peptides and then models them into simulated CID spectra using the known rules of peptide fragmentation. SEQUEST then compares these simulated CID spectra against the experimental spectra and returns a list of probable peptide sequences matching the raw data along with different parameters representing the fidelity of the match. For peptides above roughly 800-900 Dalton in size, a single spectrum can uniquely identify a protein.

To obtain sequence information on multiple peptides from the complex mixture generated by trypsin digestion of the SDS-PAGE gel bands, a reversed phase chromatography system was coupled to an electrospray ion trap mass spectrometer. In this system, it is known that high sensitivity (down to sub-femtomole levels) can be attained by minimizing both flow rate and column diameter to concentrate the elution volume and direct as much of the column effluent as possible into the orifice of the mass spectrometer. To maximize the coverage of proteins present in the sample, the data-dependent acquisition feature of the ion trap was employed. Dynamic exclusion was used to prevent reacquisition of tandem mass



spectra of ions once a spectrum had been acquired for a particular m/z value. Use of these data-dependent features dramatically increased the number of peptide ions that were selected for CID analysis.

The LC-MS/MS data acquisition conditions described above typically resulted in fragmentation data for more than 2000 peptide ions for each run. Using the SEQUEST algorithm, this data was correlated against two protein sequence databases. The first one, SnA6F6, contained open reading frames obtained from translation of *Streptococcus pneumoniae* type 4 genome sequence (TIGR4) in all six reading frames with the smallest peptide containing six amino acid residues. The second one, nr, is a non-redundant GenBank protein sequence database. SEQUEST search conditions used trypsin selectivity for both of the searches. The SnA6F6 search allowed a differential search of +16 Dalton for methionine residues to account for peptides displaying oxidation of methionine.

Candidate matches identified by SEQUEST were confirmed using the following procedure. For each peptide, SEQUEST computes a Xcorr value from cross correlation of the experimental MS/MS spectrum with the candidate peptides in the sequence database. The Xcorr is a measure of the similarity of the experimental MS/MS data to that generated from the sequence database. Peptide matches with Xcorr values greater than 2.0 were selected for further analysis and loaded on to an in-house developed system for analysis of SEQUEST data using the commercially available Oracle® relational database system. Since the SEQUEST output is quite complex, applicants incorporated a new scoring algorithm in Oracle® to calculate a match score for each protein identified as follows:

$$\text{Protein Score} = n \sum (\text{Xcorr}/\text{rank})$$

where the rank is that assigned by SEQUEST for each peptide sequence identified from a specific protein sequence in the database and n is the number of unique peptides identified for that protein, since the same peptide may be identified multiple times in an LC-MS/MS experiment. The fragmentation spectra for all moderate or weak assignments by the software used were checked manually by direct examination of the CID spectra for reasonable signal/noise ratio, and the list of matched ions was also examined for reasonable continuity. Generally three or more spectra converging with reasonable Protein Score (usually >25) or Xcorr values (usually >2.5) onto a single database entry constitutes a convincing identification.

The rationale behind the experimental proteomics approach for characterization of membrane associated proteins of *Streptococcus pneumoniae* was that the single SDS-PAGE step circumvented the solubility complications associated with isoelectric focusing in 2-D gel electrophoresis. It also offered a simple  
5 fractionation of the membrane preparation according to molecular weight that reduced the complexity of the samples subjected to LC-MS/MS analysis. The combination of these analytical techniques allowed us to separate and obtain sequence information of multiple peptides with high sensitivity over a large concentration range and identify the corresponding proteins by correlation with  
10 sequences in databases. As part of this study, a method for the isolation of membrane preparations from *Streptococcus pneumoniae* was also developed. This involved enzymatic digestion of *Streptococcus pneumoniae* cell walls with mutanolysin and lysozyme in a hypotonic buffer followed by differential centrifugation. The twenty-eight ORFs representing surface exposed proteins were also identified by  
15 the proteomic approach and are presented in Table 11. The ORFs representing membrane associated proteins and identified by the proteomic approach are presented in Table 12. Table 14 contains all the open reading frames identified from the SnA6F6 database representing the TIGR4 genomic sequence. Table 14 also contains proteins identified from the nr database search which do not originate from  
20 the TIGR4 genome.

#### **Combination of Genomics and Proteomics Approaches**

The ORFs identified by proteomics represent surface localized, surface exposed or membrane associated proteins of *Streptococcus pneumoniae*. Those  
25 twenty-eight ORFs that support the putative surface exposed ORFs identified by genomics approaches (*i.e.*, Tables 1-10) are listed in Table 11 and provide further evidence of surface localization of these candidates. The 161 novel ORFs identified by proteomics as membrane associated are listed in Table 12.

30

#### **EXAMPLE 4**

##### **IMMUNOGOLD LABELING OF *STREPTOCOCCUS PNEUMONIAE* AND LOW VOLTAGE SCANNING ELECTRON MICROSCOPY**

Surface exposure of proteins on *Streptococcus pneumoniae* may also be assessed by immunogold labeling of whole bacteria and electron microscopy.

Bacteria cells are labeled as previously described (Olmsted *et al.*, 1993). Briefly, late-log phase bacterial cultures are washed twice, and resuspended to a concentration of  $1 \times 10^8$  cells/ml in 10 mM phosphate buffered saline (PBS) (pH 7.4) and placed on poly-L-lysine coated glass coverslips. Excess bacteria are gently washed from the coverslips and unlabeled samples are placed into fixative (2.0% glutaraldehyde, in a 0.1 M sodium cacodylate buffer containing 7.5% sucrose) for 30 min. Bacteria to be labeled with colloidal gold are washed with PBS containing 0.5% bovine serum albumin, and the pre-immune or hyper-immune mouse polyclonal antibody prepared above applied for 1 hour at room temperature. Bacteria are then gently washed, and a 1:6 dilution of goat anti-mouse conjugated to 18 nm colloidal gold particles (Jackson ImmunoResearch Laboratories, Inc., West Grove, PA) applied for 10 min at room temperature. Finally, all samples are washed gently with PBS, and placed into the fixative described above. The fixative is washed from samples twice for 10 min in 0.1 M sodium cacodylate buffer, and postfixed for 30 min in 0.1 M sodium cacodylate containing 1% osmium tetroxide. The samples are then washed twice with 0.1 M sodium cacodylate, dehydrated with successive concentrations of ethanol, critical point dried by the CO<sub>2</sub> method of Anderson (Anderson, 1951) using a Samdri-780A (Tousimis, Rockville, MD), and coated with a 1-2 nm discontinuous layer of platinum. *Streptococcus pneumoniae* cells are viewed with a LEO 1550 field emission scanning electron microscope operated at low accelerating voltages (1-4.5 keV) using a secondary electron detector for conventional topographical imaging and a high-resolution Robinson backscatter detector to enhance the visualization of colloidal gold by atomic number contrast.

25

#### EXAMPLE 5

##### IN VITRO OPSONPHAGOCYTOSIS ANALYSIS

An *in vitro* opsonic reaction, that may mimic the *in vivo* reaction, is conducted by incubating together a mixture of *Streptococcus pneumoniae* cells, heat inactivated human serum containing specific antibodies to the pneumococcal strain, and an exogenous complement source. Opsonophagocytosis proceeds during incubation of freshly isolated human polymorphonuclear cells (PMN's) and the antibody/complement/pneumococcal cell mixture. Bacterial cells that are coated with antibody and complement are killed upon opsonophagocytosis. Colony forming units

30

(cfu) of surviving bacteria that escape from opsonophagocytosis are determined by plating the assay mixture. Titers are reported as the reciprocal of the highest dilution that gives  $\geq 50\%$  bacterial killing, as determined by comparison to assay controls. Specimens which demonstrate less than 50% killing at the lowest serum dilution tested (1:8), are reported as having an OPA titer of 4. The highest dilution tested is 1:2560. Samples with  $\geq 50\%$  killing at the highest dilution are repeated, beginning with a higher initial dilution.

The present method is a modification of Gray's method (Gray, B.M. 1990). The assay mixture is assembled in a 96-well microtiter tissue culture plate at room temperature. The assay mixture consists of 10  $\mu$ L of test serum (a series of two-fold dilutions) heated to 56°C for 30 minutes prior to testing, 10  $\mu$ L of precolostral bovine serum (complement source) having no opsonic activity for the bacterial test strain, and 20  $\mu$ L of buffer containing 2000 viable *Streptococcus pneumoniae* organisms. This mixture is incubated at 37°C without CO<sub>2</sub> for 30 minutes with shaking. Next, 40  $\mu$ L of human PMNs, freshly prepared from heparinized peripheral blood by dextran sedimentation and Percoll density centrifugation, suspended in buffer at a concentration of  $1 \times 10^6$ /mL is added. The assay plate(s) are then incubated at 37°C for an additional 90 minutes with vigorous shaking. Aliquots from each well are dispensed onto the upper 1/4 of a 15 x 100 mm blood agar plate. The blood agar plate is tilted while pipetting to allow the liquid suspension to "run" down the plate. Plates are incubated overnight in 5% CO<sub>2</sub> at 37°C. The viable cfu are counted the following morning. Negative control wells, lacking bacterial cells, test serum, complement and/or phagocytes in appropriate combination are included in each assay. A test serum control, which contains test serum plus bacterial cells and heat inactivated complement, is included for each individual serum. This control can be used to assess whether the presence of antibiotics or other serum components are capable of killing the bacterial strain directly (i.e. in the absence of complement or PMN's). A human serum with known opsonic titer is used as a positive human serum control. The opsonic antibody titer for each unknown serum is calculated as the reciprocal of the initial dilution of serum giving 50% cfu reduction compared to the control without serum.

**EXAMPLE 6****INTRANASAL OR PARENTERAL IMMUNIZATION OF  
CBA/CAHN MICE PRIOR TO CHALLENGE**

5 Six-week old, pathogen-free, male CBA/CaHN xid/J (CBA/N) mice are purchased from Jackson Laboratories (Bar Harbor, Maine) and housed in cages under standard temperature, humidity, and lighting conditions. CBA/N mice, at 10 animals per group, are immunized with an appropriate amount of the protein(s) to be tested. For parenteral immunization, the protein is mixed with 100 µg of MPL™ per dose to a final volume of 200 µl in saline and then injected subcutaneously (SC) into mice. All groups receive a booster with the same dose and by the same route 3 and 10 5 weeks after the primary immunization. Control mice are injected with MPL™ alone. All mice are bled two weeks after the last boosting; sera is then isolated and stored at -20°C. For intranasal (IN) immunization, mice receive three IN immunizations, one week apart. On each occasion, an appropriate dose of the protein to be tested is 15 formulated with 0.1 µg of CT-E29H, a genetically modified cholera toxin that is reduced in enzymatic activity and toxicity (Tebbey *et al.*, 2000), and slowly instilled into the nostril of each mouse in a 10 µl volume. Mice immunized with CT-E29H alone are used as controls. Serum samples are collected one week after the last immunization.

20

**EXAMPLE 7****LD<sub>50</sub> DETERMINATION**

Six or 12-week old CBA/N mice (10 per group) are challenged intranasally (IN) with 10 µl of a suspension of streptomycin resistant type 3 *Streptococcus* 25 *pneumoniae* diluted to 5 x 10<sup>9</sup> CFU/ml in PBS. Two-fold serial dilutions of this suspension are also tested. The actual doses of bacteria administered are determined by plating dilutions of the inoculum on streptomycin containing tryptic soy agar plates. The LD<sub>50</sub> is calculated by the Reed-Muench method as discussed by Lennette (Lennette, 1995). The LD<sub>50</sub> of 13-week old CBA/N mice with type 3 strain 30 was previously shown to be 1 x 10<sup>5</sup> CFU, while the LD<sub>50</sub> of 6-week old CBA/N mice was 1 x 10<sup>4</sup> CFU.

**EXAMPLE 8****CBA/CAHN *xid* MOUSE INTRANASAL CHALLENGE MODEL**

Mice are challenged with either serotype 3 or serotype 14 streptomycin resistant *Streptococcus pneumoniae*. Pneumococci are inoculated into 3 ml of Todd-Hewitt broth containing 100 µg/ml of streptomycin. The culture is grown at 37°C until mid-log phase, then diluted to the desired concentration with Todd-Hewitt broth and stored on ice until use. Each mouse is anesthetized with 1.2 mg of ketamine HCl (Fort Dodge Laboratory, Ft. Dodge, Iowa) by intraperitoneal (IP) injection. The bacterial suspension is inoculated to the nostril of anesthetized mice (10 µl per mouse). The actual dose of bacteria administered is confirmed by plate count. Two or 3 days after challenge, mice are sacrificed, the noses are removed, and homogenized in 3-ml sterile saline with a tissue homogenizer (Ultra-Turax T25, Janke & Kunkel Ika-Labortechnik, Staufen, Germany). The homogenate is 10-fold serially diluted in saline and plated on streptomycin containing TSA plates. Fifty µl of blood collected 2 days post-challenge from each mouse are also plated on the same kind of plates. Plates are incubated overnight at 37°C and then colonies are counted. CBA/N mice are observed daily after challenge, and the mortality is monitored for 14 days.

20

**EXAMPLE 9****INTRANASAL IMMUNIZATION OF BALB/C MICE PRIOR TO CHALLENGE**

Six-week old, pathogen-free, Balb/c mice are purchased from Jackson Laboratories (Bar Harbor, Maine) and housed in cages under standard temperature, humidity, and lighting conditions. BALB/C mice, at 10 animals per group, are immunized with an appropriate amount of the protein to be tested on weeks 0, 2, and 4. On each occasion, the protein being tested is formulated with 0.1 µg of CT-E29H, and slowly instilled into the nostril of each mouse in a 10 µl volume. Mice immunized with Keyhole Limpet Hemocyanin (KLH)-CT-E29H are used as controls. Serum samples are collected 4 days after the last immunization.

30

## EXAMPLE 10

## MOUSE INTRANASAL CHALLENGE MODEL

Balb/c mice are challenged on the sixth day of week 4 (*i.e.*, at approximately 27 days) with  $1 \times 10^5$  CFU's of serotype 3 streptomycin resistant *Streptococcus pneumoniae*. Pneumococci are inoculated into 3 ml of Todd-Hewitt broth containing 100  $\mu\text{g/ml}$  of streptomycin. The culture is grown at  $37^\circ\text{C}$  until mid-log phase, then diluted to the desired concentration with Todd-Hewitt broth and stored on ice until use. Each mouse is anesthetized with 1.2 mg of ketamine HCl (Fort Dodge Laboratory, Ft. Dodge, Iowa) by i.p. injection. The bacterial suspension is inoculated into the nostril of anesthetized mice (10  $\mu\text{l}$  per mouse). The actual dose of bacteria administered is confirmed by plate count. Four days after challenge, mice are sacrificed, the noses removed, and homogenized in 3-ml sterile saline with a tissue homogenizer (Ultra-Turax T25, Janke & Kunkel Ika-Labortechnik, Staufen, Germany). The homogenate is 10-fold serially diluted in saline and plated on streptomycin containing TSA plates. Fifty  $\mu\text{l}$  of blood collected 2 days post-challenge from each mouse also is plated on the same kind of plates. Plates are incubated overnight at  $37^\circ\text{C}$  and then colonies are counted.

**REFERENCES**

- International Application No. EP A02323621  
International Application No. EP 0036776  
5 International Application No. EP 0859055  
International Application No. EP 125,023  
International Application No. EP 171,496  
International Application No. EP 171,496  
International Application No. EP 184,187  
10 International Application No. EP 264166  
International Application No. PCT/US86/02269  
U.S. Patent 4,196,265  
U.S. Patent 4,522,811  
U.S. Patent 4,554,101  
15 U.S. Patent 4,683,195  
U.S. Patent 4,683,202  
U.S. Patent 4,736,866  
U.S. Patent 4,816,567  
U.S. Patent 4,870,009  
20 U.S. Patent 4,873,191  
U.S. Patent 4,873,316  
U.S. Patent 4,987,071  
U.S. Patent 5,116,742  
U.S. Patent 5,223,409  
25 U.S. Patent 5,272,057  
U.S. Patent 5,283,317  
U.S. Patent 5,328,470  
U.S. Patent 5,498,531  
U.S. Patent 5,766,844  
30 U.S. Patent 5,789,654  
U.S. Patent 5,798,209  
U.S. Patent 6,201,103  
U.S. SIR No. H1,892



- International Application No. WO 86/01533  
International Application No. WO 90/02809  
International Application No. WO 90/11354  
International Application No. WO 91/01140  
5 International Application No. WO 91/17271  
International Application No. WO 92/01047  
International Application No. WO 92/0968  
International Application No. WO 92/09690  
International Application No. WO 92/15679  
10 International Application No. WO 92/18619  
International Application No. WO 92/20791  
International Application No. WO 93/01288  
International Application No. WO 93/04169  
International Application No. WO94/10300  
15 International Application No. WO 94/16101  
International Application No. WO 97/07668  
International Application No. WO 97/07669  
International Application No. WO 00/63364
- 20 Abravaya *et al.*, *Nucleic Acids Res.*, 23:675-682, 1995.  
Adams *et al.*, *Nature* 355:632-634, 1992.  
Adams *et al.*, *Nature* 377 Supp:3-174, 1995.  
Adams *et al.*, *Science* 252:1651-1656, 1991.  
Altschul *et al.*, "Gapped BLAST and PSI-BLAST: a new generation of protein  
25 database search programs," *Nuc. Acids Res.* 25(17):3389-402, 1997.  
Altschul *et al.*, *J. Molec. Biol.* 215:403-410, 1990.  
Amann *et al.*, *Gene* 69:301-315, 1988.  
Anderson, "Techniques for the preservation of three-dimensional structure in  
preparing specimens for the electron microscope." *Trans. N. Y. Acad. Sci.*  
30 13(130):130-134, 1951.  
Bairoch and Apweiler, *Nucleic Acids Research*, 28:45-48, 2000.  
Baldari *et al.*, *Embo J.* 6:229-234, 1987.  
Banerji *et al.*, *Cell*, 33:729-740; 1983.

- Barker *et al.*, *Nucleic Acids Research*, 29:29-32, 2001.
- Bartel and Szostak, *Science* 261:1411-1418, 1993.
- Bartel *et al.* *Biotechniques* 14:920-924, 1993(b).
- Bartel, "Cellular Interactions and Development: A Practical Approach", pp. 153-179,  
5 1993(a).
- Bateman *et al.*, "The Pfam protein families database," *Nucleic Acid Res.*, 28(1), 263-266, 2000.
- Benson, "Tandem repeats finder: a program to analyze DNA sequences," *Nucleic Acids Res.* 27(2):573-80, 1999.
- 10 Bradley, *Current Opinion in Biotechnology* 2:823-829, 1991.
- Bradley, in "Teratocarcinomas and Embryonic Stem Cells: A Practical Approach," E.J. Robertson, ed., IRL, Oxford, pp. 113-152, 1987.
- Briles *et al.*, "Intranasal immunization of mice with a mixture of the pneumococcal proteins PsaA and PspA is highly protective against nasopharyngeal carriage  
15 of *Streptococcus pneumoniae*," *Infect. Immun.* 68(2):796-800, 2000.
- Bunzow *et al.*, *Nature*, 336:783-787, 1988.
- Burge and Karlin, "Prediction of complete gene structures in human genomic DNA." *J. Mol. Biol.* 268:78-94, 1997.
- Butler *et al.*, "Pneumococcal vaccines: history, current status, and future directions,"  
20 *Am. J. Med.* 107(1A):69S-76S, 1999.
- Byrne and Ruddle, *PNAS* 86:5473- 5477, 1989.
- Calame and Eaton, *Adv. Immunol.* 43:235-275, 1988.
- Campes and Tilghman, *Genes Dev.* 3:537-546, 1989.
- Chen *et al.*, *PNAS* 91:3054-3057, 1994.
- 25 Cohen *et al.*, *Adv. Chromatogr.* 36:127-162, 1996.
- Cotton *et al.*, *PNAS* 85:4397, 1988.
- Cotton, *Mutat. Res.* 285:125-144, 1993.
- Cowan *et al.*, "RGS Proteins: Lessons from the RGS9 subfamily," *Progress in Nucleic Acid Research and Molecular Biology* 65:341-359, 2001.
- 30 Crain *et al.*, "*Streptococcus pneumoniae* surface protein A (PspA) is serologically highly variable and is expressed by all clinically important capsular serotypes of *Streptococcus pneumoniae*," *Infect. Immun.* 58(10):3293-9, 1990.

- Cserzo *et al.*, "Prediction of transmembrane alpha-helices in prokaryotic membrane proteins: the dense alignment surface method," *Protein Engineering* 10(6):673-6, 1997.
- D'Eustachio *et al.*, *Science* 220:919-924, 1983.
- 5 Devereux *et al.*, *Nucleic Acids Research* 12(1):387, 1984.
- Dintilhac, *et al.*, "Competence and virulence of *Streptococcus pneumoniae*: Adc and PsaA mutants exhibit a requirement for Zn and Mn resulting from inactivation of putative ABC metal permeases," *Mol. Microbiol.* 25(4):727-739, 1997.
- Doetschman *et al.*, *J. Embryol. Exp. Morphol.* 87:27-45, 1985.
- 10 Douglas *et al.*, "Antibody response to pneumococcal vaccination in children younger than five years of age," *J. Infect. Dis.* 148:131-137, 1983.
- Eddy, "Hidden Markov models" *Current Opinion in Structural Biology* 6(3):361-5, 1996.
- Edlund *et al.*, *Science* 230:912-916, 1985.
- 15 Eichelbaum, *Clin. Exp. Pharmacol Physiol*, 23(10-11):983-985, 1996.
- Elledge *et al.*, *Proc. Natl. Acad. Sci. USA*, 88:1731-1735, 1991.
- Eng, McCormack and Yates, "An approach to correlate tandem mass-spectral data of peptides with amino-acid-sequences in a protein database," *Journal of the American Society for Mass Spectrometry*, 5:976-989, 1994.
- 20 Fan, Y. *et al.*, *PNAS*, 87:6223-27, 1990.
- Finely *et al.*, *Proc. Natl. Acad. Sci. USA*, 91:12980-12984, 1994.
- Foster and Hook, "Surface protein adhesins of *Staphylococcus aureus*," *Trends Microbiol.* 6(12):484-8, 1998.
- Fraser *et al.*, "Genomic sequence of a Lyme disease spirochaete, *Borrelia burgdorferi*" *Nature* 390(6660):580-6, 1997.
- 25 Frohman *et al.*, *Proc. Natl. Acad. Sci. USA* 85, 8998-9002, 1988.
- Gaultier *et al.*, *Nucleic Acids Res.* 15:6625-6641, 1987.
- Gentz *et al.*, *Proc. Natl. Acad. Sci. USA*, 86:821-824, 1989.
- Goldstein and Garau, "30 years of penicillin-resistant *S. pneumoniae*: myth or
- 30 reality?," *Lancet* 350(9073):233-4.
- Gray, *Conjugate Vaccines Supplement* p694-697, 1990.
- Griffin *et al.*, *Appl. Biochem. Biotechnol.* 38:147-159, 1993.

- Gunnar von Heijne, "Membrane Protein Structure Prediction, Hydrophobicity Analysis and the Positive-inside Rule" *J. Mol. Biol.*, 225:487-494, 1992.
- Harlow and Lane, "Antibodies: A Laboratory Manual," Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1988
- 5 Harper *et al.*, *Cell*, 75:805-816, 1993.
- Haselhoff and Gerlach, *Nature* 334:585-591, 1988.
- Hausdorff *et al.*, "Which pneumococcal serogroups cause the most invasive disease: implications for conjugate vaccine formulation and use, part I," *Clinical Infectious Diseases* 30(1):100-21, 1997.
- 10 Hayashi, *Genet. Anal. Tech. Appl.* 9:73-79, 1992.
- Helene *et al.*, *Ann. N. Y Acad Sci.* 660:27- 36, 1992.
- Helene, *Anticancer Drug Des.* 6(6):569-84, 1991.
- Hepler, "Emerging roles for RGS proteins in cell signalling," *Trends in Pharmacological Sciences* 20:376-382, 1999.
- 15 Hernandez-Sanchez *et al.*, "lambda bar minigene-mediated inhibition of protein synthesis involves accumulation of peptidyl-tRNA and starvation for tRNA," *EMBO Jour.* 17(13):3758-65, 1998.
- Hogan, "Manipulating the Mouse Embryo," *Cold Spring Harbor Laboratory Press*, Cold Spring Harbor, N.Y., 1986.
- 20 Inoue *et al.*, *FEBS Lett.* 215:327-330, 1987(a).
- Inoue *et al.*, *Nucleic Acids Res.* 15:6131-6148, 1987(b).
- Isberg and Tran Van Nhieu, "Binding and internalization of microorganisms by integrin receptors," *Trends in Microbiol.* 2(1):10-4, 1994.
- Iwabuchi *et al.*, *Oncogene* 8:1693-1696, 1993.
- 25 Johnson *et al.*, *Endoc. Rev.*, 10:317-331, 1989.
- Kaufman *et al.*, *EMBO J* 6:187-195, 1987.
- Kessel and Gruss, *Science* 249:374-379, 1990.
- Klein *et al.*, *Curr. Genet.*, 16:145-152, 1989(b).
- Klein *et al.*, *Curr. Genet.* 13:29-35, 1989(a).
- 30 Koebnik, "Proposal for a peptidoglycan-associating alpha-helical motif in the C-terminal regions of some bacterial cell-surface proteins," *Mol. Microbiol.* 16(6):1269-70, 1995.

- Krappa *et al.*, "Evectins: Vesicular proteins that carry a pleckstrin homology domain and localize to post-Golgi membranes," *Proceedings of the National Academy of Sciences* 96:4633-4368, 1999.
- Kurj an and Herskowitz, *Cell* 933-943, 1982.
- 5 Kyte and Doolittle, *J. Mol. Biol.*, 157:105-132, 1982.
- Lakso *et al.*, *PJVAS* 89:6232-6236, 1992.
- Laemmli, "Cleavage of structural proteins during the assembly of the head of bacteriophage T4," *Nature* (London) 227:680-685, 1970.
- Lefkowitz, *Nature*, 351:353-354, 1991.
- 10 Lennette, "General principles for laboratory diagnosis of viral, rickettsial, and chlamydial infections," p. 17-18, diagnostic procedures for viral, rickettsial, and chlamydial infections, vol. 7th edition, 1995.
- Lewis, "Programmed death in bacteria," *Microbiol. Mol. Biol. Rev.* 64(3):503-14, 2000.
- 15 Li *et al.*, *Cell* 69:915, 1992.
- Linder, *Clin. Chem.* 43(2):254-266, 1997.
- Loessner *et al.*, "Evidence for a holin-like protein gene fully embedded out of frame in the endolysin gene of *Staphylococcus aureus* bacteriophage 187," *J. Bacteriol.* 181(15):4452-60, 1999.
- 20 Lowry *et al.*, "Protein measurement with the Folin-Phenol reagents," *J. Biol. Chem.* 193:265-275, 1951.
- Lucklow and Summers, *Virology* 170:31-39, 1989.
- Lukashin and Borodovsky, "GeneMark.hmm: new solutions for gene finding," *Nuc. Acids Res.* 26(4):1107-15, 1998.
- 25 Madura *et al.*, *J. Biol. Chem.* 268:12046-1205, 1993
- Maher, *Bioassays* 14(12):807-15, 1992.
- Mansour *et al.*, *Nature* 336:348, 1988
- Maxim and Gilbert, *PNAS* 74:560, 1977.
- Mazmanian *et al.*, "Staphylococcus aureus sortase, an enzyme that anchors surface proteins to the cell wall," *Science* 285(5428):760-3, 1999.
- 30 McAtee *et al.*, "Characterization of a *Helicobacter pylori* vaccine candidate by proteome techniques," *J. Chromatogr. B. Biomed. Sci. Appl.* 714(2):325-33, 1998(c).

- McAtee *et al.*, "Identification of potential diagnostic and vaccine candidates of *Helicobacter pylori* by "proteome" technologies," *Helicobacter* 3(3):163-9, 1998(a).
- 5 McAtee *et al.*, "Identification of potential diagnostic and vaccine candidates of *Helicobacter pylori* by two-dimensional gel electrophoresis, sequence analysis, and serum profiling," *Clin. Diagn. Lab. Immunol* 5(4):537-42, 1998(b).
- 10 McDaniel *et al.*, "Monoclonal antibodies against protease-sensitive pneumococcal antigens can protect mice from fatal infection with *Streptococcus pneumoniae*," *J. Exp. Med.* 160(2):386-97, 1984.
- Mejlhede *et al.*, "Ribosomal -1 frameshifting during decoding of *Bacillus subtilis* *cdd* occurs at the sequence CGA AAG," *J. Bacteriol.* 181(9):2930-7, 1999.
- 15 Morrison *et al.*, "Isolation and characterization of three new classes of transformation deficient mutants of *Streptococcus pneumoniae* that are defective in DNA transport and genetic recombination," *Journal of Bacteriology*, 156:281-290, 1983.
- Morin *et al.*, *Nucleic Acids Res.*, 21:2157-2163, 1993.
- Myers *et al.*, *Nature* 313:495, 1985(a).
- Myers *et al.*, *Science* 230:1242, 1985(b).
- 20 Nabors *et al.*, "Immunization of healthy adults with a single recombinant pneumococcal surface protein A (PspA) variant stimulates broadly cross-reactive antibodies to heterologous PspA molecules," *Vaccine* 18:1743-1754, 2000.
- 25 Nakai and Kanehisa, "Expert system for predicting protein localization sites in gram-negative bacteria," *Proteins* 11(2):95-110, 1991.
- Navarre and Schneewind, "Surface Proteins of Gram-Positive Bacteria and Mechanisms of Their Targeting to the Cell Wall Envelope," *Microbiol. Mol. Biol. Rev.* 63(1):174-229, 1999.
- 30 Nielsen *et al.*, "Identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites," *Protein Engineering* 10(1):1-6, 1997.
- O'Gon-nan *et al.*, *Science* 251:1351-1355, 1991.
- Olmsted *et al.*, "High-resolution visualization by field emission scanning electron microscopy of *Enterococcus faecalis* surface proteins encoded by the

- pheromone-inducible conjugative plasmid pCF10," *J. Bacteriol.* 175(19):6229-37, 1993.
- Orita *et al.*, *PNAS* 86:2766, 1989.
- Orihuela *et al.*, "Peritoneal culture alters *Streptococcus pneumoniae* protein profiles and virulence properties," *Infect. Immun.* 68:6082-6086, 2000.
- 5 Park and Teichmann, "DIVCLUS: an automatic method in the GEANFAMMER package that finds homologous domains in single- and multi-domain proteins," *Bioinformatics* 14(2):144-50, 1998.
- Parkhill *et al.*, "Complete DNA sequence of a serogroup A strain of *Neisseria meningitidis* Z2491," *Nature* 404(6777):502-6, 2000.
- 10 Pierschbacher and Ruoslahti, "Influence of stereochemistry of the sequence Arg-Gly-Asp-Xaa on binding specificity in cell adhesion," *J. Biol. Chem.* 262(36):17294-8, 1987.
- Pinkert *et al.* *Genes Dev.* 1:268-277, 1987.
- 15 Pizza *et al.*, "Identification of vaccine candidates against serogroup B meningococcus by whole-genome sequencing," *Science* 287(5459):1816-20, 2000.
- Pugsley, "The complete general secretory pathway in gram-negative bacteria," *Microbiol. Rev.* 57(1):50-108, 1993.
- Queen and Baltimore, *Cell* 33:741-748, 1983.
- 20 Rahman *et al.*, *Journal of Neuroscience* 19:2016-2026, 1999.
- Rose *et al.*, "Methods in Yeast Genetics: A Laboratory Course Manual." *Cold Spring Harbor Press*, Cold Spring Harbor, N.Y. (1990).
- Rosenow *et al.*, "Contribution of novel choline-binding proteins to adherence, colonization and immunogenicity of *Streptococcus pneumoniae*," *Mol. Microbiol.* 25(5):819-29, 1997.
- 25 Ross and Wilkie, "GTPase-activating proteins for Heterotrimeric G proteins: Regulators of G protein Signaling (RGS) and RGS-like proteins," *Annual Review of Biochemistry* 69:795-827, 2000.
- Saleeba *et al.*, *Meth. Enzymol.* 217:286-295, 1992.
- 30 Salzberg *et al.*, "Microbial gene identification using interpolated Markov models," *Nuc. Acids Res.* 26(2):544-8, 1998.

- Sambrook *et al.*, "Molecular Cloning: A Laboratory Manual" 2nd, ed, Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.
- 5      Sampson *et al.*, "Cloning and nucleotide sequence analysis of *psaA*, the  
Streptococcus pneumoniae gene encoding a 37-kilodalton protein  
homologous to previously reported Streptococcus sp. Adhesins," *Infect.*  
*Immun.* 62(1):319-24, 1994.
- Sanger, PNAS 74:5463, 1977.
- Schultz *et al.*, *Gene* 54:113-123, 1987.
- 10      Seed, *Nature* 329:840, 1987.
- Shinefield and Black, "Efficacy of pneumococcal conjugate vaccines in large scale  
field trials (In Process Citation)," *Pediatr. Infect. Dis. J.* 19(4):394-7, 2000.
- Simon *et al.*, *Science*, 252:802-8, 1991.
- Smith and Johnson, *Gene* 67:31-40, 1988.
- 15      Smith *et al.*, *Mol. Cell Biol.* 3:2156-2165, 1983.
- Songyang, *et al.*, *Cell* 72:767-778, 1993.
- Sonnenberg and Belisle, "Definition of Mycobacterium tuberculosis culture filtrate  
proteins by two-dimensional polyacrylamide gel electrophoresis, N-terminal  
amino acid sequencing, and electrospray mass spectrometry," *Infect. Immun.*  
20      65(11):4515-24, 1997.
- Sonnhammer *et al.*, "A hidden Markov model for predicting transmembrane helices in  
protein sequences," *Ismb* 6:175-82, 1998.
- Stockbauer *et al.*, "A natural variant of the cysteine protease virulence factor of group  
A streptococcus with an arginine-glycine-aspartic acid (RGD) motif  
25      preferentially binds human integrins  $\alpha$ 5 $\beta$ 3 and  $\alpha$ IIb $\beta$ 3 (In  
Process Citation)," *Proc. Natl. Acad. Sci. U S A* 96(1):242-7, 1999.
- Studier *et al.* "Gene Expression Technology" *Methods in Enzymology* 185, 60-89,  
1990.
- Talkington *et al.*, "Protection of mice against fatal pneumococcal challenge by  
30      immunization with pneumococcal surface adhesin A (PsaA)," *Microb. Pathog.*  
21(1):17-22, 1996.



- Tebbey *et al.*, "Effective mucosal immunization against respiratory syncytial virus using a genetically detoxified cholera holotoxin, CT-E29H," *Vaccine* 18(24):2723-34, 2000.
- Thomas and Capecchi, *Cell* 51:503, 1987.
- 5 Weldingh *et al.*, "Two-dimensional electrophoresis for analysis of *Mycobacterium tuberculosis* culture filtrate and purification and characterization of six novel proteins," *Infect. Immun.* 66(8):3492-500, 1998.
- Wilmot *et al.*, *Nature* 385:810-813, 1997.
- Wilson *et al.*, *Cell* 37:767, 1984.
- 10 Winoto and Baltimore. *EMBO J* 8:729-733, 1989.
- Xu *et al.*, "PHR1 encodes an abundant, pleckstrin homology domain-containing Integral membrane protein in the photoreceptor outer segments," *Journal of Biological Chemistry* 274:35676-35685, 1999.
- Yamamoto *et al.*, "A nontoxic adjuvant for mucosal immunity to pneumococcal surface protein," *A. J. Immunol.* 161(8):4115-21, 1998.
- 15 Zervos *et al.*, *Cell* 72:223-232, 1993.
- Zhang *et al.*, 2001, "Recombinant PhpA Protein, a Unique Histidine Motif-Containing Protein from *Streptococcus pneumoniae*, Protects Mice against Intranasal Pneumococcal Challenge," *Infect. Immun.* 69:3827-3836, 2001.

What is Claimed is:

1. An isolated polynucleotide of a *Streptococcus pneumoniae* genomic sequence, wherein the polynucleotide comprises a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a degenerate variant thereof, or a fragment thereof.
2. The polynucleotide of claim 1, wherein the polynucleotide is a complement to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a degenerate variant thereof, or a fragment thereof.
3. The polynucleotide of claim 2, wherein the polynucleotide is selected from the group consisting of DNA, chromosomal DNA, cDNA and RNA.
4. The polynucleotide of claim 3, wherein the polynucleotide further comprises heterologous nucleotides.
5. An isolated polynucleotide which hybridizes to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a complement thereof, a degenerate variant thereof, or a fragment thereof, under high stringency hybridization conditions.
6. The polynucleotide of claim 5, wherein the polynucleotide hybridizes under intermediate stringency hybridization conditions.
7. An isolated polynucleotide of a *Streptococcus pneumoniae* genomic sequence, wherein the polynucleotide comprises a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a fragment thereof, or a degenerate variant

thereof, and encodes a polypeptide, a biological equivalent thereof, or a fragment thereof, selected from the group consisting of:

- (a) a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains;
  - (b) a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains;
  - (c) a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain;
  - (d) a *Streptococcus pneumoniae* polypeptide having an inner membrane domain;
  - (e) a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis;
  - (f) a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis;
  - (g) a *Streptococcus pneumoniae* lipoprotein;
  - (h) a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer;
  - (i) a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer;
  - (j) a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or a C-terminal Phenylalanine amino acid;
  - (k) a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD amino acid sequence;
  - (l) a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed;
- and
- (m) a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated.

8. The polynucleotide of claim 7, wherein the polynucleotide is a complement to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO:431 through SEQ ID NO:591, a degenerate variant thereof, or a fragment thereof.

9. The polynucleotide of claim 8, wherein the polynucleotide is selected from the group consisting of DNA, chromosomal DNA, cDNA and RNA.
10. The polynucleotide of claim 9, wherein the polynucleotide further comprises heterologous nucleotides.
11. The polynucleotide of claim 10, wherein the polynucleotide encodes a fusion polypeptide.
12. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having 0, 1 or 2 transmembrane domains comprises a nucleotide sequence chosen from one of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13, SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 22, SEQ ID NO: 23, SEQ ID NO: 24, SEQ ID NO: 25, SEQ ID NO: 28, SEQ ID NO: 29, SEQ ID NO: 32, SEQ ID NO: 34, SEQ ID NO: 36, SEQ ID NO: 39, SEQ ID NO: 41, SEQ ID NO: 42, SEQ ID NO: 45, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 50, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 60, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 67, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70, SEQ ID NO: 72, SEQ ID NO: 73, SEQ ID NO: 74, SEQ ID NO: 78, SEQ ID NO: 79, SEQ ID NO: 81, SEQ ID NO: 83, SEQ ID NO: 85, SEQ ID NO: 86, SEQ ID NO: 89, SEQ ID NO: 91, SEQ ID NO: 92, SEQ ID NO: 95, SEQ ID NO: 96, SEQ ID NO: 97, SEQ ID NO: 100, SEQ ID NO: 104, SEQ ID NO: 105, SEQ ID NO: 106, SEQ ID NO: 109, SEQ ID NO: 110, SEQ ID NO: 111, SEQ ID NO: 113, SEQ ID NO: 116, SEQ ID NO: 121, SEQ ID NO: 122, SEQ ID NO: 123, SEQ ID NO: 125, SEQ ID NO: 126, SEQ ID NO: 127, SEQ ID NO: 128, SEQ ID NO: 131, SEQ ID NO: 132, SEQ ID NO: 134, SEQ ID NO: 136, SEQ ID NO: 137, SEQ ID NO: 138, SEQ ID NO: 141, SEQ ID NO: 142, SEQ ID NO: 143, SEQ ID NO: 144, SEQ ID NO: 147, SEQ ID NO: 148, SEQ ID NO: 149, SEQ ID NO: 150, SEQ ID NO: 155, SEQ ID NO: 156, SEQ ID NO: 158, SEQ ID

NO: 161, SEQ ID NO: 162, SEQ ID NO: 165, SEQ ID NO: 170, SEQ ID NO: 171, SEQ ID NO: 172, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 179, SEQ ID NO: 183, SEQ ID NO: 185, SEQ ID NO: 187, SEQ ID NO: 192, SEQ ID NO: 195, SEQ ID NO: 196, SEQ ID NO: 197, SEQ ID NO: 199, SEQ ID NO: 200, SEQ ID NO: 201, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 205, SEQ ID NO: 207, SEQ ID NO: 209 and SEQ ID NO: 210.

13. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having 3 or more transmembrane domains comprises a nucleotide sequence chosen from one of SEQ ID NO: 2, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 14, SEQ ID NO: 15, SEQ ID NO: 20, SEQ ID NO: 21, SEQ ID NO: 26, SEQ ID NO: 27, SEQ ID NO: 30, SEQ ID NO: 31, SEQ ID NO: 33, SEQ ID NO: 35, SEQ ID NO: 37, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 48, SEQ ID NO: 52, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 59, SEQ ID NO: 65, SEQ ID NO: 71, SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 80, SEQ ID NO: 82, SEQ ID NO: 84, SEQ ID NO: 87, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 93, SEQ ID NO: 94, SEQ ID NO: 98, SEQ ID NO: 99, SEQ ID NO: 101, SEQ ID NO: 102, SEQ ID NO: 103, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO: 112, SEQ ID NO: 114, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 119, SEQ ID NO: 120, SEQ ID NO: 124, SEQ ID NO: 129, SEQ ID NO: 130, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 145, SEQ ID NO: 146, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO: 154, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 163, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 168, SEQ ID NO: 169, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 177, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 181, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 190, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 194, SEQ ID NO: 198, SEQ ID NO: 203, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 211, SEQ ID NO: 212, SEQ ID NO: 213, SEQ ID NO: 214 and SEQ ID NO: 215.

14. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having an outer membrane domain or a periplasmic domain comprises a nucleotide sequence chosen from one of SEQ ID NO: 3, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 23, SEQ ID NO: 39, SEQ ID NO: 50, SEQ ID NO: 62, SEQ ID NO: 67, SEQ ID NO: 78, SEQ ID NO: 85, SEQ ID NO: 125, SEQ ID NO: 134, SEQ ID NO: 147, SEQ ID NO: 165, SEQ ID NO: 172 and SEQ ID NO: 179.
15. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having an inner membrane domain comprises a nucleotide sequence chosen from one of SEQ ID NO: 2, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 15, SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 19, SEQ ID NO: 20, SEQ ID NO: 21, SEQ ID NO: 22, SEQ ID NO: 26, SEQ ID NO: 27, SEQ ID NO: 28, SEQ ID NO: 29, SEQ ID NO: 30, SEQ ID NO: 31, SEQ ID NO: 32, SEQ ID NO: 33, SEQ ID NO: 34, SEQ ID NO: 35, SEQ ID NO: 36, SEQ ID NO: 37, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 46, SEQ ID NO: 47, SEQ ID NO: 48, SEQ ID NO: 51, SEQ ID NO: 52, SEQ ID NO: 53, SEQ ID NO: 54, SEQ ID NO: 56, SEQ ID NO: 59, SEQ ID NO: 60, SEQ ID NO: 61, SEQ ID NO: 65, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70, SEQ ID NO: 71, SEQ ID NO: 73, SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NO: 81, SEQ ID NO: 82, SEQ ID NO: 83, SEQ ID NO: 84, SEQ ID NO: 86, SEQ ID NO: 87, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 91, SEQ ID NO: 93, SEQ ID NO: 94, SEQ ID NO: 95, SEQ ID NO: 96, SEQ ID NO: 97, SEQ ID NO: 98, SEQ ID NO: 99, SEQ ID NO: 100, SEQ ID NO: 101, SEQ ID NO: 102, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 106, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO: 109, SEQ ID NO: 112, SEQ ID NO: 113, SEQ ID NO: 114, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 119, SEQ ID NO: 120, SEQ ID NO: 121, SEQ ID NO: 122, SEQ ID NO: 123, SEQ ID NO: 124, SEQ ID NO: 126, SEQ ID NO: 127, SEQ ID NO: 128, SEQ ID NO: 129, SEQ ID NO: 130, SEQ ID

NO: 131, SEQ ID NO: 132, SEQ ID NO: 133, SEQ ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 139, SEQ ID NO: 140, SEQ ID NO: 141, SEQ ID NO: 142, SEQ ID NO: 144, SEQ ID NO: 145, SEQ ID NO: 146, SEQ ID NO: 148, SEQ ID NO: 150, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO: 154, SEQ ID NO: 156, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 163, SEQ ID NO: 164, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 168, SEQ ID NO: 169, SEQ ID NO: 170, SEQ ID NO: 173, SEQ ID NO: 175, SEQ ID NO: 176, SEQ ID NO: 177, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 181, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 187, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 190, SEQ ID NO: 191, SEQ ID NO: 192, SEQ ID NO: 193, SEQ ID NO: 194, SEQ ID NO: 195, SEQ ID NO: 198, SEQ ID NO: 200, SEQ ID NO: 203, SEQ ID NO: 206, SEQ ID NO: 208, SEQ ID NO: 209, SEQ ID NO: 211, SEQ ID NO: 212, SEQ ID NO: 213, SEQ ID NO: 214 and SEQ ID NO: 215.

16. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide identified by Blastp analysis comprises a nucleotide sequence chosen from one of SEQ ID NO: 1, SEQ ID NO: 2, SEQ ID NO: 7, SEQ ID NO: 10, SEQ ID NO: 12, SEQ ID NO: 16, SEQ ID NO: 20, SEQ ID NO: 24, SEQ ID NO: 27, SEQ ID NO: 30, SEQ ID NO: 31, SEQ ID NO: 32, SEQ ID NO: 33, SEQ ID NO: 34, SEQ ID NO: 35, SEQ ID NO: 38, SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 43, SEQ ID NO: 44, SEQ ID NO: 48, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 59, SEQ ID NO: 60, SEQ ID NO: 61, SEQ ID NO: 65, SEQ ID NO: 67, SEQ ID NO: 68, SEQ ID NO: 69, SEQ ID NO: 70, SEQ ID NO: 71, SEQ ID NO: 75, SEQ ID NO: 76, SEQ ID NO: 77, SEQ ID NO: 78, SEQ ID NO: 79, SEQ ID NO: 80, SEQ ID NO: 87, SEQ ID NO: 88, SEQ ID NO: 90, SEQ ID NO: 94, SEQ ID NO: 95, SEQ ID NO: 96, SEQ ID NO: 98, SEQ ID NO: 100, SEQ ID NO: 103, SEQ ID NO: 105, SEQ ID NO: 107, SEQ ID NO: 108, SEQ ID NO: 109, SEQ ID NO: 112, SEQ ID NO: 113, SEQ ID NO: 115, SEQ ID NO: 117, SEQ ID NO: 118, SEQ ID NO: 122, SEQ ID NO: 123, SEQ ID NO: 124, SEQ ID NO: 127, SEQ ID NO: 129, SEQ ID NO: 131, SEQ ID NO: 132, SEQ ID NO: 133, SEQ ID NO: 134, SEQ

ID NO: 135, SEQ ID NO: 136, SEQ ID NO: 138, SEQ ID NO: 139, SEQ ID NO: 141, SEQ ID NO: 144, SEQ ID NO: 146, SEQ ID NO: 147, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 154, SEQ ID NO: 155, SEQ ID NO: 157, SEQ ID NO: 158, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 161, SEQ ID NO: 162, SEQ ID NO: 163, SEQ ID NO: 165, SEQ ID NO: 166, SEQ ID NO: 167, SEQ ID NO: 169, SEQ ID NO: 172, SEQ ID NO: 173, SEQ ID NO: 176, SEQ ID NO: 177, SEQ ID NO: 178, SEQ ID NO: 180, SEQ ID NO: 181, SEQ ID NO: 182, SEQ ID NO: 184, SEQ ID NO: 185, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 191, SEQ ID NO: 193, SEQ ID NO: 196, SEQ ID NO: 197, SEQ ID NO: 198, SEQ ID NO: 199, SEQ ID NO: 200, SEQ ID NO: 201, SEQ ID NO: 202, SEQ ID NO: 204, SEQ ID NO: 205, SEQ ID NO: 206, SEQ ID NO: 207, SEQ ID NO: 208, SEQ ID NO: 210, SEQ ID NO: 212, SEQ ID NO: 213 and SEQ ID NO: 214.

17. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide identified by Pfam analysis comprises a nucleotide sequence chosen from one of SEQ ID NO: 4, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 41, SEQ ID NO: 45, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 63, SEQ ID NO: 64, SEQ ID NO: 66, SEQ ID NO: 72, SEQ ID NO: 74, SEQ ID NO: 89, SEQ ID NO: 92, SEQ ID NO: 104, SEQ ID NO: 111, SEQ ID NO: 116, SEQ ID NO: 119, SEQ ID NO: 128, SEQ ID NO: 137, SEQ ID NO: 142, SEQ ID NO: 143, SEQ ID NO: 149, SEQ ID NO: 151, SEQ ID NO: 152, SEQ ID NO: 153, SEQ ID NO: 157, SEQ ID NO: 159, SEQ ID NO: 160, SEQ ID NO: 162, SEQ ID NO: 163, SEQ ID NO: 164, SEQ ID NO: 165, SEQ ID NO: 166, SEQ ID NO: 169, SEQ ID NO: 171, SEQ ID NO: 174, SEQ ID NO: 176, SEQ ID NO: 180, SEQ ID NO: 182, SEQ ID NO: 183, SEQ ID NO: 184, SEQ ID NO: 186, SEQ ID NO: 188, SEQ ID NO: 189, SEQ ID NO: 195, SEQ ID NO: 198, SEQ ID NO: 199, SEQ ID NO: 205, SEQ ID NO: 212 and SEQ ID NO: 213.
18. The polynucleotide of claim 7, wherein the polynucleotide encoding a lipoprotein comprises a nucleotide sequence chosen from one of SEQ ID NO: 3, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 13, SEQ ID NO: 21, SEQ ID



NO: 26, SEQ ID NO: 34, SEQ ID NO: 62, SEQ ID NO: 67, SEQ ID NO: 85, SEQ ID NO: 134, SEQ ID NO: 147, SEQ ID NO: 150, SEQ ID NO: 168, SEQ ID NO: 170 and SEQ ID NO: 173.

19. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having a LPXTG motif and covalently attached to the peptidoglycan layer comprises a nucleotide sequence chosen from one of SEQ ID NO: 13, SEQ ID NO: 21, SEQ ID NO: 34 and SEQ ID NO: 170.
20. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having a peptidoglycan binding motif and associated with the peptidoglycan layer comprises a nucleotide sequence chosen from one of SEQ ID NO: 25, SEQ ID NO: 49 and SEQ ID NO: 110.
21. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having a signal sequence and a C-terminal Tyrosine or a C-terminal Phenylalanine amino acid comprises a nucleotide sequence chosen from one of SEQ ID NO:11, SEQ ID NO:39, SEQ ID NO:73, SEQ ID NO:97, SEQ ID NO:106, SEQ ID NO: 125 and SEQ ID NO:187.
22. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide having a tripeptide RGD amino acid sequence comprises a nucleotide sequence chosen from one of SEQ ID NO:1, SEQ ID NO:21, SEQ ID NO:66 and SEQ ID NO:67.
23. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide identified by proteomics as surface exposed comprises a nucleotide sequence chosen from one of SEQ ID NO:14, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:46, SEQ ID NO:64, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:69, SEQ ID NO:71, SEQ ID NO:74, SEQ ID NO:91, SEQ ID NO:103, SEQ ID NO:116, SEQ ID NO:128, SEQ ID NO:131, SEQ ID NO:136, SEQ ID NO:151, SEQ ID NO:156, SEQ ID NO:159, SEQ ID NO:162,

SEQ ID NO:164, SEQ ID NO:172, SEQ ID NO:176, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:182 and SEQ ID NO:205.

24. The polynucleotide of claim 7, wherein the polynucleotide encoding a polypeptide identified by proteomics as membrane associated comprises a nucleotide sequence chosen from one of SEQ ID NO:431 through SEQ ID NO: 591.
25. An isolated polypeptide encoded by a polynucleotide of a *Streptococcus pneumoniae* genomic sequence, wherein the polynucleotide comprises a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof.
26. The polypeptide of claim 25, wherein the polypeptide is a fusion polypeptide.
27. The polypeptide of claim 25, which immunoreacts with seropositive serum of an individual infected with *Streptococcus pneumoniae*.
28. The polypeptide of claim 25, further defined as:
  - (a) a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains;
  - (b) a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains;
  - (c) a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain;
  - (d) a *Streptococcus pneumoniae* polypeptide having an inner membrane domain;
  - (e) a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis;
  - (f) a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis;
  - (g) a *Streptococcus pneumoniae* lipoprotein;

- (h) a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer;
  - (i) a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer;
  - (j) a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or a C-terminal Phenylalanine amino acid;
  - (k) a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD amino acid sequence;
  - (l) a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed;
- and
- (m) a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated.

29. The polypeptide of claim 28, wherein the polypeptide having 0, 1 or 2 transmembrane domains comprises an amino acid sequence chosen from one of SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 219, SEQ ID NO: 222, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 243, SEQ ID NO: 244, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO: 251, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 257, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID NO: 264, SEQ ID NO: 265, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 277, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 307, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 315, SEQ ID NO: 319, SEQ ID NO: 320, SEQ ID NO: 321, SEQ ID NO: 324, SEQ

ID NO: 325, SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 331, SEQ ID NO: 336, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 343, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 352, SEQ ID NO: 353, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 358, SEQ ID NO: 359, SEQ ID NO: 362, SEQ ID NO: 363, SEQ ID NO: 364, SEQ ID NO: 365, SEQ ID NO: 370, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 380, SEQ ID NO: 385, SEQ ID NO: 386, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 394, SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 407, SEQ ID NO: 410, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 425, a fragment thereof or a degenerate variant thereof.

30. The polypeptide of claim 28, wherein the polypeptide having 3 or more transmembrane domains comprises an amino acid sequence chosen from one of SEQ ID NO: 217, SEQ ID NO: 220, SEQ ID NO: 221, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 274, SEQ ID NO: 280, SEQ ID NO: 286, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 308, SEQ ID NO: 309, SEQ ID NO: 313, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 339, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 354, SEQ ID NO: 355, SEQ ID NO: 360, SEQ ID NO: 361, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 372, SEQ ID

NO: 374, SEQ ID NO: 375, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 383, SEQ ID NO: 384, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 409, SEQ ID NO: 413, SEQ ID NO: 418, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, a fragment thereof or a degenerate variant thereof.

31. The polypeptide of claim 28, wherein the polypeptide having an outer membrane or a periplasmic domain comprises an amino acid sequence chosen from one of SEQ ID NO: 218, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 238, SEQ ID NO: 254, SEQ ID NO: 265, SEQ ID NO: 277, SEQ ID NO: 282, SEQ ID NO: 293, SEQ ID NO: 300, SEQ ID NO: 340, SEQ ID NO: 349, SEQ ID NO: 362, SEQ ID NO: 380, SEQ ID NO: 387, SEQ ID NO: 394, a fragment thereof or a degenerate variant thereof.
32. The polypeptide of claim 28, wherein the polypeptide having an inner membrane domain comprises an amino acid sequence chosen from one of SEQ ID NO: 217, SEQ ID NO: 220, SEQ ID NO: 221, SEQ ID NO: 222, SEQ ID NO: 225, SEQ ID NO: 226, SEQ ID NO: 227, SEQ ID NO: 228, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 234, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID NO: 243, SEQ ID NO: 244, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO: 251, SEQ ID NO: 252, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 262, SEQ ID NO: 263, SEQ ID NO: 266, SEQ ID NO: 267, SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 274, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 280, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 295, SEQ ID NO: 296, SEQ

ID NO: 297, SEQ ID NO: 298, SEQ ID NO: 299, SEQ ID NO: 301 SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID NO: 309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 313, SEQ ID NO: 314, SEQ ID NO: 315, SEQ ID NO: 316, SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 321, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 324, SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 336, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 351, SEQ ID NO: 354, SEQ ID NO: 355, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 360, SEQ ID NO: 361, SEQ ID NO: 362, SEQ ID NO: 365, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 372, SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 383, SEQ ID NO: 384, SEQ ID NO: 385, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 391, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 402, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO: 407, SEQ ID NO: 408, SEQ ID NO: 409, SEQ ID NO: 410, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 418, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, a fragment thereof or a degenerate variant thereof.

33. The polypeptide of claim 28, wherein the polypeptide identified by Blastp analysis comprises an amino acid sequence chosen from one of SEQ ID NO: 216, SEQ ID NO: 217, SEQ ID NO: 222, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 231, SEQ ID NO: 235, SEQ ID NO: 239, SEQ ID NO: 242, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 263, SEQ ID NO: 266,

SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO: 295, SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 324, SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 348, SEQ ID NO: 349, SEQ ID NO: 350, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 362, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 387, SEQ ID NO: 388, SEQ ID NO: 391, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 400, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID NO: 425, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, a fragment thereof or a degenerate variant thereof.

34. The polypeptide of claim 28, wherein the polypeptide identified by Pfam analysis comprises an amino acid sequence chosen from one of SEQ ID NO: 219, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 255, SEQ ID NO: 260, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 304, SEQ ID NO: 307, SEQ ID NO: 319, SEQ ID NO: 326, SEQ ID NO: 331, SEQ ID NO: 334, SEQ ID NO: 343, SEQ ID NO: 352, SEQ ID NO: 357, SEQ ID NO: 358, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 367, SEQ

ID NO: 368, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 380, SEQ ID NO: 381, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 398, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 410, SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 420, SEQ ID NO: 427, SEQ ID NO: 428, a fragment thereof or a degenerate variant thereof.

35. The polypeptide of claim 28, wherein the polypeptide is a lipoprotein and comprises an amino acid sequence chosen from one of SEQ ID NO: 218, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 228, SEQ ID NO: 236, SEQ ID NO: 241, SEQ ID NO: 249, SEQ ID NO: 277, SEQ ID NO: 282, SEQ ID NO: 300, SEQ ID NO: 349, SEQ ID NO: 362, SEQ ID NO: 365, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 388, a fragment thereof or a degenerate variant thereof.
36. The polypeptide of claim 28, wherein the polypeptide having a LPXTG motif and covalently attached to the peptidoglycan layer comprises an amino acid sequence chosen from one of SEQ ID NO: 228, SEQ ID NO: 236, SEQ ID NO: 249, SEQ ID NO: 385, a fragment thereof or a degenerate variant thereof.
37. The polypeptide of claim 28, wherein the polypeptide having a peptidoglycan binding motif and associated with the peptidoglycan layer comprises an amino acid sequence selected from one of SEQ ID NO: 240, SEQ ID NO: 264, SEQ ID NO: 325, a fragment thereof or a degenerate variant thereof.
38. The polypeptide of claim 28, wherein the polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid comprises an amino acid sequence chosen from one of SEQ ID NO: 226, SEQ ID NO: 254, SEQ ID NO: 289, SEQ ID NO: 312, SEQ ID NO: 321, SEQ ID NO: 340, SEQ ID NO: 402, a fragment thereof or a degenerate variant thereof.



39. The polypeptide of claim 28, wherein the polypeptide having a tripeptide RGD sequence that potentially is involved in cell attachment comprises an amino acid sequence chosen from one of SEQ ID NO:216, SEQ ID NO:236, SEQ ID NO:281, SEQ ID NO:282, a fragment thereof or a degenerate variant thereof.
40. The polypeptide of claim 28, wherein the polypeptide identified by proteomics as surface exposed comprises an amino acid sequence chosen from one of SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 261, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 289, SEQ ID NO: 306, SEQ ID NO: 318, SEQ ID NO: 331, SEQ ID NO: 343, SEQ ID NO: 346, SEQ ID NO: 351, SEQ ID NO: 366, SEQ ID NO: 371, SEQ ID NO: 374, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 387, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 394, 395, SEQ ID NO: 397, SEQ ID NO: 420, a fragment thereof or a degenerate variant thereof.
41. The polypeptide of claim 28, wherein the polypeptide identified by proteomics as surface exposed comprises an amino acid sequence chosen from one of SEQ ID NO:592 through SEQ ID NO: 752, a fragment thereof or a degenerate variant thereof.
42. An isolated polypeptide comprising an amino acid sequence having at least about 95% identity to an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO:752.
43. The polypeptide of claim 42, wherein the polypeptide is a fusion polypeptide
44. The polypeptide of claim 42, which immunoreacts with seropositive serum of an individual infected with *Streptococcus pneumoniae*.
45. The polypeptide of claim 42, further defined as:

- (a) a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains;
  - (b) a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains;
  - (c) a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain;
  - (d) a *Streptococcus pneumoniae* polypeptide having an inner membrane domain;
  - (e) a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis;
  - (f) a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis;
  - (g) a *Streptococcus pneumoniae* lipoprotein;
  - (h) a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer;
  - (i) a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer;
  - (j) a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or a C-terminal Phenylalanine amino acid;
  - (k) a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD amino acid sequence;
  - (l) a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed;
- and
- (m) a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated.
46. The polypeptide of claim 45, wherein the polypeptide having a 0, 1 or 2 transmembrane domains comprises an amino acid sequence chosen from one of SEQ ID NO: 216, SEQ ID NO: 218, SEQ ID NO: 219, SEQ ID NO: 222, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 226, SEQ ID NO: 228, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 237, SEQ ID NO: 238, SEQ ID NO: 239, SEQ ID NO: 240, SEQ ID NO: 243, SEQ ID NO: 244, SEQ ID NO: 247, SEQ ID NO: 249, SEQ ID NO:

251, SEQ ID NO: 254, SEQ ID NO: 256, SEQ ID NO: 257, SEQ ID NO: 260, SEQ ID NO: 262, SEQ ID NO: 264, SEQ ID NO: 265, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 277, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO: 296, SEQ ID NO: 298, SEQ ID NO: 300, SEQ ID NO: 301, SEQ ID NO: 304, SEQ ID NO: 306, SEQ ID NO: 307, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 315, SEQ ID NO: 319, SEQ ID NO: 320, SEQ ID NO: 321, SEQ ID NO: 324, SEQ ID NO: 325, SEQ ID NO: 326, SEQ ID NO: 328, SEQ ID NO: 331, SEQ ID NO: 336, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 340, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 343, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 349, SEQ ID NO: 351, SEQ ID NO: 352, SEQ ID NO: 353, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 358, SEQ ID NO: 359, SEQ ID NO: 362, SEQ ID NO: 363, SEQ ID NO: 364, SEQ ID NO: 365, SEQ ID NO: 370, SEQ ID NO: 371, SEQ ID NO: 373, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 380, SEQ ID NO: 385, SEQ ID NO: 386, SEQ ID NO: 387, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 394, SEQ ID NO: 398, SEQ ID NO: 400, SEQ ID NO: 402, SEQ ID NO: 407, SEQ ID NO: 410, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 422, SEQ ID NO: 424, SEQ ID NO: 425], a biological equivalent thereof, or a fragment thereof.

47. The polypeptide of claim 45, wherein the polypeptide having 3 or more transmembrane domains comprises an amino acid sequence chosen from one of SEQ ID NO: 217, SEQ ID NO: 220, SEQ ID NO: 221, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 248, SEQ ID NO: 250, SEQ ID NO: 252, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 263, SEQ ID NO: 267, SEQ ID NO: 269, SEQ ID NO: 271,

SEQ ID NO: 274, SEQ ID NO: 280, SEQ ID NO: 286, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 295, SEQ ID NO: 297, SEQ ID NO: 299, SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 308, SEQ ID NO: 309, SEQ ID NO: 313, SEQ ID NO: 314, SEQ ID NO: 316, SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 327, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 339, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 354, SEQ ID NO: 355, SEQ ID NO: 360, SEQ ID NO: 361, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 383, SEQ ID NO: 384, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 409, SEQ ID NO: 413, SEQ ID NO: 418, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 426, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, a biological equivalent thereof, or a fragment thereof.

48. The polypeptide of claim 45, wherein the polypeptide having an outer membrane domain or a periplasmic domain comprises an amino acid sequence chosen from one of SEQ ID NO: 218, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 238, SEQ ID NO: 254, SEQ ID NO: 265, SEQ ID NO: 277, SEQ ID NO: 282, SEQ ID NO: 293, SEQ ID NO: 300, SEQ ID NO: 340, SEQ ID NO: 349, SEQ ID NO: 362, SEQ ID NO: 380, SEQ ID NO: 387, SEQ ID NO: 394, a biological equivalent thereof, or a fragment thereof.
49. The polypeptide of claim 45, wherein the polypeptide having an inner membrane domain comprises an amino acid sequence chosen from one of SEQ ID NO: 217, SEQ ID NO: 220, SEQ ID NO: 221, SEQ ID NO: 222, SEQ ID NO: 225, SEQ ID NO: 226, SEQ ID NO: 227, SEQ ID NO: 228, SEQ ID NO: 229, SEQ ID NO: 230, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO:

234, SEQ ID NO: 235, SEQ ID NO: 236, SEQ ID NO: 237, SEQ ID NO: 241, SEQ ID NO: 242, SEQ ID NO: 243, SEQ ID NO: 244, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO: 251, SEQ ID NO: 252, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 261, SEQ ID NO: 262, SEQ ID NO: 263, SEQ ID NO: 266, SEQ ID NO: 267, SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 271, SEQ ID NO: 274, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 280, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 288, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 294, SEQ ID NO: 295, SEQ ID NO: 296, SEQ ID NO: 297, SEQ ID NO: 298, SEQ ID NO: 299, SEQ ID NO: 301, SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 306, SEQ ID NO: 308, SEQ ID NO: 309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 312, SEQ ID NO: 313, SEQ ID NO: 314, SEQ ID NO: 315, SEQ ID NO: 316, SEQ ID NO: 317, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 321, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 324, SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 329, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 334, SEQ ID NO: 335, SEQ ID NO: 336, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID NO: 341, SEQ ID NO: 342, SEQ ID NO: 343, SEQ ID NO: 344, SEQ ID NO: 345, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 348, SEQ ID NO: 350, SEQ ID NO: 351, SEQ ID NO: 354, SEQ ID NO: 355, SEQ ID NO: 356, SEQ ID NO: 357, SEQ ID NO: 359, SEQ ID NO: 360, SEQ ID NO: 361, SEQ ID NO: 362, SEQ ID NO: 365, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 369, SEQ ID NO: 371, SEQ ID NO: 372, SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 383, SEQ ID NO: 384, SEQ ID NO: 385, SEQ ID NO: 388, SEQ ID NO: 390, SEQ ID NO: 391, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 402, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 405, SEQ ID NO: 406, SEQ ID NO: 407, SEQ ID NO: 408, SEQ ID NO: 409, SEQ ID NO: 410, SEQ ID NO: 413, SEQ ID NO: 415, SEQ ID NO: 418, SEQ ID NO: 421, SEQ ID NO: 423, SEQ ID NO: 424, SEQ ID NO: 426,

SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, SEQ ID NO: 430, a biological equivalent thereof, or a fragment thereof.

50. The polypeptide of claim 45, wherein the polypeptide identified by Blastp analysis comprises an amino acid sequence chosen from one of SEQ ID NO: 216, SEQ ID NO: 217, SEQ ID NO: 222, SEQ ID NO: 225, SEQ ID NO: 227, SEQ ID NO: 231, SEQ ID NO: 235, SEQ ID NO: 239, SEQ ID NO: 242, SEQ ID NO: 245, SEQ ID NO: 246, SEQ ID NO: 247, SEQ ID NO: 248, SEQ ID NO: 249, SEQ ID NO: 250, SEQ ID NO: 253, SEQ ID NO: 255, SEQ ID NO: 257, SEQ ID NO: 258, SEQ ID NO: 259, SEQ ID NO: 263, SEQ ID NO: 266, SEQ ID NO: 268, SEQ ID NO: 269, SEQ ID NO: 275, SEQ ID NO: 276, SEQ ID NO: 280, SEQ ID NO: 282, SEQ ID NO: 283, SEQ ID NO: 284, SEQ ID NO: 285, SEQ ID NO: 286, SEQ ID NO: 290, SEQ ID NO: 291, SEQ ID NO: 292, SEQ ID NO: 293, SEQ ID NO: 294, SEQ ID NO: 295, SEQ ID NO: 302, SEQ ID NO: 303, SEQ ID NO: 305, SEQ ID NO: 309, SEQ ID NO: 310, SEQ ID NO: 311, SEQ ID NO: 313, SEQ ID NO: 315, SEQ ID NO: 318, SEQ ID NO: 320, SEQ ID NO: 322, SEQ ID NO: 323, SEQ ID NO: 324, SEQ ID NO: 327, SEQ ID NO: 328, SEQ ID NO: 330, SEQ ID NO: 332, SEQ ID NO: 333, SEQ ID NO: 337, SEQ ID NO: 338, SEQ ID NO: 339, SEQ ID NO: 342, SEQ ID NO: 344, SEQ ID NO: 346, SEQ ID NO: 347, SEQ ID NO: 348, SEQ ID NO: 349, SEQ ID NO: 350, SEQ ID NO: 351, SEQ ID NO: 353, SEQ ID NO: 354, SEQ ID NO: 356, SEQ ID NO: 359, SEQ ID NO: 361, SEQ ID NO: 362, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 369, SEQ ID NO: 370, SEQ ID NO: 372, SEQ ID NO: 373, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 376, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 380, SEQ ID NO: 381, SEQ ID NO: 382, SEQ ID NO: 384, SEQ ID NO: 387, SEQ ID NO: 388, SEQ ID NO: 391, SEQ ID NO: 392, SEQ ID NO: 393, SEQ ID NO: 395, SEQ ID NO: 396, SEQ ID NO: 397, SEQ ID NO: 399, SEQ ID NO: 400, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 406, SEQ ID NO: 408, SEQ ID NO: 411, SEQ ID NO: 412, SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 415, SEQ ID NO: 416, SEQ ID NO: 417, SEQ ID NO: 419, SEQ ID NO: 420, SEQ ID NO: 421, SEQ ID NO: 422, SEQ ID NO: 423, SEQ ID

NO: 425, SEQ ID NO: 427, SEQ ID NO: 428, SEQ ID NO: 429, a biological equivalent thereof, or a fragment thereof.

51. The polypeptide of claim 45, wherein the polypeptide identified by Pfam analysis comprises an amino acid sequence chosen from one of SEQ ID NO: 219, SEQ ID NO: 233, SEQ ID NO: 234, SEQ ID NO: 255, SEQ ID NO: 260, SEQ ID NO: 270, SEQ ID NO: 272, SEQ ID NO: 273, SEQ ID NO: 278, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 287, SEQ ID NO: 289, SEQ ID NO: 304, SEQ ID NO: 307, SEQ ID NO: 319, SEQ ID NO: 326, SEQ ID NO: 331, SEQ ID NO: 334, SEQ ID NO: 343, SEQ ID NO: 352, SEQ ID NO: 357, SEQ ID NO: 358, SEQ ID NO: 364, SEQ ID NO: 366, SEQ ID NO: 367, SEQ ID NO: 368, SEQ ID NO: 372, SEQ ID NO: 374, SEQ ID NO: 375, SEQ ID NO: 377, SEQ ID NO: 378, SEQ ID NO: 379, SEQ ID NO: 380, SEQ ID NO: 381, SEQ ID NO: 384, SEQ ID NO: 386, SEQ ID NO: 389, SEQ ID NO: 391, SEQ ID NO: 395, SEQ ID NO: 397, SEQ ID NO: 398, SEQ ID NO: 399, SEQ ID NO: 401, SEQ ID NO: 403, SEQ ID NO: 404, SEQ ID NO: 410, SEQ ID NO: 413, SEQ ID NO: 414, SEQ ID NO: 420, SEQ ID NO: 427, SEQ ID NO: 428, a biological equivalent thereof, or a fragment thereof.
52. The polypeptide of claim 45, wherein the polypeptide is a lipoprotein, the polypeptide comprises an amino acid sequence chosen from one of SEQ ID NO: 218, SEQ ID NO: 223, SEQ ID NO: 224, SEQ ID NO: 228, SEQ ID NO: 236, SEQ ID NO: 241, SEQ ID NO: 249, SEQ ID NO: 277, SEQ ID NO: 282, SEQ ID NO: 300, SEQ ID NO: 349, SEQ ID NO: 362, SEQ ID NO: 365, SEQ ID NO: 383, SEQ ID NO: 385, SEQ ID NO: 388, a biological equivalent thereof, or a fragment thereof.
53. The polypeptide of claim 45, wherein the polypeptide having a LPXTG motif and covalently associated with the peptidoglycan layer comprises an amino acid sequence chosen from one of SEQ ID NO: 228, SEQ ID NO: 236, SEQ ID NO: 249, SEQ ID NO: 385, a biological equivalent thereof, or a fragment thereof.

54. The polypeptide of claim 45, wherein the polypeptide having a peptidoglycan binding motif and associated with the peptidoglycan layer comprises an amino acid sequence chosen from one of SEQ ID NO: 240, SEQ ID NO: 264, SEQ ID NO: 325, a biological equivalent thereof, or a fragment thereof.
55. The polypeptide of claim 45, wherein the polypeptide having a signal sequence and a C-terminal Tyrosine or Phenylalanine amino acid comprises an amino acid sequence chosen from one of SEQ ID NO:226, SEQ ID NO:254, SEQ ID NO:289, SEQ ID NO:312, SEQ ID NO:321, SEQ ID NO: 340, SEQ ID NO:402, a biological equivalent thereof, or a fragment thereof.
56. The polypeptide of claim 45, wherein the polypeptide having a tripeptide RGD sequence that potentially is involved in cell attachment comprises an amino acid sequence chosen from one of SEQ ID NO:216, SEQ ID NO:236, SEQ ID NO:281, SEQ ID NO:282, a biological equivalent thereof, or a fragment thereof.
57. The polypeptide of claim 45, wherein the polypeptide identified by proteomics as surface exposed comprises an amino acid sequence chosen from one of SEQ ID NO: 229, SEQ ID NO: 231, SEQ ID NO: 232, SEQ ID NO: 261, SEQ ID NO: 279, SEQ ID NO: 281, SEQ ID NO: 282, SEQ ID NO: 284, SEQ ID NO: 286, SEQ ID NO: 289, SEQ ID NO: 306, SEQ ID NO: 318, SEQ ID NO: 331, SEQ ID NO: 343, SEQ ID NO: 346, SEQ ID NO: 351, SEQ ID NO: 366, SEQ ID NO: 371, SEQ ID NO: 374, SEQ ID NO: 377, SEQ ID NO: 379, SEQ ID NO: 387, SEQ ID NO: 391, SEQ ID NO: 393, SEQ ID NO: 394, 395, SEQ ID NO: 397, SEQ ID NO: 420, a biological equivalent thereof, or a fragment thereof.
58. The polypeptide of claim 45, wherein the polypeptide identified by proteomics as surface exposed comprises an amino acid sequence chosen from one of SEQ ID NO:592 through SEQ ID NO:752, a biological equivalent thereof, or a fragment thereof.



59. A recombinant expression vector comprising a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof.
60. The vector of claim 59, wherein the polynucleotide is selected from the group consisting of DNA, chromosomal DNA, cDNA, RNA and antisense RNA.
61. The vector of claim 60, wherein the polynucleotide comprises heterologous nucleotide sequences.
62. The vector of claim 61, wherein the polynucleotide is operatively linked to one or more gene expression regulatory elements.
63. The vector of claim 62, wherein the polynucleotide encodes a polypeptide comprising an amino acid sequence having at least about 95% identity to an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.
64. The vector of claim 59, wherein the vector is a plasmid.
65. A genetically engineered host cell, transfected, transformed or infected with the vector of claim 59.
66. The host cell of claim 65, wherein the host cell is a bacterial cell.
67. The host cell of claim 66, wherein the polynucleotide is expressed to produce the encoded polypeptide, a biological equivalent thereof, or a fragment thereof.
68. An antibody specific for a *Streptococcus pneumoniae* polynucleotide chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431

through SEQ ID NO: 591, a fragment thereof, a degenerate variant thereof, or a *Streptococcus pneumoniae* polypeptide chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.

69. The antibody of claim 68, wherein the antibody is selected from the group consisting of monoclonal, polyclonal, chimeric, humanized and single chain.
70. The antibody of claim 69, wherein the antibody is monoclonal.
71. The antibody of claim 70, wherein the antibody is humanized.
72. An immunogenic composition comprising a polypeptide having an amino acid sequence chosen from one or more of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.
73. The immunogenic composition of claim 72, further comprising a pharmaceutically acceptable carrier.
74. The immunogenic composition of claim 72, further comprising one or more adjuvants.
75. The immunogenic composition of claim 72, wherein the polypeptide is further defined as:
  - (a) a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains;
  - (b) a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains;
  - (c) a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain;
  - (d) a *Streptococcus pneumoniae* polypeptide having an inner membrane domain;

- (e) a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis;
  - (f) a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis;
  - (g) a *Streptococcus pneumoniae* lipoprotein;
  - (h) a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer;
  - (i) a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer;
  - (j) a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or a C-terminal Phenylalanine amino acid;
  - (k) a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD amino acid sequence;
  - (l) a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed;
- and
- (m) a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated.
76. The immunogenic composition of claim 75, wherein the polypeptide further comprises heterologous amino acids.
77. The immunogenic composition of claim 75, wherein the polypeptide is a fusion polypeptide.
78. The immunogenic composition of claim 75, wherein the polypeptide is encoded by a polynucleotide comprising a nucleotide sequence having at least about 95% identity to a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof.
79. The immunogenic composition of claim 78, wherein the polynucleotide further comprises heterologous nucleotides.

80. An immunogenic composition comprising a polynucleotide having a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof and is comprised in an expression vector.
81. The immunogenic composition of claim 80, wherein the vector is plasmid DNA.
82. The immunogenic composition of claim 81, wherein the polynucleotide comprises heterologous nucleotides.
83. The immunogenic composition of claim 82, wherein the polynucleotide is operatively linked to one or more gene expression regulatory elements.
84. The immunogenic composition of claim 83, wherein the polynucleotide directs the expression of a neutralizing epitope of *Streptococcus pneumoniae*.
85. The immunogenic composition of claim 84, further comprising one or more adjuvants.
86. A pharmaceutical composition comprising a polypeptide and a pharmaceutically acceptable carrier, wherein the polypeptide comprises an amino acid chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.
87. The pharmaceutical composition of claim 86, wherein the polypeptide is further defined as:
  - (a) a *Streptococcus pneumoniae* polypeptide having 0, 1 or 2 transmembrane domains;
  - (b) a *Streptococcus pneumoniae* polypeptide having 3 or more transmembrane domains;

- (c) a *Streptococcus pneumoniae* polypeptide having an outer membrane domain or a periplasmic domain;
  - (d) a *Streptococcus pneumoniae* polypeptide having an inner membrane domain;
  - (e) a *Streptococcus pneumoniae* polypeptide identified by Blastp analysis;
  - (f) a *Streptococcus pneumoniae* polypeptide identified by Pfam analysis;
  - (g) a *Streptococcus pneumoniae* lipoprotein;
  - (h) a *Streptococcus pneumoniae* polypeptide having a LPXTG motif, wherein the polypeptide is covalently attached to the peptidoglycan layer;
  - (i) a *Streptococcus pneumoniae* polypeptide having a peptidoglycan binding motif, wherein the polypeptide is associated with the peptidoglycan layer;
  - (j) a *Streptococcus pneumoniae* polypeptide having a signal sequence and a C-terminal Tyrosine or a C-terminal Phenylalanine amino acid;
  - (k) a *Streptococcus pneumoniae* polypeptide having a tripeptide RGD amino acid sequence;
  - (l) a *Streptococcus pneumoniae* polypeptide identified by proteomics as surface exposed;
- and
- (m) a *Streptococcus pneumoniae* polypeptide identified by proteomics as membrane associated.
88. The pharmaceutical composition of claim 87, wherein the polypeptide further comprises heterologous amino acids.
89. The pharmaceutical composition of claim 87, wherein the polypeptide is a fusion polypeptide.
90. A DNA chip comprising an array of polynucleotides, wherein at least one of the polynucleotides comprise a nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a complement thereof, a degenerate variant thereof, or a fragment thereof.

91. A protein chip comprising an array of polypeptides, wherein at least one of the polypeptides comprises an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.
92. A method of immunizing against *Streptococcus pneumoniae* comprising administering to a host an immunizing amount of an immunogenic composition comprising a polypeptide and a pharmaceutically acceptable carrier, wherein the polypeptide comprises an amino acid sequence chosen from one or more of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.
93. The method of claim 92, wherein the polypeptide is a fusion polypeptide.
94. The method of claim 92, further comprising an adjuvant.
95. A method for the detection and/or identification of *Streptococcus pneumoniae* in a biological sample comprising:
  - (a) contacting the sample with an oligonucleotide probe of a polynucleotide comprising the nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof, under conditions permitting hybridization; and
  - (b) detecting the presence of hybridization complexes in the sample, wherein hybridization complexes indicate the presence of *Streptococcus pneumoniae* in the sample.
96. A method for the detection and/or identification of *Streptococcus pneumoniae* in a biological sample comprising:
  - (a) contacting the sample with an oligonucleotide primer of a polynucleotide comprising the nucleotide sequence chosen from one

- of SEQ ID NO: 1 through SEQ ID NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof, in the presence of nucleotides and a polymerase enzyme under conditions permitting primer extension; and
- (b) detecting the presence of primer extension products in the sample, wherein extension products indicate the presence of *Streptococcus pneumoniae* in the sample.
97. A method for the detection and/or identification of *Streptococcus pneumoniae* in a biological sample comprising:
- (a) contacting the sample with an antibody specific for a polypeptide comprising an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof, under conditions permitting immune complex formation; and
- (b) detecting the presence of immune complexes in the sample, wherein immune complexes indicate the presence of *Streptococcus pneumoniae* in the sample.
98. A method for the detection and/or identification of antibodies to *Streptococcus pneumoniae* in a biological sample comprising:
- (a) contacting the sample with a polypeptide comprising an amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof, under conditions permitting immune complex formation; and
- (b) detecting the presence of immune complexes in the sample, wherein immune complexes indicate the presence of *Streptococcus pneumoniae* in the sample.
99. A kit comprising a container containing an isolated polynucleotide comprising an nucleotide sequence chosen from one of SEQ ID NO: 1 through SEQ ID

NO: 215 or SEQ ID NO: 431 through SEQ ID NO: 591, a degenerate variant thereof, or a fragment thereof.

100. The kit of claim 99, wherein the polynucleotide is a primer or a probe.
101. The kit of claim 100, wherein the polynucleotide is a primer and the kit further comprises a container containing a polymerase.
102. The kit of claim 99, wherein the kit further comprises a container containing dNTP.
103. A kit comprising a container containing an antibody that immunospecifically binds to a polypeptide comprising the amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.
104. A kit comprising a container containing an antibody that immunospecifically binds to a fusion polypeptide comprising at least the amino acid sequence chosen from one of SEQ ID NO: 216 through SEQ ID NO: 430 or SEQ ID NO: 592 through SEQ ID NO: 752, a biological equivalent thereof, or a fragment thereof.
105. A method for producing a polypeptide which comprises culturing the genetically engineered host cell of claim 66 under conditions suitable to produce the polypeptide and recovering the polypeptide from the culture.



## SEQUENCE LISTING

&lt;110&gt; Wyeth

<120> NOVEL STREPTOCOCCUS PNEUMONIAE OPEN READING FRAMES ENCODING  
POLYPEPTIDE ANTIGENS AND USES THEREOF

&lt;130&gt; AM100649-PCT

&lt;160&gt; 752

&lt;170&gt; PatentIn version 3.1

&lt;210&gt; 1

&lt;211&gt; 684

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 1

```

gctcgggcta aatcagtcca ctggactgat ttactacacc agtatagctt caagctctgt      60
cagaaacgat tctatcagcc cacgtttcga atgcacttaa cccatcggga agtacgagat      120
aagctgcttt cttactctga gggattacag gttcactacg aactctatca actcctgctc      180
tttcattttc aagagaagaa tgccgaccat ttctttggat tgattgagca agaactgcca      240
acgggttcac cgctttttca aacgggtcttt tggacttttt taagggatag agataagatt      300
atcaacgcac ttaagctgcc ttattccaac gctaaacttg aagcgaccâa taatttgatt      360
aagattatca agcgcaaagc ctttggtttc cggaacttta acaattttta aaaacggatt      420
ttgatgactt tgaacatcaa aaaagagagt acgaatttcg tactctccag attgcagctt      480
ttcgcctacc cactacactt gacaaagagc cactctttat tccatggtat caaaggcaag      540
acttggtttg gcattgaggt ccagcctgc gaagttttct ttgttccact cgctgacgct      600
ggcataggca atcatacctg cattgtctcc gcagagtcgc agagggggga tgataacctt      660
gacatctgtg atttcggctg ctag                                           684

```

&lt;210&gt; 2

&lt;211&gt; 675

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 2

```

gagggggcgc aggcagccat gccaacggct cttggctatg tcagtatcgg cctggcctgt      60
ggaattatcg gtgcgcccta tgtgacacct gttgagatgg gcttgatgag tctctttgtt      120

```

tatgctggga gtgccagtt tgccatgttg gcaactgattg tggttcaagc tcctgtggca	180
gctattgcta tgacggtttt tctaataaac ttgctctct ttttggtgag tttacacgca	240
tcgaacttatt tccgtcatac cagtcttttg tacaatatcg gtatgtctag tatcttgaca	300
gatgagacct atggcgtttt gatgggtgaa ttggcccata cagacaagggt aaatcctatg	360
tggatgcacg gaaacaatct taacagctat gtggcttgggt ttgtggggac agtagtcgga	420
acggctctgg gtggcctgct accaaatcca gaaatctttg gcttggtattt tgccctgggt	480
gggatgttta ttggtatttt tgcttcgcaa tttcagatta tgcaaagacg gattcctgtc	540
cgcaatctgc tcattatcct agcagttgtt gcggtgtcct tctttttgct cttgacagt	600
atgtctcagt cactagctgt tctgtttgcg acgctacttg gttgtagcat ggggggtggt	660
ttagatggtc agtaa	675

&lt;210&gt; 3

&lt;211&gt; 864

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 3

gattataagg tattctatth ttggaggaaat gacatgaaaa aaatcggttaa atactcatct	60
cttgacagccc ttgctcttgt tgctgcaggt gtgcttgagg cttgctcagg ggggtgctaag	120
aaagaaggag aagcagctag caagaaagaa atcatcggtt caaccaatgg atcaccaaag	180
ccatttatct atgaagaaaa tggcgaattg actgggtacg agattgaagt cgcttcgagct	240
atcttttaaag attctgacaa atatgatgtc aagtttgaaa agacagaatg gtcagggtgc	300
tttgctggtc ttgacgtga tcgttacaat atggctgtca acaatcttag ctacactaaa	360
gaacgtgagg agaaatacct ctatgccgca ccaattgccc aaaatcctaa tgccttgtc	420
gtgaagaaag atgactctag tatcaagtct ctgatgata tcgggtgaaa atcgacggaa	480
gtcgttcaag ccactacatc agctaagcag ttagaagcat acaatgctga acacacggac	540
aaccaacta tccttaacta tactaaggca gacttgcaac aaatcatggt acgtttgagc	600
gatggacaat ttgactataa gatttttgat aaaatcgggtg ttgaaacagt gatcaagaac	660
caaggtttgg acaacttgaa agttatcgaa cttccaagcg accaacaacc gtacgtttac	720
ccacttcttg ctcagggtca agatgagttg aaatcgtttg tagacaaacg catcaaagaa	780
ctttataaag atggaactct tgaaaaattg tctaacaat tcttcggaga cacttatcta	840

ccggcagaag ctgatattaa ataa

864

&lt;210&gt; 4

&lt;211&gt; 1389

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 4

```

aaaggtagag agaatatggt ttttcctagc gaacaagaac agattgaaaa atttgaaaag      60
gatcatgtag cccagcatta ttttgagggt ttgcgtacct tgattttctaa gaaatcagtc      120
tttggccagc aggttggact caaggaagtc gcaaattatc tgggtgagat tttcaagcgt      180
gttggagctg aagtggagat tgatgagagc tatacagcgc cctttgtcat ggcacatttc      240
aagagttcgc gtccagatgc caagaccttg attttctata accactatga cactgtgccaa      300
gcggatgggg atcaggtctg gacagaggat ccttttacgc tttcggtccg caatggcttc      360
atgtatgggc gtgggggtga tgacgacaag ggtcatatca cagctcgctt gagtgctttg      420
agaaaatata tgcagcacca tgatgattta cctgtcaata tcagctttat catggaggga      480
gcggaggaat cggcttcaac agacctagat aagtatttgg aaaagcatgc agacaaactc      540
cgtggggcgg atttggttgg ctgggaacaa gggacaaaaa atgccttgga acagctggaa      600
atttctggtg gcaataaggg gattgtgacc tttgatgcca aggtaaaaag cgctgatgtg      660
gatatccact cgagttatgg tgggtgtgtg gaatcagctc cttggtatct cctccaagcc      720
ttacagtctc ttcgtgctgc ggatggcctg atcttggttg aaggcttgta cgaagaagta      780
caagagccca atgaacgaga aatggccttg ctagaaactt atggtcaacg aaaccagag      840
gaagttagtc ggatttatgg attggagttg cctctcttac aggaggagcg gatggccttt      900
ctaaaacggt tctttttcga tccagcgctt aatatcgaag gaatccagtc tggttatcaa      960
ggtcaggggtg ttaagactat tttacctgca gaagccagtg ccaagctaga ggttcgtctg     1020
gttccggggc tagaaccgca tgatgttctg gaaaaaattc ggaaacagct agacaaaaat     1080
ggctttgata aggtagaatt atactatacc ttgggagaga tgagctatcg aagcgatatg     1140
agcgcaccag ccattctcaa tgtgatcgag ttggccaaga aattctatcc acagggcggt     1200
tcagtcttgc cgacgacagc ggggacagga cctatgcata cggctcttga tgccctagag     1260
gtaccaatgg ttgcattcgg tctaggaaat gccaatagcc gagaccacgg tggagatgaa     1320
aatgtgcgaa tcgctgatta ttacacccat atcgaattag tagaggagct gattagaagc     1380

```

tatgagtag 1389

<210> 5  
 <211> 624  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 5  
 gggaatatca tgggtagatt tttagacttt gtctttaatc gtttcttttt agggatgatt 60  
 ggcacagcct tcttttggct attaacttta gcaggagggga ttatccttgg tctagcgccg 120  
 gctagtgccca ccttgatgag cttatatgca gaacatgggt atagctttcg ggaatacagt 180  
 ttgaaggagg cttggtctct ttacaagcaa aattttgtct caagcaacct gattttctat 240  
 agcttttttag gtgtgggtct agttttgacc tatggtttgt atctcttggg gcaattgcct 300  
 catcagacca ttgttcattt gattgcgacc cttttgaatg tcctagtagt tgccctgac 360  
 tttttggctt atacagtatc tttaaaatta caagtttatt ttgccttgct ctatcgaaat 420  
 agtctcaaatt tatccttgat tggcatcttt atgagtctag cagctgtggc taaggttctc 480  
 cttgggactg tgctacttgt agcaattggg tattatatgc ctgccctgct attttttgta 540  
 ggaattggga tgtggcattt ctttatcagt gatatggttg aacctgtcta tgaaatcatc 600  
 catgaaaaat tggcgacaaa atag 624

<210> 6  
 <211> 630  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 6  
 actcttgcca accaatttta tccaaatttc ccaatcagaa atcatcaata tcgattccat 60  
 ctctcacctc aagctcacgc caaacgggtct ggtagaaatt ttcttgaaaa acgaaagctt 120  
 cacctactct tcacgccgtt atctaaaaac catcaaggag aaattagaac tatgaaaaaa 180  
 caagtatttc acgatgcagc taccgggtgtt cttatcggcc tcatcctctc tatcctcttt 240  
 tcactcattt atgcaccaa tacctacgca ccactaaatc cctactctct cataggccaa 300  
 gtgatggatc agcatcaggt tcacgggtgcc ctgggtcttg tctactgcac acttatctgg 360  
 gcaaccatcg gtatgctctt caactttggc aaccgcttat ttagccgtga ctggagcatg 420  
 cttcgtgcca ctctgactca tttcttccct atgctggctg gctttgtccc actagcaact 480  
 cttgctgggt gggtcccttt ccactggatt ttctacctcc agctcattat cgagtttgcg 540

attgtctatc tcattcatctg ggctattctc tataaaagag aggctaaaaa agtagatcac 600  
atcaatcaac tcttggagca tagaaaaatag 630

<210> 7  
<211> 609  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 7  
gagagaagga atactatgta cgcattattta aaaggaatca ttacccaaat tactgccaaa 60  
tacattgttc ttgaaaccaa tggatttggg tatatcctgc atgtggccaa tccttatgcc 120  
tattcaggtc aggttaatca ggaggctcag atttatgtgc atcagggtgt gcgtgaggac 180  
gccatttgc tttatggatt tcgctcagag gatgagaaaa agctctttct tagtctgatt 240  
tcggctctctg ggattgggtcc tgtatcagct cttgctatta tcgctgctga tgacaatgct 300  
ggcttgggtc aagccattga aaccaagaac atcacctact tgaccaagtt ccctaaaatt 360  
ggcaagaaaa cagcccagca gatgggtgctg gacttgaag gcaaggtagt agttgcagga 420  
gatgaccttc ctgccaaggt cgcagtgcga gcaagtgcgtg aaaaccaaga attggaagaa 480  
gctatggaag ccatgttggc tctgggctac aaggcaacag agctcaagaa aatcaagaaa 540  
ttctttgaag gaacgacaga tacagctgag aactatatca agtcggccct taaaatgttg 600  
gtcaaatag 609

<210> 8  
<211> 675  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 8  
tgtagaaaat gcagaagcac gtttgcgtgc agctctataa acatcaaggc tgggagcact 60  
tcccagtctt attctatctt aatttcacaa agaaagaaga aagaaatgaa aaaaatagtt 120  
cttggttagtc tagcttttct ttttgcctgc gttgggtgctg gacagaaaaa agaaactgga 180  
ccagctacaa aaacagaaaa agatacgtt cagtcggcat tgccagttat tgaaaatgct 240  
gagaagaata cagttgtaac taagactttg gtcttgccca agtcagatga tggtagccag 300  
cagacacaaa caattactta caaagacaag acttttttga gtctagctat ccaacaaaaa 360  
cgtccagtct ctgatgagtt gaagacttat attgaccaac atggagtggg ggaaactcaa 420

aaagctcttc ttgaagcgga ggagaaggat aagtctatca ttgaagctcg taaattggca 480  
 ggtttcaaac ttgaaacaaa actattgagc gcaacggaac ttcaaacaac gactagtttt 540  
 gattttcaag ttctggatgt caagaaggct tcccagttgg aacatctgaa gaatattggt 600  
 ttggaaaatc ttttgaaaaa tgaaccaagc aaatatatctt cagatagatt ggcaaatggc 660  
 gcgacagaac aatag 675

<210> 9  
 <211> 555  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 9  
 gcagataaat tgactccatt ttttgaactt gttatactag gggaattgct ggtagagaa 60  
 aattttctcta aattggtagc agaaaggaaa ttcacatga aattaaaaag attcacactt 120  
 tctcttgctt ctctagcaag ttttagtctc ttagtagctt gttcacaag agctcaacag 180  
 gttcaacagc ctgttgctca gcagcaggtc caacaacctg ctcaacagaa taccaatact 240  
 gcaaatgcag gaggtaacca aatcaagcg gctccagtagc aaaaccaacc tgttgctcaa 300  
 ccgaccgata ttgatgggac ttatactggt caggatgacg gagaccgtat cacttttagtg 360  
 gtaactggaa cgactggtagc atggactgag ctgcaatctg acggggatca gaaagtcaaa 420  
 cagggtacat tggattcagc aatcaagcg atgattattg gcgatgatgt caaaatttac 480  
 actgtaaagc gtaatcaaat cgtagtagat gatatggata gagacccatc ggaccaaactc 540  
 gttttaacta aataa 555

<210> 10  
 <211> 1557  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 10  
 cattcaaact atcaaggagg ggatatgaaa tataggaaat ttcaattatt gatgtccaag 60  
 tatggcttta gtctttcgat tatgctactt gaactttgtc ttgtttttgg tctctttctt 120  
 tatttaggac gcattggctcc cattttatgg attactgtcc tcattctact gagtatcatc 180  
 acaatcattt cgatagtcaa ccgtaatacg actcctgaga ataaggtaac ctggttggtta 240  
 gtagcctttg tgccagtatt tggcccttg ctctatctga tggtttggtga aaggcgattg 300  
 tccaaaaaag aatcaaaca actgaagaag ctaggctcta tgcatttcca agaagcaaat 360

```

agccagctac taaaagagaa attaaaagaa agtgacaagg cagcttatgg agtcatcaag 420
tccttattga gtatggatac caatgctgac atctatgac aaactgcctc tacatttttt 480
cctaacggag aagctatgtg gaaaaagatg gtagaagatc ttaaaaaggc tgagaaattt 540
atcttcttgg aatattacat tatagaagaa ggtttgatgt ggaatcgcat actagatata 600
ctagagcaaa aggtagctca ggggtgtagag gttaagatgc tctatgatga tatcggtgt 660
atggctactt taacaggaga ttatgcacat cgacttcgtc agctgggcat cgaggcccat 720
aaattcaata aagttattcc tcgtttgaca gtggcttata ataacagaga tcatagaaaa 780
atattgattg ttgatggtca gatagcctat actggtgggg tcaatctggc agatgagtac 840
attaaccacg tcgagagatt tggttattgg aaggatagtg gaattcgctt agacggacta 900
gcagtaaaag ctctgacacg cttattttttg accacttggg acattaatcg aggagaaatt 960
agtgattttg atcaatatca tttagaaaat cattctatcc cgagtgcagg ttttaaccatt 1020
ccatacggaa gtggaccaa gccaatTTTT cgagcgcagg tagggaaaaa agtttatcag 1080
agtttaatca atcaagcaac agaatcggtc tatattacga caccttattt gattatagat 1140
tatgatttaa cagagacaat caaaaatgca gctatgagag gggtcgatgt tcgaattatc 1200
acccttaca taccagataa gaagttcatt cagttagtca cgagaggagc ttatcccgac 1260
cttctttctg ctggtgttcg gatttatgag tatagtccag gttttattca tagtaagcag 1320
atggtggtag acgaagattt tgcggtggtg gggacaatca atctcgacta cgggagcttg 1380
gtacaccatt atgaaaatgc agtcttactc tataaaactc cttctataag ggaaatcgcc 1440
cgagattttc gaaatatatt tgcagattct caggaagtct atcctcattc tatcaaacg 1500
agctggtatc aaaagcttgt aaaagaaatc gccagctat tcgccctat cttataa 1557

```

&lt;210&gt; 11

&lt;211&gt; 282

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 11

```

gaagacatca ttgatatctt gattaccttc gatgtcatga accaaacctt tggcacggta 60
gtgagcaatg attggttctc cttgagcaat attaacatcc aaacgacgtt ttactgtctc 120
aggcttatca tcttcacgtt ggtagtaatc ttcttcttta tagtcaactg gtgggttaaa 180
gaccttgttg aaagtttctc cagttacgcy gtggatgata cgccactca aacgttccaa 240

```

aaaggctgtca gggttcactt caatattgat aacaccttct ag

282

<210> 12

<211> 1473

<212> DNA

<213> Streptococcus pneumoniae

<400> 12

atgataaatg atataattct attattgttc gtaaaaatta aaaggagatt gatgatggac	60
aaattatttta aactaaaaga gaacggtaca gacgttcgta cagaggttct cgctggttta	120
acaactttct ttgcaatgag ctatattctc tttgtaaacc cacaaatact ttcacaaaca	180
ggaatgcctg ctcagggcgt cttcctagcg acgattattg gtgcagtagc gggtagcctg	240
atgatggcctt tttatgctaa cttaccttat gcccaagcgc caggtatggg actcaatgcc	300
ttctttacct ttacagttgt attcgggctt gggtattctt ggcaagaagc cctagctatg	360
gtcttcatct gtgggattat ttcattgatt attaccttga caaatgttcg taaaatgatc	420
attgaatcga ttcccaatgc tcttcgctca gctatttcag ctgggtatcgg tgtcttcctt	480
gcctatgtag ggattaagaa tgctggactt ttgaaattca cgattgatcc aggcaactat	540
actgttgtag gagaaggggc tgacaaagct caagcaacga ttgcagcaaa ctcttcagca	600
gttccaggat tggtcagctt taataatcca gctgttttag tggctcttgc aggacttgcc	660
attactatct tctttgtcat caaagggatt aaagggggaa ttattctctc tatcttgaca	720
acaactgttc ttgctattgc agttggtttg gttgatttgt ctagtatcga ttttgctaata	780
aaccatgttg gtgcagcttt tgaagatttg aagacaatct ttgggtgcagc tcttggttca	840
gaaggattgg gagcttttgt ttcagataga gctcgttgc ctgaaactct gatggccatt	900
cttgccctct cattgacaga tatttttgac acaatttgta ccttgatcgg tacaggtgaa	960
aaagttggta tcgtagcgac aaatggtgaa aatcaccaat cagccaaatt ggataaggct	1020
ctttactctg atttgattgg aacgacagtc ggtgccattg caggtacttc aaacgtaacg	1080
acttatgttg agtctgctgc tggtagcggg gcaggtggac gtactggttt gacagccttg	1140
gttgtagcta tctgttttgc gatttcaagc ttcttttagcc cacttctagc gatcgtacca	1200
acagcggcta cagctccaat cttgattatc gttgggatta tgatgcttgg tagcttgaaa	1260
aatatccatt gggatgatat gtctgaagca gttcctgcct tcttcacatc tatctttatg	1320
ggattcagct actctatcac tcaagggatt gcagttgggt tcttgactta cactttgact	1380



aagcttggtta aaggtcaagt taaagatggt catgtcatga ttgggatttt ggatgccttg 1440  
 ttatcctta actacatcag catggcctta taa 1473

<210> 13  
 <211> 3240  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 13  
 ttcttattga ttttacaata tgtttattgg agtgtataca tgcaaacaaa aacaaagaag 60  
 ctcatgtga gtttgtcttc acttgtttta tcaggatttt tattaaccca ttatatgaca 120  
 attggagcgg aagaaacgac tacgaatacc attcagcaaa gccagaagga agttcagtat 180  
 cagcaaaggg atacaaaaaa tttagttgaa aatgggtgatt ttggtcagac ggaggacgga 240  
 agcagtccgt ggacaggaag caaagctcag gggtggtcag cttgggtaga ccagaagaat 300  
 agtgcagatg cctcaactcg agtcattgag gctaaggatg gggctatcac tatctcaagc 360  
 catgagaaat taagggcagc gcttcaccgt atggttccta ttgaagctaa gaaaaagtat 420  
 aaactgcgtt tcaagattaa aacagataat aaaatcgga ttgccaaagt tcgtatcatt 480  
 gaggaagtg gtaaggacaa gcgattgtgg aattctgcaa cgacgtcagg aacaaaggac 540  
 tggcagacca ttgaagcaga ctatagcccg acttttagatg ttgataaaat caagctggag 600  
 ttattctatg aaacaggaac tgggactgtt tcctttaagg atattgagct ggtagaggta 660  
 gcagaccagc tttctgagga ttctcaaca gataaacagc ttgaggaaaa gattgattta 720  
 ccaattggaa aaaaacatgt tttttctctt gcggactata cttataaggt agaaaatcct 780  
 gacgttgctt cagtcaaaaa tggaatttta gaacctctta aggaaggagc aaccaatgtc 840  
 attgtcagta aagatggcaa ggaagtgaag aagattcctt tgaagattct ggcctctgtt 900  
 aaggatgcat acacagaccg tttggatgac tggaatggca tcatcgctgg gaatcaatac 960  
 tatgattcta aaaatgaaca gatggccaaa ttaaacagc aattggaagg aaaggtagct 1020  
 gatagcctat ccagtatttc aagtcaggcg gaccgcacct atttgtggga aaaattttca 1080  
 aattataaaa cgtctgcaaa tctgactgcc acttatcgga aattggagga gatggccaag 1140  
 caagtgaaca atccttcttc tcgttattat caagatgaaa ctgtcggtcg aacagtcagg 1200  
 gattccatgg aatggatgca taaacatgtc tacaatagtg aaaagagcat tgttgggaac 1260  
 tgggtgggatt atgaaatcgg tacacctcgt gccatcaaca ataccttgct tctgatgaaa 1320

gaatacttct ctgatgagga aattaaaaaa tatacagatg tgattgaaaa atttgtacca	1380
gatcccgaaac atttccgaaa gacgactgat aaccattca aggctctagg tggaaactta	1440
gttgatatgg gaagggtaaa agtaatagct ggtttactgc gtaaggatga tcaagaaatt	1500
tcttctacca ttgctcgat tgagcaagtg ttcaagttgg tagaccaagg tgaaggtttt	1560
tatcaagatg gatcctatat cgaccacacc aatgttgccct atacgggtgc ttatgggaat	1620
gttttgattg atggcctgtc tcaactgttg ccagtcattc aaaagaccaa gaatccaatc	1680
gataaagata aaatgcaaac catgtaccac tggattgata aatcgtttgc tcctttgctg	1740
gtgaatggag agttgatgga tatgagtcgt ggacgctcga tcagtcgtgc aaatagcgag	1800
gggcacgtgg ccgcagtaga agtactaaga gggattcacc gaatagcgga tatgtctgaa	1860
ggagaaacca aacaatgttt gcagagtctt gtgaagacca ttgttcaatc ggatagttat	1920
tatgatgtct ttaagaattt gaagacttat aaggatatca gtttgatgca atccttggtta	1980
agtgatgcag gagtcgcaag tgttccaaga ccaagttacc tatctgcctt taacaagatg	2040
gataaaacag ccatgtacaa tgcagagaaa gggtttggat ttggcttgtc actcttttcc	2100
agtcgtacct tgaattacga acacatgaac aaggaaaata aacgtggttg gtatacgagt	2160
gatgggatgt tctatcttta caatggcgat ttgagtcact atagcgatgg ctactggcca	2220
acagttaatc catataagat gcctgggtaca acagagacgg atgctaagag agcggatagc	2280
gatacaggta aagttttacc gtctgctttc gttggaacga gcaaactaga tgatgccaat	2340
gcgacagcaa ccatggattt caccaactgg aatcaaacat tgactgctca taagagctgg	2400
tttatgctaa aggataagat cgccttttta ggaagcaata tccaaaacac ttcaacagat	2460
actgctgcaa ctacaattga ccagagaaaa ctggaatcag gtaatccata taaagtctat	2520
gtcaatgata aagaagcctc ccttacagaa caagaaaagg attatcctga aaccdaagt	2580
gtcttttttag aatcgttcga ttcgaaaaag aatattggtt actttttctt taagaagagt	2640
tcaatcagta tgagtaaggc tttgcaaaag ggagcctgga aggatatcaa tgaaggacag	2700
tcagacaagg aagttgaaaa tgaatttctt acgattagtc aggctcataa gcaaaataga	2760
gattcttatg gctatatgct cattcctaac gtggatcgtg ccaccttcaa tcaaatgata	2820
aaagagttag aaagtagcct catcgaaaat aacgaaaccc ttcagtctgt ttatgatgct	2880
aaacaaggag tttggggcat tgtgaaatat gatgattctg tctctactat ttccaaccaa	2940

ttccaagttt tgaaacgtgg agtctatacc attcgaaaag aaggggatga atataagatt 3000  
 gcctactata atcctgaaac ccaggaatca gctccagatc aggaagtctt taaaaagcta 3060  
 gagcaagcag ctcagccaca agtacagaat tcaaaagaaa aggaaaaatc tgaagaggaa 3120  
 aagaaccatt cggatcaaaa gaatctccct cagacaggag aaggtcagtc aatcttggca 3180  
 agtctagggg tcttgctact tggggcattt tatctattcc gtagaggaaa gaacaactaa 3240

<210> 14  
 <211> 831  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 14  
 tggagctggt caagtcaaca ttatggacta tattttaaag aggagatcgt tatgtcgatt 60  
 aatgtatttc aagcgatttt aattggatta tggacagctt tctgttttag tggaaatgctg 120  
 ttaggaattt acaccaatag atgtattggt ctgtcatttg gtgtcggaaat tattctaggt 180  
 gatctgccta ctgctcttgc aatgggagct attgggtgaat tggcttatat gggattcggg 240  
 gttggtgctg gaggtactgt tccaccaaaac ccaatcggac ctggtatctt tgggtaccttg 300  
 atggctatca ctagtgctgg taaagtcagt ccagaagcgg ctcttgccct ctctactccg 360  
 attgctgtgg cgattcaatt cttacaaact ttcgcctaca ctgtacgtgc tgggtgcgct 420  
 gaaacagcta tgaagcactt gaaaaaccat aatttgaaga aatttaagtt cactctaaat 480  
 gcaacaattt ggttggttgc ctttattgga tttaccttgg gttgcttggg tgccctttca 540  
 atggatacct tgttgaaact cgtagactac attccaccgg tattacttac aggtttgaca 600  
 gttgctggta aaatgctccc agctatcggg ttgcatga tcttgctcagt gatggctaag 660  
 aaagagttga ttccctttgt cttgttggga tatgtttgtg cagcttatct aaacatccca 720  
 acaattggta ttgcaattgt aggtactatc tttgctttga ttgaatttta taacaagcca 780  
 aaaacagcgg atcatgtggt agaggaggaa gcacacgatg actggatcta a 831

<210> 15  
 <211> 399  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 15  
 tacatattgt cgactcactt cgtattgcaa gagctaaaaa agaccaggat taggaggtgc 60  
 cttatgaaat cactagctag actactgatc attcatgttt ttatcagtat tttccttttc 120

ttcgccctta cttcaggagc tatttctcat acagttttac tactcctact cctcttttctt 180  
 cctgcgctca ataaaggact tgagaaaata caatcaaac ggatacctgt cctcaacgca 240  
 gccctcttct tttctctcat atcctttcca caacttttaa ccaaccctgt ccaatggaaa 300  
 ttttcaatat tcctagtcgt aaccatcatt tcaagtttgg cctacttcta taacttttat 360  
 caagtagtta aagaagtaga tcaaaaacag ttgatttag 399

<210> 16  
 <211> 2256  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 16  
 gatatgaagt ggacaaaaag agtaatccgt tatgcgacca aaaatcggaa atcgccggct 60  
 gaaaacagac gcagagttgg aaaaagtctg agtttattat ctgtctttgt ttttgccatt 120  
 tttttagtca attttgcggc cattattggg acaggcactc gctttggaac agatttagcg 180  
 aaggaagcta agaaggttca tcaaaccacc cgtacagttc ctgccaaacg tgggactatt 240  
 tatgaccgaa atggagtccc gattgctgag gatgcaacct cctataatgt ctatgcggtc 300  
 attgatgaga actataagtc agcaacgggt aagattcttt acgtagaaaa aacacaattt 360  
 aacaaggttg cagaggtctt tcataagtat ctggacatgg aagaatccta tgtaagagag 420  
 caactctcgc aacctaatct caagcaagtt tcctttggag caaagggaaa tgggattacc 480  
 tatgccaata tgatgtctat caaaaaagaa ttggaagctg cagaggtcaa ggggattgat 540  
 tttacaacca gtcccaatcg tagttacca aacggacaat ttgcttctag ttttatcggt 600  
 ctagctcagc tccatgaaaa tgaagatgga agcaagagct tgctgggaac ctctggaatg 660  
 gagagttcct tgaacagtat tcttgcaggg acagacggca ttattaccta tgaaaaggat 720  
 cgtctgggta atattgtacc cggaacagaa caagtttccc aacgaacgat ggacggtaag 780  
 gatgtttata caaccatttc cagccccctc cagtccttta tggaaaccca gatggatgct 840  
 tttcaagaga aggtaaaagg aaagtacatg acagcgactt tggtcagtgc taaaacaggg 900  
 gaaattcttg caacaacgca acgaccgacc tttgatgcag atacaaaaga aggcattaca 960  
 gaggactttg tttggcgtga taccctttac caaagtaact atgagccagg ttccactatg 1020  
 aaagtgatga tgttggctgc tgctattgat aataatacct ttccaggagg agaagtcttt 1080  
 aatagtagtg agttaaaaat tgcagatgcc acgattcgag attgggacgt taatgaagga 1140

```

ttgactgggtg gcagaacgat gactttttct caaggttttg cacactcaag taacgttggg 1200
atgaccctcc ttgagcaaaa gatgggagat gctacctggc ttgattatct taatcgtttt 1260
aaatttggag ttccgacctg tttcggtttg acggatgagt atgctgggtca gcttctctgcg 1320
gataatattg tcaacattgc gcaaagctca tttggacaag ggatttcagt gacctagacg 1380
caaatgattc gtgcctttac agctattgct aatgacgggtg tcatgctgga gcctaaattt 1440
attagtgcc a tttatgatcc aaatgatcaa actgctcgga aatctcaaaa agaaattgtg 1500
ggaaatcctg tttctaaaga tgcagctagt ctaactcgga ctaacatggg tttggtaggg 1560
acggatccgg tttatggaac catgtataac cacagcacag gcaagccaac tgtaactggt 1620
cctgggcaaa atgtagccct caagtctggg acggctcaga ttgctgacga gaaaaatggg 1680
ggttatctag tcgggttaac cgactatatt ttctcggctg tatcgatgag tccggctgaa 1740
aatcctgatt ttatcttgta tgtgacgggc caacaacctg aacattattc aggtattcag 1800
ttgggagaat ttgccaatcc tatcttggag cgggcttcag ctatgaaaga ctctctcaat 1860
cttcaaacaa cagctaaggc tttagagcaa gtaagtcaac aaagtcctta tcctatgcct 1920
agtgtcaagg atatttcacc tgggtgattta gcagaagaat tgcgtcgcaa tcttgtacaa 1980
cccatcggtg tgggaacagg aacgaagatt aaaaacagtt ctgctgaaga agggaagaat 2040
cttgccccga accagcaagt ccttatctta tctgataaag cagaggaggt tccagatatg 2100
tatggttggg caaaggagac tgctgagacc cttgctaagt ggctcaatat agaacttgaa 2160
tttcaagggt cgggctctac tgtgcagaag caagatgttc gtgctaacac agctatcaag 2220
gacattaaaa aaattacatt aacttttagg gactaa 2256

```

```

<210> 17
<211> 660
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 17
tttaatttgt caaatggaaa tagaatgaaa aatggaaata gaatttatag ttggagggtg 60
tttatgtacg gtataataaa acgattaggt gatataattat tatctttaat agggataata 120
atattgtgtc cggtttttat gataattgca attgcgatta aacttgattc agaagggtccg 180
gttatattta agcaaaaacg ctttgggtatt cataaagaat acttctatat tttgaaattt 240
aggcttatga aaatagatgc acctaaaaat gtggcgcctc gaaacttata taatccagag 300

```

caatggatta caaaagtagg ggctttcttg cgaaaaacat ctttggatga actaccacaa 360  
 ttgtttaata ttcttgttgg taatatgagt attgtaggtc ctagaccagc gggataaat 420  
 gaactagatt tgattgcaga gagagataag tatggagcaa atgatatctt gccaggggta 480  
 actggatggg cacaaattaa cgggcgtgat actttgtctg ttgagatgaa gacggagtta 540  
 gatggctact atgttaaaca tctgtctttg ataattggata ttagatgtat agttaagaca 600  
 ataccttacg tactgaaacg aaaaggtatt gtagagggta gtggaagaa agaaagttaa 660

<210> 18

<211> 1251

<212> DNA

<213> Streptococcus pneumoniae

<400> 18

gaaagaaagt taaattggac aatgaaaata ctatttgttt gccaacatta taagccagaa 60  
 ccattcaggt tgtcagatat ttgtgaagat ttagttcgaa aagggcatga agtctctgtt 120  
 ttggctggga ttcttaatta ccctgaaggg aagatatatg cagattatcg tcataataaa 180  
 aaaagacgtg agattataga aggtgttacg atatatcggt cttatacaat ccctagaaaa 240  
 aaaagtgttg tatttcgatt gttgaattat tttagctttg caattagttc tactttagga 300  
 gttttatttg ggaggtataa aacgaaagat ggatcgaatt ttgactgtgt attcgttaac 360  
 caattgtctc cagttatgat ggcatgggct ggtatggctt ataaaaaaaa atataagaaa 420  
 ccgatgtttc tatattgtat ggatgttttg ccagatagtt taaccgtagg tggagtgaaa 480  
 caagatggct tgattttcaa gctgtttaaa tttatctcaa aaaaagttta ccgagctagt 540  
 gattatatat ttgtcactag tccatcattt aaaaattatt ttgtgaagca atttgacata 600  
 tccgaacaaa agattacata tttgccacaa tatgcagaag atctttttat ccctgatgaa 660  
 tctatagtta ataaagaaag tgttgacctt acttttctg gtaatattgg caaagcacia 720  
 aatttggaat ctattttgaa agctgccagt ttgatagaga agaataccaa tttaccaag 780  
 aaaattcatt ttcattttgt tggagatggc acggaattgt taagcatgaa agcattagct 840  
 catgaattgg agttaagaa tatttccttc tatggaagac gttctttgga ggaaatgcca 900  
 tccttctata aaaaatcaga tgctatgtta gtttctttaa taggagactc gatagtttct 960  
 cgtactatac ctgggaaggt acaatcttat atggcggcag gcaaaccaat tataggtgca 1020  
 atttcaggag atgctaaaat aattgtagaa gaagcaaatt gtggatatgt tagtcccgaa 1080

cgagatgtaa aacaattggc aaaaaatatt tgtaaattta gtatgttatc tattaagaga 1140  
 caaagagagt taggaaagaa agctcgttgt tactatgaaa atcacttttc aaaagagcag 1200  
 tttatgctcg aactggagac atgttttagag agggaaagta agaaagaata a 1251

<210> 19  
 <211> 1128  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 19  
 ggaagaagaa tgattaaagt attacatcta ttacaacac tagatagtgg tggagtagaa 60  
 agttttctat tcaactatta ttctcacatt gatagaaaaa aaattcaatt tgattttatt 120  
 gtgcctggaa aagaacaagg attttttagag gataaaatga aagaattggg tgcaaagggt 180  
 tatcatgtgc ctctattaag gaaaaagcct ctacatcagt ttctctctct tgctagaata 240  
 ataaagaaag gagattatga tatagttcat tgccatggct ataaatctgc aattggtctg 300  
 atcttatcta aaataattgg ttgtaaaatt agaattatc atagtcatat ggcttatgta 360  
 acagaaaaca gttttcaaaa agtattgctg aaattagtaa caattttggg aaaaatctta 420  
 gcaactcatt ggtttgcatg tggggaagat tcggctaagt ggttatatgg agagaaagcg 480  
 tataaagacg gaaaaattga aattatTTTT aatgcaattg atttgaaaaa gtatcaattt 540  
 ttgtcagatg ttagagaaaa atgtcgtaga gaattagatg tgtcaaataa gtctgtatta 600  
 ggaaatatag ctgcctatc agatcaaaaa aaccaaagtt atttatttaa cgttttaaaa 660  
 gaactcattt taatcaaacc aaatgttatt ttactcctag ttggtaatgg tgaggatgag 720  
 cagaaattaa aacagaaagc tttagaacta aatctgaccc catatgtgct atttttaggg 780  
 agaaggactg atatttctga ttattatct gcgatggatg tttttttgct tccgtctaaa 840  
 tatgaggggt tgctgtttc tctagtagag gctcaggcat cgggattaca aattttatcg 900  
 tcagatacag tgacgcaaga agtagatgtg accaaaaaca ttagttactt acctatcaac 960  
 gaagagtctg tgttgctatg gaaagataaa gtactgtctt taacatctga ggaatgcaat 1020  
 cgttttgaaa taaataacag tatgacagat ggactctatg atatttgta tcaagctagt 1080  
 aaattattga atcgttatca agaaatgtgt gtaataaagg agatatag 1128

<210> 20  
 <211> 1245

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 20

```

ttcgtgaaag ttgatagaat ttcatttata aaaaatacaa gttctctcta tattctgaat      60
attgttaaatt tactattttcc tttattaaca ctcccgtatt tgacaagggg gctttcgeta     120
gacgcgtatg gaatgggttat ttatgttaaa gcgttaatag cttatgttca actgggtgatt     180
gatttttggtt tcatgatatc agctacaaaa aatattgtaa atgcttgtag tactccctca     240
aagattggaa ggatagttgg agatactcta gttgaaaaaa tttttttatc tatcatttcg      300
attctaattt acaccatatt gatgtggcaa atcccaataa tgagagagaa tattcttttt      360
tcagtttttt atttgtagc tacagtgacc aatattttta tctttgactt tttatttcgt      420
ggaattgaaa agatgcatgc agttgcaatt ctttatatta tttctaaac tatcattaca     480
attttgacat ttattgtagt aaaagatgat tcttctattt tatggattcc tatattggaa     540
ggaattggga atttagttgc tgcagtagtt tcttatagat tccttcatta ttatggaatt     600
aaattatcat tttcttatct gtctgtttgg gttaaagatt taaaggaatc ctctatttat     660
tttttatcca attttgcaac tactattttt ggcgtcttta cgacagtcac ttcggggttt      720
tatttacaaa gtcaagagat agccttttgg gggatagcaa tgcaactgct ttcagcagca     780
aatcattgt ataactctat agcgaatagt ttatatccgc atatgatacg tactaaagat     840
atacaatcgg ttaagagtat taatcggatt atgtttattc ctattatctt tggagttttg     900
atagttttat tcttttcaaa tcaaattctt tctataattg gtggtgaaaa atataccgtt     960
tcagcagatt ttcttaagta cttattaccc gcttttggtg ctagttttta ttctatgatt    1020
tacggatggc ctgtcttagg agctattgat aaagtgaag aaactacaat gacaactata    1080
ttagcttoga ttgtccaaac tttgggatta ggaatattta tcttgtctga taatttttagt    1140
ttagtaacat tagctatttg ttcaagtatg tctgaggtgg tggtatggat tagccgttat    1200
ctaattttatt ttaagaaccg ttcattattt gttaggagta agtaa                        1245

```

&lt;210&gt; 21

&lt;211&gt; 5310

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 21

```

aagtttatga ataaaggatt atttgaaaaa cgttgtaaat atagtattcg gaaattttca      60

```



ttaggtgttg cttctgttat gattggagct gcattctttg ggacaagtcc ggttcttgca	120
gatagcgtgc agtctggttc cacggcgaac ttaccagctg atttagctac tgctcttgca	180
acagcaaaag agaattgatgg gcgtgatttt gaagcgccta aggtgggaga agaccaaggt	240
tctccagaag ttacagatgg acctaagaca gaagaagaac tattagcact tgaaaaagaa	300
aaaccggctg aagaaaaacc aaaagaggat aaacctgcag ctgctaaacc tgaaacacct	360
aagacggtaa cccctgaatg gcaaaccgga gcgaataaag agcaacaggg aacagtcact	420
atccgagaag aaaaagggtgt ccgctacaac caactatcct caactgctca aatgataac	480
gcaggcaaac cagccctggt tgaaaagaag ggcttgaccg ttgatgccaa tggaaatgca	540
actgttgatt taaccttcaa agatgattct gaaaagggca aatcacgctt tgggtgtcttt	600
ttgaaattta aagataccaa gaataatggt tttgtcgggt atgacaagga tggctgggttc	660
tgggagtata aatctccaac aactagcact tggatatagag gtagtcgtgt tgctgtcct	720
gaaacaggat caacaaccg tctctctatc actctcaagt cagacggtca gctaaatgcc	780
agcaataatg atgtcaatct ctttgacaca gtgactctac cagctgcggt caatgaccat	840
cttaaaaatg agaagaagat tcttctcaag gcgggctctt atgacgatga gcgaacagtt	900
gtagcgtta aaacggataa ccaagagggg gtaaaaacag aggatacccc tgctgaaaaa	960
gaaacaggtc ctgaagttga tgatagcaag gtgacttatg acacgattca gtctaaggtc	1020
ctcaaagcag tgattgacca agccttcctt cgtgtcaagg aatacagctt gaacgggcat	1080
actttgccag gacagggtgca acagttcaac caagtcttta tcaataacca ccgaatcacc	1140
cctgaagtca cttataagaa aatcaatgag acaacagcag agtacttgat gaagcttcgc	1200
gatgatgctc acttaatcaa tgcggaaatg acagtacgct tgcaagttgt agacaatcaa	1260
ttgcactttg atgtgactaa gattgtcaac cacaatcaag tcaactccagg tcaaaagatt	1320
gatgacgaaa gcaaactact ttcttctatt agtttcctcg gcaatgcttt agtctctgtt	1380
tctagtaatc aaactgggtgc taagtttgat ggggcaacca tgtcaaacaa tacgcatgtc	1440
agcggagatg atcatatcga tgtaaccaat ccaatgaagg atttggctaa gggttacatg	1500
tatggatttg tttctacaga taagcttgct gctgggtgtt ggagtaactc tcaaaacagc	1560
tatgggtggtg gttcgaatga ctggactcgt ttgacagctt ataaagaac agtcggaaat	1620
gccaaactatg taggaatcca cagctctgaa tggcaatggg aaaaagctta taagggcatt	1680
gttttcccag aatacacgaa ggaacttcca agtgctaagg ttgttatcac tgaagatgcc	1740

aatgcagaca	agaacgttga	ttggcaagat	ggtgccattg	cttatcgtag	cattatgaac	1800
aatcctcaag	gttgggaaaa	agttaaggat	atcacagctt	accgtatcgc	gatgaacttt	1860
ggttctcaag	cacaaaaccc	attccttatg	accttggatg	gtatcaagaa	aatcaatctc	1920
catacagatg	gtcttgggca	aggtgttctc	cttaaaggat	atggtagcga	aggccatgac	1980
tctggtcact	tgaactatgc	tgatattggg	aagcgtatcg	gtgggtgtcga	agacttcaag	2040
accctaattg	agaaggctaa	gaaatatgga	gctcatctag	gtatccacgt	taacgcttca	2100
gaaacttatc	ctgagtctaa	atacttcaat	gaaaaaatc	tccgtaagaa	tccagatgga	2160
agctatagct	atgggttgaa	ctggctagat	caaggatatca	acattgatgc	tgcttatgac	2220
ctagctcatg	gtcgtttggc	acgttgggaa	gatttgaaga	aaaaacttgg	tgacgggtctc	2280
gactttatct	atgtggacgt	ttggggtaat	ggtcaatcag	gtgataacgg	tgcttgggct	2340
accacgctc	ttgctaaaga	aattaacaaa	caaggctggc	gctttgcgat	cgagtggggc	2400
catgggtggtg	agtacgactc	taccttccat	cactgggcag	ctgacttgac	ctacgggtggc	2460
tacaccaata	aaggatatcaa	cagtgccatc	acccgcttta	tccgtaacca	ccaaaaagat	2520
gcttgggtag	gggactacag	aagttatggg	ggtgcagcca	actatccact	gctaggtggc	2580
tacagcatga	aagactttga	aggctggcag	ggaagaagtg	actacaatgg	ctatgtaacc	2640
aacttatctg	cccatgacgt	catgactaag	tacttccaac	acttcactgt	aagtaaattg	2700
gaaaatggta	caccgggtgac	tatgaccgat	aacggtagca	cctataaatg	gactccagaa	2760
atgcgagtgg	aattggtaga	tgctgacaat	aataaagtag	ttgtaactcg	taagtcaaat	2820
gatgtcaata	gtccacaata	tcgcgaacgt	acagtaacgc	tcaacggacg	tgtcatccaa	2880
gatgggtcag	cttacttgac	tccttggaac	tgggatgcaa	atggtaagaa	actttctact	2940
gataaggaaa	agatgtacta	cttcaatacg	caggccgggtg	caacaacttg	gacccttcca	3000
agcgattggg	caaagagcaa	ggtttacctt	tacaagctaa	ctgaccaagg	taagacagaa	3060
gagcaagaac	taactgtaaa	agatggtaaa	attaccctag	atcttctagc	aaatcaacca	3120
tacgttctct	atcgttcgaa	acaaactaat	cctgaaatgt	catggagtga	aggcatgcac	3180
atctatgacc	aaggatttaa	tagcgggtacc	ttgaaacatt	ggaccatttc	aggcgatgct	3240
tctaaggcag	aaattgtcaa	gtctcaaggg	gcaaacgata	tgcttcgtat	tcaaggaaac	3300
aaagaaaaag	ttagtctcac	tcagaaatta	actggcttga	aaccaaatac	caagtatgcc	3360

gtttatgttg gtgtagataa ccgtagtaat gccaaaggcaa gtatcactgt gaatactggt	3420
gaaaaagaag tgactactta taccaataag tctctcgcgc tcaactatgt taaggcctac	3480
gccacaata cacgtcgtga caatgctaca gttgacgata caagttactt ccaaaacatg	3540
tacgccttct ttacaactgg agcggacgtc tcaaagtgtta ctctgacatt gagtcgtgaa	3600
gctggtgatc aagcaactta ctttgatgaa attcgtacct ttgaaaacaa ttcaagcatg	3660
tacggagaca agcatgatac aggtaaaggc accttcaagc aagactttga aaatgttgct	3720
cagggtatct tcccatttgt agtgggtggt gtcgaagggtg ttgaagataa ccgcactcac	3780
ttgtctgaaa aacacaatcc atatacacia cgtgggttga atggtaagaa agtcgatgat	3840
gttatcgaag gaaattggtc actcaagaca aatggactag tgagccgtcg taacttggtt	3900
taccaaacca tcccacaaaa ctcccgtttt gaagcaggta agacctaccg tgtaaccttt	3960
gaatacgaag caggatcaga caatacctat gcttttgtag tcggtaaggg agaattccag	4020
tcaggctcgtc gtggtactca agcaagcaac ttggaaatgc atgaattgcc aaatacttgg	4080
acagattcta agaaagccaa gaaggcaacc ttccttgtga cagggtgcaga aacaggcgat	4140
acttggttag gtatctactc aactggaaat gcaagtaata ctctggtgga ttctggtgga	4200
aatgccaaact tccgtggtta taacgacttc atgatggata atcttcaaatt cgaagaaatt	4260
accttaacag gtaagatggt gacagaaaat gctctgaaga actacttgcc aacggttgcc	4320
atgactaact acaccaaga gtctatggat gctttgaaag aggcgtctt taacctcagt	4380
caggccgatg atgatatcag tgtggaagaa gcgcgtgcag agattgccaa gattgaagct	4440
ttgaagaatg ctttggttca gaagaagacg gctttggtag cagatgactt tgcaagtctt	4500
acagctcctg ctgaggtca agaaggtctt gcaaatgcct ttgatggcaa tgtgtctagt	4560
ctatggcata catcttgga tgggtggagat gtaggcaagc ctgcaactat ggtcttgaaa	4620
gaaccaactg aaatcacagg acttcgctat gttccgcgtg gatcagggtc aaatggtaac	4680
ttgcgagatg tgaaacttgt tgtgacagat gagtctggca aggagcatac ctttactgca	4740
actgattggc caaataacaa caaaccaaaa gatattgact ttggtgaagac aatcaaggct	4800
aagaaaattg tccttactgg taccaagaca tacggagatg gtggagataa ataccaatct	4860
gcagcggaac ttatctttac tcgtccacag gtagcagaaa cacctcttga cttgtcaggc	4920
tatgaagcag ctttggttaa ggctcagaaa ttaacagaca aagacaatca agaggaagta	4980
gctagcgttc aggcaagcat gaaatatgcg acggataacc atctcttgac ggaaagaatg	5040

gtggaatact ttgcagatta tctcaaccaa ttaaagatt ctgctacgaa accagatgct 5100  
 ccaactgtag agaaacctga gtttaaactt agatcttttag cttccgagca aggtaagacg 5160  
 ccagattata agcaagaaat agctagacca gaaacacctg aacaaatctt gccagcaaca 5220  
 ggtgagagtc aatctgacac agccctcatc ctagcaagtg ttagtctagc cctatctgct 5280  
 ctctttgtag taaaaacgaa gaaagactag 5310

<210> 22  
 <211> 717  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 22  
 aaggagagg atgaacctat gagaaaattt aaaatctttt tatttatcga agcctgtctt 60  
 ctgacaggag ctctgatttt gatggtatca gagcattttt cgcgttttct gctgatacta 120  
 ttctctttt tgcttttgat tcgctactac actggtaaag agggaaataa tcttctttta 180  
 gtagcggcaa ccattctctt ctttttcatc gttatgctca atccttttgt gattctagct 240  
 atttttgttg cggttatcta tagcctctt cttctttacc cgatgatgaa ccaggaaaaa 300  
 gagcagacca atttggtttt tgaagaggtc gtgacggtta agaaggagaa aaatcgttgg 360  
 tttggaaatc ttcacattt ttcaagctac cagacttgcc aattcgatga tatcaatctc 420  
 tttcgcttca tgggcaagga cactattcat ctggagaggg tcatcttaac caatcatgac 480  
 aatgtcatta tctcagaaa gatggttaga acgacaaaa tcatcgtacc tgtagatgtg 540  
 gaagtcagtc tcagcgtaa ctgtctctat ggggatttga tttttttcaa ccagcccaag 600  
 cgagccctcc gcaatgaaca ctatcatcaa gaaacaaaag actatctcaa gagtaacaag 660  
 agtgtcaaga ttttcttgac cactatgatt ggtgatgtgg aggtgggttag aggatga 717

<210> 23  
 <211> 252  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 23  
 gaggatacaa taatgaagaa aactgtttat aaaaaattgg gtatttcaat tattgagagt 60  
 actttattgg ctagccagtt atcgacagta tctgctttga gtgttatttc tagtacaggt 120  
 gaagaatatg aggtaagtga gacactagaa aaagggtccag agtctaataa ttcttcatta 180

tctgagattt caccaacgta tggttcatac taccaaaagc aatcagaagt attatcggta 240  
atgatgattt ga 252

<210> 24  
<211> 2361  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 24  
acattcaaag acaaggaaat aaagatgaat aagaaaatat tagaaacatt agagttcgat 60  
aagggtcaagg ccttgtttga gcctcatttg ttgaccgagc agggccttga gcaattgaga 120  
caactggctc cgactgccaa agcagataaa atcaaacagg cttttgctga gatgaaggaa 180  
atgcaggctc ttttcgtcga gcaaccgcat tttactattc tctcaactaa ggaaattgca 240  
ggagtctgca agaggttga gatgggagcg gatctcaata tcgaggagtt cctactcttg 300  
aaacgcgtgc ttcttgccag ccgagaactt caaaatTTTT acaccaatct ggaaaatgtc 360  
agcttgaag aattagccct ttggtttgag aaattacatg attttccgca attacaagga 420  
aatcttcagg cctttaatga tgcgggtttc attgaaaatt ttgccagtga agaattggcg 480  
cgaatccgtc gaaaaatata tgatagcgag agtcaggtag gcgatgtttt acaagacttg 540  
ctcaagcaaa aagcgcagct gttgacggaa ggaattgttg ctagcagaaa tggccgtcag 600  
gttttaccag tcaaaaacac ctaccgcaat aagattgcag gtgtcgttca tgatatttct 660  
gctagtggaa acaccgtcta tatcgaaccc cgtgaggtag tcaaactgag cgaagaaatt 720  
gctagtctgc gagcagatga gcgctatgaa atgcttcgca ttctccaaga aatttctgag 780  
cgtgtccgcc ctcatgcggc tgagattgct aatgacgctt ggattatcgg tcatctggac 840  
ttgattcgtg ccaaggttcg atttatccaa gaaagacaag cagtcgtgcc tcagctgtca 900  
gaaaatcaag agattcaact gtcctatgtc tgccatcctt tgggtcaaaaa tgccgtcgca 960  
aatgatgtct attttggta agatttaaca gctattgtca ttacaggtcc caatacaggt 1020  
gggaagacca tcatgctcaa aactctgggc ttgacacagg tcatggccca gtcaggattg 1080  
ccgatttttag cagacaaggg aagtcgtgtt ggtatttttg aagaaatctt tgctgatatt 1140  
ggagatgagc agtctattga gcagagcttg tctaccttct ctagtcatat gaccaatatc 1200  
gtggatattc ttggcaaggt caaccaacat tcaactcttac ttttgatga gttgggggct 1260  
ggtactgatc cccaagaggg agcagccctt gccatggcta ttctggagga ccttcgcctg 1320

cgtcaaatca agaccatggc gacgaccac tatccagaac tcaaggccta cggtattgag 1380  
 acagcctttg tgcaaaatgc cagtatggag tttgatactg caactcttcg cccgacctat 1440  
 cgctttatgc aggggtgttc tggccgaagt aatgcctttg aaattgccaa acgtctaggc 1500  
 ctatctgaag ttatcgtagg agatgccagt cagcagatcg atcaggacaa tgacgtcaat 1560  
 cgtatcattg agcaattaga agagcagacg ctggaaagcc gcaaacgttt ggacaatatc 1620  
 cgtgaggtgg agcaagaaaa tctcaagatg aaccgtgcgc taaaaaaact ctacaacgag 1680  
 cttaatcgtg aaaaggaaac cgagcttaac aaggcgctg aacaggctgc tgagattgtg 1740  
 gatatggccc taagtgaag tgaccagatt ctcaaaaatc tccacagtaa atcccaactc 1800  
 aagccccacg aaatcattga agccaaggcc aagttgaaaa aattggctcc tgaaaaagtg 1860  
 gacttgtcta aaaataaggt ccttcaaaaag gccaaagaaa aacgagctcc aaagggtggga 1920  
 gatgatatcg tggttctcag ttatggtcag cgtggtacct tgaccagtca actcaaggac 1980  
 ggtcgctggg aagcccaagt tggcttgatt aagatgacct tggaagagaa agagtttgat 2040  
 cttgttcaag cccagcaaga aaaaccagtc aagaagaaac aggtcaatgt tgtgaaacga 2100  
 acttctgggc gaggacctca agctagactg gatcttcgag gcaagcgcta tgaagaagcc 2160  
 atgaatgagc tagatacctt catcgaccaa gccttgctta acaatatggc tcaagttgat 2220  
 atcatccatg gtatcggaac aggagtcac cgtgaaggag ttaccaaata cttgcaaaga 2280  
 aacaaacatg tcaagagttt cggctatgcc ccacaaaatg ctggaggcag tgggtgcgact 2340  
 attgtcactt ttaaaggata g 2361

<210> 25  
 <211> 294  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 25  
 cagctgaggc acgactgctt gtctttcttg gataaatcga accttggcac gaatcaagtc 60  
 cagatgaccg ataatccaag cgtcattagc aatctcagcc gcatgagggc ggacacgctc 120  
 agaaatttct tggagaatgc gaagcatttc atagcgctca tctgctcgca gactagcaat 180  
 ttcttcgctc agtttgacta cctcacgggg ttcgatatag acggtgttct cactagcaga 240  
 aatatcatga acgacacctg caatcttatt gcggtagggt tttttgactg gtaa 294

<210> 26

<211> 915  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 26  
 ttattggagg ttaggatgaa aaaactcccc ttagtatttt caggttgttt gctagggttg 60  
 gcaggagctg gaaatcttat tttagatagc ttgccggttc tatcccatct ttttagtctg 120  
 attggtttgg ttttatggat ttactttcta attctgcatc tctttaattg gaaagaaacc 180  
 aagcaagaat tgaccaagcc ccctcttttg tcaggaatgg caacctttcc tatggctggg 240  
 atgattttat cgacctatgt ctttcgcgta ttctcttata ttccttttgt agcacaaggg 300  
 atttggtggg tttcatttct cttggatttg accttgattg ctggttttac catcaagttt 360  
 gcttggtccag ggccggagggt tcatgccact ccaagctgga cggttctcta tgtggggata 420  
 gcagtggctg ccttgacctt tcctctggta ggtattatcg aaattgccta tgcgaccttg 480  
 agttttgggt ttctcttgac cttctatctc tatcccccta tttatagcga tttaaagaaa 540  
 catccactcc cactagcctt gcttggacaa gaaggaatct actgtgctcc tttctctcta 600  
 ctcttggtct ctctagttcg agtaggagga accagcctgc cgacttgggt cttgattgtc 660  
 atgatttttg cttctcaatc cttctttttc tttgttttaa ctctgtctgc caacatttta 720  
 aaacaagggt ttcaaccagc cttctcagcc ctcaccttcc caaccattat cacagcgacc 780  
 tcgctcaaga tggctcaggg aattttgaaa cttccatttc tggattacct ggtattggct 840  
 gaaaccatta tatgcctaac tattttattc tttgtactag gtgcttatct gatttggtta 900  
 cgaaaaaagg tctag 915

<210> 27  
 <211> 849  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 27  
 tctatgtatc ttattgaaat tttaaaatct atcttcttcg gaattgttga aggaattacg 60  
 gaatgggtgc cgatttccag tacaggtcac ttgattttag cagaggaatt catccaatac 120  
 caaaatcaaa atgaagcctt tatgtccatg tttaatgtcg tgattcagct tgggtgctatt 180  
 ttagcagtta tgggtattta ttttaacaag ctcaatcctt ttaaaccgac caaggacaaa 240  
 caggaagtgc gtaagacttg gagactatgg ttgaaggtct tgattgctac tttaccttta 300  
 cttggtgtct ttaaatttga tgattgggtt gataccact tccataacat ggtttcagtt 360

gctctcatgt tgattatcta cggggttgcc ttcattctatt tggaaaagcg caataaagcg 420  
 cgtgctatcg agccaagtgt aacagagttg gacaagcttc cttatacgac cgctttctat 480  
 atcggactct tccaagttct tgctctttta ccagggacta gccgttcagg tgcaacgatt 540  
 gtcgggtggtt tgttaaatgg aaccagtcgt tcagttgtga cagaatttac cttctatctt 600  
 gggattcctg ttatgttttg agctagtgc ttaaagattt tcaaatttgt gaaagccgga 660  
 gaactcttga gctttgggca attgtttttg ctcttggtcg cgatgggagt agcttttgcg 720  
 gtcagcatgg tggctattcg cttcttgacc agctatgtga aaaaacacga cttcaccctt 780  
 tttggtaa at accgtatcgt gcttggtagt gttttgctac tttacagttt tgtccgttta 840  
 tttgtataa 849

<210> 28

<211> 939

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 28

aatgatgagt ttgaagataa agggatgctg ataaaaatgg taaaaacaaa aaagcaaaaa. 60  
 cgaaataatc tcctattagg agtggtattt ttcattggaa tggcggtaat ggcgtatccg 120  
 ctggtgtctc gcttgtatta tcgagtggaa tcaaatcaac aaattgctga ctttgataag 180  
 gaaaaagcaa cgttggatga ggctgacatt gatgaacgaa tgaaattggc acaagccttc 240  
 aatgactctt tgaataatgt agtgagtggc gatccttggg cggaagaaat gaagaaaaaa. 300  
 gggcgagcag agtatgcacg tatgttagaa atccatgagc ggatggggca tgtggaaatc 360  
 cccgttattg acgtggattt gccggtttat gctgggtactg ctgaagaggt attgcagcaa 420  
 ggggctgggc atctagaggg aacttctctg ccgatcggag gcaattcgac ccatgcggtg 480  
 attacggcac atacaggttt gccaacagct aagatgttta cggatttgac caaacttaaa 540  
 gttggggata agttttatgt gcacaatatc aaggaagtga tggcctatca agtggatcaa 600  
 gtaaaggtga ttgagccgac gaactttgat gatttattga ttgtaccagg tcatgattat 660  
 gtgaccttgc tgacttgtag gccatacatg atcaataccc atcgtctatt ggttcggggg 720  
 catcggatac cgtacgtagc agaggttgag gaagaattta ttgcagcaaa caaactcagt 780  
 catctctatc gctacctgtt ttatgtggca gttggtttga ttgtgattct tttatggatt 840  
 attcgacgct tgcgcaagaa gaaaaaacaa ccggaaaagg ctttgaaggc gctgaaagca 900



gcaaggaagg aagtgaaggt ggaggatgga caacagtag 939

<210> 29  
 <211> 903  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 29  
 aggtggagga tggacaacag tagacgttca cgaaaaaag gcacaaaaaa gaagaaacat 60  
 ccgctgatcc ttcttctgat tttcttagta ggattcgccg ttgcgatata tccattgggtg 120  
 tctcggttatt attatcgat tgagtcaaac gaggttatta aagagtttga tgagacgggtt 180  
 tcccagatgg ataaggcaga acttgaggag cgttggcgct tggctcaagc cttcaatgcg 240  
 accttgaaac catctgaaat tcttgatcct tttacagagc aagagaaaaa gaaaggcgtc 300  
 tcagaatatg ccaatatgct aaagggtccat gagcggattg gctatgtgga aattcctgcg 360  
 attgatcagg aaattccgat gtatgtcgga acgagtgagg acattcttca gaaaggggca 420  
 gggctgttag aaggggcttc gctgcctgtt ggaggtgaaa ataccatac agtgatcact 480  
 gtcacagag gattgccaac ggcagaattg ttcagtcaat tggataagat gaaaaaaggg 540  
 gatatctttt atcttcacgt tttagatcag gtgttggcct accaagtgga tcagatagtg 600  
 acggtggagc cgaatgactt tgagcctgtc ttgattcaac atggggaaga ttatgcgacc 660  
 ttgttgactt gtacaccgta tatgattaac agtcacgtc tgttgggtacg tgggaagcgg 720  
 attccgtata cggcaccaat tgcagagcgg aatcgagcgg tgagagagcg tgggcaattc 780  
 tggttgtggt tattactagg agcgatggcg gtcaccttc tcttgctgta tcgcgtgtat 840  
 cgtaatcgac ggattgtcaa aggactagaa aagcaattgg aggggcgtca tgtcaaggac 900  
 taa 903

<210> 30  
 <211> 1347  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 30  
 aaaataaaaa aaggagttcc ggtgatgaac aatattttag cgtttttaga aacaaaagtc 60  
 gtcctgtttg gtgaaaaagt tggcaaccaa cggcatttga aagctattcg tgaaggattt 120  
 atgatggcaa tgcctttgat tttagtcggc tctttatttc ttattctaata cagttggcct 180

caagaggctt ttacaaattg gctgaatagt gttggattgc taagtatctt gacaactatg	240
aatcagtc aa cagtagcgat tatctccttg gtcgcttggt tcggtattgc ctacagggtg	300
tcggaaggat atggtacaga tgggtccgtcg gcagggatca tagccttatac cagttttgta	360
ttgatggcac ctggtttttc gagtatgggt tatgataaaa atggggagca ggtcaagcag	420
ttatttggcg gcgcaatacc attttctagc ctgaatgcat cttctttggt tatggcgatt	480
actattggat tggttacagc agagatttat cgtatgttta tccagcgcgg aattacgata	540
aaaatgccaa gtggtgtccc agatgtagta agtaaatacat tttcagctct tttatctggt	600
tttactactt ttgttttggt ggctttgggtc ttaaaagggtc ttgaagcggc aggagttgca	660
ggaggtctca acggactcct aggtgcaatt gttggaacac cgcttaagtt aattgcagga	720
acgcttccag gtatgattct atgtgttatt gtaaactcat tcttttggt ctgtggagtt	780
aatgggggac aagttttaaa tgcttttgta gaccagttt gggtacaatt tactacagaa	840
aaccaagaag ctgtggctgc aggacaaaca ctccaacaca ttattacatt accgtttaaa	900
gattttattg tattttattg tggcgggtgga gcgactattg gtcttgcat ttgtctcttc	960
ctatttagta agagtcgtgc gaataaaaca ttaggtaagc tagctattat accgtctatt	1020
tttaatatca atacagctat tctatttacg tttccaacag ttttaaatcc gattatgctg	1080
attccgttta ttgctactcc tacaatcaat gccttgatta cctatgtatc aatggctgta	1140
ggatttagtac cctatacaac aggtgtaatc cttccgtgga caatgccacc gattatagga	1200
ggcttccttg caacaggggc tagttggcga ggagctctat tacaagttgt tttgattttg	1260
gtttctgtag caatttatta tccattcttc aaaattgcag ataaacgcaa tcttgaaaaa	1320
gaaaaagcta ctgttgagg gaaataa	1347

&lt;210&gt; 31

&lt;211&gt; 1701

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 31

atTTTTtata ggaggagttt tatggataag ctagtcgctg ccattgaaaa gcaacaaggg	60
aaatttgaaa aaatttctac taataactat atgatggcta ttaaagatgg attcattgct	120
actatgcctt taattatggt ttcaagcttt ttgatgatta ttattatgat tcctaaaaat	180
ttcggagtag agttaccgag tccagctatt gtctggatga gaaaagtgta tatgttaacc	240

```

atggggagttt tgggtattat tgtttcaggg actggttgaa agtcattagt tggaaatggt 300
aacagaaaaa tgcctcacgg aaaggaata aatgatattt ctgcaatggt ggcagccata 360
tgtagttatc tgggtattaac tgtaacgctt gtagttgatg agaagacggg atctacaagt 420
ttgtcgacaa actatctagg atctcaagga ttgataactt cgtttgtcag tgcctttatt 480
actgtaaatag tttaccgatt ctgtattaag cgagacatta ctattcattt acctaaggaa 540
gttctctgggg ctatatcaca agcttttaga gatattttcc ctttttcttt tgttttactt 600
attagtgggt tggtagatat tgtatctcgg ttagtttag atgttccttt tgccaagta 660
tttcaacaac tattgactcc tatttttaag ggggcagaat catatcctgc tatgatgttg 720
atttggttta tgtgtgcttt gctttgggtt gttggaattc atggaccatc tattgtctta 780
cctgctgtta cagctttgca actgagcaat atggaagaga atgctcaact tcttgcaaat 840
gggcagtccc cttatcattc tttaacacct aatttcggga attatatcgc tgctattgga 900
ggaacggggg ctacctttgt tgtaccattt attttgattt tctttatgcg gtctaaacaa 960
ttaaaatcgg taggtaaagc tacaattact cctgttttat ttgcggtaaa tgaacctctt 1020
ctatttggtt tgcctgttat tttgaatccc tatctttttg tccctttttt gatgactcca 1080
ccagtgaatg tatttctagg aaaggtcttt attgatttct ttggaatgaa tggattttat 1140
atccagttac cttggacctt tcctgggtccc ttgggattgt taattggaac gaattttcaa 1200
cttatctcct ttgtattttt atctttgatt ttagttgtcg acatattgat ttatttgcca 1260
ttctgtagag cgtatgatag acagttactg gtgaaagaag atattgcaag ctcaaataat 1320
attatcttag aggaggatac aagtgaata attcctgggtg agatagatga aataaaaagt 1380
aaggagtga aagtactggt tctttgtgca gggctctggaa caagtgcgca attagccaat 1440
gcaattaacg agggggctaa cttaacagag gtagagtga ttgcgaattc aggagcgtac 1500
ggagctcatt atgatattat ggggtgtttt gatttaatta ttctggcccc acaagttcgg 1560
agttattata gagagatgaa ggtggatgca gaaagattag gtattcagat agttgctacc 1620
agaggaatgg aatatattca ttttaacaaag agtccaagta aagccttaca atttgtattg 1680
gagcattacc aagctgtgta g 1701

```

&lt;210&gt; 32

&lt;211&gt; 1704

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

<400> 32  
gaagcgaatg aagagagtaa gatgaaagaa gctataattg agtggaagga tttctctttc 60  
cggatatgaaa cacaacaaga accgaccttg caagggatag acttgaccat ttacaaggga 120  
gagaaagtct taattgttgg accatctggg tcaggtaa at ctaccttggg tcagtgtttg 180  
aatgggatta ttcccaatat ttacaagggt cagacatatg gagaatTTTT gataaagggt 240  
caagtagcct ttgatatgag catctatgat aagtctcatc tggtagcac agttttgcag 300  
gatacagatg ggcagtttat tggcttgtct gtggcagaag atttggcggt tgctctggaa 360  
aatgatgtga cagccctaga tgagatgaaa ggtcgtgttt ataaatgggc tgaaaagctg 420  
gaccttcttc ctttactgga tcagcgtcct caggatttgt cagggtggaca aaagcagcga 480  
gtcagtctgg ctggtgtctt gattgatgaa agtccgattc tcttgtttga tgagccactc 540  
gccaatctag atcccaagtc aggtcaggat attatcgaat tgattgacca gattcataag 600  
gaagagggga cgacgactct tattatcgag caccgtttgg aggacgttct gcatcgccct 660  
gtggatcgga ttgtcttgat aaacgatggg cgtatccttt ttaatgggag ccctgaccag 720  
ttgcttgcca ctgatttatt gactcaaaat ggaattcgag aaccctttta tctaacgact 780  
ctccgtcaat taggtgtgga cttagtcaag gaagaacaat tagcgaatct ggataacttg 840  
tctatctcaa aaggtcagggt tcagttgcag aatgaactgg caaaagaaac cccagcattg 900  
cagtcactct ttagactaga ggaagtatct ttttcttatg atgatagacc gattttaaaa 960  
tccctacatt tagatattaa aaagggtgaa aagattgcta ttgtcggaaa aaatggagca 1020  
gggaaatcaa ctctagccaa ggctataagt agctttattc agacggaagg acgctatctt 1080  
tgggaaaaaac aggatataaa aggcgattct gttgcagagc gggcggaacg agtaggatat 1140  
gtgctacaaa atcctaataa aatgatttca accaatatga tttttgatga ggtggctcta 1200  
gggctccgtt tgcgaggtgt ggatgagaag gaaattgaaa cgagagtata tgaaaccttg 1260  
aaaatctgtg gactttatga attccgtaat tggcctatct ctgccctgtc atttggtcag 1320  
aaaaaacgtg tcaccattgc ttcaattttg gtcttaggag ctgaaattat tctcctagat 1380  
gaaccgactg caggtaaga tcagaagaac tatactgaga ttatggaatt tctcgaagag 1440  
ttacatcaaa aagggcatac cattgtcatg attacccatg atatgcaatt gatgctggat 1500  
tattcagacc gggctcttgt catggtggat ggagaattga ttgccgatac tgttccagcc 1560  
agtctgttga gcatcctga gctgttagta aaagccaatc taaaagaaac ctccatcttt 1620

aacttggcta agaaactaga tgtggatcca ctggatttaa cggcatttta caaagaaagg 1680  
 agagaggggat gcaagctaaa ttaa 1704

<210> 33  
 <211> 1668  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 33  
 gagatattcc gcgattatatt ttcggaggaa aaagaaatgt ccattaattg gcaggaaatt 60  
 ttatttcact ttttaggtgg tctggggcta ttcttatata gcatcaagac catgggagac 120  
 ggtttacaac aagctgctgg agatcgctt cgtttttaca ttgacaaata tactagtaat 180  
 cctttctttg gagttctggt tgggtattggg atgactgctc taattcagtc tagttctggt 240  
 gtaacagtta tcacagtcgg cctggtcagt gccggtctct taaccttacg tcaggctatc 300  
 gggattgtca tgggtgctaa tattgggaca actgtcacat cctttctcat cggtttttaa 360  
 ttaggtaact atgccctacc tatgctcttt atcggtgccg tctgtctttt ttttacgaaa 420  
 aatcggacag tcaataatat cggacgcac ccttttggtg tcgggtggtat cttttttgcc 480  
 ctcaatctca tgagcggcgc aatggctcca ctcaaggatt tacaggctct taaggactat 540  
 atgattgagc taagtaagaa tcctgttttg ggtgtctttg tcgggtactgg cttgaccttg 600  
 ctaattcaag cttcttcggc taccattggg attttacaaa acctctacgc cggcaatcta 660  
 attgatctac agggagcttt gccagttcta tttggtgaca atatcgggac aaccattaca 720  
 gccatcattg cctcttttagg ggctaataatt gcagctaaac gggtagcagg agctcatggt 780  
 gccttcaacg ttatcggaac agttgtctgc gttatttttc tagttccttt tactgtcctg 840  
 attcattggt ttgaagctac gctaaatcta gcaccgaaa tgaccatcgc ctttgctcac 900  
 ggaaccttta atattaccaa caccattgtc caatttccat ttatcggagc tctggcttac 960  
 tttgtaacca agattattcc tggagaggac gaggttgta aatacgaacc cttatatctt 1020  
 gatgaacatt tcatcaaaca ggccccatct atcgctctag gaaatgctaa gaaagagctc 1080  
 ttgcacttag gaaactacgc tgctaaagcc tttgaccttt cctataagta catcattgac 1140  
 ttggatgaaa aagttgctga aaaagggcat aaaaccgaag aagcaattaa caccatcgat 1200  
 gagcaattaa cacgttatct cattgccctt tcaagcgaag ctctcagcca aaaagaaagt 1260  
 gaagtgccta ccaatctct tgattcctcc cgtgatttgg aacggattgg agaccacacg 1320

gaggtcttac tcaatctgac tgactatctt caacggaaaa atgttgaatt ttctgatgcc 1380  
 gccttgaaaag aattagagga agtttaccgc caaactagtg actttatcaa agatgctctg 1440  
 gatagtgtgg aaaacaatga tattgaaaaa gcacgcagtc ttgtagaacg tcatgaagca 1500  
 atcaataaga tagaacgtgt tctcagaaaa acccacatca aacgcctcaa caaaggcgaa 1560  
 tgttcaacac aagctggggg caactttatc gacatcatct cacactacac tcgtgtatca 1620  
 gaccacgcta tgaaccttgc tgaaaagggt tttgcagaac aaatctaa 1668

<210> 34

<211> 4989

<212> DNA

<213> Streptococcus pneumoniae

<400> 34

gaggagaaaa tgaagaatcc attttttgaa agacgttgtc gttacagtat tcgtaagtta 60  
 tcagtaggag cctgctcgct gatgattggg gctgttttat ttgctgggcc agccttggct 120  
 gaagaaactg cagttcctga aatagcggga gctaatacag agcttgtttc aggagagagt 180  
 gagcattcga ccaatgaagc tgataagcag aatgaagggg aacatgctag agaaaacaag 240  
 ctagaaaagg cagaaggagt agcgatagca tctgaaactg cttcgccagc aagcaatgaa 300  
 gctgcaacta ctgaaactgc agaagcagct agcgcagcta aaccagagga aaaagcaagt 360  
 gaggtgggtg cagaaacacc atctgcagaa gcaaaaccta agtctgacaa ggaaacagaa 420  
 gcaaagcccg aagcaactaa ccaaggggat gagtctaaac cagcagcaga agctaataag 480  
 actgaaaaag aagtccagcc agatgtccct aaaaatacag aaaaaacatt aaaaccaaag 540  
 gaaatcaaat ttaattcttg ggaagaattg ttaaaaatggg aaccaggtgc tcgtgaagat 600  
 gatgctatta accgcggatc tgttgtcctc gcttcacgtc ggacaggtca tttagtcaat 660  
 gaaaaagcta gcaaggaagc aaaagttcaa gccttatcaa acaccaattc taaagcaaaa 720  
 gaccatgctt ctgttggtgg agaagagttc aaggcctatg cttttgacta ttggcaatat 780  
 ctagattcaa tgggtcttctg ggaaggtctc gtaccaactc ctgacgttat tgatgcaggt 840  
 caccgtaacg gggttcctgt atacggtaca ctcttcttca actggtctaa tagtattgca 900  
 gatcaagaaa gatttgctga agctttgaag caagacgcag atggtagctt cccaattgcc 960  
 cgtaaatggg tagacatggc caagtattat ggctatgatg gctatttcat caaccaagaa 1020  
 acaactggag atttgggtta acctcttggg gaaaagatgc gccagtttat gctctatagc 1080

aaggaatatg ctgctaaggt aaaccatcca atcaagtatt cttggtacga tgccatgacc	1140
tataactatg gacgttatca tcaagatggg ttgggagaat acaactacca attcatgcaa	1200
ccagaaggag ataaggttcc ggcagataac ttcttttgcta actttaactg ggataaggct	1260
aaaaatgatt acactattgc aactgccaac tggattggtc gtaatcctta tgatgtatgt	1320
gcagggttgg aattgcaaca ggggtggttcc tacaagacaa aggttaagtg gaatgacatt	1380
ttagacgaaa atgggaaatt ggcgctttct cttggtttat ttgcccaga taccattaca	1440
agtttaggaa aaactgggtga agattatcat aaaaatgaag atatcttctt tacagggtat	1500
caaggagacc ctactggcca aaaaccaggt gacaaagatt ggtatgggtat tgctaacct	1560
gttgcgacc gtacgccagc ggtaggtaat acttttacta cttcttttaa tacagggtcat	1620
ggtaaaaaat ggttcgtaga tggttaagggt tctaaggatt ctgagtggaa ttatcggttca	1680
gtatcagggtg ttcttccaac atggcgctgg tggcagactt caacagggga aaaacttcgt	1740
gcagaatatg attttacaga tgcctataat ggcggaaatt cccttaaatt ctctgggtgat	1800
gtagccggta agacagatca ggatgtgaga ctttattcta ctaagttaga agtaactgag	1860
aagaccaaac ttcgtgttgc ccacaaggga ggaaaagggt ctaaagttta tatggcattc	1920
tctacaactc cagactacaa attcgatgat gcagatgcat ggaaagagct aaccctttct	1980
gacaactgga caaatgaaga atttgatctt agctcactag cgggtaaaac catctatgca	2040
gtcaaaactat ttttcgagca tgaagggtgct gtaaaagatt atcagtttaa cctaggacaa	2100
ttactatct cggacaatca ccaagagcca caatcgccga caagcttttc tgtagtga	2160
caatctctta aaaatgccca agaagcggaa gcagttgtgc aatttaaagg caacaaggat	2220
gcagatttct atgaagttta tgaaaaagat ggagacagct ggaaattact aactgggtca	2280
tcttctacaa ctatttatct accaaaaggt agccgctcag caagtgtca ggggtacaact	2340
caagaactga aggttgtagc agtcggtaaa aatggagttc gttcagaagc tgcaaccaca	2400
acctttgatt ggggtatgac tgtaaaagat accagcctac caaaaccact agctgaaaat	2460
atcgttccag gtgcaacagt tattgatagt actttcccta agactgaagg tggagaagg	2520
attgaaggta tgttgaacgg taccattact agcttgtcag ataaatgggtc ttcagctcag	2580
ttgagtggta gtgtggatat tcgtttgacc aagccacgta ccgttggttag atgggtcatg	2640
gatcatgcag gagctgggtg tgagtctgtt aacgatggct tgatgaacac taaagacttt	2700

gacctttatt ataaagatgc agatggtgag tggaagctag ctaaggaagt ccgtggtaac	2760
aaagcacacg tgacagatat cactcttgat aaaccaatca ctgctcaaga ctggcgcttg	2820
aatgttgtca cttctgacaa tggaactcca tggaaggcta ttcgtatcta taactggaaa	2880
atgtatgaaa agcttgatac tgagagtgtc aatattccga tggccaaggc tgcagcccgt	2940
tctctaggca ataacaaggt acaagttggc tttgcagatg taccggctgg agcaactatt	3000
accgtttatg ataatccaaa ttctcaaact ccgctcgcaa ccttgaagag cgaagttgga	3060
ggagacctag caagtgcacc attggatttg acaaatcaat ctggtcttct ttattatcgt	3120
accagttgc caggcaagga aattagtaat gtccatgcag tttccgttcc aaaagatgac	3180
agaagaatca agtcagtcag cctagaaaca ggacctaaaga aaacaagcta cgccgaaggg	3240
gaggatttgg accttagagg tgggtgttctt cgagttcagt atgaaggagg aactgaggac	3300
gaactcattc gcctaactca cgcaggtgta tcagtatcag gttttgatac gcatcataag	3360
ggagaacaga atcttactct ccaatatttg ggacaacogg taaatgctaa tttgtcagtg	3420
actgtcactg gccaaagacga agcaagtccg aaaactatct tgggaattga agtaagtcag	3480
gaaccgaaaa aagattacct agttggtgat agcttagact tgtctgaagg acgctttgca	3540
gtggcttata gcaatgacac catggaagaa cattccttta ctgatgaggg agttgaaatt	3600
tctggttacg atgctcaaaa gactggtcgt caaaccttga cgcttcatta ccaaggccat	3660
gaagttagct ttgatgtttt ggtatctcca aaagcagcat tgaacgatga gtacctcaaa	3720
caaaaattag cagaagttga agctgctaag aacaagggtg tctataactt tgcttcatca	3780
gaagtaaaag aagccttctt gaaagcaatt gaagcggccg aacaagtgtt gaaagaccat	3840
gaaactagca cccaagatca agtcaatgac cgacttaata aattgacaga agctcataaa	3900
gctctgaatg gtcaagagaa atttacggaa gaaaagacag agcttgatcg cttaacaggt	3960
gaggttcaag aactcttggc tgccaaacca aaccatcctt caggttctgc cctagctccg	4020
cttcttgaga aaaacaaggc cttggttgaa aaagtagatt tgagtccaga agagcttaca	4080
acagcgaaac agagtctaaa agatctggtt gctttattga aagaagacaa gccagcagtc	4140
ttttctgata gtaaaacagg tgttgaagta cacttctcaa ataaagagaa gactgtcatc	4200
aagggtttga aagtagagcg tgttcaagca agtgctgaag agaagaaata ctttgctgga	4260
gaagatgctc atgtctttga aatagaaggt ttggatgaaa aaggtaaga tgttgatctc	4320
tcttatgctt ctattgtgaa aatcccaatt gaaaaagata agaaagttaa gaaagtattt	4380



```

ttcttacctg aaggcaaaga ggcagtagaa ttggcttttg aacaaacgga tagtcatggt 4440
atctttacag cacctcaactt tactcattat gcctttgttt atgaatctgc tgaaaaacca 4500
caacctgcta aaccagcacc acaaaacaca gtccttccaa aacctactta tcaaccgact 4560
tctgatcaac aaaaggctcc taaattggaa gttcaagagg aaaagggttg ctttcatcgt 4620
caagagcatg aaaatactga gatgctagtt ggggaacaac gagtcatcat acagggacga 4680
gatggactgt taagacatgt ctttgaagtt gatgaaaacg gtcagcgtcg tcttcgttca 4740
acagaagtca tccaagaagc gattccagaa attggtgaaa ttggaacaaa agtaaaaaca 4800
gtaccagcag tagtagctac acaggaaaaa ccagctcaaa atacagcagt taaatcagaa 4860
gaagcaagca aacaattgcc aaatacagga acagctgatg ctaatgaagc cctaatagca 4920
ggcttagcca gccttggtct tgctagttta gccttgacct tgagacggaa aagagaagat 4980
aaagattaa 4989

```

```

<210> 35
<211> 1029
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 35
gcaagcttcc ttctctgat tttcaaaca aaatctctca ttgcttacat tgttctctca 60
agcttattgg tcaactattat caatataggt ggttcttact atctccaagg aatcttggat 120
gaatacattc caaatcagat gaaatcaact ttaggaatca tctcagttgg tctgggtatc 180
acctatatcc tccaacaagt catgagcttc tccagagatt atctcctaac cgttctgagt 240
cagagattaa gtattgatgt gattttatcc tatattcgcc atatttttga acttcccatg 300
tctttctttg cgacacgtcg tacaggagaa atcatttcac gattcacaga tgctaactct 360
attatagatg ccttggttcc taccattctt tctctttttc tggatgttcc tattctgatt 420
cttgtaggag gogtcttact ggcacaaaac cctaactctt tcttcttttc tcttatttcc 480
attcctatat acatgttcat catcttttct tttatgaaac ctttcgaaaa aatgaaccat 540
gatgtcatgc aaagtaattc tatggttagc tctgccatta tcgaagatat caacgggatt 600
gaaactataa agtcgctcac gagtgaagaa aatcgctatc aaaatataga cagcgaattt 660
gtagattatt tggaaaaatc ctttaagctc agtaaatatt ctattttaca aacgagttta 720
aagcagggaa caaaattagt tctgaatatc cttatcctat ggtttggcgc tcaattagtc 780

```

atgtcaagta aaattttctat cggtcagctg attaccttta acacactttt ttcttacttt 840  
 acaactccta tggaaaatat tatcaacctc caaaccaaac tccaatctgc gaaggctcgt 900  
 aataaccggt tgaacgaagt ctatctagtc gaatctgaat ttcaagttca agaaaaccct 960  
 gttcattcac attttttgat gggcgatatt gaatttgatg acctttctta taagtatggt 1020  
 tttggatga 1029

<210> 36  
 <211> 288  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 36  
 ggtcttgggg taaaaaaca aaaggcttgc ttttcagcca tagaggaggt catcatgtat 60  
 aaacacttat ttttcctaga ttccaaaact ttagatcggg tgacacccta tattctagtc 120  
 ttggcttctg acaccattgc ttttaatggt tttgtgctaa cctttgtatc tgcgggtggtt 180  
 ttttaatttc taaattccat gctagcttta atggctatat tcatagggggc tggctatgtg 240  
 gtcggatttt ggttactaat actcaatgaa aatcaaagag caaactag 288

<210> 37  
 <211> 648  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 37  
 cgtgtaggaa gtctgtttgt tgaggaggat aattttatgg agttttttga taaatttcat 60  
 gccttgtggt ttggattttt agtactaata attgtcatta cagttcctta tacgattaac 120  
 catggggggt tttttcaaaa tgaatctgca ttgattcttg taagtcttct tgtaacctcg 180  
 ctgagtgttg cttatgctag aaagtttgaa atgatttctt ttgggatggt aagcaagaaa 240  
 caacttttgc ttttcattgc aatctttctt ctaagtgtac ttgagacgct ggttttatatt 300  
 catttcttcg ctgtttcttc tggctcaggg gtccaacact tggcggaagt cagcagagga 360  
 atttccctgt ctttgatttt gactacctca gtttttggcc ccatccagga ggaactcatt 420  
 ttcagaggac ttcttcaagg tgcggttttt gacaattctt ggttaggggt tgtgctaact 480  
 tcctctctct tttctttcat gcatggacct tctaattgtc cttcgtttat tttttatcta 540  
 cttggggggt tgttgctggg ctttgcttat aaaaagagtc aaaacctatg ggtttctact 600

ctagtcata tgctttacaa cagttggcca ctcttatatt atttataa 648

<210> 38

<211> 1848

<212> DNA

<213> Streptococcus pneumoniae

<400> 38

gagaatacca tgagttataa agatacggta caaaaaatcc tcgatgtaat tggaggtgaa 60  
 aaaaatgtca atagagttac ccattgtgta acacgtttta gattagaatt aaaagatgaa 120  
 aatttagtca atgatgatga tgtgaagaag ataccaggtg taataggtat tatgaaaaag 180  
 aatggacaat atcaaattat acttggtaat gatgtagcta attattataa agaattcgtt 240  
 aaacttggca attttgaatc cgattcagtt gttcaagggc acaaagggaa tattttagaa 300  
 agaatcattg agtatatcgc tggttccatg actccaatca ttccagcaat gttaggggga 360  
 ggtatgttga aagtcttggg aatcatttta ccaatgcttg gtatattgca atcagattct 420  
 cagactattg cttttttgac attttttggg gatgctccat attatttctt accgctgtta 480  
 ttagcttatt ctgcatcaca aaaattaaaa gtaacatcta cattagctat gtctgtagca 540  
 ggtgtacttc tccatccaaa ttttgttcaa atgggtgcaat caggggaatcc tcttagttta 600  
 tttggtgcac ctgtgacacc agctagtatt ggttcatcag tcgttccaat tcttattatg 660  
 gtttggttga tgaaatatat tgaaaaata attgctaaat taacactagc tattactaag 720  
 agttttttgc aacctacgt agtattatta gtatcaagct gtattgcctt agttgtagtc 780  
 ggacctattg gagtaattgt tgggaagga ttatcaaata tagttgggca aatgtatggt 840  
 gtagctggat ggcttacatt agctattctt ggtgctatta tgccatttat tgttatgact 900  
 ggaatgcatt gggcttttgc acctattttt ttggcggcat ctattgctac tccagacgta 960  
 ttaattcttc cagcaatgtt aggttcaaac ttagctcaag gggctgcttc gatggctgtt 1020  
 gcattaaaga gtaaaaaata taatacaaaa caaattgctt ttgcagcagg tttctcagcc 1080  
 ttacttgcag ggattaccga acctgcatta tatgggtgtga ctttaaaata taaaaaacgg 1140  
 ctttatgcag ctatgattgg tgggtggatta gcgggattat ttgcaggtct tactagtgtt 1200  
 aaagcatatc tatttgcgtg cccatctttg atagcgttgc ctcaatttat ttattctgat 1260  
 gtgccatcaa atattgtaaa tgctttaatt gtggcgggtca tttcggttgt tattaccttt 1320  
 gtattagctt atatatttgg aatcgatgaa gaagagagtt ctagcaattt agaagttgaa 1380

gctggagttt caaataaaaa aatgatattt tctcctatat caggagaaat cattccgtta 1440  
 agcgatgtcc aggataaaac attttcagat aaactaattg gagacggagt agcgattatc 1500  
 ccaagtgaag gtaagggttta tgcaccattt gatgggaaaa ttacaaatat ttttccgact 1560  
 aagcacgcaa ttggattgaa gagt gatgag ggtgttgagt tactaattca tattggatta 1620  
 gatactgttg agctaaaagg tcaaggtttt attagtcatg tagaagaagg agacagagtt 1680  
 ttcaaaaatc agttgatttt tgaaatggac ttgaatttaa tcaagactaa aggctacgaa 1740  
 acagttacac cagtaattgt aacgaatacc aatgatattt tagatgtatt agtattacct 1800  
 aataatcaga caatcgagca ttctaaggaa ttactggtaa tattataa 1848

<210> 39  
 <211> 246  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 39  
 atagctggca agtgggcaat ggtcggaatc gccaaatcat tttggataaa gtcagccaaa 60  
 cgaaccgtcg tttccttgat attaaattta ttattgctgg cagttacact gataaaatgg 120  
 ggagccaact cctgcatatc ctgcaaggct gaaataatgt tatcattacc cacggctggg 180  
 tttggagga acacttcaaa tgagagtgc ggtgtttggc gtgacatatg taataacctt 240  
 ttctag 246

<210> 40  
 <211> 669  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 40  
 gaggttacta tggaatctat tttagaagtt ttaacccag ataacctagt ctttatcttt 60  
 aaaggatttg gcttgaccct ctatatttct ctgattgcca tcatcctctc tactatcatc 120  
 ggtacgggtgc tagctgtcac gagaaatggc aaaaatcctg tcttacgcat tatttccagt 180  
 atttatatcg agtttgtgcg caacgttccc aaccttctct ggatttttac tatctttttg 240  
 gtgttcaaaa tgaaatccac accagcaggc attacagcct ttactctctt tacatcagca 300  
 gccttggctg agattattcg aggcgtctc aatgccgtag acaagggaca gtacgaagca 360  
 ggaatgtcac aaggcttcac ctcagcccaa atcctctact acatcattct cccacaagcc 420  
 atccgcaaaa tgctaccagc catcatttct cagtttggtta ccgtgattaa ggataccagt 480

ctcctctact ctgttatcgc cctacaagaa ctctttggag ccagccaaat tctcatgggc 540  
 cgttatttcg aaccagagca ggtcttcagt ctttacatcc tgattgccct catctacttc 600  
 agctttaacc tagcaatttc tagcctgtct catatgctag ccaaacgttg gcaacaagct 660  
 gcagaataa 669

<210> 41  
 <211> 768  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 41  
 agatctctca tggctttagt agaatttaaa aacgtcgaaa aatattacgg agactaccac 60  
 gcattccgca acatcaatct ccgttttgaa aaaggacaag ttgttgctcct gcttgacac 120  
 tctggctctg ggaagtccac tcttatccgt acgatcaatg gtttagagac tgttgacaaa 180  
 ggaagtctcc tagtcaatgg gcaccaagtt gctggtgcca gccagaaaga tttggtac 240  
 ctctcgcaagg aagtcggcat ggtttttcaa cattttaacc tttatccaca caaagctgtg 300  
 ttagaaaacg taacgcttgc acccattgaa gttctaggaa ttgataaaaa agaagctgaa 360  
 aaaaccgccc aaaaatctct ggaatttgta aatatgtggg acaagaaaga ttcctatccc 420  
 gccatgctat ctggtggaca aaaacagcgg atcgccatcg ctctgtggtct tgctatgcat 480  
 ccggaactcc tctcttttga tgaaccaaca tctgctcttg atcctgagac tatcgagat 540  
 gttctagcag ttatgcagaa actggcgcat gatgggatga acatgatcat cgttaccac 600  
 gaaatgggct ttgctcgaga ggttgcgga cgcattatct ttatggccga cggagaagtt 660  
 ttagtagata cgacagatgt cgataacttt tttgacaatc caagcgaacc tcgtgcccaa 720  
 caattcctca gcaaaattat caaccacgaa agtgacaaag tcaaataa 768

<210> 42  
 <211> 1224  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 42  
 gaaatgtacc gttatcaaat tggcattccc acattagaat atgatcagtt tgtcaaagaa 60  
 catgaattag ccaatgtatt acaaagtagt gcttgggagg aagttaagtc taattggcaa 120  
 catgagaagt ttggtgttta cagggaagaa aaattactgg cgacagctag tatttttgatt 180

```

agaactcttc cgctaggcta taaaatgttt tacatcccaa gaggacctat attggattat 240
ggggataaag aactcttgaa ttttgccatt cagtctatta agtcctatgc tcgcagtaag 300
agagcgggttt ttgtgacttt tgaccaagt atttgccctat ctcaaagttt aatcaatcag 360
gaaaagacag aatttcctga aaatctggct attattgata gtttgcaaca aatgggagta 420
aggtgggtcag gaaaaacgga ggaaatggga gacaccattc aacctcgtat tcaggcgaaa 480
atatacaagg aaaattttga agaagataaa ctttccaagt caacaaaaca ggctattcga 540
acagcacgaa acaaagggtt tgagattcaa tatggtggac tggaactatt agattcattt 600
tcggagttga tgaaaaaac tgagaagcga aaagagattc atttgaggaa tgaagcctat 660
tataaaaaat tgttagataa ttttaaggac aaggcctata tcaccttggc caccttggat 720
gtttctaaac gttcgcaaga gttagaagaa cagttagcga aaaatagagc cttggaagag 780
acctttactg agtcgactcg aacttcaaaa gtagaagcgc agaagaagga aaaagaacgt 840
ttgttagagg aattgacctt cttgcaggaa tatatagatg taggtcaagc gagagttcct 900
ttagcgggcta ctttgagttt ggaatttggt actacctctg tcaatatata tgctggtatg 960
gatgatgatt ttaaacgtta caatgcacca attttaactt ggtatgaaac ggctcgctat 1020
gcctttgaac gaggtatgat ctggcaaaat ttaggtggtg ttgaaaactc tctcaatggg 1080
ggactttatc attttaagga aaaatttaac ccaacgattg aagaatactt gggatgaattt 1140
acaatgccca ctcatcctct ctatcctctg ttaagacttg ctcttgattt ccgtaaaaca 1200
ttaagaaaaa aacatagaaa gtaa 1224

```

&lt;210&gt; 43

&lt;211&gt; 636

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 43

```

tgcttttttc agactcctaa tcgtgggtata ctaggtcagt attttataaa tatgaaggag 60
atttttatgg ctaaaaaagg taccctaaca ggtttgctcc tgtttggaat attttttggt 120
gcggggaact tgatttttcc gccttctcta ggtgctctat ctggagaaca ttttcttcct 180
gccatcgcag gttttgtctt ttcaggcggt ggtatcgccg tcttgacctt tattattgga 240
acgctaaatc ctaaaggata tatctacgag atttcaacga agatagcgcc ttggtttgcg 300
actctttacc tctcagttct ttacttgtca atcggtccat tctttgctac cccacgtact 360

```

gctacaacag cttacgaagt agggattagc ccccttttgt cggatgcaaa taaaggactt 420  
 ggcttgattg tatttacggt tctgtatttt gcggcagcct atttgatttc gcttaatcca 480  
 tcaaaaaatct tagaccgcat tggacgtatt ttaacgccag tctttgcaat tttgattggt 540  
 atcttgggtcg ttctggggagc tatcaaatat ggtggaacaa gtcctcaagc tgcttcaactg 600  
 cttatcaagc ttctgccttt ggtacagggt tcttag 636

<210> 44  
 <211> 2049  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 44  
 tccatcaaaa atcttagacc gcattggacg tattttaacg ccagtctttg caattttgat 60  
 tgttatcttg gtcgttcttg gagctatcaa atatggtgga acaagtcctc aagctgcttc 120  
 actgcttata aagcttctgc ctttgggtaca ggtttcctag aagggttaca taccttggac 180  
 gcccttgctt cagtggcctt tagcgtaatc gcagttcaaa ccttgaaaca acttggattt 240  
 tcaagtaaga aagaatacat ttcaactatt tgggttggtg gtatcgttgt tgcccttgcc 300  
 ttcagcgctc ttacatcgg tttagggttt cttggaaatc atttcccagt accagctgaa 360  
 gcgatgaagg gtggaacacc aggtgtttac atcttgtcac aagccactca agaaatcttt 420  
 ggctcaacag ctcaactctt ccttgcagct atggttaccg taacctgctt cacaacgact 480  
 gttggtttga ttgtgtcaac agctgagttc tttaatgagc gcttcccaca aatcagctac 540  
 aaggtttatg cgacagcctt taccttgatt ggatttgcta ttgccaattt ggggtcttgat 600  
 gcgattatca agtactcaat tccagtactg gttatcttgt acccaatcac gattgctatc 660  
 gttatgattg tcattgtcaa caaatttggt gccctttcaa aaccagggtat gcagttgaca 720  
 attgctgtgg ttacagttat tgccattgca agcgtactag gaagctcgtt aagggtgagt 780  
 ttcttgcaaa tcttggttagc gttcttccct ttgccaaggc atctctccca tgggttggtgc 840  
 cagccattgt tggaatcttg ctctcattgg ttctacaaa caagcaagaa agcgatgttt 900  
 ttgaaatgga ataactactt aaactacttt tgtagccaag tctacaggag tgattttctt 960  
 tttttatccg atgataaatg tgttataata ggtagcgaaa gaggtgaaga aatgaatcaa 1020  
 acagtagaat atatcaaaga actgacagcc attgcgtcgc caacaggctt tactcgtgag 1080  
 attgcggact atttagtcaa gactctagaa ggttttggtt accagccggt tcgcacatcc 1140

aagggcggtg tcaatgtaac tattaaggt caaatgatg agcaacatcg ctatgtgact	1200
gcccattag tagatccttgg tgctattgtc cgtgctgtca aaccagacgg ccgtctcaaa	1260
atggaccgta tcggtggctt tccttgggaac atgattgaag gagaaaactg taccattcat	1320
gtggctagca caggtgaaaa agtatcagga accatcctca tccaccaaac ttcttgccat	1380
gtctataagg atgcaggaac tgcagaacgc acgcaagaca atatggaagt gcgtttggac	1440
gccaaagtaa ctagtgtaaa agaaactcgt gctcttggca ttgaggtcgg tgattttatc	1500
agttttgacc cacgaactgt cgtgacagag acaggtttta tcaagtctcg ccatttggat	1560
gacaaggcca gtgcggcgat tttgctcaat ctcttcgca ttataagga agagaagatt	1620
gaattgcccg taacaactca ttttgctttt tcagtctttg aagaagtggg acacggtgca	1680
aactctaaca ttctgtctca ggtagtagaa tatctggctg tggatatggg agccatggga	1740
gatgaccagc aaacagacga atatacagtg tctatctgtg tcaaggatgc ttctggacct	1800
tatcactatg acttccgtca acatttgggtg gctttggcga aagagcaaga tattccattt	1860
aagctggata tctatccatt ttatggttcg gacgcttcag cggctatgtc tgcaggggca	1920
gaagtcaaac acgcccttct cgggtgctgg atagagtcta gccattccta tgagcgtaac	1980
catattgact cggtgatcgc aacagaacga atggctgatg cttatcttaa gagcacgttg	2040
gtggactaa	2049

<210> 45  
 <211> 1032  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 45	
aaacacaatg ttgctattcc ttacgatagg gagatagata tggcaatgat agaagtggaa	60
catcttcaga aaaattttgt gaagactgtt aaggaaccgg gcttgaaggg ggctttgcgc	120
tcctttattc atctgaaaa gcagaccttt gaagcggcca aggatttgac ctttgagggt	180
ccaaaagggc agatttttagg atttatcggg gcaaatgggt ctgggaagtc gacaaccatt	240
aaaatgctga caggaatttt gaaaccaaca tctggttttt gtcggattaa cggcaagatt	300
ccccaggaca atcggcaaga ttatgtcaaa gatattggcg tagtctttgg acaacgcacc	360
cagctatggg gggatttggc tctgcaagag acctacactg tcttaaaaga gatttatgat	420
gtgccagact cgtcttttca taagcgtatg gactttttga atgaagtctt ggatttgaag	480



gactttatca aggatcccggt gcggactctt tcaactgggac aacggatgcg ggcggatatt 540  
 gcggcctcct tgctccacaa tcccaagggt ctttttttag atgagccgac cattgggttg 600  
 gacgtttcgg ttaaggataa tattcgtcgg gcaattactc agatcaatca agaggaagaa 660  
 actaccattc ttttgaccac tcacgatttg agtgatattg agcaactttg tgatcggatt 720  
 ttcatgattg acaaggggca agagattttt gatggaacgg tgagccaact caaggagacc 780  
 tttggttaaga tgaagactct ctcttttgaa ctgctaccag gtcaaagtca tctcgtctct 840  
 cactatgacg gtctgtctga tatgaccatt gatagacaag gaaacagcct caacattgaa 900  
 tttgatagtt ctcgctacca gtcagctgac attatcaagc aaaccctgtc tgattttgaa 960  
 atccgcgatt tgaagatggg ggatacggat attgaggata ttatccgtcg cttctaccga 1020  
 aaggagctct ag 1032

<210> 46

<211> 1509

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 46

cattcatata acatcaaaaa gggaggaact gttatggatg caatctttga cctaactgga 60  
 aaggttttca atcccatctt agaaatgggt ggacctgtca tcatgttaat cattttgaca 120  
 gtattggctt tacttttttg agtgaaattc tccaaagcgc ttgaagggtg tatcaaactt 180  
 gccatcgctc ttacaggtat cgggtgctat atcgggtatgc taaacactgc tttctcagca 240  
 tcaactagcaa aattcggtga aaacactggg atccaattga gtattaccga cgttgggttg 300  
 gcaccacttg ctacaatcac ttgggggttct gcttggacac tatacttctt gctcatcatg 360  
 ttgattgtca acatagtgat gctagctatg aagaaaacag atacacttga tgtcgatata 420  
 tttgatatact ggcacttgct tatcacaggt ctcttgatta aatgggtatgc tgataacaat 480  
 ggtgtgagtc aaggggtttc actctttatt gctacagcag ctatcgctct tgtcgggtgtg 540  
 ttgaaaatta tcaactctga cttgatgaaa cctacatttg atgaccttct taacgcccc 600  
 agttcatcac caatgacatc aactcacatg aactacatga tgaaccaggt tatcatggtt 660  
 ttggataaga tttttgaaaa attcttccca ggccttgata aatatgactt tgatgctgct 720  
 aaattgaaca agaaaatcgg tttctgggga tctaaattct tcatcggttt catccttggt 780  
 atcgttatcg gtattatggg aactccacat ccaattgcag gtgttgcaga tgcagataaa 840

```

tggcgtcttg ttatcaaagg atggttgtct cttggtttga ctgccggtgt atctttggaa 900
ctcttctcac ttatcggttc atggttcatc gcagccgtag aaccactatc acaaggattt 960
acaaacgttg ctactaaacg ttttcaagga cgtaaattca atatcgggtct tgactggcca 1020
ttcatcgctg gtcgtgctga aatctgggct tgtgccaacg tacttgcacc aatcatgttg 1080
attgaagcag tgcttctttc aaaagttgga aatggatatc tgccacttgc aggtatcatc 1140
gctatgggtg ttactccagc tctcttggtt gtaactcgtg gtaaattgct ccgtatgatt 1200
atcttcggaa cactcttggt gccactcttc cttctttcag gtacacttat tgcaccattt 1260
gcaacagaac ttgctaaagg tgtaggtgcc ttcccagaag gtgtgagcca aactcaattg 1320
attactcact ctactcttga aggaccaatc gaaaaacttc ttggttggac aattggtaac 1380
actacaactg gtgatatcaa agcaatcctt ggtgcagtag tcttccttgt attctatatc 1440
ggtatctttg cttggtacag aaaacaaatg atcaaacgta acgaagagta cgcagcaaaa 1500
gcaaaataa 1509

```

```

<210> 47
<211> 366
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 47
tacaatatgg gtatgatttt aatgaaatta gcatctattt tattattgat actgacctta 60
gtcgtctgca ttatcctaac caaacttttt agattaaana aactaggacg aaactttgcg 120
gatttggctt ttccagtctt ggtatttgag tattacttga ttacagctaa aacctttacc 180
cataatttcc tccctagact ggggctagcc ctctcgatcc tagccattat tctcgtcttt 240
ttcttccttt tgaanaaacg cagctttttac taccctaaat ttatcaaatt cttctggcgt 300
gcaggattct tattaaccct tatcatgtat atagaaatga ttgttgaatt gttcttaatg 360
aaatag 366

```

```

<210> 48
<211> 729
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 48
aatgatagga ggaactttat gggatcatatt ttcttttttc taagtgtctt tttggcaggg 60
attctatcct tcttttctcc ttgtatctta cctttgttac cggctctatac aggagtgtta 120

```

ctagatgata aggatggtgc tcaggcttct agcggcaaatt tttcaatctc agttactagt 180  
 ttattacgaa ctctggcctt tatagcagga atttccttta tatttatttt gttgggctat 240  
 ggagctggtt ttttaggcga tttgctttat gcttcttggg tccaatatct tactggggca 300  
 attattatcc ttcttgggtt gcaccaaatt gagattctac actttaaggg gctttataag 360  
 gaaaagaggc tacaactgca aggacagggg caaaatggta agggctatag tcaggcattt 420  
 ttattgggct tgaccttag ttttgcttgg acgccttgcg tggggccggg tctggggtct 480  
 gttttggcct tggcggcttc aggtggttca ggagcttggc agggagctgg tctcatgttg 540  
 gtgtatacgc tgggcttggc gctaccattc ttgcttctag ctctgacctc tagttatgtt 600  
 ttgaaacatt tccgaaaact tcatccctat ctcggaatcc tcaaaaaagt ggggtggtttt 660  
 ctcatatttg tgatgggctt cttggttctg tttggaaatg cttcaatttt aagtcaatta 720  
 tttgaataa 729

<210> 49  
 <211> 303  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 49  
 ttttggacga ctagccagtg ccgttacatg ggcatgacca atctctctca aaatagggcg 60  
 aatcggaacc tgaacatgct tgacatgcat gccaatgca gtgtctccga tatccaatcc 120  
 agcatgagcc ttgataaatt caacctcaac tggatcctgc ataaacttaa aggctgccaa 180  
 ctgccccgaa cctcctgcat gaagagtagg atggacactg acaatttcca gaccaaactg 240  
 ctctgccacc tgacgttcaa caacgagagc ccgattgaca tgctcacaac cttgaactgc 300  
 taa 303

<210> 50  
 <211> 1014  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 50  
 ttatgggaga aagaaatgaa taaacgtcta ttttcaaaaa tgagtctggt gacgttgcca 60  
 attttagcct tgttttcaca atcagttttg gcggaagaaa acatccattt ttcagactgt 120  
 aaggaagctt gggcgaatgg ctattcggat attcagagg gagaacctgg ttattctgcc 180

```

aagtttagacc gtgatcatga tgggtgtggct tgcgaattga aaaatgctcc taaggggtgct 240
tttaaagcaa aacagtcaac ggctattcaa atcaacacaa gttcagcaac aacaagtgggt 300
tggtgtaagc aggacggcgc ttggtactac tttgatggaa atggaaatct agtgaaaaat 360
gcatggcagg gaagctatta cctgaaagct gatggtaaaa tggcacagag tgaatggatt 420
tatgactctt cttatcaagc ttggtattat ttgaaatcag atggttctta tgcaaaaaat 480
gcatggcaag gagcttatta ccttaaatac aacggtaaaa tggcacaagg tgagtgggtt 540
tatgattctt cttaccaagc atgggtattac ttgaaatcag atggttcata tgctcgcaat 600
gcatggcaag gaaactacta tttgaaatca gatggtaaaa tggctaaagg tgaatgggtt 660
tatgatgcca cctatcaagc ttggtattat ttgacatcag atggttctta tgcttacagt 720
acatggcaag gaaattacta tctaaaatcg gatggtaaaa tggctgtcaa tgaatgggtt 780
gatgggtggac gttattatgt tggcgctgac ggagtttggg aggaagttca agcaagtaca 840
gcttcttcta gtaatgatag caatagtga tttctgctg ctttaggaaa ggcaaaaagt 900
tataattcgt tattccacat gtcaaaaaaa cgtatgtata gacaattaac ttctgatttt 960
gataaatattt caaatgatgc agctcaatat gccattgatc atttagatga ttaa 1014

```

&lt;210&gt; 51

&lt;211&gt; 1239

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 51

```

atgattgaaa cggagaaaaa agaggagcga gtcctgctga ttggtgtgga attgcaggggt 60
atggacagtt ttgacctctc catggaagaa ttggctagtt tagcgaaaac ggcaggggca 120
gtcgttgtag atagctacag acaaaaacgt gaaaaatatg attccaagac cttcgtcggc 180
tctggtaagt tggaagagat tgcgcttatg gtggatgcag aagaaatcac tactgtcatc 240
gtcaacaatc gtctgacccc aaggcagaat gtcaatctag aggaagttct cgggtgtaag 300
gtcattgacc gtatgcagtt gattttggat atctttgccg tgcgggctcg aagccatgaa 360
gggaagctcc aagtccacct agcccaactc aaataccttt tgcctcgctt ggttggtcag 420
gggattatgc tcagccgtca ggcaggggga attgggtccc gtggtcctgg tgaaagccag 480
ctggagctga accgtcgtag cgttcgcaat caaatcacgg atatcgagcg ccagctcaag 540
gtgggtgaga aaaatcgtgc gactgtcaga gaaaaacgtt tggagtctag cacttttaag 600

```

```

attggtttga ttggttatac taatgctggg aaatcaacta tcatgaacat cttgaccagt      660
aagacccagt atgaagcaga tgagctcttt gcgactctgg atgcgacaac caagagtatt      720
catctggggag gcaatctcca agtaactttg acagataccg ttggctttat ccaagatttg      780
ccgacagagt tgggtgtccag tttcaagtca accttggaag aaagcaagca tgtggacctt      840
ctggttcatg ttatcgatgc tagcaatcct taccacgagg agcatgaaaa aacggttctc      900
tccatcatga aagacctgga catggaagat attcctcact tgacgcttta taataaagcg      960
gatttggttg aggatttcac gcctacccaa acgcatata ccctcatttc tgccaagtct     1020
gaggacagtc gtgaaaactt gcaagcatta ttgctagata agattaagga aatTTTTTgaa     1080
gcatttaccg tgcgagtgcc tttttcaaag tcctacaaga ttcatgattt agagagtgtt     1140
gcaattctgg aagaacgtga ttatcaggaa gacggcgaag tgattacagg ctacatttcc     1200
gagaaaaata aatggagggtt agaagaattt tatgactga                               1239

```

<210> 52  
 <211> 267  
 <212> DNA  
 <213> Streptococcus pneumoniae

```

<400> 52
aaagagagaa agatggtcta tttagtcta ggaattttac tgctcctact ctatgtattt      60
gcgacaccag aaagcattaa agggactgtc aatatcgctg ctatggtatg tatttttagtg     120
gcactcttga ttttattggt tctatctttt ctgaaaattt ttcaattacc aacagaaata     180
ttcctagcaa tagccatgtt gatcctagct tacttttagtg ttagagacat cacactcatg     240
ccagtcaaaa aaagtaaaag aagataa                                           267

```

<210> 53  
 <211> 810  
 <212> DNA  
 <213> Streptococcus pneumoniae

```

<400> 53
actataaatg aacaaatttt aatttcggat gagatagata ttgatagtag atattctaga      60
actaaagggt actattcggt attttataat gaagagtata ataaaatata gaataaaaca     120
gtattagtat taggagcagg agtcttagga tgttatatat ctctaagtct aagtatgtat     180
ggagtgagga aacttattgt cgctgattac gatataatag aaccatcaaa tttaaatagg     240
caaattcttt atacagagtc ggatgttggt aaggagaaga ttaatgttct ttctgaaaaa     300

```

atacacaagt ataattcaga tgttcaggta gtacctatct ctattaaagt ttcttcagta 360  
 gaagaattag aaaaaattgt tggggaatat gggagtatag attttatcgt taaagcaatt 420  
 gatacgccca ttgatattat aaaaattgtc aatcaatttg ctgtatcgca taagatatcc 480  
 tacatatcag gagggtttaa tggatgctat cttattattg ataatatata tatccctacc 540  
 atcggtttctt gctttgggtg tcggaatata aacaaagata taaataagta cactttatct 600  
 gataagacaa agtggccgac tacaccagag atgcctgcta ttttgggagg gataatgact 660  
 aattttaataa ttaaaatatt tctgggatgt tataatgaaa tcctaataga taacgcttac 720  
 gtttataata tgagaaatca tgctctaagt caagaaaaat atgttctgga aaacggagaa 780  
 tgtccaattt gtaaaaaaat aataaagtga 810

<210> 54  
 <211> 393  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 54  
 aaaaataata aagtgaaga taacaatatt agagcgaaaa cattttattcg ttcagtttgt 60  
 ttttgcttat tatcaggagg agtagctttt ttatctgcta ttgggcagtt cactgttata 120  
 gaaacacaat taatagtatt gttcttgggt attatTTTTg ctatatatta tgcttactac 180  
 aataaaaata ttcaaacatc attggaaaat atagtatggc ttttttcatc gtttgagatt 240  
 ttatttttgc ttgttaattt tagaacattt attcagttac cagtggatat ttttattgggt 300  
 atgataatat ttttaatgct gtggatattt attatgtag gtatagtgtg tcttagttat 360  
 tatataactt tattatttag caaggaggct tag 393

<210> 55  
 <211> 750  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 55  
 atttttggat ttttagaacc atctggttct ggaaagacca caacgattaa tattctgact 60  
 gggcagttcc ttgccgataa aggacaatct attatTTTtg gacaaaaatc tcaaaattta 120  
 acaagcggtg aattaaagag aattggattg gtagcgata caagtggatt ttatgagaaa 180  
 atgtctctgt ataacaatct tcttttttat agtaaatTTT ataatatag taaatcacgt 240

gttgataatt tgttaaagcg agtaggatta tatgatagtc gcaagatggg agcaggaaaa 300  
 ttatccactg gaatgaggca acgaatgctt ttagcacgag ctcttatcaa caaccccgct 360  
 gtactctttc tggatgaacc gacctcaggt ctagatccca caacttctcg aacaattcat 420  
 gagttaatth tagaattgaa aacagcaggg acaacgattt ttctaacgac tcatgatatg 480  
 aatgaagcaa ctcttttatg tgattatggt gccttattaa ataaagggaa attagttgag 540  
 caaggagctc cttctgaact cattcaaaga tataataaag ataaaaagat taaggttaca 600  
 gattataatg ggaatcagat aacttttgat ttacatcac tagaacaggt atctcagact 660  
 gatctggaaa atattttttc aattcattca tgtgagccta ctttagaaga tatttttatc 720  
 acattaacag gaggaaagct aaatgcttaa 750

<210> 56  
 <211> 777  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 56  
 ggaggagtaa ggatggaatt tttcatttgt aatcttgtag gagtcgttca atcacctcga 60  
 ttttatatgt ctttatTTTT gacccttctt tgcattgagtt taggaaatth ccttgctttc 120  
 aatggatatt ataaaattga aggtttatcg attttttttg ccgcttcttc tattcgagga 180  
 ttttcaccga ttagcctagt agctgcactt atctgtacac tgcctattc tagtcagata 240  
 atagaggatg ctgagagtca ttttctaaca gcacaattgt gtcgaatttc taaaaagaag 300  
 tatctggcta ttgtgggtag tactgtaatt atttcttctt ttctagtctt ttttctcccc 360  
 tattttattat tattaggaat taatctttta gtgactcctt atcaggaaat ttatattgga 420  
 gattatagtg gtgccttaaa agaattattt gattccaatc agtttctcta tagtcttgta 480  
 acgactctct ggtatggagt ttggggcgct gtgttctcta tttttggact agctagtgct 540  
 ttgctagtga agaaaaaat aggagctatt ttcattccag ttgcctatat gatggttggt 600  
 ggtatttttt gggctatttt agggctatct tacttagaac ctgtgacaac gctagctttg 660  
 ggatatcaga aagatatcag tctttcctta gttagtgtc atcttgcttt tattttattt 720  
 gttagttggt tggttgttta tggtagattt tttctacatt cagaggacta tgtataa 777

<210> 57  
 <211> 777  
 <212> DNA

<213> *Streptococcus pneumoniae*

<400> 57

ttatctat	ttt	tatattttga	atcgagggaa	tgagatata	ggacgagatt	tatttcttca	60
gttgctat	ttt	ttagtccttc	tttttcaaag	cattttctat	ttcactcgtc	aaaagaggag	120
gtttataga	tgaatgaa	aattacatta	aaaaatattg	agttgaaatt	aaaaagaca		180
tgtgttttc	aaaaccttaa	ctttagttgt	aaacaggggg	aaattatagg	aattactggt		240
gcgaatggc	cagggaaaag	tgtattgttt	aaattaatag	ctggtttata	tagtcctgtc		300
tatggagaag	tgtaatacaa	tggggaaaat	attgttcctg	agagaaaaat	tccagcta		360
ttgggagctt	tgattgaaga	acctggtttt	ataaattatt	atagtggctt	taagaattta		420
caatatttgg	caagcatatc	aggagtagtt	ggtaatcagg	aatcaatga	tacactgaaa		480
atagttagtc	tatatgagca	aaaagaccag	aaagttaaaa	cttattcgct	aggtatgagg		540
aaaaagctag	ggattgctca	agcaattatg	gagaatccct	ctattctttt	actagatgaa		600
cctatgaatg	ccttgataa	atcaagtgt	gaaaatatga	gaacattggt	tagaaagctc		660
tctagtga	aaaggacaac	aattttgatt	gctagtcata	gtgaagagga	tattcgtatc		720
ttatgtgata	aagtatatgc	aatagaagat	aaagtatgta	cactgtgttc	agattga		777

<210> 58

<211> 759

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 58

atgtctgaaa	ctatcttaga	aatcaaggaa	ctaaaaaat	ccttcggaga	caatcccatc	60
ctccaaggac	tttctctaga	aatcaaaaaa	ggggaagttg	ttgtcatcct	agggccatct	120
ggttgtggga	aaagtaccct	ccttcggttc	ctcaacggct	tagaaagtat	tcaaggtgga	180
gatattcttc	tgatgggtca	gtctatcggt	gaaaataaaa	aagattttca	cctagttcgc	240
caaaagattg	gcattggtctt	tcaaagttat	gaactctttc	cccatctgga	tgtcttacia	300
aacctcatcc	taggccttat	caaagctcaa	ggaagggaca	agaaagaagt	aacggaagaa	360
gctttgcaat	tactagagcg	tgtcggtttg	ctggataaac	aacatagctt	tgcccgtcaa	420
ttatctggtg	gacagaagca	acgtgttgca	attgtccgtg	ccctccta	gcattcagaa	480
atcatccttt	ttgacgaggt	gactgcttcg	ctggatccag	aaatgggtgcg	tgaggtgctg	540
gaacttatca	atgatttggc	ccaagaaggc	cgtaccatga	ttttagtaac	ccacgaaatg	600



cagtttgccc aagccattac tgaccggatt atcttctctg accaagggaa aatcgctgaa 660  
gaaggaacag ctcaagcctt ctttaccat cgcgaacca aacgagccca ggaattttta 720  
aacgtctttg acttttagcca attcggctca tatctataa 759

<210> 59  
<211> 672  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 59  
tccattgttg aacaatatct accactatat caaaaggcat tctttctgac cttgcatatt 60  
gcagtttggg gaattttggg atcctttctg ctoggtttta tcgtagtat catccgacat 120  
tatcgaatcc ttgttttggc gcaagtagcg acagcctaca ttgaattgtc acgtaatacg 180  
ccccctttga ttcaactctt ctttctctac ttcggtcttc cccgaatcgg gattgtccta 240  
tcttcagaag tctgtgcaac gcttgggctt gtcttttttag gaggctccta tatggcagaa 300  
tctttccgaa gtgggctgga agccatcagt caaaccagc aggagattgg cctcgctatt 360  
ggctctgacac ctctacaggt cttttactat gtgggtcttc cgcaagcaac agcgggtggca 420  
ctccccctct ttagtgccaa tgtcattttc cttatcaagg aacctctgt tttctcagca 480  
gtggcttttg ccgacctcat gtacgtcgcc aaggatttga ttggtctcta ctatgagaca 540  
gacattgcgc tagctatggt ggtagttgct tatctaata tgctgctacc catctcactg 600  
gtcttttagct ggatagaaa gaggtccgc catgcaggat tcgggaatcc aagtactctt 660  
tcaaggaaat aa 672

<210> 60  
<211> 1386  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 60  
atgggtctgg aactacgagc gattcagtc ccaatcttct ctgagccgtt tgattttact 60  
tttcatgcgc aagcctttac cttgttagtt gggagtagtg ggtctggaat atccagcctc 120  
tttcaaatga ttgccaagt tagttctctt ccctatagcg gtcaagtcct gatagatggg 180  
agcgaggtca gtcagcttct tatcgtcgaa cgtgtccaga cggttggtat tctcttgcaa 240  
aatcctaata atcaattttac catggagagc ttgtttgagg agttgggttt taccatggaa 300

```

aatatcggct atcaccttca ggaaattgat tctaaaatag cagaggttgt ccagcaatgt      360
cgttgcaagg acatcttgca ccgctctcatc catcacttat caggtgggga aaagcaaaaa      420
gcagcgctgg ctgtcctctt tgccatgaat cctaggtgtc atctcttgga tgagcccttc      480
gcttccattg accgcaagag cagaatcgag atattggaga ttctaaaaga gttggtctat      540
gatgggaaga cagttatttt gtgcgaccat gatttatctg actataaagc ctatatcgac      600
catatggtgg agctaagaga cggaaaacta aggggaagtgt ttcaaataccc ttcctatgag      660
atgacacagg ttgcttcaaa ggaagttgct tctagcccg g aactattcca tatgaaccgt      720
gtgactggtg agcttggtaa tcgccccctc ttttcaattg ctgatttcac attctatcaa      780
gggatttcct gtatcctggg tgacaatggg gtcgggaaat caaccctctt tcggtctatt      840
cttcaatttc aaaagtataa ggggagcatt acttggaagg gttcggtcct gaaaaagaaa      900
aagagtttgt atcgtgatct gactggtggt gttcaggaag ctgagaagca gtttatccga      960
gtcagctctgc gagaggagct tcaattagat ggacctgatt ctgaaagaaa tcagcggatt     1020
tttcaagctt tacgatattt tgatttgagg caggcagtcg ataagagtcc ctatcaatta     1080
agtggtggtc agcaaaaaat tcttcagctc ctgacctctt tgaccagtaa ggcttccgtg     1140
atcttgctag atgaaccttt tgcaggtttg gatgatagag cctgccatta tttttgcaag     1200
tggtattgtg aggagaggaa tcaaggaaga agttttctgc tcattagtca tcgttttagac     1260
cctttgatth ctgtggttga ttattggatt gagatgacta gtcaggtgtc tcggcatgtg     1320
aaagaagtga ccattaccaa accacttaca tctcagagta gcaataccca aggggaggtg     1380
agatag                                           1386

```

```

<210> 61
<211> 1212
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 61
ccatcatctc ttgttttttt gtggtacaat agagctatga aacattttga tactattgtc      60
atcgggtgggg gacctgctgg tatgatggct acgatttcca gtagctttta tggacagaaa     120
accctcctca tcgaaaaaaa tcggaaactt ggaaaaaaat tagctggggac tgggtggggga     180
cgttgcaatg tgaccaacaa tggtagctta gacaacctgc tagctggaat tcctggaaac     240
ggacgctttc tttacagtgt tttctcccag ttcgataatc atgacatcat caactttttt     300

```

```

acagaaaatg gtgttaaact taaggctgaa gaccacggac gcgtctttcc agccagtgac 360
aagtctcggg ctattatcga agctttggaa aagaaaatca ccgaactagg tggcaagtt 420
gctactcaaa tagaaatcgt ttctgttaaa aaagtagatg accagtttgt ccttaagtca 480
gcggatcaaa ccttcacttg tgagaaactc attgtcacia caggtggtaa gtcttatcct 540
tcgactgggt cgactgggtt tggtcacgag attgctcgcc attttaagca taccatcacc 600
gatcttgagg ctgctgaaag tcctttatta acagattttc cacataaagc cttacaaggt 660
atttctctgg acgatgtgac cctaagttat ggtaagcatg tcatcactca tgatttactc 720
tttaccact ttggtttgtc aggtcctgct gccctacgca tgtctagctt tgtcaaaggt 780
ggggagggtt tctcactcga tgttttgcct caactttctg agaaggactt ggttacat 840
ctagaagaaa atcgggaaaa atccttgaaa aacgctttta aaaccttggt accagaacgc 900
ttggccgaat tttttgtaca aggatatacct gaaaaagtca aacaactgac tgaaaaggaa 960
cgagaacaac ttgtccagtc cattaaagaa cttaaaattc ctgtaactgg aaaaatgtcc 1020
cttgcaaagt cttttgttac caaggggtga gtcagtctca aggaaatcaa tcctaaaacc 1080
cttgaaagta agctgggtacc tggcctccac tttgcaggcg aagttatgga tatcaatgcc 1140
cacacgggtg gctttaacat cacttctgcc ctctgtaccg gctgggtggc gggaagtctg 1200
cattatgatt aa 1212

```

```

<210> 62
<211> 264
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 62
ggagacaaaa agatgaagaa aaaatttgcc ctatcgtttg tggcgcttgc aagtgtagca 60
cttcttgag cctgtggaga agtgaagtct ggagcagtca aactgctgg taactcagta 120
gaggaaaaga caattaaaat cgggtttaac tttgaagaat caggttcttt agctgcatac 180
ggaacagctg aacaaaaagg tgcccaattg gctgttgatg aaatcaatgc cgcagtggta 240
tcgatggaaa acaaatcgaa gtag 264

```

```

<210> 63
<211> 783
<212> DNA
<213> Streptococcus pneumoniae

```

<400> 63  
gaaggaggaa caaaactaat ggcattactt gaagtaaaac agttaaccaa acatttttgg 60  
ggtctaacag ctgttggaga tgtgactctt gaattgaacg aaggggaact ggttggatta 120  
atcgggtccaa acggagctgg gaaaaccacc cttttcaacc ttttgaccgg tgtttatgaa 180  
ccaagcgagg gaacagtaac cctagatggg caccttttga atgggaaatc accttataag 240  
attgcctctt tgggacttgg acgtactttc caaaatatcc gtctctttaa agatttaaca 300  
gttttagata atgttttgat tgcttttggg aaccatcaca aacagcatgt ttttactagt 360  
ttcttacgct taccagcttt ttacaagagt gaaaaagaat taaaggctaa agctttggaa 420  
ttgttgaaaa tctttgattt agatgggtgat gcagagactc ttgctaaaaa tctttcctac 480  
ggacaacaac gtcgtttgga aattgttcgt gcccttgcta cggaacctaa aattctcttc 540  
ttagatgaac cagcagcagg tatgaacca caggaaacag ccgaattgac tgagttaatt 600  
cgtcgtatca aagatgagtt taagattaca atcatgttga ttgaacacga tatgaatctg 660  
gtcatggaag taacagaacg tatctacgta cttgaatatg gccgtttaat cgctcaagga 720  
actccagacg aaattaagac caataaacgc gttatcgaag cttatctagg aggtgaagcc 780  
taa 783

<210> 64  
<211> 705  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 64  
aaaggaactc acatgtcaat tattgaaatg agagatgtcg ttaaaaaata cgacaacgga 60  
acaactgctc tacgcggtgt ttcggttagc gttcaaccgg gggaatttgc ttacatcgta 120  
ggaccttcag gagcaggga gtcaactttt attcgttctc tgtatcgtga agtaaaaatc 180  
gataaaggaa gcctatcagt tgctgggtttt aatctgggta agatcaaaaa gaaagatgtc 240  
ccgcttctac gtcgtagtgt tgggggttgc ttccaggatt ataaattgtt accaaagaaa 300  
actgtctatg aaaatattgc ttacgctatg gaagtaatcg gggaaaatcg ccgtaatatc 360  
aaaagacgag tgatggaagt tttggacttg gttggattga agcataagggt tcgttctttc 420  
ccaaatgaac tctcaggtgg ggagcaacag cggattgcga ttgcgcgtgc aattgtaaat 480  
aatcccaaag tattgatagc tgatgagcca acaggaaatc tggatccgga taattcatgg 540  
gaaattatga atctcttgga acggattaac ctacaaggaa caactatttt gatggcgact 600

cataatagcc agattgtaaa taccttgccg caccgtgtca ttgccattga aaatggccgt 660  
 gtcgttcgtg acgaatcaaa aggagagtat ggatacgatg attag 705

<210> 65  
 <211> 2181  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 65  
 atgatgaaag atacattcaa aaatgtcttg tctttcgaat ttggcaaaa attcggtaag 60  
 gctttgatgg tagttatcgc gggtatgccg gctgctgggt tgatgatttc aatcggtaag 120  
 tctatcgtga tgattaaccc aacctttgca ccacttgta tcacagggtg aattcttgag 180  
 caaatcgggt ggggggttat cggtaacctt cacattttgt ttgccctagc cattggagga 240  
 agctgggcta aagaacgtgc tgggtgtgct ttccgcgctg gtcttgccct catcttgatt 300  
 aaccgtatca ctggtacaat ctttggtgta tcaggcgata tgttgaaaaa tccagatgct 360  
 atggtaacta ctttctttgg tggttcaatc aaagttgctg attactttat cagtgttctt 420  
 gaagctccag ccttgaacat ggggggtattc gtagggatta tctcagggtt tgtaggggca 480  
 actgcttaca acaaatacta caacttccgt aaacttcctg atgcactttc attcttcaac 540  
 gggaaacgtt tcgtaccatt tgtagttatt cttcgttcag caatcgctgc aattctactt 600  
 gctgctttct ggccagtagt tcaaacaggt atcaataact tcggtatctg gattgccaac 660  
 tcacaagaaa ctgctccaat tcttgacca ttcttgatg gtactttgga acgtttgctc 720  
 ttgccatttg gtcttcacca catgttgact atcccaatga actacacagc tcttggtggt 780  
 acttatgaca ttttaactgg tgcagctaaa ggtactcaag tattcgggtca agacccta 840  
 tggcttgcat gggtaacaga cttgttaaac cttaaaggta ctgatgctag tcaatatcaa 900  
 cacttgttag atacagtaca tccagctcgt ttcaaagttg gacaaatgat cggttcattc 960  
 ggtatcttga tgggtgtgat tgttgctatc taccgtaatg ttgatgctga caagaaacat 1020  
 aaatacaaag gtatgatgat tgcaacagct cttgcaacat tcttgacagg gggtactgaa 1080  
 ccaatcgaat acatgttcat gttcatcgca acacctatgt atcttgttta ctcaactggt 1140  
 caagggtctg ccttcgctat ggctgacgtc gtaaacctac gtatgcactc attcggttca 1200  
 atcgagttct tgactcgta acctattgca atcagtgtgt gtattggtat ggatatcggt 1260  
 aacttcgttt gggtaactgt tctctttgct gtaatcatgt actttatcgc aaacttcagt 1320

```

attcaaaaat tcaactacgc aactccaggg cgcaacggaa actacgaaac tgctgaaggt 1380
tcagaagaaa ccagcagcga agtgaaagtt gcagcaggct ctcaagctgt aaacattatc 1440
aaccttcttg gtggacgtgt aaacatcggt gatgttgatg catgtatgac tcgtcttcgt 1500
gtaactgtta aagatgcaga taaagtagga aatgcagagc aatggaaagc agaaggagct 1560
atgggtcttg tcatgaaagg acaaggggtt caagctatct acggtcctaa agctgacatt 1620
ttgaaatctg atatccaaga tctcttgat tcaggtgaaa tcattcctga aactcttcca 1680
agccaaatga ctgaagcaca aaaaaact gtctacttca aagatcttac tgaggaagtt 1740
tactcagtag cagacggtca agttgttgct ttggaacaag taaaggatcc agtatttgct 1800
caaaaaatga tgggtgatgg atttgcagta gaacctgcaa atggaaacat tgtatctcca 1860
gtttcaggta ctgtgtcaag catcttccca aaaaaacatg cttttggtat tgtgacggaa 1920
gcaggtcttg aagtattggt tcacattggt ttggacacag taagtcttga aggtaaacca 1980
tttacagttc atgttgctga aggacaaaaa gttgcagcag gagatctcct tgtcacagct 2040
gacttgatg ctatccgtgc agcaggacgt gaaacttcaa cagtagttgt cttcacaaat 2100
ggatgatgcaa ttaaatcagt taagttagaa aaaacagggt ctcttgagc taaaacagca 2160
gttgctaaag tagaattgta a 2181

```

```

<210> 66
<211> 1551
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 66
ggaattaaaa tgagtatttt agaagttaaa aatctgagtc acggtttttg tgaccgtgca 60
atTTTTgaag atgtgtcctt ccgtctcctc aaggggagaac atatcgccct ggtcgggtgcc 120
aatggtgaag gaaaatcaac ctttatgagt atcgtgactg gtaaaatgct gccagatgaa 180
ggaaagggttg agtgggtcaa atatgtgacg gctgggttact tggatcagca ctctgtcctt 240
gctgaaagac agtcgggtgcg tgatgttctc cgtacggctt ttgatgagct tttcaaagct 300
gaagctcgta tcaatgacct ctatatgaaa atggctgaag acggcgcgga tgttgatgct 360
ctcatggaag aagtaggaga acttcaagac cgtctggaga gtcgtgattt ctataccttg 420
gatgctaaga ttgacgaagt agcgcgtgct cttgggtgtta tggacttttg catggatacg 480
gatgtaactt ctttgtcagg tgggcaaaga accaagggtgc ttttggcaaa acttctcctt 540

```

gaaaagcctg atatcttgct gttggacgag ccgaccaact acttggatgc tgagcatatt 600  
 gattggctca agcgctatct ccaaaactat gagaatgcct ttgttctcat ttcgcacgat 660  
 attccattcc tcaatgacgt tattaatatt gtctatcatg tggaaaatca acagctgacg 720  
 cgttactctg gtgactacta ccagttccaa gaagtttatg ctatgaagaa atctcagcta 780  
 gaggcagcct acgaacgcca gcagaaagag attgcagacc tcaaggactt tgtggctcgt 840  
 aataaagccc gtgttgcaac tcgtaatatg gctatgtctc gtcaaaagaa attggataag 900  
 atggatatta tcgaactcca aagtgagaaa ccaaaccat cctttgattt caaaccagct 960  
 cgtacaccag ggcgctttat cttccaagcc aagaacttgc aaattgggta cgaccgtcct 1020  
 cttactaagc ctttaaactt taccttcgaa cgcaatcaaa aggttgcgat tattggtgct 1080  
 aatggtattg gaaaaacaac tctcttgaag agtctcttgg gcattatctc gccaatcgct 1140  
 ggggaagtgg agcgtggaga ttatttagaa cttggttatt ttgagcagga agtagaaggc 1200  
 ggtaatcgcc aaactcctct tgaagetgtc tggaatgcct ttctgccc taatcaagca 1260  
 gaagtccgtg cagcccttgc ccgttgtggt ttgacaacca aacatattga aagccagatt 1320  
 caagtattat caggggggaga gcaagccaag gtctgttct gtctcttgat gaatcgtgaa 1380  
 aacaacgttt tagtgctgga cgagccgacc aaccatttgg atgtggatgc aaaggatgag 1440  
 ctcaaacgcg ctctcaaaga atatagggga tctatcctta tgggtctgcca cgagccagac 1500  
 ttttatgaag gctggataga ccaaatatgg gattttaata atttaactta a 1551

<210> 67  
 <211> 822  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 67  
 atttttgaga ggatcagaat gaaaaaacta gcaacccttc ttttactgtc tactgtagcc 60  
 ctagctgggt gtagcagcgt ccaacgcagt ctgcgtggtg atgattatgt tgattccagt 120  
 cttgctgctg aagaaagtcc caaagtagct gcccaatctg ccaaggagtt aaacgatgct 180  
 ttaacaaacg aaaacgcca tttcccacaa ctatctaagg aagttgctga agatgaagcc 240  
 gaagtgattt tccacacaag ccaaggtgat attcgcatta aactcttccc taaactcgct 300  
 cctctagcgg ttgaaaattt cctcactcac gccaaagaag gctactataa cgggtattacc 360  
 ttccaccgtg tcatcgatgg ctttatggtc caaactggag atccaaaagg ggacggtaca 420

ggtggtcagt ccatctggca tgacaaggat aagactaaag acaaaggaac tggtttcaag 480  
 aacgagatta ctccattattt gtataacatc cgtgggtgctc ttgctatggc taatactggg 540  
 caaccaaaca ccaatggcag ccagttcttc atcaacaaaa actctacaga tacctcttct 600  
 aaactcccta caagcaagta tccacagaaa attattgaag cctacaaaaga aggtggaaac 660  
 cctagtctag atggcaaaca cccagtcttt ggtcaagtga ttgacgggat ggatgttgtg 720  
 gataagattg ctaaggccga aaaagatgaa aaagacaagc caactactgc tatcacaatc 780  
 gacagcatcg aagtgggtgaa agactacgat tttaaactct aa 822

<210> 68  
 <211> 1368  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 68  
 aagattacaa aggagttttc aatgagagaa tatgatatca ttgctatcgg tggaggtagc 60  
 ggaggaatcg ctaccatgaa ccgtgctggg gaacatggag ccaaagcagc cggtattgag 120  
 gaaaagaaat taggtggaac ctgtgtcaac gtcggttgtg ttcctaaaaa aatcatgtgg 180  
 tacggggcgc aaatcgctga gactttccat caatttggag aagactacgg cttaagact 240  
 actgatctta actttgactt tgcaacccta cgtcgcaatc gtgaagccta cattgatcgc 300  
 gtcggttctt cttatgatgg tagtttttaa cgcaacgggtg tagacttgat tgaaggatcat 360  
 gctgaatttg tagattctca tactgtaagc gtaaatgggtg aactgattcg tgctaaacat 420  
 atcgtgattg ctacaggtgc ccatccaagt attcctaata ttcctgggtgc tgagctaggt 480  
 ggctcttctg atgatgtatt tgctgggaa gaacttccag agtcaattgc cattctaggc 540  
 gctggttata tcgccgttga attagctggc gtactccaca cttttgggtg caagacagat 600  
 ctctttgttc gccgcatcg tcctttacgt ggttttgatt cctacatcgt tgaaggtttg 660  
 gtcaaggaaa tggaaagaac aaacttacca cttcacactc acaaagtccc tgtcaagtta 720  
 gaaaaaacta ctgacggcat taccattcat ttcgaagatg gtactagtca cacagctagc 780  
 caagttatct gggctacagg tcgccgtcca aacgttaagg gcttgcaact tgaaaaagct 840  
 ggagtgactc tgaacgaacg tggctttatc caagtggatg aatacaaaaa tactgttgtt 900  
 gagggaatct atgctctagg tgatgtaacg ggcgagaaag aactgactcc agttgcaatc 960  
 aaggccggac gtaccctatc tgaacgtctc ttaaacggaa aaactactgc aaaaatggat 1020



tactcaacta ttccaactgt tgtcttttca caccctgcta tcggaactgt tggtttgaca 1080  
gaagagcaag ctattaaaga atacgggtcaa gaccaaataca aggtttataa atcaagcttt 1140  
gcatctatgt actctgcttg cacttgcaac cgtcaagaat cccgtttcaa actcataaca 1200  
gctggttcag aagaaaaagt tgtcggactt catggaattg gctacggcgt tgatgaaatg 1260  
attcagggat ttgccgttgc tatcaaaatg ggagcaacca aggctgactt tgatgcaact 1320  
gtggcaattc acccaactgc atctgaagaa tttgtaacca tgcgttaa 1368

<210> 69

<211> 1338

<212> DNA

<213> Streptococcus pneumoniae

<400> 69

aagatgttca gtaaacttaa aaaaacatgg tatgcggatg acttttagtta ttttatccgc 60  
aacttcgggtg tcttcaccct gattttttct acaatgactc tgattatttt acaagtcatt 120  
cattcgagtc tttatacttc ggtggacgat aagcttcattg gactgagtga aaatcctcaa 180  
gcagttattc agctggctat aaatagggca acagaagaga ttaaagattt agaaaatgct 240  
agggcgggacg ctagtaaagt agaaataaaa cctaattgtca gttccaatac ggaagtcatt 300  
ctctttgata aagactttac tcaacttctt tctggaaatc gatttttggg cttggataag 360  
attaagttag aaaagaaaga actaggacat atctaccaga ttcagggtttt taatagctat 420  
gggcaggaag aaatctatcg tgtgattttg atggagacca atattagttc ggtttcaacc 480  
aatatcaagt atgctgctgt cttgattaat accagtcagt tggaacaggc tagtcaaaag 540  
catgagcaat tgattgtggt cgtgatggct agtttctgga ttttgtcttt acttgccagt 600  
ctctatctag ctagggtcag tgtagggccc ctgcttgaga gtatgcagaa gcaacagtct 660  
tttgtggaaa atgccagtca tgagttacga actccactcg cagttttgca aaatcgctta 720  
gagacccttt ttcgtaagcc agaagctacc attatggatg tgagcgaaag cattgcatcg 780  
agtttggaaag aagtccgaaa tatgcgtttt ttaacgacaa gcttgctgaa cttagctcgg 840  
agagatgatg ggattaagcc ggagcttgca gaagttccaa ctagcttttt taatacaact 900  
ttcaciaaact acgagatgat tgcttcggaa aataatcgtg tcttccgttt tgaaaatcgt 960  
atccatcgaa caattgtcac agatcagctt cttctgaaac aactgatgac cattcttttc 1020  
gataatgccg tcaagtatac tgaggaggat ggtgaaattg attttcttat ctcggcgacc 1080

gatcgcaatc tttatcttact tgtttctgat aatggaatcg gtatttcgac agaagataaa 1140  
aagaaaatct ttgaccgttt ttatcgagta gacaaggcta gaaccggca aaaaggtggt 1200  
tttggttttag gattatccct agccaagcaa attgtagatg ctctaaaagg aactgttact. 1260  
gtcaaagata ataaacccaa gggaacaatc tttgaagtga agattgccat tcagacacca 1320  
tctaaaaaga aaaaataa 1338

<210> 70  
<211> 1092  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 70  
gattgtaatt ttcttacggg catgattctc tccttaacag tacataccta ttttatcatt 60  
ttttcggcag agaattatta cagaaagggt acaaaaagaa taaagtcctt tttcattttc 120  
aaagcatggc tgattttgga gaaatgtggt ataatttttc ttatggaaaa gattgtcatt 180  
acagcaactg ctgaaagtat tgaacaagtt gaacaactac tcgaagctgg cgtagaccgt 240  
atctatgtcg gtgagaaaga ttttggtctt cgtctgcaa cgaccttttag ttatgaccaa 300  
ttacgtgaaa tcgctaagtt ggttcattgat gctggttaagg aattgatcgt tgcggtcaat 360  
gctctcatgc accaagatat gatggaccgt atcaagcctt tcttaaaactt cttggaagaa 420  
atcaagacag actatattac gattggggat gcaggcgtct tttacgtagt taaccgcgat 480  
ggttattcat ttaagaccat ctacgatgct tcaaccatgg taactagcag tcgtcagatt 540  
aacttctggg gacaaaaggc tggcgcatct gaggtgttt tggcgctga aattccatca 600  
gctgaacttt tcaaaatgcc agagattttg gaaattcctg ctgaagtttt ggtttacggg 660  
gctagcgtca tccatcatct taaacgtcca ctcttgcaa actactataa ctttacacat 720  
atcgatgatg aaaagacgca taaacgtgac ctcttcttgg ctgagccaag tgatccagag 780  
agccactatt ccatttttga agataatcat gggaccata tctttgcaa caatgacctt 840  
gatttgatga tcaaatatc agaattggtg gagcatggct ttactcgctg gaaactagaa 900  
gggctctaca ctctgggtca gaactttggt gagattgcaa aactctttat ccaagcgct 960  
agcttgattc aagagggcaa ctttagtcat gctcaagcct tcttgctgga tgaagaagtt 1020  
cgtaaacttc accctaaaaa cgttttctt gatacaggat tttatgacta cgatcctgac 1080  
atggtagat aa 1092

<210> 71  
 <211> 765  
 <212> DNA  
 <213> Streptococcus pneumoniae  
  
 <400> 71  
 ataaattgga taaaaaattt aaattttaat tcaaaacatg ttataatcat acagtattct 60  
 attttagaaa gcagtgtgac tatgaatttt tcttttttac ctaagtattt accttatttt 120  
 aactatgggg ctgttgtgac gattccttatt tctatctgtg ttatcttttt gggaactatt 180  
 ttgggtgttg tcttggcttt tgggcaacgt tcaaagtta aaccgcttgt ttggttggcc 240  
 aacttgtacg tttggatttt ccgtgggaca ccgatgatgg ttcaaattat gattgccttt 300  
 gctcttatgc atatcaatgc tccgactatt cagattggaa ttttaggtgt tgatttttcg 360  
 cgtctgattc cagggatttt gattatctct atgaatagtg gtgcttatgt ttcggagact 420  
 gttcgtgccg gaatcaatgc ggttccaaaa ggtcagctag aagcggctta ttcgctaggg 480  
 attcgtccta aaaatgcat gcgttatgtg attttgccac aagcagtcaa aaatatcttg 540  
 ccagcattgg ggaacgaatt taccacatt atcaaggaca gctccctctt atcagctatt 600  
 ggggtcatgg agttgtggaa tggggctaca acagtttcta caacaaccta tctaccttta 660  
 acaccacttt tatttgcagc attttactac ttgattatga cctctattct gacagtagcc 720  
 ttgaaagctt ttgaaaaaca tatgggacaa ggagataaga aataa 765

<210> 72  
 <211> 741  
 <212> DNA  
 <213> Streptococcus pneumoniae  
  
 <400> 72  
 gaaataatga cagaaacctt gataaaaatt gaaaatttac ataaatcctt tggaaagaat 60  
 gaagtattga agggcatcaa cctcgagatt aaaagaggag aagttgtcgt tatcatcggc 120  
 ccttcaggga gcggaatc taccttgctt cgctctatga atttgttggg agaagcaacc 180  
 aaggggaagg ttatctttga gggagtcgat attacggaca agaagaatga cctgtttgcc 240  
 atgcgtgaga agatgggcat ggtttttcaa caattcaatc tctttcctaa tatgactgtg 300  
 atggaaaata tcaccttgct ccctatcaag accaaagggtg acagtaaggc cgttgcagag 360  
 aaaagagctc aggaactttt ggaaaaagtt ggtttgccag ataaggcaga cgcttatcca 420

cagagtttgt caggtggcca gcaacagcgg attgccatcg cgcgtgggtt ggctatggaa 480  
ccagatgttt tgctctttga cgagccaact tcagccctag atcctgagat ggttggagaa 540  
gttctggctg ttatgcaaga tctagccaag tcaggaatga ccatggttat cgtaacacat 600  
gagatgggat ttgcccgtga ggtggcagat cgtgtcatct ttatggcaga cgggtgtggtt 660  
gttgaagacg gaacacctga gcagattttt gaacaaaccc aaggacaaag gactaaagac 720  
ttcttgagta aggttttata a 741

<210> 73  
<211> 261  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 73  
ttcacaactt ataggaggtg tactatgaaa atcttaaaac gttacatatt ggaactctgt 60  
tttattttaa gttttgcttt accttttata aaaggaacca atgcagataa tggtagatgc 120  
tttgtggaaa cctattacgg ttttactttt ttgatggaac atgctattgt aacagctgtc 180  
tttatttgtt cgttcttaat tgctttctta ctaaaaaacg atggacgaaa tggattgctg 240  
cgggtagtta ttgcttttta g 261

<210> 74  
<211> 1548  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 74  
aaggaagagc acatggcaca cgaaaatgtc attgagatgc gtgatattac caaggtgttt 60  
ggtggatttg ttgccaacga caaatcaac ttgcacctac gaaaagggtga aattcatgca 120  
cttttaggag aaaatggggc tggttaagtcc acgctaatac acatgttagc aggccttctt 180  
gaaccaacta gtggtgaaat cgcggtcaac ggtcaagttg tcaatctcga ctccccatct 240  
aaagcagcta gcttggaat cgggatggtt caccagcact ttatgttggt tgaagccttc 300  
acagtggctg aaaacatcat tttaggtagt gaattgacta aaaatgggtg gctagatatc 360  
gctggagcta gcaagaaat caaggctctt tctgaacggt atggcttagc tgttgaccct 420  
tctgccaagg tagcagatat ctcatgtgga gcccaacaac gtgtagaaat tttaaaaaca 480  
ctttatcggg gggctgatat ccttatcttt gacgaaccaa cggctgtttt gactccatca 540  
gaaattgatg agttgatggc tattatgaaa aatcttgtca aagaaggaaa atcaattatc 600

ttgattaccc acaaattgga tgaaattcga gcagtttctg accgtgttac agttatccgt 660  
 cgtgggaaat caattgaaac cgttgaaatt gcaggggcta ccaatgctga tttggcggaa 720  
 atgatggtag gacgttctgt ttcctttaaa acagagaagc aagcctctaa accaaaagaa 780  
 gtggttttgt ctatcaaaga tttggtgggc aatgaaaacc gtggtgttcc agctgttaaa 840  
 aatctgtcct tggatgttcg tgctggagag attgttggtg ttgcggggat tgatggaaat 900  
 ggtcagctcg aactgattca agccattaca ggtcttcgta aggttgaatc tggtagcatt 960  
 gagctaaaag gagattcaat tgtaggcttg caccacgctc agattacaga actaagtgtt 1020  
 gggcacgttc cagaagaccg tcaccgtgat ggcttgattt tggaaatgat gatattctgaa 1080  
 aatattgccc ttcaaacta ctataaagaa ccacatagta aaaatggaat tttgaattat 1140  
 tcaaatatta cttcttatgc taaaagctg atggaagagt ttgatgttcg cgctgccagt 1200  
 gaattagttc ctgcagctgc actctcagga ggaaatcaac aaaaagcaat tattgctcgt 1260  
 gaaattgatc gagatcctga tctccttata gttagccagc caactcgtgg gttggatgtc 1320  
 ggtgccattg agtatatcca caaacgcttg attgaagagc gtgataatgg caaggctgtc 1380  
 cttgttgtca gctttgaatt ggatgagatt ttaaagctct cagaccgtat tgccgttata 1440  
 cacgatggta agattcaagg tattgtatca ccagaaacaa ccaataaaca agaacttggt 1500  
 gtcttgatgg ctggtggaaa cttgggaaaag gagaagagtg atgtctaa 1548

<210> 75

<211> 939

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 75

gggaggagaa caaaaatgac agagttggca aagcaactat tagagttgac ctatattgtg 60  
 attggttgtc aatttctcca tacagcctat tgtagttata aagataaaac aaaccagtt 120  
 cgacttggga catctgcatt ttggactcta ttgtctatta cgtttatagg tggttcctat 180  
 atgccaaata tgagtattgg tattattgta atcctattat cgctgttaac attgtttaag 240  
 caagtccgta tcggaacctt gccatcctta gatgaaatga aagccaatat tgaatctaac 300  
 aggttgaaaa ataaaatttt tattccagtt atgctgatgg caatacttgc gttggtctta 360  
 gcgcaaata ttccagaatt tagcaagatt tcgattagcc ttgccgcctt gtttgctaca 420  
 atttctgttc ttgtgattac caatagtcac cctaagagtc tgttatcaga aaataatcga 480

atgactcagc aagtttcaac aagtgggatt gttcctcaat tattaggggc tttgggggct 540  
 atttttactg tagcaggtgt tggatgatgt atctctcatc tgattagcgg tattgttcct 600  
 tcagatagtc gctttatagg agttttggcc tatgttcttg gaatggttct attcacaatg 660  
 attatgggaa atgcttttgc agcattcacc gttattacag caggtgttgg agttcccttt 720  
 gtatttgctc tgggagctaa tccaattgtg gctgggtgctc ttgccatgac agcaggttat 780  
 tgtgggacct tattgacccc aatggctgct aattttaacg ctctaccagc agcattgatg 840  
 gatatgaaag atcagaatgg cgttataaag gctcaagcag gtgttgctct agtaatgatt 900  
 gttattcaca tattcttaat gtactttctc gcatttttag 939

<210> 76  
 <211> 1113  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 76  
 ctcatgtttc gtagaaataa attatttttt tggaccacag aaattttact ctttaaccatc 60  
 atcttttacc tatggagaca gatgggtctc ttgattaacc cttttgtag cgtgcttaat 120  
 acaattatga ttccattttt attagggggc tttttttatt atttgacaaa ccctattggt 180  
 actttcttaa ataaagtctg taaactcaat cgtttgcttg gtattttaat taccttgtgt 240  
 actttggtct ggggaatggt cataggtggt gtctatctct tacctatttt gattaatcag 300  
 ttatctagtt tgattatc tagtcaaaact atttatagtc gagtacaaga cttaatcata 360  
 gacttatcta attatcctgc gctccagaat ttggatgtag aagctacaat tcagcagtta 420  
 aacttatcct atgttgatat tcttcaaaaat atcctaaata gcgtatcaaa tagtgtgggg 480  
 agcgtcttgt cagctcttat cagtactggt ttgattttga ttatgactcc agtttttttg 540  
 gtttatttct tattagatgg acataaattc ttgcccatgc ttgaaagaac gattctaaag 600  
 agggatcgct tgcattatgc aggcttatta aagaatttaa atgcgacgat tgctcgctat 660  
 attagtggag tttcgattga cgcaatcatt ataggttggt tggcttatat tggctatagt 720  
 attattgggt taaaatatgc tttagttttt gccatttttt ctggtgtagc caatttaatt 780  
 ccttatgtgg ggccaagtat tggtttgatt cctatgatca tcgcaaatat attcactgat 840  
 ccccatagac tgctgattgc agtgatttat atgcttggtt ttcagcaggt agatggcaat 900  
 atcttatatc ctggaatcgt aggaagtgtt atgaaggttc atccaatcac gatttttagtt 960

ttacttttgt tgtcaagcaa tatctatggt gtagttggaa tgattgtcgc agtgccaacc 1020  
 tattctatct tgaaagaaat ttctaagttc ttatcccatt tgtatgaaaa tcataaaata 1080  
 atgaaagaac gagaaagaga attagctaag taa 1113

<210> 77  
 <211> 1995  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 77  
 attagtatgt ttcgattaac caataagtta gcggtatcga acttgattaa aaaccgcaaa 60  
 ctctactatc cctttgcact ggctgttctc ttggcagtc aacacaccta tctcttttac 120  
 tccctaacct tcaatccaaa gattgcgga atccgtggag gaaccaccat tcaagcaaca 180  
 cttggatttg gtatgtttgt cgttaccctt gcgtcagcca ttatcgtcct ctatgccaat 240  
 agttttgtca tgaaaaaccg ttccaaggaa ctgggtatat atggcatgtt aggcttgag 300  
 aagcgccatc taatcagtat gacctttaag gagttagtgg tatttgggat tctaactgtt 360  
 ggagcgggta tcggtattgg agccttgttt gacaagttaa ttttcgcttt cctgctcaaa 420  
 ctaatgaaac tgaaggttga gctggttgct accttccaaa tgaatgttgt cattgcagta 480  
 cttgttgtct ttggattgat tttcctagge ctcatgttcc tgaatgctct tcgaatcgcc 540  
 cgtatgaatg cctccagct ctgcgtgag aaagcaagcg gagagaaaag aggtcgcttc 600  
 ctacctctcc aaacgattct tgggtccata agtttaggga ttggctatta tcttgccctt 660  
 acggtaaccg atcctcttac agccctaaca actttcttcc tagctgtttt gctggttacc 720  
 tttggtactt atctattgtt taatgcaggg attacagtct tctacaaaat cttaaagaaa 780  
 aacaagaaat actattacca acctaataac ctcatatctg tttccaactt gattttccgt 840  
 atgaagaaaa atgcggttgg actagcaacc atcgtatatt tgtcaacaat ggttttggtta 900  
 accatgtcag cagcgacaag cattttcaat tccgcagaaa gctttaaaaa agttctaaat 960  
 cctcatgatt ttggggtttc agggcaaaat gttgaaaaag aagatttggga caaactcttg 1020  
 agccagtttg caagtgacaa aggttatagt gtcaaagaga aagaagtact tcgttacagt 1080  
 aacttttggt ttgcaaatca agaaggaacc aagttaacta ttttgaaaa aggacaaaac 1140  
 cgtgtccaac ccacaacagt tttcatggta ttgaccaaaa aagattatga aaatatgact 1200  
 ggtcaaaaac tgtctctatc aggaatgag gtcggtctct ttgccaaaaa tgacgggactg 1260

aaaggacaga aagctctaac tctaaatgat catcaatddd ctgtcaaaga agaatttaaat 1320  
 aaagattttca ttgtgaacca tgttccaaat aagtttaata tcttgactac tgattacaat 1380  
 taccttggtg ttcttgattt acaagccttt ttggatcaat tcccagattc ggctatctat 1440  
 aatcagtttt acggtggtat gaatgtaaat gtcagtgaag aagaacaact caaggctcgt 1500  
 gaggagtatg aaaactacct caatcaattd aatgctcaat tagacacaga aggtagctat 1560  
 gtttatggta gcaatctagc agatgctagt tctcagatga gtgccctctt tgggtggtgtc 1620  
 ttctttatcg gtattdtctt atccattatc tttatggtcg gaactgttct ggtcatctac 1680  
 tacaacaaaa tttctgaagg ctacgaagac cgtgaacgct ttattatctt gcagaaagtc 1740  
 ggtttgacc aaaagcaaat caagcaaacc atcaacaaac aggttttaac tgttttcttc 1800  
 cttcctttgc tctttgcctt catacatctc gcctttgcct accatatgct tagcctgatt 1860  
 ttaaaagtga ttggtgtact ggatacgact atgatgttga ttgtgacctt gtctatctgc 1920  
 gctatcttcc tcatcgcta tgtgctgatt ttcattgatta cttcaagaag ttatcgcaag 1980  
 attgtgcaaa tgtaa 1995

<210> 78  
 <211> 1290  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 78  
 ggacatttta gaagaagagg aaggaaaaaa atgagtcggt tactagttat tggttgtggg 60  
 ggcgttgccc aagttgctat ttcaaagatt tgtcaagata gcgaaacatt tacagagatt 120  
 atgattgcta gccgtaccaa gtcaaaatgc gatgacttga aagcgaagct agaaggcaaa 180  
 acaagtacta aaattgaaac tgcagcactt gatgctgaca aggttgaaga agtgattgcc 240  
 ctgattgaaa gctacaaacc agaagctggt ttgaatgtag ctctgcctta tcaagattta 300  
 accattatgg atgcttggtt ggcaacaggt gttcactata tcgatacagc caactacgaa 360  
 gcagaagaca cagaagacct tgagtggcgt gctatctacg aaaaacggtg taaggaaactt 420  
 ggtttttacag cctactttga ctactcatgg cagtgggctt atcaagagaa attcaaagaa 480  
 gcaggcttga ctgctcttct tggttctggt ttgacccag gtgtaactag tgtcttttca 540  
 gcttatgccc tcaaacacta ttttgatgaa atccattata tcgacatttd agactgtaat 600  
 ggcggtgacc acggttatcc atttgcaacc aactttaatc cagaaattaa tctccgtgag 660



```

gtttctgctc caggttctta ctgggaagat gggaaatggg tcgaagtcga agctatgtct 720
atcaagcgtg agtatgattt ccctcaagtt ggacaaaaag atatgtatct ccttcaccat 780
gaagaaatcg aatcattggc caagaacatt ccaggtgtca aacgcattcg tttctttatg 840
acttttggtc aatcttactt gacgcacatg aaatgtcttg aaaatgttgg actccttcgt 900
acggatacca ttaactttaa cggccaagaa attgttccaa ttcaattttt gaaagccttg 960
cttcagatc ctgccagtct tgggccacgt acagtcggaa aaaccaatat tggatgtatc 1020
tttacaggtg tcaaagacgg tgtcaaaaag actatctata tctacaatgt ctgcgaccat 1080
caggaatgtt acgcagaggt tggttcgcaa gctatttctt atacgacagg agttccagcc 1140
atgattggga caaaattagt catgaacgga acttggaaac aagctggagt gtataacctt 1200
gaggagttag atccagatcc attcatggaa gctttgaatg agtatggttt gccatggggt 1260
gtggttgaaa atccacaaat ggtggactaa 1290

```

&lt;210&gt; 79

&lt;211&gt; 669

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 79

```

tctaagagag gagaaaatat ggaagcaatt atcgagaaaa tcaaagagta taaaatcatc 60
gtcatctgta ctggtctggg cttgcttgta ggaggatttt tcttgctaaa accagctcca 120
caaacacctg tcaaagagac gaatttgcag gctgaagttg cagctgtttc caaggactca 180
tcgaccgaaa aggaagtgaa gaaggaagaa aaggaagaac cccttgaaca agatctaatac 240
acagtagatg tcaaaggtgc tgtcaaatcg ccagggattt atgacttgcc tgtaggtagt 300
cgagtcaatg atgctgttca gaaggctggt ggcttgacag agcaagcaga cagcaagtcg 360
ctcaatctag ctcagaaagt tagtgatgag gctctggttt acgttcctac taagggagaa 420
gaagcagtta gtcaacagac tggttcgggg acagcttctt caacaagcaa ggaaaagaag 480
gtcaatctca acaaggccag tctggaagaa ctcaagcagg tcaagggact gggaggaaaa 540
cgagctcagg acattattga ccatcgtgag gcaaatggca agttcaagtc agtagacgag 600
ctcaagaagg tctctggcat tgggtggcaa acaatagaaa agcttaaaga ctatgttaca 660
gtggattaa 669

```

<210> 80  
 <211> 1524  
 <212> DNA  
 <213> *Streptococcus pneumoniae*  
  
 <400> 80  
 aaaagcttaa agactatgtt acagtggatt aagaatttct ctattcccct aatttacctg 60  
 agttttctat tactttggct ttattacgct attttctcag catcttatct tgctttgttg 120  
 ggctttgttt ttctgctagt ctgtctcttt atccaatttc cgtggaaatc tgctggtaaa 180  
 gttctaataa tttgcggaat ctttggattt tggtttgttt ttcaaaattg gcaacagagt 240  
 caagcgagtc aaaatctggc ggattctgtt gaaagggtag ggattttgcc tgatactatt 300  
 aagggttaatg gtgatagtct atcctttcgt ggcaagtcta acggctcgtgc tttccaagtc 360  
 tattataaac tccagtcga ggaggagaaa gaagcctttc aagctttaac tgacctgcat 420  
 gagataggac tagaaggga gctttcggag ccagaagggc agagaaattt tgggtggcttt 480  
 aattaccaag cctatctgaa gactcagga atttaccaga ctctcaatat caaaacaatc 540  
 cagtcacttc aaaagattgg cagttgggat ataggagaaa acttgtccag tttacgtcga 600  
 aaggctgtgg tttggattaa gacgcacttt ccagacccta tgggcaatta catgacagga 660  
 ctcttgctgg gacatctgga caccgacttt gaggagatga atgagcttta ttccagtcta 720  
 ggaattatcc acctctttgc cctatctggc atgcaggtag gttttttcat gaatggattt 780  
 aagaaacttc tcttgcgatt gggcttgacc caagaaaagt tgaaatggct gacttatccc 840  
 ttttocctta tctatgcggg actaactgga ttttcagcat cggttattcg cagtctcttg 900  
 caaaagctac tggctcaaca tggggttaag ggcttgata attttgctt gacgggtgctt 960  
 gtctcttta ttgtcatgcc aaactttttc ttgacagcag gaggagtctt gtctgcgct 1020  
 tatgctttta tcctgaccat gaccagcaaa gaaggggagg ggctcaaggc tgttactagt 1080  
 gaaagtctag tcatctcctt gggcatattg ccattctat ccttctattt tgcggaattt 1140  
 caaccttggc ctatcctttt gacctttgtc ttttcccttc tttttgactt ggtcttctta 1200  
 ccgctcttgt ctatcttatt tgtcctttcc tttctctatc cagtcattca gctgaacttt 1260  
 atctttgaat ggtagaggg cattattcgc ttggtctcgc aggtggcaag gagaccactt 1320  
 gtctttggtc aaccaacgc atggctttta atcttattgt taatttcctt ggctttggtc 1380  
 tatgatttga ggaaaaacat taaaggatta acagtattga gtttattgat tacaggcttc 1440  
 ttttccctta ccaagtatcc actggaaaaat gaaatcacca tgctggatgt ggggcaagga 1500

gaaagtattt tctacgggat gtaa 1524

<210> 81  
 <211> 261  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 81  
 aataataggg attttaagga gtttgatatg tataacctat tattaacat tttattagta 60  
 ttatctgttg tgattgtgat tgcaattttc atgcaaccaa ccaaaaacca atccagcaat 120  
 gtatttgatg ccagttcagg tgatttggtt gaacgcagta aagctcgcg ttttgaagct 180  
 gtaatgcagc gtttgacagg gatttttagtc tttttctggc tagccattgc cttagcattg 240  
 acggtattat caagtagata a 261

<210> 82  
 <211> 867  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 82  
 aatagaaata gttggaggaa atatatgctc tcatggtttag cacgcgttat taaagggatt 60  
 gtaattgctc ttggatttat cctaccggga atttccggag gggttctagc agcaatctta 120  
 ggaatctatg aacgaatgat tggctttctg gcccatccct ttaaagactt taaagaaaat 180  
 gttttgtact ttattccagt tgccatcggt atgcttctgg gaatcggtt attttcctac 240  
 ccgattgaat acctgcttga aaattatcag gtttttgat tatggagctt tgcgggagct 300  
 attatcggta cagttcctag cctcctcaaa gaatcaactc gagaatctga ccgagacaag 360  
 attgatttag cttggttatg gacaaccttt atcatttctg gattaggact ctatgcctta 420  
 aattttgtcg ttggaacctt aagcgccagc tttcttaact tcgtcctagc aggcgcacta 480  
 ttggcccttg gcgtcttgg tcttggcctc agcccatcaa atttactttt gattttggga 540  
 ctctatgctc ctatgttgac tggttttaaa acttttgatt tcttgggaac cttctttccg 600  
 attggaattg gtgcaggtag aactctcatc gttttttcaa aattgataga ttatgcctta 660  
 aacaactacc actcacggt ctatcatttc atcatcggtc tcgtcctatc aagtaccctt 720  
 ttgatcttaa ttccaaatgc aggaaacgct gaaagtatcc aatacacagg actttcactt 780  
 gtcggttatg tcatcatcgc cttcttcttt gcgctgggaa tctggcttgg tatttggatg 840

agtcaattgg aggataaata taaataa

867

<210> 83

<211> 636

<212> DNA

<213> Streptococcus pneumoniae

<400> 83

atcatgtttt acttgagttt gtcaaggatt gctttaagct cctctactag tttagtttct 60  
gtctctgctg agccattttc ttctttcacg aaatcaaggg tttcttggag aaggtttttg 120  
gctttggcaa ggactttttt atccgctttt tctgcatcta gctgtcctag aaccttgatc 180  
aattccgtgc ttaattgctg gatttctgac tctttcttac ggccaatcag ccagaaggca 240  
atcaagccta ggagggaag tagactgacc acaatcactc ctgccggaac tgagtttggt 300  
tcagtcactt tatctgaatc cttactatct tccgttcctt gttttgcatc cttcttgctc 360  
tgtgcaggct tgctgtcgtc agcatttgc ttcacatctt tgagagagtc caaggcagcc 420  
cagccttcac agactctact gcagtatgca gaccttactc tgtcaaggca ctatcttccg 480  
gagctttttg agcatctagg aggacagcct tgggtgcatc gattttcgga tcagatactg 540  
ttgccaaagc tttcaagcgt tgggtctaact cttgactcaa ggcacgaagt tcagacttgt 600  
caacttgctc ttgagcttgt gtgctcggtg agctag 636

<210> 84

<211> 744

<212> DNA

<213> Streptococcus pneumoniae

<400> 84

aataggatta gaattattaa gaaagttggt tctttattgg aaacgatagt atttttaatc 60  
tctgtttttc tagcaggtgt tttatccttt tttctcctt gtatttttcc tcttctgcca 120  
gtctatgctg ggattttatt ggatgatcaa gaaagtgcaa aaagcttttc tttgtttggg 180  
agaaagggtc tctggtcagg cttgattoga acactttgct ttatcgctgg tatctctctc 240  
attttcttta ttctaggctt tgggtgctggt tactttggtc atattctcta tgcaaattgg 300  
tttcgatatg gcatgggagc tattattatc attttgggtc ttcaccagat ggaaattttt 360  
catttgaaga aattagaagt tcaaaaaagt tttaccttta aaaaatcaga ttctaactgt 420  
tattggtcag cttttttact tgggtattacc tttagctttg gttggacacc ttgtattggt 480  
ccagttttta gttctgtttt agcacttgct gcttctggag gcaatggcgc ttggcaagga 540

gcgatttata ctctcattta cactctgggc atggcccttc ctttcttggt attggcacta 600  
 gcttcaggtc tagtcatgcc atatttttagt aaaatcaagc gtcatatgat gctactaaag 660  
 aaaattgggtg gtttcctcat tgttttaatg ggaattttgt tactattagg acaagtaaatt 720  
 gttctagctg gaatttttga ataa 744

<210> 85  
 <211> 936  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 85  
 atgggttaagg agttgttcat gaagaaacaa aatttatttt tagtcctggt aagtgtcttt 60  
 cttttgtgct tgggggcttg tgggtcaaaag gaaagtcaga caggaaaggg gatgaaaatt 120  
 gtgaccagtt tttatcctat ctacgctatg gttaaggaag tatctgggtga cttgaatgat 180  
 gttcggatga ttcagtcag tagtggtatt cactcctttg aaccttcggc aaatgatatc 240  
 gcagccatct atgatgcaga tgtctttgtt taccattctc atacactcga atcttgggca 300  
 ggaagtctgg atccaaatct aaaaaaatcc aaagtgaagg tcttagaggc ttctgagggg 360  
 atgaccttgg aacgtgtccc tggactagag gatgtggaag caggggatgg agttgatgaa 420  
 aaaacgctct atgaccctca cacatggcta gatcctgaaa aagctggaga agaagcccaa 480  
 attatcgctg ataaactttc agagggtgat agtgagcata aagagactta tcaaaaaaat 540  
 gcgcaagcct ttatcaaaaa agctcaggaa ttgactaaga aattccaacc aaaatttgaa 600  
 aaagcgactc agaaaacatt tgtaacacaa catacagcct tttcttatct agcgaagaga 660  
 tttgggctta atcaacttgg tattgcaggt atctctcctg aacaagaacc aagtccacga 720  
 caactaacag aaattcagga atttgtaag acctataagg ttaaaacgat ttttacagaa 780  
 agtaacgctt cttcaaaagt agctgaaact cttgtcaaatt caacaggtgt gggctctaaa 840  
 actctgaatc ctttagagtc agaccacaaa aatgacaaga cctattttaga aaatcttgaa 900  
 gaaaatatga gtattctagc agaagaatta aagtga 936

<210> 86  
 <211> 390  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 86

aaggaaaaca gtatgttaaa aaatctaaaa tcgttcttgc ttcgaggaaa tgttattgac 60  
cttgctgtcg gtgttgtaat tgcctctgct tttggtgcta tcgttacttc acttgtaaac 120  
gacattatca ctctctttat tttaaatccc gctttgaaag ctgctaaagt tgaacgtatc 180  
gctcaacttt cttggcatgg agtcggctat ggtaacttct taagtgctat tatcaatttt 240  
atctttgtgg gtaccgccct cttctttatt atcaagggca ttgaaaaagc acagaagctg 300  
actggcataa aggaagaaaa aactgacgaa aaaaaaccaa ccgaattgga agtccttcaa 360  
gaaataaaaag ctctccttga gaaaaataa 390

&lt;210&gt; 87

&lt;211&gt; 1023

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 87

gaaatgcatg caaaaatgcg aaataaaaaa caaataaacc tag\_ataat ttttataatc 60  
tgcctaggtc ttcttattac aatatttttg tcattaaagc ttggaacaaa agaaattaat 120  
atcagagatt ttttagcagc ttttggaatg ggtaatacaa atgatgattt tattaatatc 180  
attatatata aaagaatacc tagaactatt tttgcaattt tagcaggttc tagct\_cc 240  
ataagcggtg tattgatgca atcagttact agaaacccaa tagctgatcc aggtatactc 300  
ggatataaca caggagcaag tcttagtgta gtaattgggc tttctttttt aggaatttca 360  
tcaagcataa gccatataag ttttgcaatc attggtggct tagtaagtgc aatttttgta 420  
tacgcgattg ctgtaagcgg aaaagcaggc cttacccta taaaacttgc cttatcagga 480  
acttgtgtta gtatggcttt aagcagtttt gtaagttttt taattttacc gaataataac 540  
gtcttagaca aatttagatt ttggcaaata ggtagccttg gagcagctac attatcttct 600  
atatctacac tactaccttt tataatttta ggtaacttga tagctatatt tatttcatca 660  
gatttaaacg ctttagctat gggtagtgaa atggctgttg gtcttggagt taatgttaat 720  
aggataagat caattgcaat aattgcaagt gtgcttttat gttcaagtat tactgcaatt 780  
ggtaggacct ttggcttcgt aggtcttata gttcctcact tttgtggctt atttataagc 840  
aaagatatac gcacaatgac catttcttca tcttttatag gtgcagagct cttgcttata 900  
tgtgatataa tcggccgtat gttaggtaaa ccaggtgaaa ttgaagtagg gataattact 960  
gcaataatcg ggggtccagt acttatttat gtaactatga aaaatagagg ggttaataac 1020

taa 1023

<210> 88  
 <211> 1011  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 88  
 ctaatgcaaa atttaattat aggtattcaa aaaagaaaa atagaataac actattttcc 60  
 tcactatttt tattaataat aatcagtcta tcatttttca ttttacttat cggagatgaa 120  
 agttattctt tttcaacttt gattaaagtc ttaaatagtg aaactgttcc tggagctagt 180  
 ttttcgatta tggaaattag attacaaaa ttattagcag gaattatagc tggctggtct 240  
 tttggattgg caggatttat ctttcaact atgttaagaa atcctcttgc aagtcctgat 300  
 ataatcgggtg tcacaagttc ttcacttatt gcagcgggtct tttgcatatt ggtattaaaa 360  
 acaaatagtt taactactgg aattatttca ataacttggtg gactaacatc atctttaata 420  
 ttattttttac tagctaaaaa agatgggtttt tcagcagcaa gactgataat attaggtatt 480  
 gggttttcaag ctgtcacaag agcaggcacc tcattttttat tggtgaaagt agcaagatat 540  
 gaattacaag aagttatgag atggctcagt ggctctttat cttttacaaa gttagatgac 600  
 atacctcttg ttctaatagt aagtattatt gctactatat tagttttatt ttttaataaa 660  
 agactagaaa ttattgaact tgggtgaagaa atagcaatcg gacttggagc aaatcccgag 720  
 ctttcaaggc ttgttttaaat tttttgcgct gtatctttta ctgctttttc tacttcaatt 780  
 acaggaccaa tagcttgtat atctttttta gctgggtccca tagccttaaa tattggcaag 840  
 aaaagaagcc caatattagc tggattgggtt ggaattttac tagttttgtt atcagacata 900  
 ttctctcaaa atattttacc agctagatat ccagtaggtg ttgtaactgg ctgttaggt 960  
 tcaccatact taatatactt actaataaaa atgaacagga ggaatatata a 1011

<210> 89  
 <211> 936  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 89  
 aataaaggta ggggtgttat gaattgtttc ttgaaaatga ataatgtaag tgttcgttat 60  
 gatgacgtaa tagcttttaa agatataact ttacaaataa ataagggaga tttcattggc 120  
 ttattaggtt caaatgggtg aggtaaatct acgttaatta attctattgt aggttttcaa 180

gagatttatt taggagaaat agagtattgt gataaagatt tgatagttag ttctcaacct 240  
 tttgctcatt taggctttac tcctcaaacc acagtaattg atttttatac tactgtgaag 300  
 gacaatgtaa tattggggct gaaccttgct ggaaagtttg ggaaaaatgc tgagaagttg 360  
 tgtcaaatac ccttagaaat tgttgggtta gctgataaaa aaaataattt ggtagaaaca 420  
 ttgtcaggtg gacaactgca acgcgtccag attgctagag caatagctca taatccagat 480  
 ttttatattt tagatgaacc taccgttggg ttagatactg aatctgccga aaaattttta 540  
 atgtatttaa aagataagag tttggaagga aaaactatta tcatatcttc acatgacata 600  
 aatctactcg aaaagttttg taaaaaata ctttttttac aaaatggctc catatcattt 660  
 tttggtgata tgcggtgactt tgtagataat tcaactatca aattaaattt ttcaatgcag 720  
 aatagaattt ctagatatca aattgaattt ttagaaaatt ttagatttaa agttcacatc 780  
 gaagataatg atagttttac aatagaagtc cctatagaag aaaagatctt agatgttata 840  
 aatgaggtag gaaaagcatg tgaaattaaa aacttttcaa caagtaaatt aaccttacia 900  
 gaaagttatt tgcaaagaat aggaggagaa aatga 936

<210> 90

<211> 846

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 90

attaacctta caagaaagtt atttgcaaag aataggagga gaaaaatgaa ggctgatcaa 60  
 ttaaggcaca aatcggactt aggtttaaga ggtctagcga ttattgctaa aaatgagatt 120  
 attgcttttt ttagaagtaa aggtttaatt atttctcagt ttctacaacc aatcttatat 180  
 gttgttttta taataatagg attaaattct tcgataaaga acattcagtt taatgatata 240  
 aaaacctctt atgcagaata tacaatcatt ggtgttatag ctttattgat aatcgggcag 300  
 atgactcaag ttatttatag ggtgacaata gataaaaaat atgggctact tgctcttaag 360  
 ttatgcagtg gagttcgtcc tttatattat attttaggga tgagtatcta ttctatatta 420  
 gggttgatag ttcaagaaat tattatatat ataattacgt tagcgtttga gataaatatc 480  
 gcaatggata gattttttta tacagttttg ttatctattg ttgttttatt attttgggac 540  
 tcccttgcaa ttttacttac aatgtttatc aatgattaca gaagacgtga tattgtaata 600  
 cgttttgtac taacaccgct tggttttaca gctcctgttt tctacttaat agattctgct 660



cctagtattg tgagatggat tggtcagtta aatcccttaa cttatcaatt aactattttg 720  
 agaaactttt attttaaaaa ttcaacaact ttggaattag ttttcttatt gttaacatca 780  
 ttacttggtcc ttatatctgt atcttttatt ataccaaaga taaaattgat actgatagaa 840  
 agataa 846

<210> 91  
 <211> 1038  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 91  
 aatatgttaa aggaaataaa aaggagaaac agaattgaaaa ataaacgttt aattggaatt 60  
 attgctgcat tagcagtcctt agtagcagga agcttgattt attcttcaat gaataaatca 120  
 gaagctcaga ataataagga tgagaagaaa ataaccaaga ttggtgtgct tcaatttgtg 180  
 agccatccat cccttgattt gatttataaa gggatccaag atggacttgc agaagaagga 240  
 tataaagatg atcaagttaa aattgatttt atgaactcag aaggtgacca aagtaagggt 300  
 gcgacaatga gtaaacaatt ggttgcaaatt gggaatgacc ttgtggttgg tatcgcaaca 360  
 ccagcagccc aagggttggc tagtgcaaca aaagacctac cggttatcat ggccgctatt 420  
 acagacccaa ttggtgctaa cttggttaaa gatttgaaaa aaccaggtgg caacgttaca 480  
 ggggtatctg accacaatcc agtcaacaa caagttgaac tcatcaaggc tctgacaccg 540  
 aatgtgaaaa caatcggagc tctttactca agtagcgaag acaattcaaa aacacaggtc 600  
 gaagaattta aggcttatgc tgaaaaagca ggtctgacag tggaaacatt tgcagttcct 660  
 tcaacaaatg aaattgcctc aactgtcact gttatgacta gcaaggtaga tgctatttgg 720  
 gttccaattg ataacaccat tgcattcagga tttccaacgg ttgtctctag caatcaaagt 780  
 tctaagaaac caatttatcc cagtgcgaca gctatggtag aagtaggtgg tttggcatca 840  
 gttgtaattg accaacatga ccttggtgtg gcaacaggta aaatgattgt gcaagtcttg 900  
 aaaggtgcaa aaccagccga taccacagtc aatgtctttt caactggtaa gtcagtcac 960  
 aataaaaaaa tagcacaaga actaggtatt actattcctg agtctgttct caaagaagca 1020  
 ggacaagtca tcgaataa 1038

<210> 92  
 <211> 792

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 92

```

gcaaacaatc ttgaaaggag ccaagttaag caaatgacag caattgtaga attaaaaaat      60
gcaacaaaaa tcgttaaaaa tggctttgat gaagaaaaga ttatttttaa tgatgtttcc      120
ttagaaattt ttgaacggga ctttatcacg attttgggcg gaaatgggtgc tggaaaatca      180
actctcttta aactatagc agggacctta tctaacta gtggaactat ccgtatttta      240
ggtgaagatc tctaagtt ttcacccgag aagcgtgcc agtacctgtc tcgtgtcttc      300
caagatccaa agatggggac agctcccggt atgacggtcg ctgaaaatct ttaaatcgcc      360
aagtttcgtg gtgaaaagcg tggattgtta ccacgacgt tgactagcta taaggatgaa      420
tttcaggcaa ccattgaaaa agtaggaaat ggtcttgaga aacacttgaa tacaccgatt      480
gagttcttat caggtggaca aagacaggct ttgagtctct tgatggcaac cttgaagcga      540
cctgaattac tcctgttaga tgagcatact gctgccctgg atccaaagac tagtggtgct      600
ttgatggaat tgacagatga atttgttaag aaagatcagc taacagccct tatgattact      660
catcatatgg aagatgctct caaatacggc aatcgcttga ttgtcatgaa agaaggacga      720
attatccaag atttaaacca agaagaaaaa gcaaaaatga aaatctctga ttattatcaa      780
ctctttgaat aa                                          792

```

&lt;210&gt; 93

&lt;211&gt; 741

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 93

```

aaagaaaatg gtacaatatt tctaagagaa aatacaatgg gaggtaaaat gaggttatta      60
cctataagaa aaatatcacg tcagtctaaa aggttagcac tttttttgac gttttgtgct      120
ggatatgtgg atgcttacac ttttattggt cgcggaata cccttgtagc tggacaaact      180
ggaaatgttg tctttctttc agtagaatta attaaaaata atgtttcgga tgtagggac      240
aaggttctca ccttgctagc gtttatgatg ggagtctttt tattaacgat ttataaggaa      300
aaattgagaa ttgtgaaaaa acctattctg tccttgattc ccttggaat cttatcaatc      360
attattgctt ttgtgccgca aactgtggat aatatctatc tagtgccgcc cttggccttc      420
tgtatgggac tggtgacaac tgcttttgga gaagtgtcgg gtattgccta taataacgct      480

```

tttatgacag ggaatatcaa acggaccatg ctggcttttg gagattattht ccgaaccaag 540  
 cacactcctt ttttgctga aggatccata tttgttagcc tgcttagtag ttttgcctt 600  
 ggcttgtct tttcagccta tttgacgatt ttctatcatg aaaagaccat tcttggtgtt 660  
 cctattatga tgagcgtttt ttacctcagc atgctttttg cctcttggca gaaaaaagta 720  
 aaagaaaaag cttcatttta g 741

<210> 94  
 <211> 864  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 94  
 gaaaagaggt gtcctatgat taaaaaatt taccattht ttaccattht actaggtgct 60  
 gctatthtctg cttttggact gacttatttht gtagttcccc atcatctctt tgaaggaggg 120  
 gcgacaggca ttacctcat cacctthtct ctttttaaaa tccctgtttc cctcatgaac 180  
 ctgctgatta atattcccc tttcatccta gcttggaga tttttggagc caaatccctc 240  
 tattctagtt tactaggaac cttagctttg tccggctggt tagctthttht tgagcatatt 300  
 ccccttcata ttgatcttca aggtgattta ctaatcacag cccttatagc gggaatccta 360  
 ttgggaattg gccttggaat tatttttaat gctggaggta caactggcgg aactgatatt 420  
 ctagctcgta ttctcaacaa atacactcat atatccatag gaaaactgct ctttatctta 480  
 gatttttgta ttctcatggt gattctccta atcttcaagg atttgagatt ggtttcctac 540  
 acgcttttctg ttgattthtct tgtttctcgt gttattgatt tgattggtga aggaggatat 600  
 gccggcaaag gctttatgat tatcacaaaa cgtcctgacc aacttgctaa ggcgattaat 660  
 gatgacctcg gaagaggtgt tacttttatt tctggtcaag gctactatag taaagaaaat 720  
 ttgaaaatca tctactgtat tgtcggaaga aatgaaattg tgaaaacgaa ggaaatgatt 780  
 catcgaatcg atcctcaagc ctttataact attacagaag cccatgaaat cctaggagaa 840  
 ggcttcacct ttgaaaaaga ataa 864

<210> 95  
 <211> 300  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 95  
 aaattatttg gaggaatcat taacatggca aacaaacaag atttgatcgc taaagtagca 60

gaagctacag aattgactaa gaaagactca gcagcagcag ttgaagctgt atttgcagca 120  
 gtagctgact atcttgcagc tgggtgaaaaa gttcaattga tcggttttgg taactttgaa 180  
 gttcgtgagc gcgcagaacg taaaggtcgc aaccacaaaa ctggtaaaga aatgacaatt 240  
 gcagcttcta aagtaccagc attcaaagct ggtaaagctc ttaaagacgc tgtaaataa 300

<210> 96  
 <211> 1095  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 96  
 tatacttact tatggagaaa atacatgaaa cgtgagattt tactggaacg aatcgacaaa 60  
 ctaaaacaac tcatgccctg gtatgttctg gaatactacc aatctaagct ggctgtgccc 120  
 tacagtttta caaccctgta cgaatacctt aaggaatatg accgattttt cagctggggtt 180  
 ttggagtctg gtatttcaaa cgctgataaa atatccgata ttcctttatc agttttggaa 240  
 aatatgtcta agaaagacat ggaatccttt atcctttatc tacgtgaacg tcccttgctg 300  
 aatgctaata caacaaaaca aggtgtttca cagacaacta tcaatcgaac cttatcagca 360  
 ctttctagtc tttacaagta tctaaccgag gaggttgaaa acgatcaggg ggaaccttat 420  
 ttctatcgta atgtaatgaa aaaagtttcc accaagaaaa agaaagaaac ccttgctgcc 480  
 agagctgaaa atatcaagca aaaactcttt ctaggtgatg aaacagaagg ttttctaact 540  
 tatatcgatc aagagcacc cacaacagctt tcaaatcgag ctctctcatc attcaacaaa 600  
 aataaagaac gagatttagc cattattgcc cttctcttgg catctggtgt tcgcttatct 660  
 gaagctgtta atctagatct aagagatctc aatctaaaaa tgatgggttat tgatgttact 720  
 cgaaaagggt gcaaacgtga ctcagtcaat gtcgctgctt ttgctaaacc ttatttagag 780  
 aattatctgg ccattcggaa tcaacgctat aaaacggaaa aaacagatac agcccttttt 840  
 ttaactctct acagaggtgt tcctaatacgt atcgatgctt ctagcggttg gaaaatgggt 900  
 gctaaatact cagaggattt taaagtgcgt gtaacacccc ataaactgcg ccatacacta 960  
 gcaactaggc tctatgatgc gactaaatca caagttttag tcagtcacca actaggacat 1020  
 gctagcacac aagtcactga cctctatacc catattgtta gtgatgaaca aaagaatgct 1080  
 ctggatagtt tatga 1095

<210> 97  
 <211> 405  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 97  
 ctgagggtg caccgacagc gatccccata ccaccaccta cgataccatt ggcaccaagg 60  
 ttcccagcat caaggtcagc gatatgcata gatccacctt tccctttaca ggttccagtg 120  
 tatttaccaa ggatttcagc catcattccg ttgagggtcaa tcccttttagc aatagcttgc 180  
 ccgtgtccac ggtgggttga ggtaatcaga tcatctggat tgagagctaa catagccccc 240  
 acgttagctg cctcttcacc aacagaaaag tgcgtcattc ctggcacttt ccctttcttt 300  
 actaattgtg caatttttaa gtccatgcga cggatttctt ccatcttacg gaacatttct 360  
 agcaaaagat ttttatctaa agttgacatc ttcttgcctt tctaa 405

<210> 98  
 <211> 1716  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 98  
 actctacaag agaggagtgc aataatgaat aaactaattg catttatcga gaaaggaaag 60  
 cctttctttg aaaaactatc tcgtaatatc tatcttcgtg ctattcgtga tggtttcatt 120  
 gcaggatatgc ctgttattct cttctcaagt atctttatct tgattgcctt tgtaccaaac 180  
 tcatggggct ttaaattggc tgatgaagtt gtagcctttc tgatgaaacc ttatagctat 240  
 tctatgggta ttctggctct cttggtagct ggtacaacag ctaagtcatt gactgactca 300  
 gtaaaccgga gcatggaaaa aaccaatcaa atcaagtata tgtcaacatt gttggcagca 360  
 attgttggtt tggtgatgtt ggcagctgat cctatcgaaa gtggtctagc tactggattc 420  
 ttggggacaa aaggtttgct ttcagccttc cttgctgcct ttgttactgt agccatctat 480  
 aaggtttgtg ttaagaacaa cgtcactatt cgtatgcctg acgaagttcc accaaatatc 540  
 tcacaagtct ttaaagatgt gattccattc actctatctg ttgtttctct ttatgctctt 600  
 gacttattag cacgttattt tggttggtct agtgtggcag aatcaatcgg taaattcttc 660  
 gcaccactct tctcagcagc agacggatac cttggtatta ccattatctt tgggtgcctt 720  
 gccttcttct gggttggttg gattcatggt ccatctatcg ttgaaccagc tatcgagct 780  
 attacctatg ccaatgccga agttaacttg aaccttctcc aacaagggat gcatgcagac 840

aagattctta cttctggtac acaaatgttt atcgttacca tgggtggtac aggtgcgaca 900  
ttggtcgttc catttatgtt catgtggttg acaaaatcga aacgtaaccg tgcaatcgga 960  
cgtgcttcag tagttcctac cttcttcggt gtaaataaac caatcttggt tgggtgcacct 1020  
cttgttttga atccaatctt cttcattcca tttatctttg ctccaattgc aaacgtatgg 1080  
attttcaa at tctttattga aactcttgga atgaactcat tcaactgctaa tctaccatgg 1140  
acaactccag ctccactagg tctagttctt ggaactaact tccaagtgt atcattcatt 1200  
cttgctgccc ttctaactgt ggttgacgtt gtcatttact atccattcct taagggtctat 1260  
gatgaacaaa ttcttgaaga agaacgttca ggtaagtcta atgatgaatt gaaagaaaaa 1320  
gttgctgcaa acttcaacac tgcaaaagcg gatgctattc ttgaaaaagc ggggtgtcgat 1380  
gcagcacaaa ataccatcac tgaagaaaca aatgtcctcg ttctctgtgc aggtggagga 1440  
acaagtggtc tccttgcaaa tgctttgaat aaggcagcag cagaatacaa tgtccctgtg 1500  
aaagcagcag caggcggcta tgggtgtcac cgtgaaatgt taccagagtt tgatcttggt 1560  
atccttgccc ctcaagttgc ttcaaacttt gaagatatga aagcagaaac agataagctc 1620  
ggtattaaac tagcgaatac agaaggcgct caatacatca aattaactcg tgatggaaaa 1680  
ggtgctcttg cattcgtaca agcgcaattc gattaa 1716

<210> 99

<211> 807

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 99

gagtttatta tggtttcttc ggaatttatc tcaaagattg aatttgcttg caataagaaa 60  
gaaagtcttt atagtcaaag caaatthaag tatgcatcgt gttcgatgtt cgcaggtgca 120  
tttttaacct tcagtactgc tgcaggtgca gttggggctg acttgattaa taaaattgca 180  
ccaggtagtg gacgcttctt ctttccattc gtttttgctt ggggcttggc ctacattgtt 240  
tttttgaatg ccgagttggt cacttcaaac atgatgttct tgactgctgg tagtttctta 300  
aaaaaaatct cttggagaaa aacagctgag attttactat actgtacctt gttcaacctt 360  
atcggagcct tgatagcagg gtggggcttt gtcatttcgg cagcctatgc gaatctgaca 420  
cacgatagtt tcatctcagg tgttggtgag atgaagttag gccgctcaaa tgaattggtc 480  
ttgcttgagg cgattttggc aaatattttt gtaaataattg cgattctgtc atttattttg 540

gtcaaagatg gtggtgccaa actttggctt gtgttgtcag ctatttacat gtttgtattc 600  
 ttaacaaacg agcacattgc ggcgaacttt gcttctttcg cgattgtgaa attcagtggt 660  
 gctgcggtt caattgccaa cttcggtggt ggaaatatgc ttcgccactg ggggtgtgact 720  
 ttcacgga actttatcgg aggaggcctc ttgatgggtc ttccatatgc cttcctcaat 780  
 aaaaacgaag atacttatgt agattaa 807

<210> 100  
 <211> 1356  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 100  
 gaaataatgc ttgatttact gaaacaaacc atttttacca gagattttat ctttatcctg 60  
 attttgttag gtttcatcct tgttgtgacc ctcttattac tggaaaatag acgtgataat 120  
 attcagttga agcaagtcaa tcaaaagggt aaagatttga ttgcaggaga ttattccaag 180  
 gttcttgata tgcaagggtg gtctgaaatc accaatatta ccaataattt gaatgacttg 240  
 tcggagggtta ttcgtctcac tcaggaaaat ctagaacaag agagtaagag gctaaatagt 300  
 attctgtttt atatgacaga tggggttctt gcgactaacc ,gtcgggggtca gattatcatg 360  
 attaacgata cagccaagaa gcaactgggg ttggttaagg aagatgttct gaatagaagc 420  
 attttggat tgctcaagat agaagaaaac tatgaattgc gtgatttgat tacccaaagt 480  
 ccagaattgt tgctagattc ccaagatatc aatggcgaat atttgaacct tcgagttcgc 540  
 tttgccttga tacgtcgaga gtctggcttt atttcagggt tgggtggctgt tttgcatgat 600  
 acgacggagc aggagaagga agaacgcgaa cgaagactct ttgtttccaa tgtagccat 660  
 gagttacgga ctctctgac tagcgtaaaa tcctatcttg aagccttgga tgagggggct 720  
 ttgtgtgaaa ctgtagcacc agactttatc aaggtttctc ttgatgagac caaccgtatg 780  
 atgcgcatgg tgacggatct cctccatctt tcacgtattg ataatgctac cagtcaccta 840  
 gatgtggaac tgattaactt cactgctttt attaccttta tcctcaatcg ttttgacaag 900  
 atgaaaggac aggaaaagga gaaaaaatat gagttggtga gagattatcc catcaattct 960  
 atctggatgg aaattgatac agataagatg acgcagggtg tcgacaatat tttaaataat 1020  
 gctattaagt attcgccaga tgggggtaaa atcactgtca gaatgaagac aactgaagac 1080  
 cagatgattt tatccatttc tgaccacggt ttggggattc ctaagcagga tttaccacgt 1140

atctttgacc gtttctatcg tgtggatcgt gctagaagtc gtgcacaagg tggtagcaggt 1200  
 ctaggactgt ctatcgctaa agaaattatc aaacaacata agggctttat ttgggccaag 1260  
 agtgaatacg gcaagggttc aacctttacc attgtactcc cttatgataa ggatgcagtg 1320  
 aaagaagaag tatgggagga tgaagtagaa gactag 1356

<210> 101  
 <211> 594  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 101  
 attcttgctt tattgtctgg tttattgtac catactagtg tatatgcagt taaaaaggag 60  
 attcttgtga atacacggaa aaagacacaa tttatgacaa tgacagccct tttaacggct 120  
 attgcgattt tgattccaat tgttatgcct ttcaagattg tcattccacc tgcttcctat 180  
 actttgggga gccacatcgc tatttttata gccatgttct tgtcgccctt gatggcagtt 240  
 tttgtcatcc tagcctctag ttttggattt ttgatggctg gctatcccat ggttatcggt 300  
 tttcgggctt tttcccatat atcttttggg gctttaggag ctctttacct acaaaaaattc 360  
 cccgataccc tagataaacc aaaatcttcc tggattttca actttgtttt ggctgttgtt 420  
 catgcccttg ctgaagtatt ggcctgtgtc gttttttacg caacttctgg taccaatgta 480  
 gaaaatatgt tttatgttct atttgtacta gttggatttg gtacaattat ccatagtatg 540  
 gtagactata cattagcact agctgtctat aaagtgcctc gaaaacgccg ttaa 594

<210> 102  
 <211> 867  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 102  
 attgctatta aaaagtgcta taataatagt atatatagaa gaaaagagga cggggatatg 60  
 aagaacaaaa gaatatttaa agacttccaa gcttcaaaaa tgagttttaa catttacaca 120  
 agcccttgt tagccttgt ttttgtcttc ataggagagt ttgtggcttt tactttgtat 180  
 ggtattggct tgtagctct catcggactt gctagaaatt ttggagaggc tgggtcaaaat 240  
 cttgcaagct acttgcagac cttgcatcag agcttgacgg ataaaacaag tgactttcgt 300  
 ttaatttttag gattactggc ctttggtttt attcttaaca ctgtgttcag atggacaaga 360  
 aaagttgaga aaagacctat tcgaaccttg ggattttata gagagaattt cctcagcaat 420



cttctgaaag gatttagtct aggcctggca ctttttcttc tgaccttggt aggttttagtg 480  
 gtcttaggtc aatatcgttt ggaatccatt cacttgaatc cttattctct tgcctttgtc 540  
 gtctttacta tcccattttg gattttacag gggacagcag aagaagtggg ggcccggtc 600  
 tggctacttc ctcaattggc ctcaagaacc aatctaaaac tagctattct tatacttagc 660  
 ctgttcttta ccctgcttca tatgggcaat tctgggtctca ccctctatc tctagtaa 720  
 ctctttttat tgggagttgc catggctctt taccttctca aaactgatac agtttgggg 780  
 gttgcaggta ttcattgggtc ttggaatttt gctcagggtg atctctttgg gatttttagt 840  
 agtgggtcaac cgtcagaacg tctctga 867

<210> 103  
 <211> 2193  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 103  
 gagaatattc ggaaaaggag actaaaaatg aagaaaaaat ttctagcatt tttgctaatt 60  
 ttattcccaa ttttctcatt aggtattgcc aaagcagaaa cgattaagat tgtttctgat 120  
 accgctatg caccttttga gtttaaagat tcagatcaaa cttataaagg aattgatggt 180  
 gacattatta acaaagtcgc tgagattaaa ggctggaaca ttcagatgtc ctatcctgga 240  
 tttgacgcag cagtcaatgc ggttcaagct gggcaagccg acgctatcat ggcagggatg 300  
 acaaagacta aagaacgtga aaaagtcttc accatgtctg atacttacta tgatacaaaa 360  
 gttgtcattg ctactacaaa gtcacacaaa attagcaagt acgaccaatt aactggcaaa 420  
 accgttggtg ttaaaaacgg aactgccgct caacgtttcc ttgaaacaat caaagataaa 480  
 tacggcttta ctattaaaac atttgacact ggtgatttaa tgaacaacag cttgagtgtc 540  
 ggtgccatcg atgccatgat ggatgacaaa cctgttatcg aatatgccat taaccaaggt 600  
 caagacctcc atattgaaat ggatggtgaa gctgtaggaa gttttgcttt cgggtgtgaa 660  
 aaaggaagta aatacgagca cctggttact gaatttaacc aagccttggtc tgaaatgaaa 720  
 aaagatggta gtcttgataa aattatcaag aatggactg cttcatcatc ttcagcagtg 780  
 ccaactacaa ctactctcgc aggattaaaa gctattcctg ttaaggctaa atatatcatt 840  
 gccagcgatt cttcttttgc cccttttgtt ttccaaaatt caagcaacca atacactggt 900  
 attgatatgg aattgattaa ggcaatcgct aaagaccaag gttttgaaat tgaaatcacc 960

```

aaccctggtt ttgatgctgc tatcagtgt gtccaagctg gtcaagccga tggatatcatc 1020
gctgggtatgt ctgtcacaga tgctcgtaag gcaacttttg acttctcaga atcatactac 1080
actgctaata ccattcttgg tgtcaaagaa tcaagcaata ttgcttctta tgaagatcta 1140
aaaggaaaga cagtcggtgt taaaaacgga actgcttctc aaaccttcct aacagaaaat 1200
caaagcaa at acggctacaa aatcaaaacc tttgctgatg gttcttcaat gtatgacagt 1260
ttaaacactg gtgccattga tgccgttatg gatgatgaac ctgttctcaa atattctatc 1320
agccaaggtc aaaaattgaa aactccaatc tctggaactc caatcggtga aacagccttt 1380
gccgttaaaa aaggagcaaa tccagaactg attgaaatgt tcaacaacgg acttgcaaac 1440
cttaaagcaa acggtgaatt ccaaaagatt cttgacaaat acctagctag cgaatcttca 1500
actgcttcaa caagtactgt tgacgaaaca acgctctggg gcttgcttca aaacaactac 1560
aaacaactcc ttagcgggtct tggatatcact cttgctctag ctcttatctc atttgctatt 1620
gccattgtca tcggaattat cttcgggtatg tttagcggtta gccatacaa atctcttcgc 1680
gtcatctctg agattttcgt tgacggttatt cgtgggtattc cattgatgat tcttgacgcc 1740
ttcatcttct ggggaattcc aaacttcacg gagtctatca caggccaaca aagcccaatt 1800
aacgactttg tagctggaac cattgccctc tcaactcaatg cggctgctta tctcgctgaa 1860
atcgttctgt gtggtattca ggccgttcca gttggccaaa tggaagccag ccgaagcttg 1920
ggtatctctt atggaaaaac catgcgtaag attatcttgc cacaagcaac taaattgatg 1980
ttgccaaact ttgtcaacca attcggtatc gctcttaaag atacaactat cgtatctgct 2040
atcggtttgg ttgaactctt ccaaaactggt aagattatca ttgctcgtaa ctaccaaagt 2100
ttcaagatgt atgcaatcct tgctatcttc tatcttgtaa ttatcacact tttgactaga 2160
ctagcgaaac gcttagaaaa gaggattcgt taa 2193

```

&lt;210&gt; 104

&lt;211&gt; 774

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 104

```

actagcgaac cgcttagaaa agaggattcg ttaatggcaa aattaaaaat tgatgtaaat 60
gatttacaca agcactatgg aaaaaatgaa gtcctaaaag gaattacgac taagttctat 120
gaaggagatg ttgtttgtat catcggtcct tcaggttctg gtaagtcaac tttcctccgt 180

```

```

agcctcaatc ttttagaaga agtcactagc ggtcacatca ctgtgaacgg ctatgattta 240
actgaaaaaa caaccaatgt tgaccacgtc cgtgaaaata tcggcatggg attccaacac 300
ttcaacctct tccctcatat gtctgtattg gacaacatca cctttgctcc tattgagcac 360
aagttgatga ctaaggaaga agctgaggaa ttgggaatgg agttgcttga aaagggttga 420
ctagcagata aagctaatgc caatccagat agcctatcag gtgggtcaaaa acaacgtgtg 480
gccatcgctc gtggcctagc aatgaatcca gacatcatgc tcttcgatga accaacttct 540
gcccttgacc ctgagatggg tggagacgta cttaacgtta tgaaggaatt ggctgagcaa 600
ggcatgacca tgattatcgt aacccatgag atgggatttg ctcgtcaggt tgccaaccgc 660
gttatcttta ctgcagatgg cgagttcctt gaagacggaa cacctgacca aatctttgat 720
aaccacaac accctcgtct gaaagagttc ttagataagg tcttaaactg ctaa 774

```

&lt;210&gt; 105

&lt;211&gt; 372

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 105

```

ctaggagaag ttatgcgtat tatctatcta attattgggt ttttatcgct gaccttggct 60
attgttgggg ttgttttacc cttgttgcc tacaacacct tctttttgtt gtctattgct 120
tgtttctcca gaagttccaa gcgattcgaa gattggcttt atcatacca gctctatcaa 180
gcatatgtag ctgattttcg tgagaccaag tctattgctc gtgaacgaaa gaaaaaatc 240
atcgctctcta tctacgtctt gatgggaatt tctatttatt ttgcacctct tttaccagtc 300
aaaatcggtc tgggtgcttt gaccatcttt attacttatt atctcttcaa ggtcattcca 360
gacaaagaat ag 372

```

&lt;210&gt; 106

&lt;211&gt; 555

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 106

```

tactgtacgt tttatcatag aaatTTTTac tttattttct catcaaatga gatttgcac 60
aatctcttgt cttacttgcg tttcttcttc gctttcttca ttttgtttag catacgtttc 120
atggactgtt tcatggcaaa ttcaccaatt ttacctttca aaccgccacc aaacatctgg 180

```

ctcatatctg gcattcctgc tcctccgaga gctgataagt caggcataacc gccttgtccc 240  
 atcattcctt caagggcaga catatccatt cctcccatat ttggcatatt tttaggaagg 300  
 ttatttggat taatcccat ttgcttcac attttattca tatccccaga cataacaccc 360  
 tgcatgagct gtttagcctg gttaaagtcc ttgatgaatt tattgacttc gacgaatgta 420  
 tttccagaac cagcagcaat acgacggcga cggcttggat ttaacaaatc tgggttttca 480  
 cgctcttcag gtgtcatcga agacacaatg gcacgtttac gagcaatctg gcgttcaccc 540  
 accttcatgt tttga 555

<210> 107  
 <211> 396  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 107  
 ttatcaggat caaaatatca aatgaaaaa gaacaatttt atccgctagg aatttttcta 60  
 gctgctatgt tgggcggact tgtccgatat ctagtttcca cctggttacc agccagtcca 120  
 gattttccctt ggggcactct ctttgtcaac tatctgggaa ttttctgctt gatttatctt 180  
 gtcäägggct atctgggtcta taaggggact agtaagggct tgatttttagc actggggacg 240  
 ggtttttgcg gaggtttaac aactttttcc agcctaattgc ttgatactgt gaagctgctt 300  
 gatacagggc gttatcttag tttgatactg tattttgcttt tgagtatcgg tggaggcctg 360  
 ctttttagctt actatttggg gaggaagaaa tggttaa 396

<210> 108  
 <211> 1998  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 108  
 aaaaatatgg ccattagtca gatgaaaaga atctctctac tatttttctaa aagtagtctt 60  
 gatgatgttt taaaaactat tcaagaacta gagtcagtgc agttccgtga tttaaagggt 120  
 caggataact ggtcagaagc tctagaaaaa gatgaagttg tatttccaac tattcaaatt 180  
 tttcatactt ctaattccaa tcatgggggtt attgagggaa atgatgcctt gacttatttg 240  
 atgaatcaac aacaacattt agaagcaact gtagagaaat tacaagaata cctaccgaaa 300  
 gaaaacacgt ttaaattatt gcagcaacct ccgataacta cctcttatga agaattagag 360  
 aaatttggtg aagctaattg tgctgagggt gttcttaaaa aagtgaatca tcaaattaac 420

agagttcatg aattagaaag acacattcaa agtaataatg aggaaataga gcgattaata	480
aagtgggaaa aattagaaat tgttcctgcg aatttagaac aattttcttt ctgtaaagga	540
aaagtcggaa caattccaag gactgaagat aatcgcttat acaatagtct tttagaaaac	600
aatattgaag ttcaagaaat attttctaata gatagagagt acggtgttgt tgttttctat	660
cagtctagtt actctataga ttttgatgaa tactttatttg aaccatttga ttattctaga	720
aaggaattac cgaagcagcg agtagtagat ttagatcaag aaaacatgca gttaataact	780
gaaaaagaga atattatcgc atcggtgcaa gattcaaaga aatatttgat agattttaca	840
tggcaaatag actatatattt atctatctat gctcgctcaa tctctaagaa taactttttg	900
tgcactccgc atctagttgc attagaagga tggatagaag aaactcgtat tttatatttt	960
ataaaagtta tggatgagca ttttggacat tctattttata tttatgaatc ggaaacattg	1020
acggataatc aagatgaaat acctatcaaa ttaacgaatc attctttaat tgaaccattt	1080
gaattattga cagaaatgta tgctctgccc aaatattatg agaaagatcc tacacctgta	1140
ttagcaccat tttactttac attttttggga atgatggttg ctgatttagg ctatggttta	1200
ctattgtttt taggaacaat gttagcatta aaaatttttc atctaccttc agcaactaag	1260
agatttttaa aattctttta tatattaggg gtagccgttg caatttgggg tggaaatctat	1320
ggctcatttt ttggatatga gttgccattt catctgatat ctacaacctc tgatgtcatg	1380
actatattag tagtgtcagt tgtgtttggg tttattacag tatttgcagg tttgttagct	1440
tcaggactac aaaaagtaag aatgaataaa tatgcagaag catataattc aggatttgcg	1500
tgggtgtgta ttctgcttgg cttgttattt attgctgttg gaatgttgat gcctgatatg	1560
agaccgttat ttgtattagg gaaatgggta tctattttta atgctgtggg gattttgatt	1620
gtttctatta ttcaaacc aaagcttgtca ggtattggag caggattgtt taatctatat	1680
aacatttcat cttatatagg tgatttagtt agtttcactc gattgatggc attaggatta	1740
tctggagcaa gtatagcatc agctttcaat ttaattgttg gtttgtttcc gggaatattg	1800
gctaaactga caattggatt agtattattc attcttttac atgcatcaa tatttttcta	1860
tcgttactat caggatatgt tcatggagca cgtctgatat ttgttgaatt ttttggtaag	1920
ttttatgagg gtggaggaaa accatttcaa cctttgaagg cttctgagaa atatattaag	1980
gttattacaa agaattaa	1998

<210> 109  
 <211> 915  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 109  
 gatcaaaaat gtgggagtgt tgaaatgaag attataggta tcgatattgg cggaacaaca 60  
 attaaggcag atttatacga tgagtttgga acgagtttga atcatttcaa agagatagaa 120  
 acaattattg actatgattt gggaacgaat cagatattaa atcaggtctg tgatttaatt 180  
 ggtgagtata ctttaaataca ttcaattgat ggtgttgga tttccactgc tggagttggt 240  
 aatgctaata ctggagaaat catctatgca ggctatacaa taccagggta tatcggagta 300  
 aactttactg ccgaaataga aaaacgtttt gggttgata cttttgttga aaatgatgtt 360  
 aattgtgctg cattaggtga attgtggaag ggacaagcca aagataagaa aaatgtagta 420  
 atggttacta ttggaacagg tataggaggc agtattattg tcaacggaca aattgttaac 480  
 ggatttaact atactgctgg tgaagtaggt tatattcctg taggtaattc ggattggcaa 540  
 agtaaagcct caacaaccgc attgattcat ttatatcaaa aaaagagctt gaaaactaat 600  
 caaactggac gtactttctt cactgattta agatctggag ataaagttgc tgaagaaact 660  
 tttgaaattt ttgtagaaaa tctaacaaaa ggtttattaa cgatttctta tctacttaat 720  
 ccagaaattc tcatattagg aggtgggatt ctggatagta aggatatttt gttacctgaa 780  
 attcaaagtt ctttagctaa aaatgcaatg gataataggt ttttacctaa aaatcttgtg 840  
 gcagctacat taggaaatga agctggtcgt ataggagctg taaaaaattt cttagataga 900  
 atttctaata aatag 915

<210> 110  
 <211> 930  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 110  
 aggagaaatc tgatgaaaga tttaactaaa tacaaaggcg ttatccctgc attttatgct 60  
 tgctatgatg aaaatggtga aattagccaa gatcgtgtaa aatctctggg acaatatttc 120  
 attgacaaag gtgtaaaagg tatctatgta aatggttctt caggtgaatg tatttaccaa 180  
 agtgtagaag atcgtaaaca aattattgaa gctgttatgg aagttgctaa aggtaaatta 240  
 acagttatca accatattgc atgtaataac acgaaagata gtatcgaatt ggcaaacat 300

```

tcagaaagtg ttggagtcga tgctattgca gctatcccac ctattttattt caaattgccca 360
gagtattcaa tcgcagcata ttggaatgca atgagtgaag ctgcgtcaaa tacagatttt 420
attatctata atattccaca attggcaggg gttgcgttga ctggtagttt gtatgcaaca 480
atgcgtcaaa atcctcgtgt gattggagtt aaaaattcctt ctatgcctgt acaagatatt 540
caaatgtttg tagctgcagg tggagaagat tacattgtat tcaatgggcc agatgaacaa 600
tatcttggtg gtcgcttgat gggagcagaa gctggtattg gtggtactta tggcgttatg 660
ccagatttgt tcttgaaatt ggaaagtttg attcaagaac gagatttaga tacagctaaa 720
aaacttcaat atgctatcaa tgaagttatc tataagatga tatcaggtaa ggcaaatatg 780
tatgctgtag caaaagaagt tttgcgtcta aatgaaaaac ttgatttagg ttctgttcgt 840
caacctttag aagcattggc agaaggtgac ttggaagttg caaaacaagc agcagaactt 900
attcaacaag cacgaaaaga atttttataa 930

```

<210> 111

<211> 759

<212> DNA

<213> Streptococcus pneumoniae

<400> 111

```

gtgattggag gcaagaatat ggataaagat tatatattaa aagtgaagg gctgtatcat 60
caatttttac taggaaataa taaaacgttg caagtgtga aaaatgtttc tctttctgct 120
tcgagaggag aatttataag tattctagga attagtgggt ctggaaagtc aactttatta 180
aatgtatctt ctagtttgct tgaaccaaca agtggggaag taattttaaa tggaatcaac 240
ccctataaaa tcagaaatgc aaaattgtca agtataagac gtaacgaagt atcttttata 300
tttcaagcat acaatttaac accttccttg ccgtaatatg aaaatatagc acttcctttg 360
cgattatcac aaaaaaatt aactattaaa aatgtagaaa acttactcaa aagaatgaag 420
tttaatgctg gcttaaacga ttttggttga actctgtctg gtggagaaca acagaagggt 480
gctatagcta gagcggttat tgctgatagt gatataatat ttgctgatga gccaaactggg 540
gcttttagaca gcgtttctcg tgaagtaatt tttgaattat tgagagagtt agtaggggcg 600
ggtaagtgtg taattatggt aacgcacgat atagaattgg cctcgaaaac tgatcgtgca 660
ttaatattga aagatggaaa aattttcaaa gaacttcata gacctagcgg ggaagagttg 720
tataaaatct tagaggtaca atcaactacg gaggaatag 759

```

<210> 112  
 <211> 1611  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 112  
 cttatgaatt, attttaaatt tataaaaaag actaaactta tattaatggg gattttaata 60  
 tttctatctt cgtttaattg tgtcttgctc tcaggaatta ttgtatatgc aggtagttta 120  
 aatcagactt cctcattttc tgacgttcta agatttggtg ctataagtat tctgggttgg 180  
 tcagcaatct atatatcaaa ttactattta gaagtaacgg aagcatcaat aactaaagat 240  
 ataaatgtaa aaattaaaca aggatatttt agagaacagt atctttcttc tgaaatggtt 300  
 aaagattact catctattat ttcagttttg tcaaattgatt tgagattaat cgaagaaaac 360  
 tatttttagac aaatttttga aataatttct tcaatattgt tgttcacgt ctctctaagt 420  
 tttatgcttt attttaaactt cctagtttca ataattttta ttgtattatc agcattgccg 480  
 attatagtag ctgtctttat gaagaagatg ttgtctaatt cagctaata gaactctaac 540  
 agcaatgcag agtataactca cataataaaa gaaattttta atgggtttta gacattaata 600  
 tcttattctg ttactaaaga aataattagt ttgtcggata aaaagttgga taaactagaa 660  
 gattctactt ttaatttgaa acgatcagag gttctttcaa aattggttgc agtactaatt 720  
 tcagggtttt gctttctagt tcccttggtt gtaggatggt attttgtaat ttatcataaa 780  
 agcctttctt ttagtgaact gataggtatt ttcttagcaa acgataaagt tttagggccg 840  
 atacaatcaa ttgcctattc attaaataag ataaatacaa ccaaagattt aaggaaaccg 900  
 tttttaaaat acttaagtgg agagaagaat tttatagacg ctgaacatga taataacgga 960  
 ctgtatactt catcaataga tgagatacac atgaaagatg ttgtatatc tattacacca 1020  
 gaaaataaat taagtattga cttctcattt aagtcaccat ttaggggtatt attaacagga 1080  
 acttctggta gtgggaaaac aacgatttta aatttaatta atgggttctt aaagccacaa 1140  
 aaagggttatg taaatttggt atcacatggg aaaaagagtt cagattcaat accaacagtt 1200  
 gatcagacac catatatttt tgacactact attcgtgaga acgtaacttt atttcaaat 1260  
 gaatattttt cagatgatca gataattgag gtgttaaaaa aggtaaatct atatgaagaa 1320  
 ttagaaaaga tagatatact aaattatcaa tgtggtgaaa atggtagtaa tttgtctgga 1380  
 ggtcaaaaac aaaaaatagc tttagctaga gctctgatta gaaataataa agtgacttta 1440



tttgacgaaa tatcagctaa tttagataat gataattcaa attccataca tgatattctg 1500  
 ttcaatttag gtatttcatt tattgaagtt tcacatcatt atgacttaaa tgacaagaga 1560  
 tacactgata tatataaatt ggaaaatgga acacttttca aaattaagtg a 1611

<210> 113  
 <211> 1953  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 113  
 ggggtcatcac ttgtgaatca gagtaatgaa atatttttaa atacaataca ggaaaaaaca 60  
 cactataaga ggtctatctc ttcacatctt caggaattaa aaaaatggaa ttctttgata 120  
 tttaggagag ggcgatattg gtaccaattt gataattgga gtatacccaa tactggtgta 180  
 ataaaggaat ggtatgtcga agataatgac tggattccta aggttagttc ttccagttta 240  
 gacaattcaa attcacttaa aattgtcttt gatgtggaaa aatatacttt gccagatgat 300  
 agtatcttac aggatgttag gatttcacat gatgagagtt atatagtttt ggttgtatcc 360  
 tcaactgcgta cgactaattt aattggaata aaaaaatata ctatggaaga gttatttatc 420  
 attgaagata tttcagtaga aagttcggtc tatttgggta aattcgggtg tatgtatact 480  
 cgctccaaag agtacgggag gccaagtaag ttattctata aatcttttga tagctttaca 540  
 gaagaggaac tgtttgaaga aaacgaatgc tcttttcgat taaaaatagt ccacattgat 600  
 agcaataatt gttttgtaaa gtcagtagac tttcagaaaag gcaggatttt tctatacagt 660  
 ttcgaccgga cgggttttgt tagacactct tacacagaaa cggtagcccc aacacctaga 720  
 gatatcgctc tatttagtac agaaaaagca cagtactttc ttgggctctc ttcaactgaa 780  
 gaaaagaaag atcaactaat tctaaggga acttcttcgg gagacagagt ttctattact 840  
 ataccatata aagatagggc tagaagagtt cactgtatag gacgttatat ccttttagac 900  
 tgttcaaagc cagcgaattc cgtcttttat cttgctacat taaaaataa tagtttgagg 960  
 gagttgagtg ttaataagat aacatttgat gaaaagacaa cactttatga aaattcattt 1020  
 tctgatcgtg ttcttctggt tttagagagg agaacttttt acgaaaaaat acttagtttt 1080  
 gatttaatag aaaatacatt aaaaactgaa tttgaaagac ccatcataaa atcgaataat 1140  
 actaaatatt tttctaaggt gatttggact aaaaagaca gttatgatgt aagcataccg 1200  
 atttctttat tttggaaaag tgaagatagc gatgagctcc caagaagaaa aaaatgtatt 1260

ctaagtgtct atggggccta tggtaagaat gataattctg atttagatga aattatgtta 1320  
 tctataatag atgcaggttt ttttatgtct atagttcatg taagagggtg aggctatttg 1380  
 ggtggtgaat ggtatcgctc aggaaaggcg ttaaacaat ggaattctat cagagatttt 1440  
 attgagggag taaattattt aagggaat gatgtaattg acagtaagcg attaggttta 1500  
 ataacttcta gtgcagggtg aataattgct ggtgcggtgt tgaacgagga aaaaaattta 1560  
 ttgcaaagca ttctcttatt ttcgccattt ataaatcctt atgatacact tcagaatcca 1620  
 aatgatcctc tttctaagac cgaaatagca gagtggggag atattagaga ccctgaagta 1680  
 aaggcttata taaagtcata ttcgcctatg caaaatattg aaaaggcacg agactcaaat 1740  
 actgttatag ttaatatttt ggtgagaaa gacctatata ttaataataa cgaagtgata 1800  
 gagtgggtcaa agaaattaaa ttctattgga gttaaaagt tgttgatttt aaacaagca 1860  
 gctgggtcatg gaggttttac tccatcagat gttctcttaa tgattgatac tttaaattat 1920  
 ttctttgaag aagtgggaag gaataactta tga 1953

<210> 114

<211> 1449

<212> DNA

<213> Streptococcus pneumoniae

<400> 114

aacgggggtg accaagtgat tgatgggaaa cgattattat ttagtttgac catagtcagt 60  
 tatgccttga cgctagtaag tgggaattgtg tatctgttta ataataataa tgtagctta 120  
 ctttctactt tattgttctt gttggttagt agcttaattg cttgttgaa tgatatcaag 180  
 tattacttaa tccattttat tttctattta accatttttg ttttctggt atcaagaccg 240  
 accattgatt attttaggga tgggtgcttg gatacctatc atccaatagc ctatcgtttt 300  
 gcctttatag ttgtcatgat ttcgattctg ggcttgacca caggaggcat tctggctcgt 360  
 tacttcatag ctaggaagaa aataaaagta gcaaatatag gaaattctct aaaagagggt 420  
 tatatcaagc gggtacgctt tgtatcacta ggagtttttc ttctaactta tcctttctat 480  
 ttcattcggt tatttgaacg gctcttgat cgtttgaga cttcctacta tgccactat 540  
 gcaaattttg aaagtaaact gcctattttt acctacattt tgtctacctt tacggtctat 600  
 gcaatgtgta tgtatctggc aaccaagcca aagaaattgc aggccacagc agtgcctgtc 660  
 tcctttattg cagctaatac tattcatttg gcaattggga cacgaaatcc ctttatttta 720

```

agtattttat ttgcttttgt ttattacttt atgcggggagc aaactgaaaa aggaaaatgg      780
attgggttta aagaaaagtt agcgattttt gtaggttctc ctattctcat gttagcgatg      840
ggagtactca attatgtacg ggataatgtc caagtttccc atacaggttt ctgggatatc      900
ttacttgact ttatctataa acaagggact agttttgggtg ttctggctcg aggttttcta      960
tttaacagta gcctccctta ccgagatttc cgtaatttta cttttgggtcc tgttcttgat     1020
tattttgcaa gggggagttt gggagccatt ttcggaggaa aagcctttga acatacaacc     1080
aatagtgtgg aactagctat tgatagtaat agttatgccc acaatctatc ctatcttgtc     1140
ttgaacaagg aatacttgaa agggcatggg atcggaagta gttatatcat ggagttgtat     1200
accgactatg gtatgattgg agtctttctg cttagtttct tactcggcgt attatttata     1260
gccatgctgc aagtagccta tcgctcaagg acaatcctat ttgctttatc cctactcatc     1320
ttgaataatc tattctttat gccaagaagc agcttttcag aaagtttctt caatttattt     1380
acaatgcaat tctggggaat tgttcttggtg attatatattg tagcaaaaat gcttacaaag     1440
gaaaactag                                     1449

```

&lt;210&gt; 115

&lt;211&gt; 831

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 115

```

tcaatgcaat cgaggaggaa agagatgaag aaaacaagct ctaaactctt tgtagtacct      60
tacatgcttt ggattgctgt ctttgtattg gcacccttgg tcttgatttt cgggtcaatcc     120
tttttcaaca tcgaaggcca gttcagttta gaaaattaca aatcttactt tgcgtcacaa     180
aacttgacct atcttaaaat gagtttcaac tcagtgtctt atgcaggcat tgtgaccttt     240
gtggcactgc ttatcagtta tccgacggcc ctctttttga cccgtctcaa acaccgtcaa     300
ctctggctca tgctgattat ccttcctacc tggatcaatt tgctccttaa agcctatgct     360
tttatcggga tttttgggtc aaatgggtctc attaaccaat tcttggaatt tatcggaatt     420
ggttcacaaac agttgctttt taccgatttt tcctttatct ttgtcgcaag ctacatcgag     480
ctccccctta tgattttgcc gattttcaat gtcttagacg atatggataa taatctcatc     540
aatgctagtt atgaccttgg tgcaactaag tgggagacct tccgtcatgt catcttccct     600
ctatctatga acgggtgtgcg aagtgggggtt cagtcgggtct ttatcccaag tttgagtctc     660

```

ttcatgctga cccgtttgat tgggtgggaac cgcgttatca ccttggggac ggctattgag 720  
 cagaattttc taaccaatga caactatggt atgggttcaa ccatcggtgt gattctcatc 780  
 ctgaccatgt tcatcaccat gtgggtgact aaggaaagga gagaacgatg a 831

<210> 116  
 <211> 771  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 116  
 aaaggaaacc gtatgacaga tgcgatttta caggatcag acctgtccgt ttattataat 60  
 aaaaagaagg ctttgaatag tgtttcccta tctttccaac ctaaggaaat tacagccttg 120  
 attggtccat ctggatcagg gaagtcaacc ctctcaacgt ctctcaaccg catgggagat 180  
 ctcaatccag aggtgaccac aactggatcc gtggtgtaca atggtcacaa catctacagt 240  
 ccgcgtacag atacggttga attacgtaag gaaatcggaa tggttttcca acaacctaata 300  
 cctttcccta tgactatcta tgagaatggt gtctacgggc ttctgtatcaa tggaattaag 360  
 gataagcagg ttctggatga agccgtagaa aaagccttgc aagggtgcctc tatctgggat 420  
 gaggtcaagg atcgtctata tgattcagct attggattgt cagggtgtca acagcagcgt 480  
 gtctgcgtgg cccgtgtctt ggcaactagt cctaaaatca tcctcttgga tgagccaact 540  
 tcggcttttg atccgatttc agctggtaaa attgaggaaa ccttgtatgg tctaaaagac 600  
 aagtacacca tgcttctggt aaccctgtcc atgcagcaag cttcacgtat ctctgataag 660  
 acaggatttt tcctagatgg agatttgatt gaatttaatg ataccaagca gatgttcctt 720  
 gatccccaac acaaggaaac ggaagactat attacaggaa aatttgata a 771

<210> 117  
 <211> 912  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 117  
 ttacgaaaga aagaggaaag aaaaattatg cgcgctaaga aattagataa acttgcaaca 60  
 gctgtcctct atacgattgc tagcatcatt gtgacaatct tggcttcctt gattctctat 120  
 atcttggttc ggggcttgcc ccatatctct tgggtctttct tgactggaag gtcttctgct 180  
 tttcaagcag gtggtgggat tggcattcag ctttacaatt ctttttctct attggtcatt 240

```

accttgatta tttctgtacc tctttctatg ggagctggga tttacttggc tgaatatgct 300
aaaaaaggtc ctgttaccaa ctttgtgcgg acttgtattg aaattttgtc ctctttacca 360
tcagtgggtgg tgggtctctt tggttacttg atctttgtag tccagtttga gtatggattt 420
tcaatcattt cagggtgcctt ggccttgaca gtctttaact tgcctcagat gacgcgtaat 480
gtagaggata gtttgaaaca cgttcaccat acccaacgtg aggctgggtct ggctcttggg 540
atcttctcgt gggagacagt ggttcattgt gttattccgg aagcgcttcc aggtattgta 600
acgggtgtcg tcttggcatc tggtcgtatc tttggcgaag ctgcagctct gatctataca 660
gcagggcaat cggcgccagc tcttgactgg tctaactgga atatcctcag tgtgactagc 720
cccatctcta tcttcgtca agcagaaacc ttggctgtcc atatctggaa agtcaatagt 780
gaaggcacta ttccagatgg aaccattgta tcagcaggtt ctgccgctgt gctcctgac 840
tttatcctga tttttaactt tggagctcgt aagttcggaa gctatctaca caagaaatta 900
accgctgcct aa 912

```

&lt;210&gt; 118

&lt;211&gt; 1800

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 118

```

gcgaatttat atctaaaagg gatattaaag aaaggagata tgcttatgaa gatttacaaa 60
aaactatattg cttatgtcca agataagaaa tatcttgggg ttttggccat aattttttct 120
gctatatctg ctgcacttac agtatatgga tattatttaa tctacaaatt tctagataag 180
ttaataatta attcaaactt atccggtgca gagagtatag cattaaaatc tgttattaca 240
ctaacaagtg gagcgataat ttattttgtc tcaggaatgt tttcacatat cttgggattc 300
aggcttgaaa caaatttaag aaaaagggga atcgatggtc tggaaaaagc aagttttagg 360
ttctttgact taaatccatc tggtaaata agaaagatta tagatgacaa tgctgcacaa 420
actcatcagg tggtagcaca catgattccc gatagttctc aggcaataat cacacccgta 480
cttgactttg cacttggctt tatagtaagt ataagagttg gcataatttt gcttgctctt 540
actataattg gtggcttaat tttaggggca atgatgggag agcaagaatt tatgaagata 600
taccaagaat ccctatctaa actaagtgtt gaaactgttg agtacgtgag aggaatgcaa 660
gttgtaaaaa tatttaaaagc aaatgtagag tcttttaaaa gcttttataa ggcgataaaa 720

```

gattactcaa agtatgctta tgattattcc ctatcttgta aaaggcctta tgttttgtat 780  
 caatgggttat tttttggact gattgcaatt ttaattattc ctatagttta ttttatgact 840  
 agcttagcta gcgcaaaggt gattttactt gagcttatca tgattttatt tttatcagga 900  
 gttctctttg tttcattcat gagaatgatg tggactcca tgtatatttc tcaaggaaat 960  
 tatgcagtag atactttaga ggcgctttac gaagatatgc aaaaagacaa attagtgcatt 1020  
 ggtaatgtca ataattttta aaactataat atagaatttg agaatggttag ctttgcttat 1080  
 aatgataaag ctgtcattga aaatttatcc ttttaatttag aagaaggaaa gtcctacgca 1140  
 cttgtcgggt catctggatc aggcaaatac acagtagcaa aacttatatc aggtttttac 1200  
 aatgttaata aaggaagcat aaagataggc gggatagcaa taagtgaata ttctgacgaa 1260  
 gccttaatta aagccatttc ctttggtttt caagattcaa aattattcaa gaagagcatt 1320  
 tatgataatg tagcgtttag taataaagat gcgacgaaag atgacgttat gagagcctta 1380  
 aaattagcag gatgcgattt aatattagac aaattcccag aaagagaaaa tacaatcata 1440  
 ggctcaaaag gtgtttattt atccggtgga gaaaaacaaa gaattgcaat tgctagagca 1500  
 attttaaaagg attccaaaat tattattatg gatgaagcat cagcatctat tgaccagat 1560  
 aacgagtttg aattgcaaaa agcttttaaa aatcttatga aggataaaac agttatcatg 1620  
 attgcacaca ggctatctac aattaaagac cttgatgaaa ttattgtcat ggatagtgga 1680  
 aaaattatag aaagagggtc tgacaaagaa ttaatgtcaa aagatacaag gtataagagc 1740  
 ctgcaagaga tgtttaacag tgcgaaatgaa tggagggttt caaatgaaag agttttataa 1800

<210> 119

<211> 1791

<212> DNA

<213> Streptococcus pneumoniae

<400> 119

tgtcaaaaga tacaaggat aagagcctgc aagagatggt taacagtgcg aatgaatgga 60  
 gggtttcaaa tgaaagagtt ttataaaaaa agatttgctc ttacagatgg aggagcaaga 120  
 aatttaagta aagcaacact ggcttcattt ttcgtttatt gtataaacat gcttcctgcc 180  
 atattactta tgatttttgc tcaggaagtt ttggaaaata tgggcaaaag caatggcttt 240  
 tatatagtat tctcagtttt gattttgata gcaatgtata ttttgctttc tatcgaatac 300  
 gataaattat ataacacaac ctatcaagaa agtgcagatt taagaataag gacagcggag 360

```

aatttatcaa aattacctct atcttacttt tctaaacatg acatttccga catttcacaa 420
acaatcatgg ctgatattga aggcataagag catgcaatga gccactcaat accaaaggtg 480
ggcggcatgg tactgttttt cccattaata tctgtaatga tgctagcggg caatgtcaag 540
atggggtttag ctgtaattat tccatctatt ttaagcttta tatttatacc tttatctaaa 600
aaatatcagg ttaatggaca gaatagatat tatgatgtct taagaaaaaa ctcagaaagc 660
tttcaagaaa atatcgaaat gcaaattggag attaaagcat ataatttatc gaaggatatt 720
aaagatgact tatataaaaa aatggaagat agtgagaaag tacacttaaa ggcggaagta 780
actacaattt taactttgtc tatatcttca atatttagct ttatatctct tgctgttgtg 840
atatttgtcg gcgtaaatct aattattaat aaagagataa attctctcta ccttatagga 900
tattttactag ctgctatgaa gataaaagac tctttagatg catctaaaga gggcttgatg 960
gaaatatttt atttatcgcc caaaatagaa agattaaaag aaattcaaaa tcaagattta 1020
caagaaggcg atgactatag cttaaaaaaa tttgatattg atctaaaaga tgttgagttt 1080
gcctacaata aagacgcaaa agttttaaat ggtgtaagtt ttaaagctaa gcagggagag 1140
gtcactgctt tggtaggtgc aagtggctgc ggtaaaacaa ctatcttgaa acttatatca 1200
agactttatg attatgacaa gggacaaatc ttaatcgatg gcaaagatat aaaggaaata 1260
tcaacagaat ccctttttga taagggtgtc attgttttcc aagatgtggg tctctttaat 1320
caaagcggtta tggaaaatat tagaatcggg aagcaagatg caagtgcga agagggttaa 1380
agagcagcaa aacttgcaaa ttgcacagat tttatagaaa aaatggataa aggtttcgat 1440
acagttattg gtgaaaacgg agctgagcta tcaggaggag aaagacaaag attatcaata 1500
gccagagcct tcttaaaaga tgcgccgata ttgatcttag atgagataac agcaagcctt 1560
gatgttaaca acgagaaaaa gattcaagag tctttaaata atttagttaa agataaaact 1620
gttgtaatca tttcacatag aatgaaatcc atagaaaatg cagacaagat agtagttctt 1680
caaaacggaa gagtagaaag cgaaggtaag catgaagagc ttttacaaaa atcaaaaatt 1740
tacaaaaatt taatagaaaa gacaaaaatg gcagaagaat ttatttatta g 1791

```

&lt;210&gt; 120

&lt;211&gt; 675

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 120

```

aaaagacaaa aatggcagaa gaatttatatt attaggagga ctacaatgga taataaaaaa    60
ttaaagtaa aagatttagt aagcatcggg gtttttggcg taatttatatt tgccttcatg    120
tttggagttg gtatgatggg cttgattcca atattgttct taatataccc gacagtatta    180
gccatagttg caggaactgt tgttatgtta tttatggcta aggttcaaaa gccatgggca    240
ctatttatat ttggtatgat atcaccactt gtgatgtttg cagctgggtca tacctacgta    300
gttgtggttt tatcacttat agtaatgata atagcagaat taattagaaa gattggtaat    360
tataattcat ttaaatacaa tatgctttct tatgcaatct tcagcacatg gatatgtagc    420
tctttaatgc aaatgctttt agcaaaagaa aaatatatgg agtggctttt gatgactatg    480
ggaaaagatt atgttgatgt attagaaaag ttaataactt atcctcacat ggcttttagta    540
gccttaggtg ctttcttagg aggaattctt ggagcatata taggcaaggc tctattgaaa    600
aaacactttt caaatggatt atattgtgtg ggatacttta ctccttgccct aattttatgg    660
tgctatctga attaa    675

```

```

<210> 121
<211> 636
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 121
tgtattagaa aagttaataa cttatcctca catggcttta gtagccttag gtgctttctt    60
aggaggaatt cttggagcat atataggcaa ggctctattg aaaaaacact tttcaaatgg    120
attatattgt gtgggatact ttactccttg cctaatttta tggtgctatc tgaattaaac    180
cctatagtta agatgttttt gagtatacct attgttatta gaatgtttat tttaccaatt    240
atggcagcaa gctttatgat aaagacctcg gatgtagggc caataatttc atcgatggat    300
aagcttaaga tttcaaagaa tgtatccata cctattgctg ttatgttttag attcttccca    360
tcttttaagg aggagaagaa aaacatcaaa atggctatga gagtaagagg gataaatttt    420
aaaaaccag tcaaatatct tgaatatgtt tctgtgccac tactcattat atcatctaatt    480
atatcagatg acattgcaaa agcggcagaa acaaaggcaa tagaaaatcc aattgccaag    540
accagataca ttcgcgtaaa gatacagcta attgattttg tttatgtttt agcgggttget    600
ggacttattg tgggaggctt aatatgggtt aaataa    636

```

```

<210> 122

```



&lt;211&gt; 1173

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 122

```

ttttgtttat gtttttagcgg ttgctggact tattgtggga ggcttaatat ggttgaaata      60
aaaaatttaa gtcttgatta tggatgaagag catatatattag atgatataatc actatccata      120
gccgagggag agtgcgtgct atttacagga aaaagtggaa atggtaagtc atctttaata      180
aattcaatca atggactagc tgtaaggatg gataacgcaa agacaaaggg cgaaataatt      240
attgatggta agaataataa aaatttggaa ctttatcaaa tctcaatgct tgtttcaact      300
gtttttcaaa atcctaagac atattttttt aatgtcaata cgacattaga attattattt      360
tatttggaat atatcggctt tgcaagagaa gagatggaca ggcgtttgaa ggatataactt      420
gagatatctc cgataaaaaa tcttttgaac agaaatataat ttaatctatc cggcggtgaa      480
aaacaaattc tttgcattgc agcttcttat atagcaggta caaagattat agttatggat      540
gagccttcat cgaatttaga tattaagaagc ataagtgttt tggcaaagat gctaaagata      600
ttaaaagaga aaggcataag cataattgtt gcagagcata gaatttatta tttgatggac      660
atagttgacc gtgtattttt aatagataaa ggaaagctta aaaaaactta tactagaagt      720
gaatttttaa agctagataa aaatgaatta aatgctttta gtttaagaga taaagaatta      780
agtaaattaa aagttcctta tttaaaagaa ggtggagagt atcagataaa aaatcttagt      840
tacaatttta ctgatgatga gtgtttaagc ttaaaagata tttcgttcaa gcttgggaaa      900
atztatggca taataggatc caacggacga ggaaaatcaa cgcttttaag atgttttaata      960
ggtcttgaga aaaaatcaaa agaagaaatt tattttaagg gagagaagct atctaaaaaa     1020
gaaagactca aaaactcttc acttgttatg caagatgtaa atcatcaatt attcacagat     1080
gaagtattca acgagcttag attaggagta aagaattttg atgaagaaaa ggcgaaaatc     1140
attttaaacc ccaattattc accccaaatc taa                                     1173

```

&lt;210&gt; 123

&lt;211&gt; 276

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 123

```

tttgggttaa aagatttatg cctggacgaa tttattgaaa ggcattccgat gagtttatca      60
ggaggggcaa agcaaaggct tgcaatagca tctgttatgt gcaagaattc tccatttgtc      120

```

ttttttgacg aaccttcaag tggatatggat tattccaata tgataaaaat atctgaactg 180  
 attaataagt ataaaaccat ggataaaata atttttattg tttcccatga tatagaattt 240  
 ttaaatagaag tggcagatga aatttttgaa ttgtaa 276

<210> 124  
 <211> 975  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 124  
 aaaggacgag agagctcaat ggatattaga ccgcaatcaa gtgatgaact tgattcgcaa 60  
 agaagagtaa ggagagacat gtcaaatagt ttaaaaggga ctttactaac agttgtggct 120  
 ggtattgctt ggggggttgtc aggaacgagt ggccaatacc taatggcaca cggaatttcg 180  
 gctctgggtct tgactaactt gcgtctttta atcgctgggtg gaattctcat gctcttggtc 240  
 tatgctactg caaaggataa aatactggtc tttttaaagg atagaaagag tttgctgtct 300  
 cttcttattt ttgctctgat tggctctttt ctcaaccaat tcgcctatct gtctgtatt 360  
 caggagacca atgcgggaac agcgacggtg cttcagtatg tttgtcctgt cggaatttta 420  
 atttatagct gtatcaagga tagggtggca ccgacactgg gagagatagt ttccatcata 480  
 ttcgccatcg gaggaacctt cctgatcgca acacatgggc agttggacca gttatccatg 540  
 acacctgctg gtctgttctg gggctctctt tctgccttga cttatgtctt gtatatcatt 600  
 ttacccatag ccttgattaa aaagtggggg agcagcttgg tcattgggtg gggaatggct 660  
 atagcagggtt tggtcgcctt tccttttaca ggggttctac aggccgatat cccgactagt 720  
 cttgattttc tccttgcggtt tgcaggcatt atccttatcg ggactgtctt tgcctataca 780  
 gctttcctta aaggagccag tctgatagga ccggtcaagt caagcttggt ggcttcaatt 840  
 gagccaatat cggcgatttt ctttgccttc ttaataatga atgaacaatt ttatcccatt 900  
 gattttcttg gtatggcaat gatattgttt gctgtaactt tgatttcttt gaaagattta 960  
 ttcttagaaa aataa 975

<210> 125  
 <211> 366  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 125

```

atatctcaaa acgcattatc gctgttttgg tacctaatat tgttgaagaa ggcgaaactc      60
cacaggaagc ctacgatttg gaagccatta tgtacaatcc aaaaatcgtc tctcactctg      120
ttcaagatgc tgctcttggc gaaggagaag gttgcctgtc tgttgaccgt aacgtgcctg      180
gctatgttgt tcgccatgcc cgcgttactg ttgactactt tgacaaagat ggagaaaaac      240
accgtatcaa actcaaaggc tacaactcca ttgttggtca gcatgaaatt gaccacatta      300
acggtatcat gttttacgat cgcacatg aaaaagaccc atttgacgtt aaagatgggt      360
tactga                                                                    366

```

```

<210> 126
<211> 261
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 126
gtttactctt taaaaaagat agaaatgaga gaaatcatgc tactgcaact attttcttta      60
tatttcgaga gtttgatctt gaccaccatc cttgttctga tttttttagg gatttggatt      120
ggctctgagag ccatgtcggg agttgataag acagccaggg ctgcgaagc ccatctctat      180
gatatgatta tgattggagt cttgggtgtc ccagtattat cctttgcggt tatgagttta      240
attcttggtt tcaaggcata a                                                                    261

```

```

<210> 127
<211> 579
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 127
gatgccagta gatggcgaac gcttggccta tcaaaaatta aagaaataat gcaaaagaag      60
tatgtaaaaa tcctctactc ctcaccaatt ggtattctat cacttgtagc tgatgaccat      120
tatttgatg gaatttgggt tcaggagcag aagcattttg agaggggact aggagatgaa      180
acgatagaag aagttggttag tcatcctatt ttagaccag ttattgcttg cttagatgat      240
tactttaaag gcaagcctca ggatttatcc aacttgctct tggcgccaat cggaacgaat      300
tttgaaaaga gagtttggga ctatttacag ggcattcctt atggtcagac agtgacctat      360
ggacaaattg ctcaagacct gcaagtggct tctgctcaag caattgggtg agcagtggga      420
cgcaatcctt ggtctatcct agtaccttgt catcgtgtgt tgggagcagg caagcgtctg      480
acaggttatg ctgcaggagt ggaaaagaaa gcttggctct tggagcatga aggagtagat      540

```

tttaaagata gaagcaatag aaggagaagc acatgttag 579

<210> 128

<211> 1455

<212> DNA

<213> Streptococcus pneumoniae

<400> 128

aggaattgtg gattgcaaaa ttgtatcatt gaaattattg ctcaaatttg ttatgatata 60  
aatatgaata aaagtagact aggacgtggc agacacggga aaacgagaca tgtattattg 120  
gctttgattg gtattttagc aatttctatt tgcctattag gcggtttat tgcttttaag 180  
atctaccagc aaaaaagttt tgagcaaaag attgaatcgc tcaaaaaaga gaaagatgat 240  
caattgagtg agggaaatca gaaggagcat tttcgtcagg ggcaagccga agtgattgcc 300  
tattatcctc tccaagggga gaaagtgatt tcctctgtta gggagctgat aaatcaagat 360  
gttaaggaca agctagaaag taaggacaat cttgttttct actatacaga gcaagaagag 420  
tcaggtttaa agggagtcgt taatcgtaat gtgaccaaac aaatctatga tttagtgtgt 480  
tttaagattg aagagactga aaagaccagt ctaggaaagg ttcacttaac agaagatggg 540  
caacctttta cacttgacca actgttttca gatgctagta aggctaagga acagctgata 600  
aaagagttga cctccttcac agaggataaa aaaatagagc aagaccagag tgagcagatt 660  
gtaaaaaact tctctgacca agacttgtct gcatggaatt ttgattacaa ggatagtcag 720  
attatccttt atccaagtc tgtggttgaa aatttagaag agatagcctt gccagtatct 780  
gctttctttg atgttatcca atcttcgtac ttactcgaaa aagatgcggc cttgtaccaa 840  
tcttactttg ataagaaaca tcaaaaagtt gtcgctctaa cctttgatga tgggtccaaat 900  
ccagcaacga ccccgaggt attagagacc ctagctaaat atgatattaa agcgactttc 960  
tttgtgcttg ggaaaaatgt ttctgggaat gaggacttgg tgaagaggat aaaatctgaa 1020  
ggtcagtgtg ttggaaacca tagctggagc catccgattc tctcgcaact ctctcttgat 1080  
gaagctaaaa agcagattac tgatactgag gatgtgctaa ctaaagtgtc gggttctagt 1140  
tctaaactca tgcgtccacc ttatggtgct attacagatg atattcgcaa tagcttggat 1200  
ttgagcttta tcatgtggga tgtggatagt ctggactgga agagtaaaaa tgaagcatct 1260  
attttgacag aaattcagta tcaagtagct aatggctcta tcgttttgat gcatgatatt 1320  
cacagtccga cagtcaatgc cttgccaagg gtcattgagt atttgaaaaa tcaaggttat 1380

acctttgtga ccataccaga gatgctcaat actcgcctaa aagctcatga gctgtactat 1440  
agtcgtgatg aataa 1455

<210> 129  
<211> 744  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 129  
ctacgggtttt tatttgtata tggtagaatc tttttacaaa aatacttggg aatcttggtt 60  
attcatgcta taataggaac aattactttt aggagggtgca gtatgtctta tttatttgag 120  
atattaccga gtttactgaa tggtagcgagc acgactgtac aggtctttgc actggtcttg 180  
ctattttoga ttcccttggg cgttttgatt gcctttgcct tgcaagtcca ttggaagccc 240  
ctccattatc tgattaacat ttacatctgg gttatgagag gaaccccctt actcttgcaa 300  
ctgattttta tctattatgt gctcccaagt attgggattc gtttagaccg ccttcctgca 360  
gctattattg cctttgttct caactatgca gcttactttg cagaaatttt ccgtggggga 420  
attgacacta ttccaagagg acagtatgag gccgccaagg tcttgaagtt tagccctttt 480  
gacagagtgc gctatattat cttgccccaa gtgaccaaga tcgttcttcc tagtgtcttt 540  
aatgaagtta tgagtttggg caaggatact tctttggtct atgctctcgg aatttcagac 600  
cttatcttgg ctagtcgaac agctgctaac cgcatgcta gtctagttcc tatgttcttg 660  
gcaggagcca tttatttgat tttgattggg attgtgacaa ttatttccaa aaaagttgag 720  
aagaagtata gttattatag atag 744

<210> 130  
<211> 717  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 130  
atggaagaaa gtattaatcc aatcatctct attggtcctg ttatcttcaa tctgactatg 60  
ttagccatga ctttgttgat tgtgggagtt atttttgtct ttatttattg ggcaagccgc 120  
aatatgacct tgaaacccaa aggaaagcaa aatgtacttg agtatgtcta tgactttggt 180  
attggattta cagaacctaa cattgggtcg cgctacatga aagattactc actctttttc 240  
ctttgtttat tccttttcat ggtgattgcc aataaccttg gcttaatgac aaagcttcaa 300

acgatcgatg ggactaactg gtggagttcg ccaaccgcta atttacagta tgacttaacc 360  
 ttatcttttc ttgtcatttt gttgacacat atagaaagcg ttcgtcgtcg tggatttaaa 420  
 aaaagtataa aatcttttat gagtccctgtt tttgtcatac cgatgaatat cttggaagaa 480  
 tttacaaact tcttatcttt ggctttgctg atttttgggg atatctttgc aggagaggtc 540  
 atgacgagtt tgttacttct tctttcccac caagctatct attggtatcc agtagccttt 600  
 ggagctaatt tggcttggac tgcattttct gtctttatct cctgcatcca agcttatgtt 660  
 tttactcttt tgacatctgt gtatttaggg aataagatta atattgaaga ggaatag 717

<210> 131

<211> 1695

<212> DNA

<213> Streptococcus pneumoniae

<400> 131

gatataatat tatggattat caacaaggag gaaaaacttt tgagtgaaaa gtcaagagaa 60  
 gaagagaaat taagctttaa agagcagatt ctgagagatt tagaaaaagt aaaaggctat 120  
 gatgaagttc tgaaagaaga tgaggcagta gttcgcactc ctgcaaatga accttcaact 180  
 gaagaactca tggctgattc cttgtcaacg gtagaggaga ttatgagaaa agctcctacc 240  
 gtgcctactc acccaagtca aggtgtacca gcttctccag cagatgagat tcaaagagaa 300  
 actcctgggtg ttccaagtca tccaagtcaa gatgtacctt cttctccagc ggaagaaagt 360  
 ggatcaagac caggtccagg tcctgttaga cctaagaaac ttgaaagaga atacaatgaa 420  
 accccaacaa gggtagctgt ttcctatacg acggcagaga aaaaagcaga acaagcaggt 480  
 ccagaaacac ctacgcctgc tacagaaaca gtggatatca tcagagatac atcacgtcgt 540  
 agccgtagag aaggagcaaa acccgttaag cctaagaaag agaagaagtc acatgtgaaa 600  
 gcttttgtga tttcattcct tgtattcctt gccttgctct cagcaggtgg ttacttttgt 660  
 taccagtacg tgctagattc cttattacct atcgatgcta attctaagaa atatgtgacg 720  
 gttggaattc cagaaggttc aaacgttcaa gaaatcggta cgacgcttga aaaagctggg 780  
 ttggtaaagc atggtctgat ttttagtttt tatgccagt ataaaaatta taccgacttg 840  
 aaagcaggtt actacaatct gcaaaagagt atgagtacag aagacttact caaagagttg 900  
 caaaaagggtg gaacagatga accgcaagaa cctgtacttg cgactttgac aattccagaa 960  
 gggtatacct tggatcagat tgctcaagct gtgggtcaat tgcaagggtga cttcaaagag 1020

tctttgacag cggaggcttt cttggctaaa gttcaagatg agacgtttat cagtcaagca 1080  
 gtagcgaaat atcctacttt actggaaagt ttgcctgtaa aagacagcgg tgcgcgttat 1140  
 cgtttggaag gatacctttt ccagctaca tactctatca aggaaagcac aactattgag 1200  
 agcttgattg atgagatggt agctgctatg gataagaacc tatctcctta ctatagtact 1260  
 atcaaactta aaaacttgac tgtcaatgag ttgttgacca ttgcttcctt ggtcgaaaaa 1320  
 gaagggtcca agacagaaga tcgtaagctc attgcagggtg tattctacaa tcgtttgaat 1380  
 cgtgatatgc cacttcaaag taatattgca atcttgtagt cccaaggaaa actggggcaa 1440  
 aatatcagtc tagctgagga tgttgcgatt gataccaaca ttgattcacc ttataatggt 1500  
 tataaaaatg taggtctcat gcctgggtcca gtcgatagtc caagtctgga tgcgattgag 1560  
 tcaagcatca atcaaactaa gagcgataac ctctactttg tagcagatgt cacagaaggc 1620  
 aaggcttact atgctaactaa tcaagaagac cacgaccgca atgtcgctga acatgtcaac 1680  
 agcaaattaa actaa 1695

<210> 132

<211> 879

<212> DNA

<213> Streptococcus pneumoniae

<400> 132

tcgtcgttta caggaggaaa ttaacaggg caattgactg aaaagattca agaacatgaa 60  
 ttaattaaga ctaaccaagc agagaaaagt gtacaggatg ttttgataa ttgtattgaa 120  
 aggggtacaaa acaattcact gaaatcagat aggggttactt cttttgagac cccgtttgct 180  
 ctcttattta tctttgagac tatagctgtg atgctaacct atgggggtta tcgggtcagc 240  
 gcaggatata tatctgtggg aaccttggtt tcgtttttga ttacctctt tcaattactt 300  
 aatcctatta gtaatatagc taattttgta actgtttatt ctaggagcaa gggatcttca 360  
 gttgcactgg agaacttgct tgcagttcct aaagaaaaat ttgaggaggg aaaatcggta 420  
 tcaggacgag ggttgaattt taaccatgtc tattttgggt atgatgaaaa tcgacctgtc 480  
 ttaaaggata ttacttggtc aattttcaag gggcaaaaaa ttgcttttgt tggaccatct 540  
 ggatcaggaa aatcaacgat tgtgcggttg ttagagcggg ttataaaacc gctttcagga 600  
 gatattctaa tggagcaatc aagtatatat gattttaact taaaagaatg gagaagtaaa 660  
 atcgcttggg tttcacaaaa taatgcagtc ttatctggca gtattcgtga caatctttgt 720

ctcggtttga atcgcttagt aactgatgat gaattgatga aagtgctaga cttagtatca 780  
 ctaggtgatg agattcgctc catgaaagag ggactagata ctgaagttgg tgaacgcgga 840  
 cgactcttgt caggggggag aacgaaagac ttcaaatag 879

<210> 133  
 <211> 555  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 133  
 ggagtattta tgaaattaaa attattaaga gtagatacta aggtgattat ggggagtttc 60  
 ttacttggtc tgtctagtct acttgctttg ttgcttcccc ttatcttaaa ggatttaata 120  
 gatgggagtt ctattgaaaa tataggctcc aaagtatttc aatcgttttt gatttttatt 180  
 ggtcaagcct tgttttcttc tattgggttac tatctgttta gtcaatcggg tgaaaaaaag 240  
 atagcaaaaa tcaggaaaaa agtgatagag gggttgattt atgtagagaa atccttcttt 300  
 gataagagcc aaagtgggga gttgacttct gccattgtca atgacacgag tgtcattcgt 360  
 gagtttttaa ttacgacttt cccaaatatt attctgagtt tagttatggg acttggttcc 420  
 attgtagtct tatttagtct tgattggaat ctttctctac ttttattcat cactcttcct 480  
 tgtatgatgt ttattatctt gcccttttcc aatatcagtg aaaagtatag tcgtcgttta 540  
 caggaggaaa tttaa 555

<210> 134  
 <211> 1989  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 134  
 aacaaatatt taaagcagga gggtccggaa atgaaaaagt ctaagagcaa atatctaacc 60  
 ttggcaggtc ttgtcctggg tacaggagtt ttattgagcg cgtgtggaaa ttctagcacg 120  
 gcgtcaaaaa cctacaacta tgtttattca agtgatccat ctagcttgaa ctatctagca 180  
 gaaaaccgag cagcaacatc cgatattgtt gcaaatttgg tagacgggtt attagaaaat 240  
 gaccaatatg ggaatattat tccatcatta gcagaggatt ggactgtttc tcaggacggt 300  
 ttgacctata cctacaaact tcgtaaggat gccaaagtgg ttacttctga gggagaagaa 360  
 tatgcgcctg taactgccca ggattttgtg acagggttgc aatatgcagc tgataaaaaa 420  
 tcagaagcct tgtatctagt gcaggactct gttgctgggt tggatgacta tatcactggg 480



```

aaaacaagcg acttttcaac tgtcgggtgc aaggcacttg atgaccaaac ggttcaatat 540
acttttggtta aaccagaact ttactggaat tcaaaaacac ttgcaacgat actttttcct 600
gttaatgcag atttcctgaa atcaaaaggg gatgattttg ggaaggcgga tccatctagt 660
attttgtaca atggaccttt cttgatgaaa gcacttgtct caaaatctgc tattgaatat 720
aagaaaaacc ctaattactg ggatgctaag aatgtctttg tagacgatgt gaaattgacc 780
tactatgatg gtagcgacca agaactactg gaacgtaatt ttacagctgg tgcttatact 840
acggctcgtc tttttcctaa cagctccagc tatgaaggga ttaaagaaaa atacaaaaac 900
aatatcatct atagtatgca aaattcaact tcatatttct ttaattttta cctagatagg 960
aagtcttaca attatacttc taaaacaagt gacattgaaa agaaatcgac tcaggaagca 1020
gttctcaata aaaacttccg tcaggctatc aattttgctt ttgacagaac atcttatggg 1080
gtcagtcctg aagggaaaga aggtgcaaca aagattttgc gtaacctagt ggttcctcca 1140
aactttgtca gtatcaaggg aaaagacttt ggtgaagttg tagcctctaa gatggccaac 1200
tatggtaagg aatggcaagg tatcaacttt gcggatggtc aagaccctta ctacaatcct 1260
gagaaagcca aggctaagtt tgcggaagct aagaaagaac tcgaagcaaa ggggtgttcaa 1320
ttcccaatcc acttggataa gactgtggaa gtaacagata aagtaggcat acaaggagtt 1380
agttctatca aacaatcaat tgaatctgtt ttaggttctg ataatgtagt gattgacatt 1440
cagcaattaa catcagatga gtttgacagt tcaggctact ttgctcaaac agctgctcag 1500
aaagattatg atttatatca tggcggttgg ggacctgatt atcaagaccc gtcaacctat 1560
ctcgatattt ttaatactaa tagtggagga tttctgcaaa atcttggact agagcctgg 1620
gaggccaatg acaaggctaa ggcagttgga ctggatgtct atactcaaat gttggaagaa 1680
gctaataaag agcaagatcc ggccaaacgt tatgagaaat atgctgatat tcaagcttgg 1740
ttgattgata gttcttttagt tcttccaagt gtttcgcgtg ggggaacacc atcattgaga 1800
agaaccgtac catttgctgc tgcctatggg ttaaccggta caaaaggggt tgaatcatat 1860
aaatacctca aagtacaaga taagattgtc acaacagacg aatatgcaaa agccagagaa 1920
aatggttga aagaaaaaga agaatccaat aaaaaagccc aagaagaatt ggcaaacat 1980
gtcaaataa 1989

```

&lt;210&gt; 135

&lt;211&gt; 1647

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 135

```

ttatcaaaat tgaatgagga atctatgtcg cacgaaaaca atcaccagca ggcccagatg      60
ttacggggga ctgcttggct aacggctagt aactttatca gtcgcctact cggggctggt      120
tacattatcc cttggtacat ctggatgggg gcttatgcag ctaaggcaaa tgggtctcttt      180
accatggggtt acaatatcta tgcttgggtt ttgttgggtt caacagcggg gattccagtt      240
gcggtggcca agcaagttgc caagtataat accatgcgag aagaagagca tagctttgcc      300
ctgattcgga gcttcttagg ctttatgaca ggactaggcc tggtttttgc tttagtcttg      360
tatgtctttg ctcttgggt agcagacttg tctggcgtgg gcaaagactt gatcccaatc      420
atgcaaagct tggcttgggg agtcttgatt ttcccgctta tgagtgttat ccgaggattt      480
ttccaaggga tgaataacct caaaccttat gccatgagcc aaattgctga gcaggtcatt      540
cgtgttatct ggatgctcct agcaaccttt atcattatga agctcgggtt aggagattat      600
ctagcagccg ttaccaatc aacctttgct gcctttgtcg gtatggtagc cagttttgca      660
gtcttgattt atttccttgc ccaagaaggt tcaactcaaaa gaatctttga aacaggagat      720
aagattaaca gtaagcgtct cttgggtgat accattaagg aagccattcc ttttatcctg      780
acaggggtctg ccattccagct cttccagatt ttggatcagc tgacctttat caatagtatg      840
agctgggttta ccaactacag caatgaggac ttggttgtca tgtttttctta tttctcagcc      900
aatcctaata aaatcacgat gatcttgatt tctgtagggg tttcgattgg gagtgttgg      960
ttgccacttt tgacggaaaa ctatgtcaag ggggacttga aagcagcttc tcgtctcggt      1020
caggacagtc tcaccctact ctttatgttc ttgctaccag caacggttgg agtgggttatg      1080
gtaggagAAC ctctttatac ggtcttctat ggtaagccag atagtttggc tctgggctta      1140
tttgtctttg cagttttgca gtctattatt ttaggcttgt acatgggtctt gtctccaatg      1200
cttcaggcca tgttccgcaa ccgcaaggcc gttctctatt ttatctatgg ttctattgcc      1260
aagctagtct tgcaactacc taccatcgcc ctcttcaca gttatgggtcc tttgatttca      1320
acaaccattg ctctcatcat tcctaacgtc ttgatgtatc gggatatttg taaagtaact      1380
ggtgtcaagc gcaagggtgat tttgaagcga accattttaa tcagtttgct gaccctagtc      1440
atgtttctgt taataggaac catccagtgg ctgttaggat ttttcttcca accaagtgga      1500

```

cgtttgtgga gcttctttta tgtagctctt gtcggtgcca tgggggggtgg acttttatatg 1560  
 gttatgagtc tgcgtaccta tttattagat aaggtaatag gaaaagccca agcagatcgc 1620  
 ctgcgagcaa aatttaagct ttcgtaa 1647

<210> 136  
 <211> 639  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 136  
 gcaaatttct tgcaagttct tttgttttgt tgtaatatat tttataacaa cgagagagtt 60  
 ctcgaaatth taagaaaaag gagacacatc atgtctaaaa aagtattatt tatcgtcgga 120  
 tcaactacgtc aagggttcttt caaccaccaa atggcgctcg aagctgagaa agcacttgct 180  
 ggtaaagcgg aagttagcta ccttgattat tcagcccttc ctctcttcag ccaagatttg 240  
 gaagttccaa cacatccagc tgtagctgct gtcgtgaag cagttctcgt tgcggatgct 300  
 atctggattt tctctccagt ctacaacttc tctatccctg gtacagtga aaacttgctt 360  
 gactggctat ctggtgccct tgacttgctt gatacacgtg gcgtttctgc ccttcaagac 420  
 aagtttgtca cagtatcatc tgtagccaat gcagggcacg atcaactttt cgctatctac 480  
 aaagacctct tgccatttat ccgtacacaa ggcgttggtg atttcactgc tgcacgtggt 540  
 aatgactctg cctgggcaga cggaaaattg gttcttgaag aaacagtcct aaactcactt 600  
 gaaaaacaag ctcaagactt ggtcgaagct atcaagtaa 639

<210> 137  
 <211> 1902  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 137  
 agccatccat gcttacctga gggagaaaaa atgagtgatt ttatcgttga aaaactaagt 60  
 aaatccgttg gtgacaagac cgtttttagg gatatttctt ttattatcca tgacttagac 120  
 agaattggtt taatcgggtg caatgggact ggcaagacca cccttttgga cgtcctttct 180  
 ggtgtttctg gatttgatgg ggatgtcagt cctttttcag ctaaaaatga ttaccagatt 240  
 ggttacttga ctcaggatcc tgattttgat gatagaaaga cagttttgga tacggttcta 300  
 tctagtgaac tcaaggaaat ccagctcatt cgtgagtatg aattgattat gtcgactat 360  
 agtgaggaca agcaggcgcg tttggaacgt gtcattggcag agatggactc tctccaagct 420

```

tgggaaatcg aaagtcaggt caagaccgtt cttagcaa at tgggcattca agacttatct 480
actcctgttg ggggaattgtc aggtgggtctg agaagacggg tacagttggc acaagtctta 540
cttggcaacc acgacctctt gcttttggat gagccgacca accatctgga tattgcgatt 600
attgagtggc tgacctctt tttgaaaaat tctaagaaga ccgtcctttt tatcactcac 660
gatcgttatt tcttagacgc tttgtcaaca cggatttttcg agttggatcg tgcaggcttg 720
accgagtacc agggaaatta ccaggactat gttcgcctaa aggcggaaca ggatgagcgc 780
gacgcggctc ttcttcacaa aaaagaacaa ctctacaaac aagaattggc ctggatgcgc 840
agacaaccgc aggcgcgtgc gaccaagcaa caagctcgta tcaatcgttt ccatgatctg 900
aaaaaggaag ttccaggcag tagtgctgag acagacttga ctatgaactt tgaaaccagt 960
cggattggga agaaagtc at cgagtttcag gatgtttcct ttgcctatga aaataagccc 1020
at ttgtgcaa at tttaatct cttagttcag gctaaagacc gtattggaat tgttggggac 1080
aatgggtgtg gaaaatcaac cctacttaac ctgattgcag gaagtcttga gccgacagca 1140
ggacaagttg tgattgggga aactgttcgc atcgcctatt tctctcaaca aattgagggg 1200
ttggatgaaa gcaagcgtgt gatcaattac ctgcaggaag tggcagagga ggtcaagacc 1260
agtgggtggt ctacgacttc catcgctgag ttgctggagc aattcctctt cccacgttcg 1320
acgcatggga ctttgattga gaaattgtca ggggggtgaga aaaaacgtct ttatctcctc 1380
aaactgcttt tggaaaaacc aaatgttctt ctttttagacg agccaaccaa tgacctagat 1440
attgcaactt tgacagtctt agagaatttc ttgcaagggt ttgcagggtcc cgttttaaca 1500
gtcagtcacg accgctat tt cttggataag gtagcgacca agattctcgc ttttgaggat 1560
ggcaagattc gtcctttctt tggtcattac accgactatc ttgatgaaaa agcttttgaa 1620
acagatatgg ccaatcaagt gcaaaaggcc gaaaaggaaa aagtgggtcaa gggtcgagaa 1680
gacaagaaac gcatgaccta ccaagaaaag caggagtggg caagtattga aggtgatatt 1740
gaaaccttgg aaaaacgtat cgctgctatt gaagaggaaa tgcaggctaa cggctctgac 1800
tttggttaagc tggctactct ccaaaaagaa ttggatgaga aaaatgaagc actccttgaa 1860
aaatacgaac gctatgagta tctcagtgaa tttgatagtt aa 1902

```

<210> 138  
 <211> 579  
 <212> DNA

<213> *Streptococcus pneumoniae*

<400> 138

tataactaagg tagtaatcat taagaagtgg ttacaaaaaa taatgaatga ggtaaagaaa	60
atggtagaat tgaaaaaaga agcagtaaaa gacgtaacat cattgacaaa agcagcgcca	120
gtagcattgg caaaaacaaa ggaagtcttg aaccaagctg ttgctgattt gtatgtagct	180
cacgttgctt tgcaccaagt gcactgggat atgcatgggc gtgggtttcct tgtatggcat	240
ccaaaaatgg atgagtacat ggaagctctt gacgggtcaat tggatgaaat cagtgaacgc	300
ttgattacac tcgggtggaag cccattctct acattgacag agttccttca aaatagtga	360
atcgaagaag aagctgggtga ataccgtaat gttgaagaaa gcttggaacg tgttcttggt	420
atctaccgtt acttgtcaga acttttccaa aaagggttgg atgtcactga tgaagaaggt	480
gacgatgtga caaacggtat ctttgcaggc gctaaaactg aaacagataa aacaatttgg	540
atgcttgcag ccgaacttgg acaagcacct ggtttgtaa	579

<210> 139

<211> 1083

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 139

tctagcaatc ttttgtttgg gcttatcggc tgcatttatg gggcgtttgg tagaaaaatt	60
tggtccgaaa gtcattggaa gtctatctgc ttttctatac gcaggtggaa atatcttaac	120
aggatttgca atagaccgtc agagctgtgg ttgttgatc tcgcttatgg catttttaggt	180
gggcttggtt tgggagcagg ctatattacc cctgtgtcga cgattataaa atgggtttcct	240
gataaacgtg gtctcgcaac aggttttagcg attatggggg ttgggttttgc ttctttattg	300
actagtocca tagcgcaaca cctcatcgca ggggtagggc ttgtagaaac tttttatatt	360
ttaggagcaa gttactttat tatcatgctc ctagcttcac aattcattaa gcgtccaaat	420
gagcaagagc ttgcaatttt atcttcttca gggaaagaaa aaacagcctc tttgacgcaa	480
ggaatggctg caaatcaggc tctaaaaagc aatcgggttt atatgctttg gattattttc	540
tttatcaaca tagcttgtgg tttaggctta atttcagcgg catcgccaat ggcacaggag	600
atggctggct tgtctacaag tcatgcagca gtaatgggtg gtgttttggg gattttcaat	660
ggatttgggc gcttgctctg ggcgagtttg tctgactata tcggtcgccc tctaaccctt	720
agtatattac tgcttgtcaa tcttttcttt tctctctcac tttggctctt tacagattcc	780

gtttttatttg tagttgctat gtctattttg atgacttgct atggagctgg tttttctttg 840  
 attccagctt atctcagtga tttttttgga accaaggaat tggccgctct gcatgggttat 900  
 attttaacag cttgggcaat ggctgggtta gcgggacctt ttttattagc agagacttat 960  
 aaaatggctc attcgtacac acaaaccttg ttcgtttttc tcattttata cagtatcgcc 1020  
 ttggctttgt cttattatct aggtcgttca atcaaaaaag aaagtcaaaa agcgcttaca 1080  
 tga 1083

<210> 140  
 <211> 468  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 140  
 gacaatatga agcaaacaaa aacaactaaa atcgcccttg tatccctatt aaccgccctt 60  
 tctgtgggtc taggttattt cttaaaaaatc ccaacacctt caggaattct aactctttta 120  
 gatgctggtg tcttctttgc ggcctttttac tttggtagtc gtgaaggagc ggtagtcgga 180  
 ggactagcaa gtttcttgat tgacctctta tcaggctacc ctcaagtggat gttcttttagc 240  
 ttggtcaacc atggcttgca gggatttttc gcaggattta aaggaaaaag tcagtgggtta 300  
 ggccttattt tagcaactat tgccatggta ggaggctacg ccttggggtc tgctttgatg 360  
 aatggctggg cagcagccct cccagaaatt ctaccgaatt ttatgcaaaa tatggtaggg 420  
 atgattgtag gatttattct tagtcaaagt atcaagaaga ttaagtaa 468

<210> 141  
 <211> 684  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 141  
 gagaagatga tttcaaagag attagaattg gtagcttcct ttgtgtcaca gggggctatt 60  
 ttactagatg tgggaagtga ccatgcttat ctgcctatcg agttgggtga gagaggccaa 120  
 atcaaaagcg ctattgcagg tgagggtggg gaaggctcct atcagtctgc ggttaaaaat 180  
 gttgaggctc acggcctaaa ggagaaaatc caagtccgtt tagccaatgg cttggcagct 240  
 tttgaagaga ctgaccaagt gtctgtcatt accattgctg gcatgggtgg tcgtttgatt 300  
 gctaggattt tagaagaagg tttggggaag ttagctaatt tagagcgttt gatcctccag 360

cccaataatc gtgaagacga cttgcgtatc tggctacagg atcatggatt ccagattgta 420  
 gcagaaagca tcttagaaga agctggaaag ttttatgaga ttttgggtgt ggaagcagga 480  
 caaatgaagc tatcagccag tgatgttcgc tttgggtccct tcttgtccaa agaagtcagt 540  
 ccagtatttg tccaaaaatg gcaaaaagaa gctgagaagc tagagttcgc cctcggacaa 600  
 atcccagaaa aaaatctgga agaacgtcaa gttctagtag ataagattca agctatcaag 660  
 gaggtgctcc atgtttagcaa gtga 684

&lt;210&gt; 142

&lt;211&gt; 336

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 142

gaaaaaattt tggagggtat ccgtatgaaa attgttggtg ttgcagcttg tactgtggga 60  
 attgcccaca cttatattgc acaggaaaaa ttagagaatg ccgcaaaggt agctggacat 120  
 gtgattcatg ttgagactca ggggacaata ggggtagaaa atgaattgag tcaagagcag 180  
 attgatgcag cggatgtagt tatttttagca gttgatgtta agatttctgg tatggaacgc 240  
 tttgagggtta aaaagattat caaggttcca acagaagtgg cagtcaaadc tcccaataaa 300  
 ctgattgcta aagctgttga gattgttacg aaataa 336

&lt;210&gt; 143

&lt;211&gt; 777

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 143

cttgacttaa tttttttttt aatgtatatt aagagacagg aggaatacaa gtttatgata 60  
 cgtatcgaac acctcagtg ctcctacaaa gaaacgttgg cacttaagga tatttcacta 120  
 gtgctccatg gaccaacaat taccggcatc attgggtccaa acggcgctgg gaaatcaaca 180  
 ctattaaaag gtatgttggg aattatccca catcaaggtc aggcatctct cgatgacaag 240  
 gaagttaaaa aatccttaca ccgaattgcc tatgtcgaac aaaaaatcaa tatcgactac 300  
 aactttccca tcaagggtcaa ggaatgcgtc tcgttaggac tatttccctc tattcctctc 360  
 tttcgaagtt taaaggctaa acattggaag aaagtgcagg aggcccttga aatcgtcggc 420  
 ctagctgact acgctgaacg tcaaattagt caactgtctg gaggtcaatt ccagcgggtc 480  
 ttgattgcca gatgtttggt gcaggaagcc gactatatcc tcttggatga accctttgct 540

gggattgact ctgtcagtga ggaaatcatc atgaatacgc tgagagattt gaaaaaagct 600  
 gggaagacgg ttctcatcgt tcaccacgac ctcagcaaga ttccccacta cttcgatcaa 660  
 gtcttacttg tcaatcgaga agtgattgcc tttggtccaa caaaagaaac ttttaccgaa 720  
 accaatctaa aagaagctta cggtaatcaa ctctttttca atggaggtga cctatga 777

<210> 144  
 <211> 897  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 144  
 aaggaggat ttatgacata ttacgttgca attgatatcg gtggaaccaa catcaagtat 60  
 ggtttggttg atcaagaggg gcaacttctt gaatcgcatg aaatgccaac tgaggcgcat 120  
 aagggtggac ctcatatctt acaaaagacc aaagatatcg tagctagtta tttagaaaaa 180  
 ggcccagtag caggtgttgc catatcttct gctgggatgg tggatccgga taagggtgag 240  
 attttctatg ctgggccgca aatccctaac tacgcaggca ccagttcaa aaaggaaatc 300  
 gaagaaagct ttactattcc ttgtgagatt gaaaatgatg tcaactgtgc aggtcttgct 360  
 gaggcagtat ctggttcagg caaggagca agtgtgacac tttgcttgac cattggaacc 420  
 ggtatcggtg gttgcttgat tatggatagg aaagtcttcc atggtttttag caattcagcc 480  
 tgtgaagtcg ggtatatgca tatgcaggat ggagcttttc aagacttggc ttctacaaca 540  
 gcttttagtga aatatgtagc tgaagcccat ggagaagatg ttgatcagtg gaatggccgt 600  
 agaattttca aagaagccac tgaaggaaac aaaatctgca tggaaggtat tgaccgtatg 660  
 gttgactatc taggaaaagg tctggcaa atttgctacg ttgccaatcc agaagtgggt 720  
 attcttggtg gtggtatcat ggggcaagag gctatcctca aacctaagat ccgtacagcc 780  
 ttgaaagagg ctttgggtacc aagtttagca gaaaaaacac gattagaatt tgcccatcac 840  
 caaaatacag cagggatgtt ggggtgcatat tatcatttta agacaaaaca atcctag 897

<210> 145  
 <211> 690  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 145  
 caaaaaagaa aacagtttac aaagaaaaat gatggaggag caaacatggc aaaaaagga 60



gtaagcctta tcaaggcagc atttgataca gataactttc tcatgcggtt tagtgagaag 120  
 gtcttggaca tcgtgacagc caatcttctt tttgtcgtct cttgtttacc catcgtgacg 180  
 attggagtgg ctaaaatcag cctctacgag accatgttcg aagttaagaa gagcagacgg 240  
 gtgcctgttt ttaaaatcta tctaagatct ttcaagcaaa atctgaaact aggtcttcag 300  
 ctgggtttta tggagttagg aattgtgttt cttacccttt cagatctcta tcttttctgg 360  
 ggtcaaacag ctctgccctt ccaattgctg aaagccattt gtttaggtat tctgattttt 420  
 ctactatcg tgatgctggc tagttaccct atcgcggcac gttatgacct atcttgaaa 480  
 gaaattcttc aaaaaggatt gatgttggct agttttaact ttccttgggt cttcctcatg 540  
 ttagccattc ttgtcctcat tgtgatggtt ctttatctgt ccgccttcag tctactctta 600  
 ggtggctcag tcttctact ttttgggtt ggactattgg tctttatcca gactggattg 660  
 atggagaaaa ttttcgcaaa ataccaatag 690

<210> 146  
 <211> 915  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 146  
 cccaatcttg taaaagaagg gagaaggaga atggttaaag aacgtaattt aactcgctgg 60  
 atatttggtt tgccagctat gattatcgta ggattactct ttgtttatcc gtttttctcg 120  
 agtatTTTTT atagctttac caataagcat ttgattatgc ctaattataa atttggtggt 180  
 ttggctaact ataaagctgt gctatcagat cccaacttct ttaatgcgtt ctttaattca 240  
 attaagtgga ccgttttctc attagtgtgt caagttttag tagggtttgt attggcttta 300  
 gctcttcaca gactacgcca cttcaagaaa ttatatagga cattattgat tgttccttgg 360  
 gcatttcta ccatcggtat tgccttctct tggcagtgga ttctaaacgg ggtttatggc 420  
 tacttaccta atctaactgt aaaattagggt ttaatggaac atacacctgc atttttgaca 480  
 gatagtacat gggcattcct atgtttggtg tttatcaaca tttggtttgg agcaccaatg 540  
 attatgggtt atgtgctttc agctttgcaa acagtaccag aagaacaatt tgaggctgct 600  
 aagatagatg gtgcttcaag ttggcagggt ttcaagttta tcgtctttcc acatattaaa 660  
 gtggtttag gacttctagt tgttttgaga actgtatgga tctttaataa ctttgacatt 720  
 atctacctca ttactggtgg tggaccagcc aatgctacaa cgacgcttc aatttttgct 780

tacaacctgg gctggggaac taaattgttg ggtcgtgctt cagcagttac agtactgctc	840
tttatcttct tgggtggcgat ttgctttatc tactttgcta tcatcagtaa gtgggaaaag	900
gagggtagaa aataa	915

<210> 147  
 <211> 1356  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 147	
tgtagaaaga gaagaacgat gaaaaaaatg agaaagtttt tatgtctagc tggaattgcg	60
ctagcggctg ttgccttggt agcttggtca ggaaaaaag aagctacaac tagtactgaa	120
ccaccaacag aattatctgg tgagattaca atgtggcact cctttactca aggaccccgt	180
ttagaaagta ttcaaaaatc agcagatgct ttcattgcaa agcatccaaa aacgaaaatc	240
aagattgaaa cattttcttg gaatgacttc tatactaaat ggactacagg tttagcaa	300
ggaaatgtgc cagatatcag tacagctctt cctaaccaag taatggaaat ggtcaactca	360
gatgcttttg ttccgctaaa tgattctatc aagcgtattg gacaagataa atttaacgaa	420
actgccttaa atgaagcaaa aatcggagat gattactact ctgttcctct ttattcacat	480
gcacaagtca tgtggggttag aacagatttg ttaaaagaac ataatttga ggttcctaaa	540
acttgggata aactctatga agcttctaaa aaattgaaag aagctggagt ttatggcttg	600
tctgttcogt ttggaacaaa tgacttaatg gcaacacgtt tcttgaactt ctacgtacgt	660
agtgggtggag gaagcctctt aacaaaagat cttaaagcag acttgacaag ccaacttgct	720
caagatggta ttaaatactg ggttaaattg tataaagaaa tctcacctca agattctttg	780
aactttaatg tccttcaaca agctaccttg ttctatcaag gaaaaacagc atttgacttt	840
aactctggct tccatatcgg aggaattaat gccaacagtc ctcaattgat tgattcgatt	900
gatgcttata ctattccaaa aatcaaagag tctgataaag accaaggaat tgaaacctca	960
aacattccaa tgggtgtttg gaaaaattca aaacatccag aagttgctaa agcattctta	1020
gaagcacttt ataataaga agactacgtt aaattccttg attcaactcc agtaggtatg	1080
ttgccaacta ttaaggggat tagcgattct gcagcctata aagaaaatga aactcgtaag	1140
aaatttaaac atgctgaaga agtaattact gaagctgtta aaaaaggtag tgctattggg	1200
tatgaaaatg ggccaagtgt acaagctggg atgttgacta accaacacat tattgaacaa	1260

atgttccaag atatcattac aaatggaaca gatcctatga aagcagcaaa agaagcagaa 1320  
 aaacaattaa atgatttatt tgaggctgtt cagtag 1356

<210> 148  
 <211> 2403  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 148  
 atgtcttatt tcagaaatcg ggatatagat atagagagga tcagtatgaa tcggagtgtt 60  
 caagaacgta agtgtcgtta tagcattagg aaactatcgg taggagcggg ttctatgatt 120  
 gtaggagcag tggatattgg aacgtctcct gtttttagctc aagaaggggc aagtgagcaa 180  
 cctctggcaa atgaaactca acttttcgggg gagagctcaa ccctaactga tacagaaaag 240  
 agccagcctt cttcagagac tgaactttct ggcaataagc aagaacaaga aaggaaagat 300  
 aagcaagaag aaaaaattcc aagagattac tatgcacgag atttggaaaa tgtcgaaaca 360  
 gtgatagaaa aagaagatgt tgaaaccaat gcttcaaatg gtcagagagt tgatttatca 420  
 agtgaactag ataaactaaa gaaacttgaa aacgcaacag ttcacatgga gtttaagcca 480  
 gatgccaaagg cccagcatt ctataatctc ttttctgtgt caagtgtac taaaaaagat 540  
 gagtacttca ctatggcagt ttacaataat actgctactc tagaggggcg tggttcggat 600  
 gggaaacagt tttaacaata ttacaacgat gcacccttaa aagttaaacc aggtcagtgg 660  
 aattctgtga ctttcacagt tgaaaaaccg acagcagaac tacctaaagg ccgagtgcgc 720  
 ctctacgtaa acgggggtatt atctcgaaca agtctgagat ctggcaattt cattaaagat 780  
 atgccagatg taacgcatgt gcaaatcgga gcaaccaagc gtgccaacaa tacggtttgg 840  
 ggggtcaaatc tacagattcg gaatctcact gtgtataatc gtgctttaac accagaagag 900  
 gtacaaaaac gtagtcaact ttttaaacgc tcagatttag aaaaaaaact acctgaagga 960  
 gcggctttta cagagaaaac ggacatatc gaaagcgggc gtaacggtaa cccaaataaa 1020  
 gatggaatca agagttatcg tattccagca cttctcaaga cagataaagg aactttgatc 1080  
 gcagggtgcag atgaacgccg tctccattcg agtgactggg gtgatatcgg tatggtcac 1140  
 agacgtagtg aagataatgg taaaacttgg ggtgaccgag taaccattac caacttacgt 1200  
 gacaatccaa aagcttctga cccatcgatc gggtcaccag tgaatatcga tatgggtgtg 1260  
 gttcaagatc ctgaaaccaa acgaatcttt tctatctatg acatgttccc agaaggaag 1320

ggaatctttg gaatgtcttc aaaaaaagaa gaagcctaca aaaaaatcga tggaaaaacc	1380
tatcaaatacc tctaccgtga aggagaaaag ggagcttata ccatttcgaga aaatgggtact	1440
gtctatacac cagatggtaa ggcgacagac tatcgcggtg ttgtagatcc tgttaaacca	1500
gcctatagcg acaaggggtga tctatacaag ggtgaccaat tactaggaaa tatctacttc	1560
acaacaaaca aaacttctcc atttagaatt gccaaaggata gctatctatg gatgtcctac	1620
agtgatgacg acgggaagac atggtcagct cctcaagata ttactccgat ggtcaaagcc	1680
gattggatga aattcttggg tgtaggtcct ggaacaggaa ttgtacttcg gaatgggcct	1740
cacaagggac ggattttgat accggtttat acgactaata atgtatctca cttagatggc	1800
tcgcaatctt ctcggtgcat ctattcagat gatcatggaa aaacttggca tgctggagaa	1860
gcggtcaacg ataaccgtca ggtagacggt caaaagatcc actcttctac gatgaacaat	1920
agacgtgcgc aaaatacaga atcaacggtg gtacaactaa acaatggaga tgttaaactc	1980
tttatgcgtg gtttgactgg agatcttcag gttgctacaa gtaaagacgg aggagtgact	2040
tgggagaagg atatcaaacg ttatccacag gttaaagatg tctatgttca aatgtctgct	2100
atccatacga tgcacgaagg aaaagaatac atcatcctca gtaatgcagg tggaccgaaa	2160
cgtgaaaatg ggatgggtcca cttggcacgt gtcgaagaaa atgggtgagtt gacttggctc	2220
aaacacaatc caattcaaaa aggagagttt gcctataatt cgctccaaga attaggaaat	2280
ggggagtatg gcatcttgta tgaacatact gaaaaaggac aaaatgccta taccctatca	2340
tttagaaaat ttaattggga atttttgagc aaaaatctga tttctcctac cgaagcgaac	2400
tag	2403

&lt;210&gt; 149

&lt;211&gt; 636

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 149

acgatgagac ttgaaattat aaatggacag aaaatttatg ggaaaagacc tattttaaat	60
cagttgaatt tgggtgtttca atcaggaaaa atttatggac ttaaagggtga taatggatct	120
ggcaagacgg ttctttttaa gatacttgct gggtatatta agcttgacaa aggaaaagtt	180
cttcaagatg gtaaagttta cggggtaaaa aatcattata ttcaggatgc aggaatttta	240
attgaaaaag tcgagttttt atctcattta tccctgagag aaaatttggga actgttaagg	300

tattttttcat ctaaagttac ggaaaaaaga attgcctatt ggattcaata ctatgattta 360  
 caggaatttg aagacattga ataccgtcat ttatccttag gaacaaagca aaaaatggcc 420  
 ttgattcaag cctttatttc ctctccttct atactcttct tcgatgaacc tatgaatgct 480  
 ttggatgaga agagtgtgag gttaaccaa caggtcattt tatcttacct gaaaaaagaa 540  
 aatggtctgg ttatcctgac gtcgcacata tcggaagata tttcagacct ttgtacagat 600  
 gtattagttg tcgaaaatgg acatatacaa atgtaa 636

<210> 150  
 <211> 297  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 150  
 cggatgcgtt ccatgacccg tctggcttcc caggtttcgt catttccatg tttcactttc 60  
 gcaaaatgct tctccaaatc ttcaaagttg aagttggatg tgaaaaaggt cggtaaattt 120  
 tcctgcatcc gatattggag aatgacctgc aggatttcgt cacgcacca aacggttgat 180  
 tgctcggcgc caatatcatc taaaatcagg acctcagaca gcttaatctc atccaccaag 240  
 gtcttaacat tgccatcact gatagcattt ttgacatcaa tgacaaagct aggatag 297

<210> 151  
 <211> 1509  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 151  
 tcagtgatta tattaaagga gtttaagcct atgtcattac tagtatttga aaatgtatcc 60  
 aaatcatatg gagcaacacc agcccttgaa aatgtttctc ttgacattcc agctggaaaa 120  
 attgtcggcc ttcttggggc aaacgggtca ggaaaaacaa ccctgattaa actaattaat 180  
 ggctctttac aaccagatca aggacgtgtc ctcatcaacg acatggaccc aagcccagca 240  
 accaaggccg ttgtagctta ttgacctgat acgacctatc tcaatgagca aatgaaggtc 300  
 aaagaagccc taacctactt caagaccttc tataaagatt tcaatcttga acgcgccccat 360  
 catctacttg cagacctggg cattgatgaa aatagtctgc tcaagaaact atcaaaagaa 420  
 aacaaagaaa aggttcaact gattttgggt atgagccgtg atgctcgtct ctatgttttg 480  
 gacgaacca ttggtggggg ggatccagca gcccggtctt atatcctcaa taccattatc 540  
 aacaactact caccaacttc taccgttttg atttctaccc acttgatttc tgatatcgag 600

ccaatcttgg atgaaattgt cttcctaaaa gacggaaaag tcgtccgtca aggaaatgta 660  
 gatgatattc gctacgagtc aggtgaatcc attgaccaac tcttccgtca gaatttaagg 720  
 cctaagcaaa ggagattatt tatgttttgg aatttagttc gctacgaatt taaaaatggt 780  
 aacaagtggg atttagccct ctacgcagcc gtgctagtcc tttctgccct catcggaata 840  
 cagacacaag gctttaaaaa tctaccttac caagaaagtc aggctactat gctacttttt 900  
 ctagctacag tctttgggtg cttgatgctt acacttggga tttcaaccat tttcttgatt 960  
 attaaacgct tcaaaggtag tgtctacgac cgacaaggct atctgacttt gaccttgcca 1020  
 gtttctgaac accatatcat cacagccaaa ctaatcggtg cctttatctg gtcattgatt 1080  
 agcacgctg tattggctct aagtgtgtt attattctgg ctttaacagc tccagaatgg 1140  
 attcctcttt cttatgtgat tacatttgta gaaacacatc tccctcagat ctttcttaca 1200  
 ggtatatcct tcctactaaa tactatttca ggaatcctct gcactctacct ggctatttcc 1260  
 attggacagc ttttcaatga ataccgtaca gcactcgctg ttgcagtcta catttggtatc 1320  
 caaatcgta ttggatttat tgaacttttc ttcaatctta gttctaattt ctatgtcaat 1380  
 tcaactgtag gactcaatga ccatttctat atgggagcag gtatagccat tgttgaagaa 1440  
 ctcatattca tagctatctt ttatctcgga acctactaca tcttgagaaa taaggttaat 1500  
 ttgctttaa 1509

<210> 152

<211> 1185

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 152

aaaagctgtc cgcaagttgt tccagatgtc attgacctct tggtaacacc attcgtgaca 60  
 cttttgggtca tgtctatcct tggactcttt gtcattggac cagttttcca cgttgttgaa 120  
 aactacatcc ttattgctac aaaagcgatt cttagcatgc catttgggtct tgggtgggttc 180  
 ttgattgggtg gggttcacca attgatcgtc gtgtcagggtg tgcaccacat cttcaacttg 240  
 cttgaagtgc aattacttgc tgcctgacct gctaaccat tcaacgctat catcacagct 300  
 gctatgacag ctcaaggtgc tgctactggt gcggttggtg ttaaaacaaa aaatccaaaa 360  
 ctgaaaacac ttgctttccc ggctgctctt tctgccttcc taggtattac agagcctgct 420  
 atcttcgggg tgaacttgcg cttccgtaaa ccattcttcc tttcattgat tgctgggtgca 480

atcggtggtg gattggcttc tacccttggga cttgctggta ctggtaatgg tatcaccatc 540  
 atccctggta caatgcttta tgttggtaac ggacaacttc cacaatacct tcttatggta 600  
 gctgtatcat ttgcccttgg ttttgcctct attacatgt ttggttacga agatgaagta 660  
 gacgcaactg cagctgcaaa acgagctgaa gtggctgaag aaaaagaaga agttgcgcca 720  
 gcagctcttc aaaatgaaac acttgtaact cctatcgctg gtgatgttgt cgctcttgct 780  
 gatgtcaatg acccagtctt ctcaagtggg gctatgggac aaggatcgtg tgtgaaacca 840  
 agccaaggcg tggctctatgc accagctgat gctgaagttt caattgcctt tccaacaggg 900  
 cagcgttttg gtttgaaaac aagaaatggg gctgaagttt tgattcatgt tggattgat 960  
 actgtatcta tgaacggtga cggttttgaa acaaaagttg ctcaaggtaa taagggtgaaa 1020  
 gctggcgatg ttcttgggaa atttgactca aacaaaatcg ctgcagctgg acttgatgat 1080  
 acaacaatgg ttatcggtac aaatacaggt gactacgctt cagtagctcc agtcgcaaca 1140  
 ggttcagttg ctaaggggga tgctgtgatc gaagtgaaaa tctaa 1185

<210> 153

<211> 792

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 153

aatcgctttc aaacaagaac aaaatgttat ataaggagat ttttgcaaat gaacaatcag 60  
 gaaattgcaa aaaaagtcac cgatgccttg ggcggacgtg aaaatgtcaa tagtggtgcc 120  
 cactgtgcga ctgctctacg tgtcatggtc aaagatgaag agaaaatcaa taaagaagtg 180  
 attgagaact tggaaaaagt tcaagggtgt ttctttaact cagggcaata ccaaattatc 240  
 tttggtacag gtacagttaa caaatgtac gatgaagttg ttgtacttgg attaccaaca 300  
 tcatctaagg atgacatgaa agcagaagtt gctaaacaag ggaactgggt ccaacgtgct 360  
 atccgtactt ttggtgatgt tttcggtcca atcatccag ttatcgtagc gacaggtctc 420  
 ttcatgggtg tgcgtggtct tttcaacgct cttgaaatgc cacttccagg tgactttgca 480  
 acttacacac aaatcttgac agatacagcc ttcacatctt tgccagggtt ggttgtgtgg 540  
 tcaaccttcc gtgtatttgg tggaaatcct gccgttggta tcgttcttgg tatgatgctt 600  
 gtctctggct cacttccaaa cgcttgggca gttgctcaag gtggtgaagt aacagcgatg 660  
 aacttctttg gtttcatccc tgttggttgt ttgcaagggt ccgttcttcc agccttcac 720

atcgggggttg tcggagctaa atttgaaaaa gctgtccgca agttgttcca gatgtcattg 780  
acctcttggt aa 792

<210> 154  
<211> 651  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 154  
acaaaatcaa gaattttctg tctatttttt gaatatttat ggagaatgag actgatgaaa 60  
atatggtata atgaaataaa ggagttttat atgcaaaaat ttattcaggc ttatattgaa 120  
aagctagatg tgacaacat tatcgagaat attctaacca aggtcatttc tcttttactg 180  
cttttaattg tattttatat tgctaaaaaa atgcttcata ccatgggtgca gagaattgtc 240  
aaaccttctc taaaaatgtc tcgtcatgat gttggacgcc aaaaaacat ctcacgttta 300  
ctagaaaatg tgtttaatta tacgctatat ttctttttac tctactgcat tttgtcgatt 360  
ttaggtttgc cagtttctag tttgctggct ggagctggta ttgctggggt agcgattgggt 420  
atgggagccc aaggctttct gtctgatgtc atcaatggct ttttcacct ctttgaacgt 480  
caactggatg tgggagatga ggtcgttctg acaaatggac cgattactgt atcgggtaag 540  
gttgtcagtg tgggaattcg tacgacacag cttcgtagcg aggagcaagc ccttcacttt 600  
gtccctaacc gaaatatcac agttgttagc aatttctcac gcacagacta g 651

<210> 155  
<211> 1815  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 155  
agaaataaga ggaagaaaat ggaacaaaaa caccgttcag aatttcaga gaaggaactc 60  
tgggacttaa cagccctata ccaagaccgt gaggatttct tgctgtgcaat cgagaaagct 120  
cgcgaaagaca tcaaccagtt tagccgtgat tacaagggca atcttcacac ttttgaggat 180  
ttcgagaagg cctttgcgga attggaacag atctacattc agatgagcca tattggcaac 240  
tatggtttta tgcctcagac gacggactat agcaatgacg aatttgccaa tattgcccac 300  
gctgggatgg aatttgaaac agatgccagc gtagccttga ccttctttga cgatgccttg 360  
gtggcagcag atgaggaagt cttggaccgt ttgggtaaat tgccacattt aacagctgcc 420



```

attcgtcagg ctaaaatcaa aaaagcccac tacttagggg cagatgtgga gaaggccttg      480
acaaatctcg gtgaagtttt ctacagtccg caggacattt atactaagat gcgagctggg      540
gattttgaaa tggctgactt tgaagcccat ggcaagacct aaaaaaacag ctttgtgacc      600
tatgagaatt tctacaaaaa ccatgaggat gctgagggtc gtgagaaatc cttccgttcc      660
ttctcagagg gacttcgtaa gcacaaaaat acggctgcag cagcctatct ggctcaggtc      720
aagtctgaaa aactcttggc tgatatgaag ggatacgact ctgtctttga ctatcttcta      780
gctgaacaag aagtggaccg tgtcatgttt gaccgccaga ttgacctcat catgaaggac      840
tttgcaaccag tcgctcagag atacctcaag catgttgcca aggtaaatgg tcttgaaaag      900
atgacctttg cagactggaa attggacttg gacagcgccc tgaatcctga agtgactatt      960
gacgatgcct atgatttggg catgaagtcg gtagaacctt tggggcaaga atattgtcag     1020
gaagttgctc gttaccaaga agagcgctgg gtggactttg ctgctaacag tggcaaggat     1080
tccggtgggt atgcggcgga cccatatcgc gtacacctt atgtactcat gagctggaca     1140
ggcgttttga gcgatgtcta taccttgatt catgaaatcg ggcattctgg tcaattcatc     1200
ttttcagaca atcatcaaag ttacttcaat gcccatatgt cgacctacta tgttgaagca     1260
ccgtcaacct tcaatgaatt gctactcagt gattacttgg agaaccagtc taatgaccca     1320
cgtcaaaaac gcttcgctct ggctcatcgc ttgacagaca cctacttcca taactttatc     1380
acccacctct tggaagccgc cttccagcgt aagggtgtata cattgattga agaaggggag     1440
acctttggag caagcaagct caacagcatt atgaaggaag ttttgacgga tttctgggga     1500
gatgctattg aaattgacga tgatgcaact ctgacttgga tgcgccaagc tcactactat     1560
atgggcttgt atagttacac ttactcagca ggactagtta tctcgactgc tggttacctt     1620
catctaaaac attctgaaac tggagctgaa gactggctca atctcctcaa atcaggtggt     1680
agcaagacac cacttgagtc agccatgatt atcgggtgctg atatttcaac agacaaacca     1740
ctccgtgata ccatccaatt cttgtctgac acagttgacc agattatctc ctatagtgtc     1800
gagttggggag agtag                                           1815

```

```

<210> 156
<211> 615
<212> DNA
<213> Streptococcus pneumoniae
<400> 156

```

```

atcaatgacg ggaaaaatag tttaaagtgt aaatcgaaag gattgtatat gtcaaaagca      60
aagaaaatat gtttcattat tttctgtatt ttaatcttga caattttcct tcctgttttg      120
atagattatc atcaagttag tgatctaggt attcatctac ttagctggag acagaactcc      180
gtagttgaat tctatcttgc tagatatgtc ttttggggga cagtgggttct atcaacttta      240
gttttattat ccatttttagt tgtgatgttt tatcctaaac gttacttgga aatccaactt      300
gaaactaaaa acgatacatt aaaattaaag aattcggcaa tcgaagggtt tgtagaagt      360
ttggtgagtg atcatagatt gatcaagaac ccaactgttc atgtaaattt acgaaaaaat      420
aaatgtttcg ttcattgtaga aggtaaaatt cttccttcag acaacatcgc tgacagatgc      480
caaataattc aaaatgaaat aactaatgga ttgaagcagt tttttggtat tgagcgtcaa      540
gtaaaacttg aagttgcagt aaaaaattac caaccaaacc ctcaaaacaa aaagactgtt      600
agtcgtgtga agtaa                                           615

```

```

<210> 157
<211> 666
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 157
ataagtatga ttgattttta tttttttctc gtcgggagca ttctagcttc ctttcttggt      60
ttggtcattg accgttttcc agagcaatcc attatcagtt cagccagtca ctgcgattcc      120
tgtcagactc ccttgctgcc cttagatttg attccgattc tctcacaggt cttcaatcgc      180
tttcgctgtc gctactgcaa agttcgctat cctgtctggt atgccctctt tgaattaagc      240
ttaggactcc tctttctgct ttactcttgg ggatggctct ccttggggca agtcgtccta      300
atcacgcgtg gtttgacctt gggatatctac gactttcacc atcaggaata tcccttactg      360
gtctggatga ctttcagct aatcctaata gcttcctctg gctggaatct ggtcatggtc      420
tccttcctca tacttggaat tttggctcat tttatcgata tccgcatggg tgcaggggat      480
ttcctctttt tagcttcttg tgetctcgtc tttagcgtaa cggagttact gatcttgatt      540
cagttcgctt ctgcgacggg taccctggcc tttctcctgc aaaagaaaaa ggaaagactt      600
cctttcgtgc ctttcctctt acttgctact tgtttgatta tttttggtaa gctactgctt      660
gtctga                                           666

```

```

<210> 158

```

&lt;211&gt; 1152

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 158

```

atgtttaatg gtcgggtatt gaaagaatta cggctgtaa atggtttaag tagagcagaa      60
ttagctcaga gaattaattt aacggaacaa gccatttggc agtttgagtc caacgaaacg      120
aaacctaaat tatcaaccaa aatgcatttg gccaaccaat ttcattgtga ttttaacttat      180
tttgaacagg aagaagagag cattcgattt gattcttctg taattgcctt tagaaatgca      240
gacctagcaa cacggaaaac aatagatatt caaactatgt atttacataa ggtagatagt      300
ttgattgatt attttgaaag ttttgtaatt atacctaata ttataattca tgacctaatg      360
aatgtagtga gtgaatctta tcataaggga gaatccattg aggaattggc tctttatgcc      420
agggaaaaat taggtatttc aaaagataat catgatttgc tttataaatt agaacgttca      480
ggcatctata tcgtggaacg attaattaat ggccaagctg atgcttatag cgcattgtca      540
aaattgggaa gaccttatat tgtgttagga acgaataaat catctgtacg tcgaaatttt      600
gacttagctc atgagctagg acatattctt ttacataaat ataaagatat gaatgaagat      660
ggcgatcggt tggagcaaga agcaaattat tttgcatcat gttttttatt gccaaaagaa      720
gagtttttag tcaaatttga agagagggtt ggcaagcgtg tcagcaatcc tgatagttat      780
attttattga agtcggattt gaatgtttcg atacaggctt tagagtatcg agcttttaag      840
ttaggattat tgactccaaa gcaacattct tacttttatc gtcaaattgc gcaaaaaggt      900
tacaaaatga ttgaaccctt ggatgatcaa atttttgtta aaaaaccaag caaagtaaag      960
agtattctgg acgtcgtttt gagtaatcat ctagtcagtc tagcgactat aatgtctaaa     1020
caaagtattc gtttacagtt tataagcgaa atattttcag tcgaaatgaa attttttgat     1080
cagtatcaag aagatagaag aacagatcga tttgataaca tcatcccttt gtacaaaaga     1140
aataatttat aa                                                                1152

```

&lt;210&gt; 159

&lt;211&gt; 1788

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 159

```

gtattggcct caggtttcca tttgcaatca gaaagggatt ttatgtccat tattcaaaaa      60
ctttgggtggt ttttcaagtt agaaaaacgc cgttatctag tcggaattgt ggccctgac      120

```

ttggtttccg	tcctcaatct	cattcctcct	atggttatgg	ggcgggtcat	tgatgccatc	180
acatcggggc	aattaacca	gcaggacctc	cttcttagcc	tattttactt	gctacttgca	240
gcctttggta	tgtactattt	gcgctatgtg	tggegtatgt	atatccttgg	gacctcttat	300
tgcttgggac	agatcatgcg	gtctcgettg	tttaagcatt	tcacaaaaat	gtcgtcagcc	360
ttttatcaaa	cctatcggac	gggtgatctg	atggcacacg	caaccaatga	tatcaatgcc	420
ttgactcgtt	tagcagggtg	cggtgtcatg	tctgcgggtg	atgcctctat	cacggctctg	480
gtgactttgt	tgaccatgct	cttttagcatc	tcatggcaga	tgactcttgt	tgccattctc	540
cccctacctt	tcatggccta	tacgactagt	cgcctagggg	gaaagactca	taaggccttt	600
ggcgaatccc	aagctgcttt	ttctgaactc	aataacaagg	tacaggagtc	cgtatcagggt	660
atcaaagtga	ccaagtcttt	cggttatcag	gcagacgagt	tgaagtcttt	tcaggcagtc	720
aatgaattaa	ccttccaaaa	gaacctgcaa	accatgaaat	atgatagtct	ctttgaccct	780
atggttctct	tgtttggttg	ttcgtcctat	gttttaacgc	ttttgggttg	ctccttgatg	840
gttcaggaag	ggcagattac	agttgggaat	ctagtcacct	ttatcagcta	tttgatgatg	900
ctggtctggc	ctcttctggc	catcggtttc	ctctttaata	ctactcagcg	agggaagggt	960
tcttaccagc	ggattgaaaa	tcttttgtct	caggaatctc	ctgtacaaga	ccctgagttt	1020
cctctggatg	gtattgaaaa	tgggcgtttg	gagtatgcc	ttgacagctt	tgcttttgaa	1080
aatgaggaaa	cactgacgga	tattcacttt	agtttggtg	aaaggcaaac	actgggcttg	1140
gttgggcaga	caggctctgg	gaaaacgtcc	ttaatcaagc	tcctcttgcg	tgaatacgat	1200
gtggataagg	gtgccattta	tctaaacggg	cacgatattc	gggactatcg	tctgacagac	1260
cttcgcagtc	tcatgggcta	tgttcctcag	gaccagtttc	tttttgcgac	ttcaatccta	1320
gacaatatcc	gctttggcaa	tcctaacttg	cccctttcag	cggtcgagga	agctactaag	1380
ctagcccggg	tttaccaaga	tattgtagac	atgcctcaag	gatttgatac	gctgattggg	1440
gaaaaaggag	tcagtctttc	tgggtggtcaa	aagcaacggg	tggctatgag	tcgggctatg	1500
attttagacc	ctgatatctt	gattttggat	gattccttat	ccgccgtaga	tgccaagaca	1560
gagtatgcga	ttatcgacaa	cctcaaggag	atgcgaaagg	acaagacaac	cattatcact	1620
gcccatcgcc	tcagtgtgtg	tgtccatgca	gattttat	tagttctaca	aaatgggtcaa	1680
attatcgaac	gaggcacgca	cgaagacttg	ctagctttgg	atggctggta	tgcccaaacc	1740

taccagtctc agcagttgga aatgaaagga gaagaagatg cagaataa 1788

<210> 160

<211> 2127

<212> DNA

<213> Streptococcus pneumoniae

<400> 160

tctagtttaa tgaacacctg tatctatattt accatacaag tgctagaaaa ttacaaaaa 60  
aacacccttt ttataccaaa caagttgcag acaagtttgg tatcgtttac aatatactta 120  
tcaaatacaa cttgctttga caagtataag gagaatacaa tgggaaaatt tgaacaagaa 180  
gccaaagatc tgcttcaggc aatcggaggc aaagaaaatg tgactgccgt aactcactgt 240  
gcgacacgga tgcggtttgt tttaggagat gataagaagg ctaatgttaa agctatcgag 300  
tcaattccag ctgttaaagg aacctttaca aatgcaggtc aatttcaggt aatcattgga 360  
aatgacgtgc ccatctttta taatgatttt acagccgttt caggatttga ggggtgttcc 420  
aaagaagcag ccaagtctgc agctaagagt aatcaaaacg tggccaagg tgttatgacc 480  
actctggcgg agatttttac tccgattatt ccagccttga tagtcggagg attgatcctc 540  
ggtttccgta atgtcttggg aggtgtccat tggatgatgt tggatggcaa gaccatcaca 600  
gaatcctctc agttttgggc aggtgtcaat cacttcctct ggttgccctg tgaagctatc 660  
ttccagttct taccagtagg gattacttgg tctgtttctc gtaagatggg aaccagccaa 720  
atthttgggaa ttgttctcgg aatctgtttg gtatcgctc agttgtctaa tgcctatgag 780  
gttgcttcaa cgccagcagc tgatatcgcg gcaaactggg tttggaattt tggctattht 840  
actgttaatc gtatcgggta ccaagcccaa gttatcccag ccttgcttgc aggtttgagt 900  
ctgtcttata ttgaaatctt ctggcacaaag catatcccag aagtcatttc tatgatttht 960  
gtacctttct tgtcattgat tccagccttg atthttggctc atactgttht gggaccaatc 1020  
ggttggaaca ttggacaagg actthcatca gttgtcttgg caggthtaac tggccagtt 1080  
aaatggctct tcggtgcaat tthttggcgcc ctctacgctc catttgatc caccaggtctg 1140  
caccatatga ccaatgccat tgatacacia ttgattgcgg atgctggtgg cactgcccta 1200  
tggccaatga ttgctcttht taatattgct caaggctcag ccgtgtthtgc ctattattht 1260  
atgcatcgcc atgatgagcg tgaggctcag gthtcacttc ctgcaacctt ttcagcctat 1320  
ctcgggtgta cagaaccagc tctthtttggg gthaacgtaa aatatathta tccatttggt 1380

gctgggatga ctggttcagc ccttgcaggc atgttatccg ttacttttaa tgtaactgcg 1440  
 gcttctattg gtatcgggtg tttgccaggt attctctcta ttcaacctca atacatgctg 1500  
 ccatttgcag gaactatgct agttgcgatt gttgttccaa tgctcttgac tttcttcttc 1560  
 cgcaaggctg gtctctttac aaaaacagag ggcgatacga acttgcaggc agaattcggt 1620  
 gctcaagaag aagcagaatt tgtgaacat gaaccagtag aacttacttc ggtagaaatt 1680  
 atcagccac taactggcca agtgaaagaa ttgagtcaag cgacggatcc tatttttgca 1740  
 tcaggtgtca tggggcaagg tctagtcatt gaaccaagcc aaggtagatt gacctctcca 1800  
 gttaatggga cagtgcagg tctttccct accaagcatg ccacggcat tgtctctgac 1860  
 gagggagttg aattgctcat ccacatcggg atggatacag taggtcttga tggcaaagg 1920  
 tttgaaagtc ttgtagtcca aggagatcac gttacagttg gtcagcaact gattcgtttt 1980  
 gatatggatg tcattaaggc tgcaggctctg gtgacagaaa ctctgttat catcaccaac 2040  
 caagatgctt atacagcgac tattcccga acttatccga caacgatcca agctggagca 2100  
 tctctcatgg tcgtacacg aatctaa 2127

<210> 161

<211> 621

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 161

gctcaggctg aaacagtctc ccaggctggt tcaactccga atgctaaaat cgttcttgat 60  
 cgctttcaca ttgtacaaca tcttagccgt gctatgagtc gtgtgcatgt ccaaatcatg 120  
 aatcagtttc atcgaaaatc ccatgaatac aaggctatca agcgctactg gaaactcatt 180  
 caacaggata gccgtaaact gagtgataag cgattttatc gccctacttt tcgcatgcac 240  
 ttaacaaata aagaaattct tgacaagatt ttaagctatt cagaagactt gaaacaccac 300  
 tatcagatct atcaactctt actttttcac tttcagaaca aagaccctga gaaatttttc 360  
 ggactcattg aggacaatct gaagcagggt catcctcttt ttcagactgt ctttaaaacc 420  
 tttctcaaag ataaagaaaa gattatcaac gcccttcaac tacactattc taatgccaaa 480  
 ctggaagcga ccaataatct catcaaactt atcaagcgca atgcctttgg ttttcgaaac 540  
 tttgaaaact tcaaaaaacg gatttttatc gctttgaaca tcaaaaaaga aaggacgaaa 600  
 tttgtccttt ctcgagctta g 621

<210> 162  
 <211> 1080  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 162  
 ataggagtag aaatgacaaa agaaaaaaat gtaattttga ctgctcgcga tattgtcgtg 60  
 gaatttgacg ttcgtgacaa agtattgaca gccattcgcg gcgtttccct tgaactagtc 120  
 gaaggagaag tattagcctt ggtaggtgag tcaggatcag gtaaatctgt tttgacaaag 180  
 accttcacag gtatgctcga agaaaatggt cgtattgcc aaggtagtat tgactaccgt 240  
 ggtcaggact tgacagcttt atcttctcac aaggattggg aacaaattcg tgggtgctaag 300  
 attgcgacta tcttccagga cccaatgact agtttggacc ccattaaaac aattggtagt 360  
 cagattacag aagttattgt aaaacaccaa ggaaaaacag ctaaagaagc gaaagaattg 420  
 gccattgact acatgaataa ggttggcatt ccagacgcag atagacgttt taatgaatac 480  
 ccattccaat attctggagg aatgcgtcaa cgtatcgta ttgctattgc ccttgccctgc 540  
 cgacctgatg tcttgatctg tgatgagcca acaactgcct tggatgtaac tattcaagct 600  
 cagattattg atttgctaaa atctttacaa aacgagtatc atttcacaac aatctttatt 660  
 acccacgacc ttggtgtggt ggcaagtatt gcggataagg tagcggttat gtatgcagga 720  
 gaaatcgttg agtatggaac ggttgaggaa gtcttctatg accctcgcca tccatataca 780  
 tggagtctct tgtctagctt gcctcagctt gctgatgata aaggggatct ttactcaatc 840  
 ccaggaacac ctccgtcact ttatactgac ctgaaagggg atgcttttgc cttgcgttct 900  
 gactacgcaa tgcagattga cttcgaacaa aaagctcctc aattctcagt atcagagaca 960  
 cattgggcta aaacttggct tcttcatgag gatgctccga aagtagaaaa accagctgtg 1020  
 attgcaaatc tccatgataa gatccgtgaa aaaatgggat ttgcccatct ggctgactag 1080

<210> 163  
 <211> 942  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 163  
 gaaaggaggc aaataatgtc tacaatcgat aaagaaaaat ttcagtttgt aaaacgtgac 60  
 gattttgcct ctgaaactat tgatgcgcca gcatattctt actggaaatc agtgtttaaa 120  
 caatttatga agaaaaaatc aactgtagtc atgttgggaa tcttggtagc catcattttg 180

ataagtttca tctacccaat gttttctaag tttgatttca atgatgtcag caaggtaaac	240
gacttttagtg ttcgttatat caagccaaat gcggagcatt gggtcggtag tgacagtaac	300
ggtaaatacgc tctttgacgg tgtctgggtc ggagctcgta actccatcct cattttctgtg	360
attgcgacag tgattaactt gggtatcggt gtttttgtcg gtggtatttg gggattttca	420
aaatcagttg accgtgtcat gatggaagtt tacaacgtca tctcaaacat cccacctctt	480
ttgattgtta ttgtcttgac ttactcaatc ggagctggat tctggaatct gatttttgcc	540
atgagcgtaa caacatggat tggatttgcc ttcattgatcc gtgtgcaaat cttgcgctat	600
cgtgacttgg aatacaactt ggcgtcacgt actttgggaa caccaacctt gaagattggt	660
gccaaaaata tcatgcctca attggtatct gttattgtga caaccatgac tcaaagtctt	720
ccaagcttta tctcatacga agccttcttg tctttcttcg gtcttggatt accgattaca	780
gtgccaagtt tgggtcgttt gatttcggat tattcacaaa acgtaacaac caatgcttac	840
ttgttctgga ttccattgac aacccttgtc ttggtatcct tgtccctttt cgtagtgggt	900
caaaacttag cggatgctag tgatccacgt acacatagat ag	942

&lt;210&gt; 164

&lt;211&gt; 1533

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 164

ggagaagggt cttttgggat ttttaaagga aataatatga aaaaatatat ttttatgcgt	60
gttttgcggt cattgggttc gattttctta gtaacgactt tgacctacac gattatctat	120
accttgggtc ctcgaaaatt gattttcaag caggatccta actataataa aattgcgaca	180
acggctgata aacgtgataa ctatgaaaat actgtgtttg agcgtatggg ctacattgag	240
tattacgata ctaaagagtt gcaagaaaag gcaagtagca tggattcttc tgtaacagta	300
gaagcaaatg cgaccaataa agctatttat gaaaagtaca tcaatcaatt aggtcatgggt	360
tggacttttg gagaatttac tgaaagtgggt caattctatg ctactcgtga aattccaatt	420
tttgaacgtg tttttcactt ctatgctaac ttgattgaca ttgaccatac aaataaaatc	480
caagacctg aaaatccaga cttgaaacgc taccttcggt ttgaaaatga tccagctatc	540
ggatgggtcat tggtcgggtc aggaactaaa cataaatatc tcttgtactt taacagtcag	600
ttcccatctg ttcatacaaa ctttgtgaac ttgaatttag gtgactctta cccaacctat	660



gctaatacac cagttcttca ggttattact caagggtcaag gacaaaccaa aactgcccac 720  
 gttcagttcc caacaggtaa gaaaacgtct tctgtaaata ttactcaag aacctacaag 780  
 tcacctagtc aggctgactc tcgtgaagta gctagctatg ggaaagatga tccttataca 840  
 gcgactgaaa gtaattacca atatccatct atgattgtca gctctgctat tactgggttg 900  
 attgggttgg ttcttgcccta tgctcttgcc gtgccacttg gttcagccat ggctcgtttc 960  
 aagaacactt ggattgatag cctctcaaca ggggctttga ccttcttgct tgctcttcca 1020  
 acgattgcct tggtttacat cgttcgattg attggatcat ctattgccct tccagattca 1080  
 ttccctatct tgggagctgg agattggcgt tcttacgttt taccagcagt catccttggt 1140  
 ttgttgggtg ctcttggtac agccatttggt attcgctcgtt acatgattga cttgcaatct 1200  
 caagactttg ttcgtttcgc tcgtgcaaaa ggtttgtctg aaaaagaaat ttcaaacaaa 1260  
 cacatcttta aaaatgccat ggttccgctg gtttcaggaa ttcttgctgc cattattggg 1320  
 gttatcggtg gtgcaaccct tactgaaaca gtcttcgcct tcccagggtat gggtaaaatg 1380  
 ttgattgact ctgtaaaagc atctaataac tctatggctg ttggtcttgt cttcatcttt 1440  
 acatgtattt ctatcttctc acgtcttttg ggagatattt ggatgactat tattgaccca 1500  
 cgtattaaat tgactgagaa aggaggcaaa taa 1533

<210> 165  
 <211> 1038  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 165  
 gttgtcatgg gcttccttct catgggagca ctcttcatcg ttcttccccg aactatggtc 60  
 tctgctaagc ggattaatca agtttttagat ttgcattctt ctatccaaaa ccctgttcaa 120  
 gtgcagctga ctgatgaaaa cttcaaaggc caggctcagc ttaaggatgt gaccttcgcg 180  
 tatgcggcaa attcggaggc agttattgaa catgttagct ttaaagcaga aactgggtcaa 240  
 acagtggcct ttattgggtc aacagggttct ggtaaataca ctctgggtcaa tctgattcca 300  
 cgtttctacg acgtgtcagc aggagaaatt ctgggtggacg gtgtcaatgt tcaagactat 360  
 gacttctctg cgacagctca tgctgggtcaa aagggttgcca ttgttggggc gactggggct 420  
 ggtaagacaa ccattgtcaa tcttttgatg aaattctatg agattgataa gggaagtatt 480  
 cgcattgatg gtgtggatac caaggctatg acgcgttcag aagtgcata tgccttttca 540

atggtcttgc aggatacctg gctctttgaa ggaactattc gagacaatct catctataat	600
caaataggga ttagtgatga acgaatgatg gaagctagta aggctgtggg aattcaccac	660
tttattatga ccttgccaga tggctatgat accatcttgg atgacaccgt gaccttgtct	720
gtaagacaaa aacaactatt gactattgct cgtgcccttc ttaaggatgc accgcttttg	780
attttggatg aggcgacttc ttctgttgac acacggacag aggaattgat ccaaaaagcc	840
atggaccgtt tgatggaagg acgcacatcc tttgtcattg cccaccgctt gtcaaccatc	900
cgaaatgcag acttgatctt ggtcatgaaa gatggaaata tcatcgagca aggcaactat	960
gaggaactga tggcgcaagg tggcttctac gctgacttgt acaatagtca atttacagaa	1020
gatgaagcag agaataa	1038

<210> 166  
 <211> 873  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 166	
gaggagagaa taaagaaatt agccaaaaga attagtagaa aagaatgggg gatgatttta	60
ctagccattc tctttacttg cttttcggtc tatctagagt tggaagtgcc gacctatctc	120
tcgaaaatta cggatttgct aggtagtcaa gaaactaatt tagatgagtt gtggcagtcg	180
gcaagcatga tgatgggaat gtcctttctt gccttcttgt ccgtagttgc agttggattt	240
tttgcacccc gagtggcggc ttcttatact agtaggctga gaagtgatat ttttaaccga	300
gttttggatt actcgcagac agagattaag aaattttcaa ttcctagcct cttgacgcgt	360
actaccaatg acattactca agttcaaag ttgattacta tgggcttgca agtggtaacg	420
cgtggttcaa ttatggctat ctgggctatt gggaagattt taggtcattc agaatactgg	480
ctctgggccg tacttgtggc agtgattatc aacgtcctga tgacgaccgt tttgatgacg	540
ctagcctttc caaacagtc cttgattcag gggctgacag ataaactgaa cagtatcact	600
cgtgagagtt taacaggtat tcgtgtcggt cgtgcctaca atgcagagga ttatcaaat	660
gaaaaatttg cagcagtaaa tgatgaattg acccgtttga atttgtttgt caaccgtctt	720
atggctattt tgaatcctat catgatgggg atttcaagtg gtttgagtgt ggcgatttac	780
tggattgggg cctatgtgat taacgacgct gctccgatag cgcgtctgcc tctctttagt	840
gacatgattg ttttcatgct ttatgccatg tag	873

<210> 167  
 <211> 1383  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 167  
 tataatagct ttatgaataa aaaacgaaca gtggacctga tacatgggcc gattcttccc 60  
 tcgctcttaa gcttcacctt tccaattttg ctatcaaata tttttcaaca gctctataac 120  
 actgctgatg tcttgattgt tggacgattt cttgggtcaag aatccttggc tgcagtagga 180  
 gcgacgacag cgatttttga cctgattgta ggttttacac ttgggtgttg caatggcatg 240  
 gggattgtca ttgctcgta ttatggggct cggaatttca ctaaaatcaa ggaagcagta 300  
 gcagccacct ggatttttagg tgctcttttg agcattctag ttatgttgct gggctttctt 360  
 ggcttgtatc ctctcttgca atacttagat actcctgcag aaattcttcc tcaatcttat 420  
 caatatatct ctatgattgt gacctgtgta ggtgtcagct ttgcttataa tctttttgca 480  
 ggcttgttgc ggtctatttg tgacagtcta gcagccctgg gatttctgat tttctctgcc 540  
 ttgggttaatg tggttctgga tctctatctt attacgcaat tgcatctggg agttcaatcc 600  
 gcaggacttg ctaccattat ttcgcaaggt ttatcagcgg ttctctgctt ttattatatt 660  
 cgtaaaagtg tgccagaact cttgccacag tttaaacatt tcaaatggga caaaagcttg 720  
 tacgcggatc tcttgagca aggtttggct atgggcttga tgagttcaat tgtatctatc 780  
 ggcagtgtga ttttacagtt ttctgttaat acatttggtg cagtgattat tagtgcccag 840  
 acggcagctc gacgcattat gacctttgcc cttcttctca tgaccgctat ttctgcatca 900  
 atgacgacct ttgcttctca gaatctagga gctaagcgac ctgaccgtat tgttcaaggt 960  
 cttcgaatcg gcagtcgttt aagtatatcc tgggcagttt ttgtttgtat tttctctttt 1020  
 tttgccagtc cagctttggg ttccttcttg gctagttcga cagatgggta cttgatagaa 1080  
 aatggaagtc tctatctgca aatcagttca accttttatc ccattttgag cctcttggtg 1140  
 atttatcgca attgcttgca gggcttgggg caaaagatcc ttctcttagt ttctagcttt 1200  
 attgaactaa tcggaaaaat cgtttttgtg gttttgatta ttccttgggc aggatataag 1260  
 ggtgttatcc tttgtgaacc tcttatctgg gttgccatga cagttcaact gtacttctca 1320  
 ttattccgtc atcccttgat aaaagaaggc aaggcaatct tggcaaccaa agtgcaatcc 1380  
 tag 1383

<210> 168  
 <211> 636  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 168  
 gaaggagag agaagatgaa atcaatgaga atcttatttt tgtagcttt aattcaaattc 60  
 agtttgagta gctgtttcct atggaaggaa tgcattctgt ccttttaaaca aagtacagct 120  
 tttttcatcg gaagcatggg tttcgtttca ggaatctgtg ctggagtaaa ttatctttat 180  
 acccgtaagc aagaagtcca tagtgctcta gccagtaaga agtcgggtgaa gctttttttac 240  
 agtatgttac tcttaattaa ttgttagga gctgttcttg tttgtcaga taacttggtc 300  
 atcaaaaata cgctgcagca agaattagtt gactttttat tgccatcctt ctttttccta 360  
 tttgggctag atttgctgat ttttttacct ttgaaaaaat acgtgcgcga ttttcttgct 420  
 atgctggaca gaaaaagac agtggtgggt actatttttag caacacttct tttcttaaga 480  
 aatccaatga ccattgtctc acttctgatt tatattggac tgggcttggt ttttgcagcc 540  
 tatcttgccc caaattcggg taagaaggaa gtttcctttt atgggtcatat tttccgagat 600  
 cttgtattgg tcattgttac gctcattttc ttttag 636

<210> 169  
 <211> 2154  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 169  
 acaagaagaa attatcgact ttatttttgaa caaggaggaa gtattgtgaa aattccaatg 60  
 atatatacaa tggaaaattc agaattgtgga ttagcatgct gtgccatgat attgaactat 120  
 tttaaatatg agatttcttt aaatgaacta cgtgaaatct acccatcatc cagatctgga 180  
 tattctctcc tatctataag taaagtttta ggagatttta atataagttc tcatgctttt 240  
 aaagcttcgg taagagattt aaaaccgctc agtttccac tcatttgctt ctgggagagt 300  
 tctcatttta ttattcttga aaaaattagt aaaaacaagt tttatatattt agatcctgca 360  
 aaaggcaggc agagaatgac aataagtga tttgaaaggc attattcaaa tatcatttta 420  
 acatttaaaa agtttagatag ctttatgtct cgtaaagata ataagaagtc gcctgtttta 480  
 aagtattttt ttaagtatag gaataagcta gggattttat tttttgtaac agcattattg 540

tatgtaatac aatcattagt acctatagct aatagatata taattgacac gaatttcaag	600
gacgattcgt attcgtctag aatgttattt actatattat ttatatattac tgtttcattc	660
tcactaatgt atttattaag acagatatat gttgcatcct taaaatatat aatggataaa	720
gagattagct atgattttat gaaacatttg atatatttac cttacagttt ttatgaaaaa	780
cgtacttttag gggatatact ttttagagct aactctattg tttatataag agaaatacta	840
tcaaataatt ttatagcagc tatacttgat ttgttaatga ttgtgggtta tgctgtggtt	900
ttatttagct tttctaagta catggtaatc tttttaatat cactaagtct agctctatct	960
attgtaatgt atccaatcat aaaaatctca aaaaatttaa ttgataaaaa tataaaagaa	1020
aagggtaatg ttcaaaatat tacttccgaa gtaatttcta aaaatagtga tattaagcta	1080
actggagaag aggaattttg gattaacaaa tgggataatt ttaatacaaa acagctcatc	1140
ataggtcgaa aacttgatat acatttatca attgttagta gtataacgaa tgttttacaa	1200
attattctcc ctgttttgac ccttattgta ggtgtaaata taaaacatt cgaacaattg	1260
acgttaggac aaattgtagc aataagtaca gtctcaccat actttatttc tcctataatt	1320
tctttaagtg ataactatat acaattaatg ttattaaagg gatatttttt aagaatagag	1380
gatgtgttta atactaaatc cgaattaatt ccagaaagag tcagtcaaga tataaaattt	1440
gataaaaaaa tagaattaaa agatatttgg tataaatatg gattatttga tgattatgtt	1500
ttgaaaggaa taaatgttac tattaaaaaa ggagaaactg ttgctattgt tggagaatca	1560
ggttcaggta agagtacatt agctaaaatt ttattagggt tattagaacc taatattggt	1620
tcaatagaag ttgatggagt agaaaaagaa gaaattggtc aaacattgta tagaaagatt	1680
tttggagcag tgttacaaaa ttcaacccta agttatggta ccttaagaga gaatttgaca	1740
tttggacact ttgtttcaga tgaagaatta atgacaaatc taaattcaat tggctcttagc	1800
aatgtagtta aatctttacc tcttggatta gagacaatca tcgctgaaga aggtaataac	1860
ttttctggag ggcagcagca aatgatactt ttagctcggt gtcttttgtc gaaaccttcg	1920
gtagttgttt tggacgaagc aacaagtagt ttagataatt tatctcaaca aattacaact	1980
tcttacttaa gtgaaatcgg taccactaag attttaattg cccatcgact agatactatc	2040
aagtctgcag ataagatctt agtaatgcat aatggtgaaa ttgtagagat tgggacccat	2100
agagaacttc ttgaactagg aggcatttat aagcaattgt attcaataa ttag	2154

<210> 170  
 <211> 369  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 170  
 ttatatgttt gtaaaaaaat tctggaagaa acattaccag taaaaaatgg tataaaagtg 60  
 ttaaataatac caaacgtatt gagatatgat ttgaatatgt tacaattaga atataaaaat 120  
 gaacaaagtt gggatagttt catagataat gttaatttaa ttgagttgga agagagaatt 180  
 caaactacta ttggaattaa acaaataaac acacacaata ttattactat tgcccgagaa 240  
 gggactctc aaaattatct acctaacact tcagaaaata catataattc attacaagtc 300  
 agtttagttg gagtattact actttttata agtatggtaa atattttatg ggctaaaaaa 360  
 agtaaatga 369

<210> 171  
 <211> 645  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 171  
 agggagggtta atatgattga acttaaacag gtgagtaa atctttggaga acgagagtta 60  
 ttttcgaatc tttcaatgac atttgaggct ggaaaagtct atgccttaat tggttcaagt 120  
 ggtagcggaa aaacaacctt gatgaacatg attgggaaat tagaacctta tgatgggacg 180  
 attttttacc gaggtaaaga cttggccaat tataaatcaa gtgatttttt ccgtcacgaa 240  
 ttgggctacc tcttcagaa ctttggctta attgaaaacc aaagtattga agaaaacctt 300  
 aagctagggtc tcattggtca aaagttgagt cggtcggaac agcggttgag gcagaagcag 360  
 gctttagaac aggtcggcct ggtttatctt gacctagata agcgcattct tgagttatcg 420  
 ggcggagaat cgcaacgggt tgccttgga aaaattatct taaagaatcc accctttatt 480  
 ctggcagatg agccaacagc ttcaatagac ccagcaacct ctgagttgat tatggagatt 540  
 ttgctatctc ttcgagatga taataggcta atcattatcg caacacataa tccggcaatt 600  
 tgggagatgg ctgatgaagt gttcacgatg gatcatctga aataa 645

<210> 172  
 <211> 1041  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 172  
 gaaatgaaaa aaaagattag atggccctta tacgtcattg cggccttgat tgtgactttc 60  
 ttggcatttg tagtgccctt gccttattat atagagggtc cagggtggtc ggaagatatt 120  
 cgccaagtcc ttaaagtaaa tgacacagaa gataaggaag ctggtgccta tcaattcggt 180  
 acggttggtg ttcaacatgc cacttttagct catatgattt atgcttggtt gacacctttt 240  
 acagatattc gtagtgctca ggagactaca ggtggttctt ccgatgttga atttatgcga 300  
 atcaatcaat tctacatgca aacatcgcaa aatatggcca agtatcaagg actaaaaaca 360  
 gctggtaagg atatcgaact caagtacttt ggagtttatg ttttgaatgt gacggataat 420  
 tcaaccttta aagggattct caatatctct gatacagtca cagcagtcaa tgatcagacc 480  
 tttgatagtt ccaaagactt gattgattac gtcagttctc aaaaattagg ggattccgtc 540  
 aaggtcacct atgaagagga tgggcaaacc aagtctgcag aaggaaaaat catcaccttg 600  
 gaaaatggca aaaatggaat tggaatcggc ttgattgacc gtacagaggt aatcagcaat 660  
 gtcccaatta gcttttcaac agctggtatt ggcggtccaa gtgctggtct catgtttagt 720  
 ctagctatct atactcaaat agctcaccca gatcttcgta atggtcgtat tgttgccggt 780  
 acaggtacca ttgaccgca tggtaatgtg ggagacattg gaggtattga taagaagggt 840  
 gtagcttcgg ctagggcagg tgctgctatt ttctttgctc ctgataaccc tgttagcgaa 900  
 gaagaacaaa aggcgcaccc ggacgcgaaa aacaactacc aaacagccct agaagcggct 960  
 aaaacaatca agacggatat gaaaatcgtg cccgttaaaa ccctacaaga tgcgattgat 1020  
 tacttgaaaa acaatcccta a 1041

<210> 173  
 <211> 960  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 173  
 aaagggtataa tttttaaaga aggaataaaa acagtgaaat ctattaaacg ttttgcactc 60  
 tcggctatgg gagtggtat gttgcttgct ttgactggct gtgtcaatgt cgataaaacc 120  
 acaggtcagc caacaggatt tatttggaat acgatcggag cgcctatggc tgaagccatc 180  
 aagtacttcg ctactgataa aggtctaggc tttggtgctg ctatcattat cgtaaccatt 240  
 atcgtacgct tgattatctt accacttgggt atctaccaat catggaaggc aacgcttcac 300  
 tctgaaaaga tgaacgcct caagcacgct cttgagccac accaaacgcg tctcaaagaa 360

gcgactactc aagaagaaaa actcgaagcc caacaagctc tctttgctgc tcaaaaagag 420  
 cacgggtatca gcatgttttg cggtgtagga tgtttcccta tcctccttca aatgcctttc 480  
 ttctctgcta tctactttgc tgcccaacat actgaagggg ttgctcaagc aagctacctt 540  
 ggcattcctc taggtttctcc aagtatgatt ttggttgccct gtgctggtgt cctttactat 600  
 cttcaatcgc tccttttact tcacggagta gaagatgaaa tgcaaagaga acaaatcaag 660  
 aaaatgattt acatgagccc actcatgata gtcgtcttct ccctcttctc accagctagt 720  
 gtcacacttt actgggttgt cggtgggttc atgatgattc tccaacagtt tatcgtcaac 780  
 tatatcggtc gtccaaaact tcgcaaaaaa gtccgtgaag aactagccaa gaaccaccca 840  
 aaagcaagtg ctttctctaa accaagtgga cgaaaagacg ttacccttga acaaccaact 900  
 gctatcacia gcaagaaaaa acacaaaaat cgcaacgctg gaaaacaacg ttcgagataa 960

<210> 174  
 <211> 654  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 174  
 aaggaaaata agatgattga tattcaagga ttggaaaaga aatttaata cgcgcgatt 60  
 ttctctggtt tgaatctcaa gctggagaag ggcaagggtt atgccttaat cggaagagt 120  
 ggaagcggaa agacgacgct gctgaatata ttgggaaagc tagaaaagat agatggtgga 180  
 agggttctct atcaggggaa agatttaaaa accattccca ctctgtagta ttttcgagac 240  
 cagatgggct atctctttca aaatttcggc ctcttagaaa accaatcaat caaagaaaat 300  
 ttggatttgg gttttgttgg tcagaaaatc tcaaaagtag aacgttttga aaggcaagtg 360  
 ggggcttttag aaaaagttaa tctaggggat ttggatttag aacaaaaaat ctatacttta 420  
 tctgggggag aggcccaacg agttgccctt gctaagacta ttttgaaaaa tccacccttg 480  
 attttggcag atgaaccaac agcagctctt gatcctgaaa attcagagga gggtatgaat 540  
 ctcttggttg atttgaaaga tgaaaatcga attatcatca ttgcgacca taatccccta 600  
 gtctggaata aggctgatga aatcattgat atgaggaaac ttgctcatgt gtga 654

<210> 175  
 <211> 2055  
 <212> DNA  
 <213> Streptococcus pneumoniae



<400> 175  
 ccaagtaact ttttgaggga aatgatgaaa cgtttattta ttttgatttc aatgggtatta 60  
 gtatcgcttt atatggtgat aacttccgtt gaccatcgag aagagatttt atttggtaac 120  
 tacccttctg ttgatgtgac aggaatgatg ataaatcaac cagtagctag tcgcgaagag 180  
 gtgacagagg ctttgagtca cttggcggtg gagcacaata gtctcattgc tcgtcgaatc 240  
 gttgagccaa atgaagctgg agaaacacgc tttacctatg ccacttatgg tgagggaaag 300  
 cttccagaag gtctgacctt ttcctccaag gagagtgcag aaacgagtga tttattaggg 360  
 tcttacttga ttgtatcagg aagtttggat ggagtgcagct tacagaccac cttgaaagag 420  
 cttggttata aaggctttgt ttcgaatgga gaagatccat tttcgatagt cttactattg 480  
 acggccaccc ctatggtgct actgagttta gctatttttc tgctgacctt tatgagtctg 540  
 accctgattt atcggatcaa atcccttcgt caggcagggg ttcgcttaat agctggtgag 600  
 agcttgtttg gaggttgctt cagaccagtg ttagaagatg tgagacagct tatctgctca 660  
 gtgctggtat ccagtccttt gggattgggg attctctggt atcaagggtc cttgtttatg 720  
 gcaacggtgc aactgggtcat cattgctctt ctactttatg gattgacctt ggcagggatt 780  
 tctaccttac taagtgtcgt ctatctactt ggtttacagg aaaatagtct ggtggatcta 840  
 ttgaaaggga aactccctct caaacgtatg atgacattga tgatggtggg gcaactctta 900  
 gctgtatttg tggtcggatc gaggcgaca gctctcctac cccactaccg tgaaatgcag 960  
 gaaatggaga gagctagcaa taaatggagc cagtcctcag accgttaccg tctatccttt 1020  
 ggttggctta gtgcatttgc cgatgaagaa ggaacgcgta aggataatcg tgagtggcag 1080  
 acatttactg aagaacgggt agccaataca gactcttttt atattatgag caatgttgac 1140  
 aatttctcag atggagcaga agtggacctg gatggcaatc gtctcagtga ctacacaccg 1200  
 tcagggaatg ttatctatgt ctcaccgcgc tatctgatag aagaaaagat taccgtttct 1260  
 tcagagttta tggacaagat gcaaaaactg tctgaggggag agtttgggct gatcttgctt 1320  
 gagagcttgc gagagcagtc tgtctactac caaggattgt ttacagatta cctgcaaaac 1380  
 ttttcatctg aaagtgtaga agtgacgagt cagaaacact acctcccaca ggtaaggcta 1440  
 gcttttacag aaacaggaca ggaacgtttc ctctataatg atgggtacaa gacaacacgc 1500  
 cagtacctaa aagatccgat tattgtagtt ctaacgccgc aagcgactgg aacaagacct 1560  
 gttgcagggg tgttggtggg aactacggct aatagtgctt tgaaactaga tcgatatgga 1620

gacagcatca cagctctaaa agagaaaggt ctgtatcaca aggtttctta cttggtaaaa 1680  
 agccagctat tttttgcaa ggtactaaat gacaaacggg tggagtttta ctctctcctt 1740  
 attgggacga ttttgaccct gtctacggct atcttgttat ttgattccat gaatcttctc 1800  
 tattttgagc agttcagacg ggaacttatg attaaacgtc ttgctgggat gacaatctat 1860  
 gagcttcatg gcaagtattt actggcgcaa ggaggagttc tcttgcttgg cctagtccta 1920  
 tctagtattt tgacaagaga tggtttgatt agcgctctag ttgtagcttt gtttacgctt 1980  
 aacgcctctt tgattttagt aaggcaggac aaaaaagaag aagctggtag catggcagta 2040  
 ttgaaaggaa aataa 2055

<210> 176  
 <211> 897  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 176  
 aaggagaata tcatgaatat gattaaggta gaaagcctaa ataaaaacat caagggcaag 60  
 gctattttga agggatatttc ctttgaggta gctgaagggtg aatgcgtcgc cttgattggg 120  
 cccaatgggtg ctgggaagac cacactcttg gactgtctgc ttggagataa actggtcaca 180  
 agcgggtcaag tatccatcca aggcttgtca gtgacgagtt ctccagttaga ctatattaga 240  
 ggttatctgc ctcaagaaaa tgtcatcggt cagaaattaa aggtcaaaga gttgattgct 300  
 ttctttcaac gtatctatcc aaattccttg agcgatcagg aaatcgatca actattgcag 360  
 tttgaccagc aacaaaaaga gcaattcgca gaaaaattgt caggcgggca aaagcgtctc 420  
 ttctcttttg tcttgacctt gattgggcga ccaaagcttg tctttttaga tgaaccaact 480  
 gctgccatgg atacttcaac tcgtcaacgc ttttgggaaa tcgttcggga cctaaaagcg 540  
 caaggagtca cgattctcta ttcgtctcat tatattgaag aggtagagca tacggctgac 600  
 cggattttgg ttttaaataa gggagagttg attcgtgata cgacgcctct agctatgcgt 660  
 agtgagggaa ttgaaaagca ttttatcctt cctctggcat acaaggaagt cattgagcag 720  
 tctaacttgg ttgaaaactg gtcacaaaaa caggatgctc tacaagtagt cacacgcgaa 780  
 gcagatgctt tttgggaact gttagttcaa gcaggatgtg gcatacaaga aattgaagtt 840  
 aataatcgta gtttgttgga tacaatcttt gaagaaacgc agaagggaga taactaa 897

<210> 177  
 <211> 1320  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 177  
 ggagtaaaga gaggagatat tcatatgaaa aactcaaaat ttatagacca atttgccacc 60  
 tttgctggta aactagggaa ccaaattcat ttaaaaaccc taagagatgc attcgtaaca 120  
 gtaatgccat tatatatttt ggcaggttta atcgttcttt tgaacaacac ggtattttaag 180  
 tggattttcc aaggggatac attaacaaga ttccaatatt ggggaataac aattgcaaac 240  
 ggtactttta gtatttcagg tatgattatt gctgtaatgg ttggttattt cttagctaaa 300  
 aacagagatt tcgaaaaccc gtttagcagca tcaatgctat cattagtttc ttttaattgtg 360  
 atgatgccaa atacagtttc tgtagttcct gacggagcaa aagatgcggt aaacatttca 420  
 ggtgttcttt cattcaacaa cacaggtaca ggcgcaatgt tcgccggggt tatcgtagcg 480  
 attattgcaa cagaattatt cattgaatta tcaaacgtta aagctttaca aatgaacctt 540  
 ggtgaaaata ttccaccagc tgtagtaga tcatttagcg tattacttcc agtcatgacc 600  
 gtcattctct tatttggggg tgtttcagca ttattattca atataactgg aatgaactta 660  
 atctcaatca ttacaatctt tattcaagaa ccaattcgtc atattggtac aagcttaatc 720  
 ggggtcatta ttatttactc tttaggaat atgttatggc tatttggtat tcaccaagca 780  
 gttatttaca gtgccatcct agaaccatta ctattaatta acattactga aaacatcact 840  
 gcagcaaata atggacaagc cattccacac atcatcaacc tatcacaat acaaacattc 900  
 gctttaatgg gtggtagtag atctacatta tgtttattaa tagcaacatt cttagttagt 960  
 cgcaatgctg tctctaaaaa cgtggctaaa ttatcttttg gacctggtat cttcaatatc 1020  
 aatgaaccag tattattcgg ttaccaatc gtttataaca tttcattagc tattccattt 1080  
 atcacagttc cagtccttgg tattttaatc agctacttag caacagttac agaattcatg 1140  
 agtcctgcat ttatacaagt tccttggaact acaccagtat tcttaaagtc atggtagca 1200  
 acagcagggg acgtgagagc agttctagtt caattcatca tctttgcaat tggagttctt 1260  
 ctatacattc catttatcaa agttaatgac aaagttgttg aacaagaaat ggaaggtaa 1320

<210> 178  
 <211> 2706  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 178  
 acttgtgaaa aaattaacaa aggatatcgt tccttgaaag ctatggagga aaatatggct 60  
 gataaaaaaa ctgtgacacc agaggaaaag aaactcgttg ctgaaaaaca cgtagatgag 120  
 ttggttcaaa aagctctagt tgcccttgaa gaaatgcgta aattggatca agaacaagtt 180  
 gactacatcg ttgccaaagc atcagtagca gctttggatg cccacggaga attggcttta 240  
 catgcctttg aagaaacagg acgtggtgta tttgaagaca aagcaactaa gaacttgttt 300  
 gcctgtgaac acgtagtaaa caacatgcgc cacactaaga cagttggcgt tatcgaagaa 360  
 gacgatgtaa caggattgac tcttattgct gaaccagttg gtgttggttg tggattact 420  
 ccaacaacaa acccaacatc aacagcaatc ttcaaactcat tgatttcatt gaagacacgt 480  
 aaccaatcg tctttgcctt ccattccatca gcacaagaat catctgctca tgcagctcgt 540  
 atcgtccgcg atgcagctat cgcagctggt gtcctgaaa actgtgtgca atggattact 600  
 caaccatcta tggaagcaac aagtgcctt atgaaccacg aagggtgttg gacaatcctt 660  
 gcaacaggtg gtaatgcat ggttaaggcg gcttattcat gtggtaaacc agctcttggg 720  
 gtaggtgccc gaaacgttcc agcttatgtt gaaaaatcag caaacattcg tcaagcagca 780  
 cacgatatcg tcatgtctaa atcatttgat aacggtatgg tctgtgcac tgaacaagca 840  
 gttatcattg ataaagaaat ttacgatgaa tttgtagcag agttcaaact ttaccacact 900  
 tactttgtaa acaaaaaaga aaaagctctt cttgaagagt tctgcttcgg cgtcaaagca 960  
 aacagcaaaa actgtgctgg tgcaaaattg aacgctgaca tcgttggtta accagcaact 1020  
 tggattgcag aacaagcagg atttacagtt ccagaaggaa caaacattct tgctgcagaa 1080  
 tgtaaagaag ttggcgaaaa tgagccattg actcgtgaaa aattgtcacc agttattgca 1140  
 gttttgaaat ctgaaagccg tgaagatgg attactaagg ctcgtaaat gggtgaattt 1200  
 aacggtcttg gacactcagc agctatccac acagctgacg aagaattgac taaagaattt 1260  
 ggtaaagctg ttaaagctat tcgtgttatc tgtaactcac cttctacttt tgggtggtatc 1320  
 ggggacgttt acaatgcctt cttgccatca ttgacacttg gatgtggttc ttacggacgc 1380  
 aactcagttg gggataacgt tagtgccatt aacctcttga atatcaaaaa agtcggaaga 1440  
 cggagaaaata acatgcaatg gatgaaactt ccttcaaaaa catactttga acgtgattca 1500  
 attcaatacc ttcaaaaatg tcgtgacgtt gaacgtgtca tgatcggtac tgaccatgcc 1560  
 atggtagagc ttggtttcct tgatcgatc atcgaacaac tggaccttcg tcgcaataag 1620

gttgtttacc aaatctttgc ggatgtagaa ccggatccag atatcacaac tgtaaaccgt 1680  
 ggtactgaga ttatgcgtgc cttcaaacca gataccatca tcgcactcgg tgggtgggtct 1740  
 ccaatggatg ctgccaaagt aatgtggctc ttctacgagc aaccagaagt ggacttccgt 1800  
 gaccttgtcc aaaaattcat ggatatccgt aaacgtgcct tcaagttccc attgcttggt 1860  
 aagaagacta aattcatcgc gattccaact acatctggta caggatctga agtaacacca 1920  
 tttgccgtta tctctgataa agcaaacaac cgtaaatacc caatcgctga ctactcattg 1980  
 acaccaactg tggcaatcgt agatcctgct ttggtattga cagttccagg atttggtgct 2040  
 gctgatactg gtatggacgt attgactcac gcgacagaag catacgtatc acaaattggct 2100  
 agtgactaca ctgatggttt agcacttcaa gccattaaat tggctcttga aaatctcgaa 2160  
 agctcagtta agaatgcaga cttccactca cgtgagaaaa tgcataacgc ttcaacaatc 2220  
 gctggtatgg cctttgccaa tgccttccta ggtatttctc actcaatggc ccataagatt 2280  
 ggtgcgcaat tccacacaat ccacggcgt acaaattgcta tcttgcttcc atacgttatc 2340  
 cgttacaacg gtacacgtcc agctaagaca gcaacatggc ctaagtacaa ctactaccgt 2400  
 gcagatgaaa aataccaaga tatcgacgc atgcttggac ttccagcttc tactccagaa 2460  
 gaaggggttg aatcttacgc aaaagctgtc tacgaactcg gtgaacgtat tgggatccaa 2520  
 atgaatttta gagaccaagg aattgacgaa aaagaatgga aagaacattc tcgtaaatta 2580  
 gccttcctgg cttatgaaga ccaatgttca ccagctaacc cacgtcttcc aatggtagac 2640  
 catatgcaag aaatcatcga agatgcatac tatggctaca aagaaagacc aggacgccgt 2700  
 aaataa 2706

<210> 179

<211> 318

<212> DNA

<213> Streptococcus pneumoniae

<400> 179

aagacaaagg agaaaacaat gaatccaaat attacttttt taatcatgct tgtaggtatg 60  
 atggccttga tgttctttat gcaacgttct caaaagaaac aagctcaaaa gcgtatggaa 120  
 agcttaaata aactacaaaa aggctatgaa gtgattacaa tcggtggact ttatggaaca 180  
 gtogatgaag tagatacgga gaagggaaca atagttcttg acgtagatgg agtttacttg 240  
 acttttgaac tagctgctat caagacagta ttaccgctga aagaaacagc ttcactagaa 300

ggcgcaattg aaaaataa 318

<210> 180

<211> 1824

<212> DNA

<213> Streptococcus pneumoniae

<400> 180

```

actcgtatgc gcattaaatg gttttccttg attaggatta taggtttact tttggtactc      60
ttgtatcact tctttcagac gatctttcct ggaggatttt tcggggtaga tgtctttttc      120
acattttcag gtttcctgat tacagctcta ctcatgaag aattttctaa gaacaatgag      180
attgatttga taggattttt tagaagacgc ttttatcgga ttgtgccacc tgtgggtttg      240
atgggtcttg tgaccatgcc ttttactttc ttgggtcgcc aagactatgt tgctggaatt      300
ggtggccaga ttgcgggcgt cttaggcttt atgaccaact tctatgaact cctaacaggt      360
gggagttatg aatctcagtt cattcctcat ttgtttgttc ataattggag tttggcagtt      420
gaggttcact actatattct ttggggattg gcagtttggt tcttatccaa acaagctaaa      480
tcaaatggtc agttgaaggg gatgggtcttt ctcttatctg ctgttgccctt cttgatcagt      540
ttcttctcca tgtttattgg tagttttcta gtgacctctt attcctctgt ttatttctcc      600
agtttaactc atgtctatcc attcttttta ggaagtatgt tagcaactat tgtaggcggt      660
cgtcagacga cttccctcgt caagcagttg gataaaatct gggatttacg aaagactttg      720
gtagtttttg gaggaggctt tggtttccta gttcttttga ctttctttgt caaattcact      780
tatctttttg cctatcttat cggcttctta cttgccagtc ttgcagctct tgccatgatt      840
ctggcggcgc gtgtcttaca tgaaaagaca catcatatac aggagtcgaa gattatcagc      900
tttttagcgg atactagcta tgcggtttat cttttccatt ggcctttcta tatcattttc      960
tcacagttga catcaaactc tcttgctgta ttactgactc tgatttggtc ttatggcttt     1020
gccagtctgt cattttatgt attggaacct tggattgcag gcaagaacac acctattgtc     1080
caaacccttc gtcccctgcc ttatattcac gcaattcttg cagcaggtag aggaatcttg     1140
accatcattg tctgcacggt gacctgttig gcaccacaag tgggagcggt tgagacagac     1200
ttgactgtca atggcttgaa gcaagctgca acaaattatt gccagaccaa ggtgatggca     1260
gaacgggcag atgcaaacag tttgggaatt gctgatggca ctatgttaat tgggtgactca     1320
gtggctttaa gggcaaatac agcaactacg acagctcttc ctggagcaca gattaacgcg     1380

```

caggtcagcg taacaaccaa gaccgcaa at gaaatcatgc taaataatag ccagaataaa 1440  
 tttttaccta agacgggtggc cattgcgact ggggtaaata atcctgagaa ttacaaggat 1500  
 gactgggaca gtatcgtgaa aaatcttcct aaggacaccc atatgatttt ggtgactcct 1560  
 tatgagggag ataagacaaa agagacctat gccatcgttg agaaggctgc tgcctatatg 1620  
 agagaattgg cagagaagac accttacatt acgatagcag attggaatca agttgcgaaa 1680  
 gagcatccag aaatttgggc tggaacagac caggttcatt tcgggagtga gagtagcact 1740  
 atcgaagcag gagcaaaatt gtatgcagat acgattgcc aagctttgca gacagctcaa 1800  
 gacaagccgg tttaatcaaa ataa 1824

<210> 181  
 <211> 360  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 181  
 atgtcaatta ttttaacaac gatcgttgct ttggagcatt tttacatttt ttatttggaa 60  
 agtattgcc aagcaatcaga tgcgactagt cgtgtattta atatggaaaa ggaagaattg 120  
 gctcatccgt cagtaagttc attgttcaaa aatcaaggaa tttataaggc tctgctagga 180  
 gtctttctct tgtatgtcat ttatttctca cagaatttag aaattgtgac tatttttgtc 240  
 ttatttgtga ttggtgctgc gacttacggc tctttaacag cggataaaaa aattattttg 300  
 aaacaagggt gatcagctat tttggccttg attagtattt tactctttaa atacacttga 360

<210> 182  
 <211> 1848  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 182  
 tccacagcgg cttattccaa gtataccact tgggctttgg cagtagctaa ctgcgctaaa 60  
 tataatataa ggaggagtaa aatgaagaca gttcaatttt tttggcatta ttttaaggtc 120  
 tacaagttct cattttagt tgcacatctg atgattgttc tggcgacttt tgcccaagcc 180  
 ctctttccag tcttttctgg acaagcgggt acgcagctag ccaatttagt tcaagcttat 240  
 caaaatggca atccagaact tgtatggcaa agcctatcag gaatcatggt caatcttggc 300  
 ctgctgggtt tggttctatt tatctctagt gtaatatata tgtgtctcat gacgcgctg 360

```

attgcagaat cgaccaacga gatgcgcaaa ggcctctttg gtaagcttgc tcagttgacg      420
gtttctttct ttgaccgtcg acaagatggc gatatcctgt ctcatTTTtac cagtgatttg      480
gataatatcc tccaagcctt taacgaaagc ttgattcagg tcatgagcaa tattgtttta      540
tacattggtc tgattcttgt catgttttcg agaaatgtga cgctggctct catcaccatt      600
gccagcacc c attggcttt ccttatgctg attttcatcg tgaaaatggc acgcaaatac      660
accaacctcc agcagaaaga ggtagggag ctcaacgcct atatggatga gagcatctca      720
ggccaaaaag ccgtgattgt gcaaggaatt caagaggata tgatggcagg atttcttgaa      780
caaaatgagc gcgtgcgcaa ggcaaccttt aaaggaagaa tgttctcagg aattcttttc      840
cctgtcatga atgggatgag cctgattaat acagccatcg tcatctttgc tggttcggct      900
gtacttttga atgataagtc tattgaaaca agtacagccc taggtttgat tgttatgttt      960
gcacaatttt cacagcagta ctaccagcct attatccaag ttgcagcgag ttggggaagc     1020
cttcagttgg cctttactgg agctgaacga attcaggaaa tgtttgatgc agaggaggaa     1080
atccgacctg aaaaggctcc aaccttact aagttgcaag aaagtgttga aatcagtcatt     1140
atcgTTTTTT catacttgcc tgataaacct attttgaaag atgtcagcat ttctgcccct     1200
aaaggccaga tgacagcagt tgttgggccc acaggttcag gaaaaacgac tattatgaac     1260
ctcatcaatc gcttttatga tgttgatgct ggtggtatTTT attttgatgg taaagacatt     1320
cgtggctatg acttagatag tcttagaagc aaggTgggaa ttgtattgca agattcggtc     1380
ttgttttagcg gaacgattag agacaatatc cgatttggtg tgccagatgc tagtcaggaa     1440
atgggttgagg tagcagcaaa agcaaccac attcacgact atatcgaaag tttgcctgat     1500
aagtacgata ctcttattga tgatgaccag agcatctTTT caacagggca gaagcaattg     1560
atttcaatcg ctcgaaacct gatgacagat ccagaagttc tcattctcga tgaagcaact     1620
tcaaacgtag atacggtgac agaaagcaag attcagcatg ccatggaggt ggttgtagca     1680
ggtagaacta gtttcgtcat tgcccaccgc ttgaaaacca ttctcaatgc agatcagatt     1740
attgtcctta aagatggaga agtcattgaa cgtggtaacc accatgaact tttgaagcta     1800
ggtggctttt attcagaact ctatcacaat caatttgTTT tcgaataa                     1848

```

&lt;210&gt; 183

&lt;211&gt; 768

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae



<400> 183  
aaggagcttc ctagtatggg aacattttca gtcagacacc tagacttatt ttacggggat 60  
tttcaagcct taaaaaatat ttcgattcaa ttaccagaaa gacagattac tgccttgata 120  
ggcccatctg gttgtggcaa atcaactttt ctaaaaaccc ttaaccggat gaacgatttg 180  
gttccttctt gccatattga aggccaagtc ctcttagatg agcaagatat ttatagtagc 240  
aaattcaacc ttaatcagct acgtaagcgt gtagggatgg tttttcaaca gcctaattccc 300  
tttgccatgt ctatctatga taacgtggct tatggcccaa ggacacatgg tattcgagac 360  
aaaaaacaat tagatgcctt agtggagaaa tctttaaaag gggcagccat ttgggaagaa 420  
gtcaaagatg atcttaaaaa gagtgccatg tccttatctg gcggtcagca gcaacgcctt 480  
tgcatcgcg gagcttttagc agtagaacct gatattctgt taatggatga gccgacttca 540  
gccttagacc ctatctccac tttaaaaatt gaagacctca ttcagcaact aaaaaaggat 600  
tatacgatta tcattgttac ccataacatg caacaagcct cactatttcc agataaaact 660  
gcttttttct taacaggaga aatttgcgaa tttggagata ccgttgacgt gtttaccat 720  
ccaaaagatc agcgcacaga agactatatt tcaggacggg tcggataa 768

<210> 184  
<211> 681  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 184  
ttgatgaagg aaatctttga tagacgttac cctgtgacga gtttcttctt cttagtgcag 60  
gccttggtat ttttactaat gttgggtcact gcaggcggaa actttgacag ggcagataca 120  
ttatttcgat ttggagccat gtatgggcca gctattcgcc tctttcccga gcaggtttgg 180  
cgtctcttgt ctgccatttt tgttcatatt ggggtgggaac atttcattgt taatatgctt 240  
tcacttttatt atcttgggaag gcaggtagag gagattttcg gttctaagca gtttttcttt 300  
ctctatcttt tatcaggaat gatgggcaat ctctttgttt ttgtatttag tcctaaatcc 360  
ttagcagcag gcgcctctac ctctctttat gggctatttg ccgcgattat tgttcttcgc 420  
tatgcaactc gcaatcctta tatccaacag ctagggcaat cctatctgac actttttgtg 480  
gttaacatta ttggaagtgt tctgattcca ggaatcagcc tagcaggcca tatcggtggg 540  
gcagttgggtg gcgcatttct agcagttatc tttccagtta gaggagaaaa acggatgtat 600

aacaccagcc agagattagg agcggtagtc ttgttcgtag gactcgccat tttgcttttc 660  
 tacaagggaa tgggattgtg a 681

<210> 185

<211> 789

<212> DNA

<213> Streptococcus pneumoniae

<400> 185

aaaatcatatc ctaaaaacag acaaaaaggt ttcaaatttg aggccttttt tggtagaata 60  
 ggtatcatta taacgaacca ggaggcacct atgactgcta caaaaatgaa cgctcaagaa 120  
 attatccaat ttatcgccaa tgctgaaaag aaaaccagtg tcaaagtaac ctttgagggg 180  
 caactcgcaa ctgctgtgcc tagctctgtt gtcaaactag gaaatgtcct attcggagac 240  
 tggaaggatg tggctccgct tcttgaaggt ttggtagaaa atcaagatta tgttgctgag 300  
 caagatgctc gtaattctgc agttcctttg ctagataagc gtgctatcaa cgctcgtatc 360  
 gagccagggtg cgattatccg tgaccagggtg gaaattgggtg acaatgctgt tatcatgatg 420  
 ggatctgtta tcaatatcgg tgctgaaatc ggtgctggaa ccatgattga catgggtgcc 480  
 atccttggtg gccgtgccat cgttggaaaa aatagccacg ttggtgcagg tgcagttttg 540  
 gcagggtgtga ttgagccagc tagtgctgaa ccagtccgtg tcggagacaa tgttcttattc 600  
 ggtgctaattg cagtggttat cgaaggagtc caaatcggtg gtgggttcagt tgtcgcagca 660  
 ggagctattg ttaccaaga tgtcccagaa aacgtggtag tagcagggtg tccagctcgt 720  
 attatcaaag aaattgatgc ccaaactcaa caaaaaacag cgctagagga tgcgcttcgt 780  
 accttgtaa 789

<210> 186

<211> 1203

<212> DNA

<213> Streptococcus pneumoniae

<400> 186

aggtcacagg ttcgactgtt accagctatt gggctaataa gtcaggagcg ccagcgacaa 60  
 gttatcgctt tgctattggc ggaagtgatg cggattatca gaatgcttgg tctagtattg 120  
 tggggagtct accaactcca tccagctcca gcagttcaag tagtagttct agcgatagca 180  
 gtaactcaag tactacacga ccttcttctt caagggcgag acgataattc tctaaatgaa 240  
 gtggccaatc aatggattgc cacttttttc ctttcgtgtt acaataaggg tatgaatcag 300

tatcagaaaa agattgttaa cggaaaaaatt tattegctcc tatccggctt aatatgggga	360
atctgtggaa ttttaggaga gtactttctt actcattatc aggtgtcttc gggctggatt	420
acctctatgc gtttgacact ggcagggagt cttgtactca tttggctctgc aatacaatta	480
aaatcgcaag tgctagatat ttggcgagac aagaaaaaatt acctgccctt tttagcctat	540
gctattttgg ggattttttc agttcagtat tttttctatc tctgtgtaga atactcaa	600
gctacgacag caactatctt acagtttatt agccctgtct ttatcctctt ttacaatcgc	660
ttggtttctc aaaaacgagc gtcaaaaagc gctgttttct atgttttggg tgccatgctg	720
ggtgtttgct tgatggcgac aaagggagac ctctctcagt tatccatgac gccgctagct	780
cttataacag gtttgctgag tgccatgggt gttatgttta atgttatctt gcccacact	840
tttgctaagc gttatggttt tgttcctacg gttgggtggg ggatgatttt ggcaggtttg	900
tttagcaatg tctctctgcc ggtttatcag ctttccttta ctcttgatat ttggagtatc	960
ttgatttggc tcattatcgc tttcttttga acggcttttg cttttttcat ttccatgaag	1020
gctgtgtcct tggtttctcc tttggtggtt gccgttatca gtgccagtga acctctctct	1080
tctgtctctc tgagtgtttt gttcttagga ttagtagtgg attggtccct ctttctagct	1140
atagccttga ttattttacc catgatattt ttgtctatag aagaagcgaa agaaagtaga	1200
taa	1203

<210> 187  
 <211> 588  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 187	
aaaggagaaa agctcatgaa caaattaatg aaatttattt cggttttttt gacgtcaatt	60
gtgttaattg tatcagcgat tccaagtgtt tcagctgtat acgcttctga acaagtatca	120
caaattgaaa caaatatgga acttcaacct gtcacttctc taacagaaga acaaatcaat	180
acacttgcaa acgaaatcca atcttttcat ccagacgtct cacaacaatg gatcaaagaa	240
gtaattaacc gacaattaca aggcgattat acaatccac ctacatactc tccatttaga	300
gcagtttggc aaggtattac agttaatcaa atgggtgctc tattagatac tgcaatagct	360
ttagcattag gaggaactac tgcaggcctt gcaaatctaa ttaaagtaaa aggaaaacat	420
gcagcaaaaa gtgctattcg ttcagcaatt tctagatata taggtagttg gtttgtaa	480

gatgttgctt tagaattcgc tatgaattta ttatcaccgg ggacttattt agcacaatta 540  
 tgggataaaa atgatgccat tcctaacaac ggaaggatta acttttaa 588

<210> 188  
 <211> 1314  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 188  
 tatictatga aaggagttaa tatggaaaag caacaaccta gtaaagcagc cctgctgtct 60  
 atcattcctg ggtaggaca gatttacaat aaacaaaag ccaaagggtt tatcttcctt 120  
 ggtgtaacca tcgtatttgt cctttacttc ctagcacttg caaccctga attgagcaac 180  
 ctcatcactc ttggtgacaa accaggctcg gataattccc tctttatgct gattcgtggt 240  
 gccttccatc taatctttgt aatcgtttat gtactctttt atttctcaaa tatcaaagat 300  
 gcacatacga ttgcaaaacg cattaacaat ggaattccag ttccacgcac actcaaagac 360  
 atgatcaaag ggatttatga aaatggcttc ccttacctct tgatcattcc atcttatggt 420  
 gccatgacct tcgcgattat cttcccagtt atcgtaacct tgatgatcgc ctttaccaac 480  
 tacgacttcc aacacttgcc accaaacaag ttgttggact gggttgggtt gaccaacttt 540  
 acaaacattt ggagcttgag taccttcogt tctgcctttg gttctgttct ttcttggact 600  
 atcatttggg ctttggcagc ttctacttta caaatcgtaa ttggtatctt cacagctatc 660  
 attgccaacc aaccatttat caaaggaaaa cgtatctttg gtgttatatt ccttcttcct 720  
 tgggctgtcc cagccttcat cactatcttg acattctcaa acatgtttaa cgatagtgtc 780  
 ggtgctatca aactcaagt attgccaatc ttggctaaat tccttccttt ccttgatgga 840  
 gctcttattc cttggaaaac agaccaact tggactaaga ttgccttgat tatgatgcaa 900  
 ggttggctcg gattcccata catctacgtt ctgaccttgg gtatcttgca atctattcct 960  
 aacgaccttt acgaagcagc ttatattgac ggtgccaacg cttggcaaaa attccgcaac 1020  
 atcactttcc caatgatttt ggctgttgcg gcacctactt tgattagcca atacaccttc 1080  
 aactttaaca acttctctat catgtacctc ttcaatgggtg gaggacctgg tagtgtcgga 1140  
 ggtggagctg gttcaaccga tatcttgatc tcatggatct accgtttgac aacagggtaca 1200  
 tctcctcaat actcaatggc ggcagctgtt accttgatta tctctatcat tgtcatctca 1260  
 atctctatga tcgcattcaa gaaactacac gcatttgata tggaggacgt ctaa 1314

<210> 189  
 <211> 888  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 189  
 tcgcattcaa gaaactacac gcatttgata tggaggacgt ctaagatgaa taactcaatt 60  
 aaactcaaac gtagactgac tcaaagcctt acttaccttt acctgattgg tctatcaatt 120  
 gtaattatct atccactggt gattaccatt atgtcagcct ttaaagcagg taacgtctca 180  
 gcctttaaac tagatactaa tatcgacctc aattttgata actttaaagg cctcttcact 240  
 gaaaccttgt acggtacttg gtacctcaac actttgatta tcgccttaat taccatggct 300  
 gttcaaacia gtatcatcgt acttgctggt tatgcttaca gccgttacia cttcttggct 360  
 cgtaaaciaa gtttggctct cttcttgatc atccaaatgg tgccaactat ggccgctttg 420  
 acagccttct tcggttatggc gcttatggtg aacgccctta accacaactg gttcctcatc 480  
 ttctctacg ttggtggtgg tatcccgatg aatgcttggc tcatgaaagg ctacttcgat 540  
 acagtgccaa tgtctttaga cgaatctgca aaactagacg gtgcaggaca cttccgccgc 600  
 ttctggcaaa ttgttctacc acttgttcgc ccaatgggtg ccgtacaagc tctctgggcc 660  
 ttcatgggac ctttcgggga ctacatctc tctagtttct tgcttcgtga gaaagaatac 720  
 ttactgttg ccgtaggtct ccaaaccctc gttaacaatg cgaaaaactt gaagattgcc 780  
 tacttctcag caggtgctat cctcatcgcc cttccaatct gtattctctt cttcttcta 840  
 caaaagaact ttgtttcagg acttacaagt ggtggcgaca agggataa 888

<210> 190  
 <211> 825  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 190  
 aaaacacctt ttagaaagat acctatgctt ccatatccat tttcctattt ttcaagtatt 60  
 tgggggggttc gtaagccctt gtccaaacgt ttcgagctca actggtttca acttctcttt 120  
 accagtatct tccttatcag cttgtctatg gtaccatttg ctatccaaaa cagctcccag 180  
 gagacctatc cgctagaaac ttttatcgat aatgtctatg aacctctgac agataagggt 240  
 gtccaggatc tctctgaaca tgctacaatt gtcgatggca cattaactta tactggaaca 300

gctagtcaag ccccttctgt tgtgattggt ccaagtcaaa tcaaggaatt acctaaggac 360  
 ttgcaactgc atttcgatac aaatgagcta gtcatacagca aggaaagcaa ggaactgacc 420  
 cgcatactctt accgagccat tcagactgag agtttcaaaa gcaaagacag cttgacccaa 480  
 gcaatttcta aagactggta ccaacaaaat cgtgtctata tcagcctctt cctagttctc 540  
 ggtgcgagct tcctctttgg tttgaatttc tttatcgtct ctcttggagc tagctttctc 600  
 ctttatatca ccaaagatc acgcctcttt tcatttaata cctttaaaga gtgctaccat 660  
 tttatcttga actgtttagg attgccgact ctgattacac ttattttggg attatttggc 720  
 caaaatatga caaccctgat tactgtacaa aatattcttt ttgttctgta tctggtcact 780  
 atcttttata aaacacattt ccgtgatcca aattaccata aatag 825

<210> 191

<211> 948

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 191

aagaagatga aacaaacaaa acgaattaag cgggtggcgt attatctgcg ccgctttgct 60  
 tatcagataa aaattttacg tgtcttacia agtatctctc gagaaaagta tgatgagaag 120  
 atttcggcct ctctggctta tggtttttta tcagcagtag cagttaattt ctttttccaa 180  
 ccagggcatg tgtattcgag tggtgcaaca ggtctggcac agattatctc tgccttgagt 240  
 aatcactggg ttggttttca tattccgatt tcgctaagct tctacgccat taacttcctt 300  
 ttgatgggtc tagcttggtc tcagattggc cataagttca ccgtctttac ctttatcagc 360  
 gtatctatga gttccttctt tatccagttt gtccctgtgg caaccttgac agaggatccc 420  
 attatcaatt ccctttttgg ggggtgtgtt atgggtttgg ggattgggtt tgcctctcga 480  
 aacaatatct ccagtgggtg gacggatatc gtcagcctga ctattcgtaa gaaaacgggt 540  
 aagaatgtcg gtagtatttc tttcttggtc aatggaacta tcatgctgat agcaggtttg 600  
 acctttgggt ggaaatacgc tctttattct atgattacca tctttgtctc tagccgtgtg 660  
 acagacgcag tctttactaa gcaaaagcgt atgcaggcca tgattgtgac aaatcatcca 720  
 gagaaggtaa ttgaaaaaat ccataaaaaa ttgcaccgcg gagcaaccat gatccacgat 780  
 gcagaaggaa cctataatca cgagagaaag gcagttttta tcaactgtcat tacacgtgca 840  
 gagtttaatg aatttaaaca gattatgaca caagtggatc caagctcctt tgtctctgtc 900

tcggaaaatg ttcatattct aggaagattt gttgagatag ataattag 948

<210> 192  
 <211> 282  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 192  
 tttagtcggc tttttgatga ttctcatgct ataatagagt caggagggtca catgaaacga 60  
 gtaattttat tagcagtgat tcaggcagtc gttctatctt tcatcattgg agcgctagct 120  
 tatgccttca aaggcgattt cttctataac tatctagcag ttgtctttgc tcctattgca 180  
 ggtgtactgc gttttgggac ggcttacata acggaaattg tcttgcctcg aaaggcagcc 240  
 gaaatcgctg aaaagcgtaa agcaggcaaa aattcaaaat aa 282

<210> 193  
 <211> 840  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 193  
 tttggaacag agttttcgaa ttttattcca attacaccaa tatgtcttac cagccttata 60  
 tatttttctt attatcattt ctttcttgac aggagagatt cagttactag ctttcttgct 120  
 tgtaggagcc atccatgttt atatcaatgt gatgcagtta cctatggtaa aacgttattt 180  
 caaataaagg agttatctat gaaattactt aaaaaccttg gctggattct tctagccctt 240  
 ctatcctttt tatttatcta tggctttatt caggggctcg cgactgcgtc gcttgcttta 300  
 ggcgcttcac cctatgctgt tactctactc tatgtggcct tggctggagt atatgtgtac 360  
 ggcatttaca aatggatatca gaaggctcct gttcatattg agaagagcgg ctttaaatga 420  
 tttatttggc ttctgtctt gggttggttc ttatctctgg tcgttcaatt cttcttgcca 480  
 gatgatcctt cagtaaatca gcaaatacg acagacttga ccttgtctca accacttttc 540  
 tcattctttg ctgtgggtat ttttgctcct ttgacggaag agattgtttt tagagggatg 600  
 ttagcacgct atctctttcc taagcaggac aatagtaaac gaaccctgat ttttcttctg 660  
 gtatctagtc ttctatttgc cttgattcat tttccagggt atgtgcaaca attttttgtc 720  
 tatttttagcc ttggtttttag tttgggtttg gcttacatta gcagaaaagg tctgggtctac 780  
 agtatttctc ttcacgcttt gaataattta gtcggctttt tgatgattct catgctataa 840

<210> 194  
 <211> 717  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 194  
 attgttattt ttgatgtcta ttgtccttggg gggttccttgg gcatgtttgt agggatgttt 60  
 aaggcacgtg tcgaatccca cgaaattatt ttagatgtaa aagccttgat gccatggata 120  
 tcagctattt gtttactgat aggttttcatt agtatgtttt tgactttcaa tttcttaaag 180  
 aaaagcagaa aatttcattc tttgtatcaa gaggaatgg atgacgatct gaatgaaacc 240  
 tattatgtgc aaatgtatcg gaatccttgag tttggaacca ttgcttttaa tattacaggt 300  
 gtagcgattc cattggctat ttttatttca ttaagtggagg tgattatatt gcatacaaac 360  
 cctcaaacat ttttccttcc tttcttactc tttgtggtat tcttagtcgc tcaaaaatct 420  
 ctttttaaaa ccattgcgat tgctcgtcag tttgatttgg aatttttcgc tacaccaaag 480  
 gatgtccttga actatataaa ttcttatgat gaaggggagc gtcaggctaa tttggaacag 540  
 agttttcgaa ttttattcca attacaccaa tatgtcttac cagccttata tatttttctt 600  
 attatcattt ctttcttgac aggagagatt cagttactag ctttcttgct tgtaggagcc 660  
 atccatgttt atatcaatgt gatgcagtta cctatggtaa aacgttattt caaataa 717

<210> 195  
 <211> 1866  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 195  
 atgaaaaaaaa ctacaatatt atcattaact acagctgcgg ttatttttagc agcatatgtc 60  
 cctaatgaac caatcctagc agatactcct agttcgggaag taatcaaaga gactaaagtt 120  
 ggaagtatta ttcaacaaaa taatatcaaa tataaggttc taactgtaga aggtaacata 180  
 ggaactgttc aagtgggtaa tggagttact cctgtagagt ttgaagctgg tcaagatgga 240  
 aaaccattca cgattcctac aaaaatcaca gtaggtgata aagtatttac cgttactgaa 300  
 gtagctagtc aagcttttag ttattatcca gatgaaacag gtagaattgt ctactatcct 360  
 agctctatta ctatcccatc aagcataaaa aaaatacaaa aaaaaggctt ccatggaagt 420  
 aaagctaaaa ctattatttt tgacaaaggc agtcagctgg agaaaattga agatagagct 480  
 tttgattttt ctgaattaga agagattgaa ttgcctgcat ctctagaata tattggaaca 540



```

agtgcatttt ctttttagtca aaaattgaaa aagctaacct tttcctcaag ttcaaaatta    600
gaattaatat cacatgaggc ttttgctaatt ttatcaaatt tagagaaact aacattacca    660
aaatcgggta aaacattagg aagtaatcta tttagactca ctactagctt aaaacatggt    720
gatgttgaag aaggaaatga atcgtttgcc tcagttgatg gtgttttggt ttcaaaagat    780
aaaacccaat taatttatta tccaagtcaa aaaaatgacg aaagttataa aacgcctaag    840
gagacaaaag aacttgcac atattcggtt aataaaaatt cttacttgaa aaaactcgaa    900
ttgaatgaag gtttagaaaa aatcgggtact tttgcatttg cagatgcat taaacttgaa    960
gaaattagct taccaaatag tttagaaact attgaacgtt tagcctttta cggtaattta   1020
gaattaaaag aacttatatt accagataat gttaaaaatt ttggtaaaca cgttatgaac   1080
ggtttaccaa aattaaaag ttaacaatt ggtaataata tcaactcatt gccgtccttc   1140
ttcctaagtg gcgtcttaga ttcattaaag gaaattcata ttaagaataa aagtacagag   1200
ttttctgtga aaaaagatac atttgcaatt cctgaaactg ttaagttcta tgtaacatca   1260
gaacatataa aagatgttct taaatcaaat ttatctacta gtaatgatat cattgttgaa   1320
aaagtagata atataaaaca agaaactgat gtagctaaac ctaaaaagaa ttctaatacag   1380
ggagtagttg gttgggttaa agacaaaggt ttatgggtatt acttaaacga atcaggttca   1440
atggctactg gttgggttaa agacaaaggt ttatgggtatt acttaaacga atcaggttca   1500
atggctactg gttgggttaa agacaaaggt ttatgggtatt acttaaacga atcaggttca   1560
atggctactg gttgggttaa agacaaaggt ttatgggtatt acttaaacga atcaggttca   1620
atggctactg gttgggttaa agacaaaggt ttatgggtatt acttaaacga atcaggttca   1680
atggctactg gttgggttaa agacaaaggt ttatgggtatt acttaaacga atcaggttca   1740
atggctactg gttgggttac agtttctggt aaatgggtact atacctataa ttcaggagat   1800
ttattagtaa acacgactac acccgatggc tatcgagtca atgctaacgg tgagtgggta   1860
ggatag                                           1866

```

```

<210> 196
<211> 1185
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 196
atagatagcg cggaggcgca ggaggaaaat tatatggcta tattttatgt tccggcagtc    60

```

aaccttattg gaaaagggtg tgtaaatagaa gtgggtcctt atatcaagga acttggctat 120  
 aaaaaggcac ttttggtgac agataagtac atcgaaggca gtgatatttt acctaagact 180  
 ttaaaaccac tggatacaga aggaatcgaa tatgtcatct ttagcgatgt agagccaaac 240  
 cctacttgta aaaatgtcac agatggggta gctgctttgc aagaacatgg ctgtgacttt 300  
 atcatcagtc ttggcggggg ttctccacag gatgcagcta gttgtatttc tatcatggct 360  
 acaaatggtg gaaaaccaca ggattatgaa gggcttcata agtctgctaa aaaaggcttg 420  
 ccagttgtgg ctatcaatac aacggcaggt acatcagcag aaattacat taactatgtg 480  
 attactgatg aagaacgcaa ggttaagatg gtaatggttg acaagaatag ccttgctctt 540  
 atctctgtta atgacctga actcatgctt tccaaaccta aaggcctgac tgctgctact 600  
 ggtatggatg ctctgactca tgctgttgaa gctttggtaa cacctgggtgc ttatgatgta 660  
 accaagaaac tgtctattgg tgctattgag cttatcaagg aatatcttcc tcgtgctgta 720  
 gaaaatggac atgatattga agcgcgtgaa ggtatgggtca atgccatctt ccttgggtgg 780  
 atgagcttta ataatgctgg tcttggctat gttcactcaa tggctcacca actcggtgca 840  
 gtatataatt tgccacatgg cgtgtgctgt gccatgttgc taccagttat agaacgtgaa 900  
 aatgctaaac gtgtaccaga agctttccgc aatgttgcca aagccttggg acttcatgta 960  
 gaaggtaaat cagatcaaga atgtgccgat tatgcgattg ctgagattga gaagctttct 1020  
 gagacagtag gtattcctaa gaaactgact gaacttggtg ttgaagaaaa agatttcgac 1080  
 tttgaatacc tttctaagaa tgccttgatt gatgcctgcg caccaggaaa tccatttatg 1140  
 ccaaccttag aagaaacgat tgccttttat aaagagttat tttag 1185

<210> 197

<211> 783

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 197

gaggagctta tgataaaaga tgaacgtgta cttgaattga ttgaaattat caaaaagaaa 60  
 aaaagaattg ccgtaaaaga gctggcagaa atcactttct ccagcacaag taccttacgt 120  
 cgtgatttaa ttttcttaga aaatcaaggc cttatcaaaa gaaagcacgg atacgtgacc 180  
 ctgtctcta tgaacacaat tgaactttct catcaaatac gtgaaggaga aagtactagg 240  
 caaaaaagac taatcgctag tctcgctaaa gactttattc ggtctggtat gtgtatctat 300

ctagattcta gtactactgt ctacgaactc tgtccctatc tttctgaact tgataatttg 360  
 attattttta caaatgggtt acatactgca caaacccctat ctgaaactgt taaagatagc 420  
 tccaaaatct ttatcacatc tggcgaggtc aaacatcaat cctgttccgt ggtcaactat 480  
 gataaggaaa attctttatt agatcatttt aatatcgatt tagcattttg ttcagcaaga 540  
 ggtattgatg accaatatgt ttatgaagct tctctcagcc aagctatttc aaaaaagaat 600  
 attattgaca aagcccatga aaccatctta ctgattgata gttctaaatt ttacaagact 660  
 ggatttttta aaattaatcc cctctccaaa tacacaacct ttatttcaga caccgtgcca 720  
 gatcaaaaat tattagacgc agtcgaatta tttgatggag aatgggtttc tgatattcaa 780  
 tga 783

<210> 198  
 <211> 870  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 198  
 tccgtaacca agactcgcca tggcgttggt tcaatgttca tgagaatggc caggaggtgg 60  
 gccatgctta gtttattatc ttacgacttt atacaacgcg cttttttggc gggtattgct 120  
 atgagtcttt tctcaccggt attgggaacc ttcctcatct tgcgtcgtca gagtttgatg 180  
 agtgataccc ttagccacgt ctcaacttca ggtgtagcct ttgggtctggt tttggggatt 240  
 tctccaactg tttctactat tgccattgtc ttgattgctg cggtctttct ggagtatctc 300  
 cgtacgggtt acaagagctt tatggaaatc gggacagcta tcctcatgtc aacaggctctg 360  
 gctgtttctc tgattgtcat gagcaagggg aaaagctcga gttcaatgag tttggaccaa 420  
 tatctctttg gttcgatcgt gactatcagt gaagaacagg tcatttcctt ctttgtcatt 480  
 gggcggttg ttttgatttt gacctttctc tttcttcgtc ctatgtatat cttaactttt 540  
 gacgaagata cggcctttgt ggatggcttg ccagttcgta ccatgtccat tctttttaac 600  
 atggtgacag ggggtggctat tgcccttatg attcctgcag caggagctct tctggtatcg 660  
 accattatgg tcttgccagc tagtattgcc ctgcgtctgg ggaaaaactt taaatcggtt 720  
 atgctgcttg ccagtgcgat tggctttttg ggaatggtag caggacttta catttcctac 780  
 tatgcagaaa cacctgcaag tgcaagtatt accattatct ttgtaactgt ctttatacta 840  
 atcagtttag taagacgttt tatcaaatag 870

<210> 199  
 <211> 756  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 199  
 acaaaaagtg attcagcggg ttttgactgc tttagtagga gaaatcaa atgagatat 60  
 attacggtag aggatttgtc cttctattat gataaggagc ctgttcttga acatatcaat. 120  
 tattgtgttg atagtgggga atttgttacc ttgactgggg aaaatggagc ggctaagacg 180  
 acgctcatca aggctagtct tggaattctg caaccacgca ttggaaagggt ggctatttca 240  
 aagacaaata cgcaaggtaa gaaattgaga atagcctatc ttcttcaaca aattgccagt 300  
 tttaatgctg gttttccaag tacgggtctat gaatttgtca agtcgggtcg ctatccgaga 360  
 aaaggctggt tccgtcgttt gaatgctcat gatgaggagc atatcaaggc tagtctggac 420  
 tcagttggca tgtgggaaca tcgagacaaa cgcttgggggt ctctatctgg gggacaaaag 480  
 cagcgagcgg taattgcgcg tatgtttgct tctgacctg atgtgtttat cctagacgag 540  
 ccgacaacgg ggatggatgc aggaagtaaa aatgaatttt acgaactcat gcaccacagc 600  
 gcccatcatc atggcaaggc tgttttgatg attacccatg accctgaaga agttaaggat 660  
 tatgcggatc gcaatattca tctagtccgt aaccaagact cgccatggcg ttgtttcaat 720  
 gttcatgaga atggccagga ggtgggccat gcttag 756

<210> 200  
 <211> 1566  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 200  
 aggagaatcc ctattgtgtc aaataaacca atagcagata tgattgaaac cattgagcat 60  
 tttgctcaga cacagcctag ctatcctgtc tataatgttt tggggcagga acacacttat 120  
 ggcgatttaa aggctgattc ggaatagttt gctgcagtca ttgaccaact aggcttgccct 180  
 gagaagtctc ctgtgggtgt ttttgggtgg caagaatatg aaatggtggc aacctttgta 240  
 gcgctgacta agtcagggtc tgcctacatt ccaattgata gccattcggc cttggagcga 300  
 gtttcagcta ttttagaagt agcagagcca agcttgatta ttgccatttc agcctttccc 360  
 ttggagcagg tttctacacc aatgataaat ctagctcagg ttcaagaagc ctttgcccaa 420  
 gggaataact atgaaatcac gcatccagtc aaggagatg ataattacta cattatcttt 480

```

acttctggta cgactggtaa gcctaaggga gtgcagattt cacatgataa tctcctcagc 540
tttacaaact ggatgattac ggataaggaa tttgcgacac cgagtcgtcc gcaaagtctg 600
gcacagccac cttattcttt tgacttgtct gtcattgtatt gggcaccgac cttggcactt 660
ggtggtagcg ttttcaactct tccttcagtc atcactcagg actttaagca actctttgcg 720
gctatctttt cattgccaat cgctatctgg acatcaacac catcctttgc agatatggcc 780
atgttgtctg aataacttcaa cagtgaagaa atgcctggaa tcacgcattt ctactttgat 840
ggtgaagaat tgacgggtcaa aacagctcaa aaactgcgcg agcggtttccc aaatgcccg 900
atcatcaatg cttacggccc aacagaagcg acagtagctc tgtcagcagt tgccgtgaca 960
gacgagatgt tagcgactct caaacgccta ccaatcggtt ataccaaggc tgattctcca 1020
acctttatca ttgacgagga aggaaataaa ctgccaaatg gtgagcaggg agaaatcatt 1080
gtttctgggc cagctgtttc aaaagggttat atgaacaatc ctgaaaaaac agcagaagcc 1140
ttctttgagt ttgaagatct gccagcctat cacacaggcg atgtgggaac catgacagat 1200
gagggccttg ttctctacgg cggacgcatg gacttccaga ttaagttaa cggttaccgc 1260
attgagttag aagatgtctc tcaaaacctc aacaagtctc gctttatcga atctgctgtc 1320
gcagtaccgc gctataacaa ggaccacaag gtacaaaatc tattggctta tgtcatctta 1380
aaagacggtg ttctgtgagc gtttgagcga gatatcgata ttaccaaggc catcaaggaa 1440
gacctgacag acatcatgat gtcctatatg atgccatcta aattccttta ccgagacagt 1500
ttgccactaa ctccaaatgg aaagattgac atcaaaggat tgattaacga ggtgaataag 1560
agatga 1566

```

```

<210> 201
<211> 450
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 201
gtggatagtg gattagacct agagaaattt ttcgatacag ttcctcaaga tagattgatg 60
tccttagtac ataacattat cgaagacgga gatacggaat ctttgattcg taagtatctt 120
cattcaggtg ttatcattaa tgggtcaacgt tataaaacac tagttggtag accacagggg 180
ggaaatttat ctctctctct atccaatatc atgcttaatg aattggacaa ggaattagaa 240
aagagggggac ttcgatttgt gcgctacgca gatgattgtg tgattacggt cggaagcgag 300

```

gcagcctcta agcgtgtgat gtattcagtc agtcgtttta ttgagaaacg gctagggttg 360  
 aaagtaaaca tgaccaagag agttgaaata tctagggtttt gggttcttga aattatcaga 420  
 tggttggaaa agccgtccac atcaagatag 450

<210> 202  
 <211> 429  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 202  
 gaaaggaata cgcacatgtc aaaactgcta gataagatat tatcacgcga aaatatgctg 60  
 gaagcctaca atcaagtaaa atccaataaa ggctcagctg ggattgatgg aatgactatc 120  
 gaagagatgg ataattatct cagacaaaac tggcgcttga ctaaggaact gataaaacag 180  
 agaaaatata agcctcaacc agttcttaga gttgagatac ctaaaccaga cggaggcatc 240  
 cgtcaactag gaattccaac agttatggat agaatgattc aacaggccat tgtccaagtc 300  
 atgagcccca tttgtgaacc ccatttctca gatacgagtt atggtttcag accaaatagg 360  
 tcatgtgaaa aagccatcat gaagctctta gaatacttaa atgacggcta tgagtggata 420  
 gtggattag 429

<210> 203  
 <211> 528  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 203  
 tgtagatgtg atagaattag tggggaattc ataatgagac agttgaagcg agttggagta 60  
 tttttattgc ttcctttctt tgttctaatt gacgccata ttagccagct tctgggctca 120  
 tttttcccc atgtacattt ggctagtcatt tttctttttc tatttctctt atttgagacg 180  
 atagaagtat cagagtatct ctacctagtc tattgttttg ttataggctt ggtttatgat 240  
 gtttactttt tccatctaatt agggattaca actctcttat ttatcttatt gggagccttc 300  
 cttcataaat tgaatagtgt tattttgttg aatcgttgga caagaatgct agctatgatt 360  
 gtgctgacat tctgtttga aatgggtagt tatcttttgg cttttatggg aggggtgaca 420  
 gtagatagca tgtcgatttt tatagtctat agcttggtac cgacgatgat tttaaatttt 480  
 ttatggatta ctgtttttca atttattttt gaaaaatatt atctataa 528

<210> 204  
 <211> 1323  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 204  
 tgtgaaacta caagcgattt actttatgga aggaatagaa tgacaaaggt tgtttttgaa 60  
 gaaaaatact atccagctgt aaaagaaatg gtttatcgaa ctcgtttggc caacggattg 120  
 acagttgctc ttttgcctaa aaaggaattt aaagaggttt acgggagtgt cactgtacag 180  
 tttggttcgg tagatacggt tgtcacagaa gttgacggag atgtaaaaca atatacctgga 240  
 ggaattgctc attttcttga acataaatta ttgagagag aagattctag tgatttgatg 300  
 tcggctttta cgagtctagg tgcagatagt aatgccttta caagctttac aaaaacaaac 360  
 tatctttttt cagcaacgga ttatttttta gaaaatttag atttacttga tgaattggta 420  
 acatcagcac actttactga agcttccatt ctgacagagc aggatattat tcagcaagaa 480  
 cgagaaatgt accaagatga tccagattcg tgtttattct tttcaacttt agcgaatttg 540  
 tatcctggta caccttttagc aactgatata gttggaagtg aggagtccat ttcccaaact 600  
 aatctaacta atttgcaaga aaattttaca aagttttaca aacctgtaaa catgtctctg 660  
 tttttagttg gtaattttga tgtggagcga gtacaggact attttgaaag caaagaactg 720  
 aaagattcag attttcagga agtagcaaga gaaaagttgt ttttacagcc tgtaaagcca 780  
 acagatagta tgagaatgga agtatcttct cccaaactag cgattggagt tagaggtaag 840  
 cgagaagttt ctgaagcgga ttgctatcga catcatattt tattaaaatt attgtttgca 900  
 atgatgtttg gttggacttc ggatcgtttt caaaaatgtt atgaatcagg taaaattgat 960  
 gcgtccttat ctctggaagt tgaaataaca agtcgctttc attttgtcat gttgacaatg 1020  
 gatacgaaag agccagttgc tttgtctcat caatttagga aggctattcg taattttaca 1080  
 aaggatttag atattacaga ggaacattta gatattatca aaagagagat gtttggcgaa 1140  
 tttttcagta gcatgaactc tcttgaattt attgcaacgc aatatgatgc ttttgaaaat 1200  
 ggtgagataa tttttgattt gccgaaaatt ttacaggaaa ttactttaga ggatgtcctt 1260  
 gatgctggac atcatttaat agatgatggt gacatagttg attttacaat attcccatcg 1320  
 tag 1323

<210> 205

&lt;211&gt; 1650

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 205

```

atatattaca catataggag aaaaacattg cttacagtat ctgatgtttc actacgtttt      60
agtgatcgca aacttttttga tgatgtcaat atcaaattta cagaaggaaa tacttacgga      120
ttaatcgggtg ctaatgggtgc cggaaaatca accttttttaa aaatttttagc tggagatatc      180
gaacctacta ctggtcacat ctctcttgggt ccagatgaac gtctctctgt tcttcgtcaa      240
aatcactttg actacgaaga tgaacgtgcc attgatgtcg ttatcatggg aaatgaaaaa      300
ctttatagca tcatgaaaga gaaagatgct atctacatga aggaagattt ctcagacgag      360
gacgggggttc gtgctgccga actcgaagga gagtttgccg aacttggagg ttgggaagca      420
gagagtgaag cctctcaact acttcaaaac ctaaacattc cagaagaatt aactaccaa      480
aacatgagcg aattggccaa cggtgaaaaa gtaaaggttc tcctcgccaa agcacttttt      540
ggtaaaccag atgttcttct cttggacgag cctactaacg gtttggatat ccaatcgatt      600
acttgggttag aagacttctt gattgacttt gataacacag ttatcgtagt atcccacgac      660
cgtcacttct taaacaaagt ttgtactcac atggccgacc ttgacttttg aaaaatcaaa      720
ctctatgtcg gaaactacga cttctggaag gaatcttctg agcttgctgc taaattgcta      780
gcagaccgta atgctaaagc agaagaaaaa attaaacaat tgcaagaatt tgttgctcgt      840
ttctctgcc aatgcttctaa gtcaaggcag gcaacatcac gtaagaaaat gcttgataag      900
attgagctag aagagattgt gccatctagt cgtaaatac catttatcaa ctttaaagcg      960
gaacgtgaga ttggtaatga tctcttgaca gtagaaaatt taactgtaaa gattgatggg     1020
gaaactatct tggataatat tagtttcatc ttgcgtccag atgataagac agcacttatt     1080
ggacaaaatg atattcaaac gactgcatta attcgtgcaa tcatgggaga tattgactat     1140
gaaggaactg tcaagtgggg agttacaact agtcaatctt acctaccaa agataactca     1200
gctgattttg caggaggaga atcaattctt gactggttgc gtcaattcgc aagtaaagaa     1260
gaagatgaca atactttcct acgtggcttc ctcggcgta tgctcttctc tggagatgaa     1320
gttaacaaac ctgtaaagt cttgtcagg ggagaaaaag ttcgtgtcat gctttcaaaa     1380
ctcatgctct taaaatcaaa tgtccttgta cttgatgatc caacaaatca cttggacttg     1440
gaatctatct caagcttgaa tgatggattg aaaaacttta aagaatcaat catctttgcc     1500

```



agccatgacc acgaatttat tcaaactttg gctaaccata tcattgtctt atctaaaaat 1560  
 ggcgtcattg accgtatcga tgaaacctac gatgaattcc tagaaaatgc agaagtacaa 1620  
 gcaaaaagtta aagaactttg gaaagactaa 1650

<210> 206  
 <211> 2586  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 206  
 ccaactgagt tttctatcat tctacgaggt aacatgaaat cattttttaa aacatatcga 60  
 acctatttta tttctttcat cattcctgta gtgattatgt ctggagtata tctatctcaa 120  
 agtatctact ggaatagcga caactctcct ctattaggag atggctttca tcaatacggt 180  
 atttttgatg tagccttacg aaatataccta catggaaata gtaatctggt ttacaccttt 240  
 acaagtgggc tagggctaaa cttctatgcc ctatctaggt attacttggg tagttttctc 300  
 gcgcctctgg tttacttttt tgatctaacg aatatgccag atgctatcta tctgacaact 360  
 ctcttaaaat ttggattgat tggctctgtca acctttttta gtttgaataa attgtttcaa 420  
 tctatccctc agatttttaa actagcctta tctacttcct atgctctgat gagtttcact 480  
 gtcagtcaat tagagataaa aacctggcta gatgttttta tcttgattcc ttttaattata 540  
 actggtttac atctactgat aactgaaaag aaactcctat tgtactttac aagtctgtca 600  
 atcttattta ttcaaaatta ttattttgga tatatgacag tattgtttct tattttctgg 660  
 tatctctgtc aaatttcgtg ggactttaag actcgaaaat catctgttct tgatttcata 720  
 gttatctcct ttttagctgg tatggctagt ttgattatga ctcttccac tctatttgat 780  
 ttacagacac atggggaaaa attgactgaa gttacaaagt ttcaaactga aagtagctgg 840  
 tatcttgatc tctttgctaa gcaattcatt ggttcctttg acacaacaaa gtatggggcc 900  
 atcccaatga tttttgttgg actatttccc tttattttga ccattttatt ttttacgctg 960  
 aaatctatta agtttcacgt gaaactcata tatgtaatat tctttgcatt tctaattgca 1020  
 agcttttaca tagaagctct tgacttattt tggcaaggca tgcatactcc aaacatgttt 1080  
 ttacatcgct atgcttggat tttctctacc ttgttaattt acacagcagc agaagtctta 1140  
 aagcgtctga aagaacttaa agtctggaat tttttagttt cgctttttct tgtagtagca 1200  
 ggatttttag ctaccatcta tctaaaatcg cattattctt ttttaacaga tttgaatatt 1260

ctgcttactc ttgaatTTTT ggttgtctat tctctttttac tccttgccagt tatcaaaaag 1320  
 tttatatctg tgaatctatt tgccattcta atctcttttat ttatactggg tgaaatgagt 1380  
 ttaaattgctt catctcaaat ggacggaatt gctaaggaat ggggatttgc ttctcgaagt 1440  
 gcttatagtc gagatatccc agctatggaa tctttctcaa catatattgg aaatcaattt 1500  
 actcgtactg aaaaactaca aactcagaca ggaaatgaca gtatgaaatt caactacaat 1560  
 ggaatctctc aattttcatc tgttcgaaat cgttcatcaa gctctacttt agataaactt 1620  
 ggttttaaat cctctgggac taatctcaat ctccgatatg caaataatag tattttgggt 1680  
 gatagtttat ttggtatcca gtacaatatc tcagacagtc ctattgataa gtatggcttt 1740  
 aaagatatct atcaaaaaga taatcttacc ctatatgaaa atcaatactc tcttccgatt 1800  
 gcagttgcga gtcaatctgt ttacaatgat gtcaagttca atgaacatac cttggataat 1860  
 caggcctcat ttttaaatca acttgctaac gtcaattttg attatttttc tccaatacct 1920  
 tatgaaaaaa cagaaaaaat agaaaatact aatgatttga ttagtgtcac aagttcttca 1980  
 aatgaagatg cagcaatcca gtatcaaatt gaagttccag aaaacagcca agtttatctc 2040  
 tctttcataa accttcactt ttctaacgat aaacaaaaga aggttgacat ccttgtaaat 2100  
 ggtgaaaaaa agacttttac aactgataat gtcttctcct tctttaatct aggatatact 2160  
 aaagagaaaa aaactttcaa tatcaatggt agtttccctg gaaattcaca agtatcattt 2220  
 gaatctccta ccttctatcg tttagatacc aaaactttca ccgaggcaat tcaaaaaatt 2280  
 aaagaacaac ctgtcacagt atcaacttct aaaaacaagg tttttgctac atatgatgtc 2340  
 caacaagata catctatttt cttcaccatt ccttatgaca aaggttggtc tgcctaccaa 2400  
 gatggtaaga aaatagaaat taaacaagct caaactggat ttatgaaagt tgacattccc 2460  
 aaggggaaag gaactattac actttccttc attcccaatg gttttattac tggagcaatc 2520  
 tgttccttta cttctctctt actatttgga atctataatc acagacgaaa gtcattctaag 2580  
 gcataa 2586

<210> 207  
 <211> 753  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 207  
 atgaaagttt taattttaga agatgttatt gaacatcaag tgagactaga gagaatattg 60

gatgaaat	ttt cgaagaatc gaatatcca atatcataca agacaacggg aaaagtcggt	120
gaatttgaag	aatacattga aaatgatgaa gtaaatcagc tttatttcct agatattgat	180
attcatggaa	ttgagaaaaa gggatttgaa gtggctcagc tcattcgtca ttacaatcct	240
tacgctatta	togtctttat cactagtcga tcagagtttg cgactctaac ctataaatac	300
caggtatcag	ccctagat	360
attgagcaaa	atatcttcta cacgaagagt atgttacttg aaaatgaaga tgttgtagat	420
tatttcgact	acaattacaa gggaaatgat ttaaaaattc cttaccatga tttttgtat	480
attgaaacaa	caggggtatc tcataaattg cgcattattg gtaagaat	540
ttttatggta	ccatgacaga tattcaggaa aaggacaaac atactcagcg attttattct	600
cctcacaagt	catttttgggt aaatataggt aatatcagag aaattgatcg aaaaaactta	660
gaaattg	ttt tctatgaaga ccatcggtgt cctatttcaa gattaaaaat tagaaaatta	720
aaagatattt	tagagaaaaa atctcaaaag tga	753

&lt;210&gt; 208

&lt;211&gt; 1338

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 208

ggagaaagag	taatggattt acttggattt gggacagtta ttgttcattt ttttaattatt	60
agtcacagtt	accgtttaat ttgtaaaggt cgaataaata gaaaagaatt atacgttttt	120
gggtgcttata	cattactaac tgaaatagta cttgaatttt ctttttatct tctatattta	180
gataaaatag	ggattgaaag atttttattt cctttgggct tatattccta ttttcgatgg	240
atgaaacagt	atgagaggga tagaggacta ttctaagtt tactactatc tcttttatat	300
gagagcactc	ataactttct gtccgtaatt ttctcctcta taacaggaga taattttggt	360
ttacaatatc	atttcccatt ctttttcggt gtgacgggtgt taacctattt tgttacatta	420
aaaatcattt	actattttcca tttggaacta gcctattttg acaaggacta cttttatcct	480
ttcttgaaaa	aagtattttt tgctttacta ttgctacata ttgtatcttt cgtttcagat	540
atggtaagta	cgattaaaca tttgaatagt tttggaagta ttttgtcatc tattgtcttt	600
atctctctcc	ttttgacctt ctttgcaatg aattctcata aagttcaaat ggagaaagag	660
attgctttga	agcagaagaa atttgaacag aacattttac agaattacac agatgaaatt	720

gttggtctgt ataatgaaat ccgtgggtttt cgacatgatt atgctggaat gcttgtcagc 780  
 atgcagatgg caattgacag tggtaattta caggaaattg acagaattta caatgaagtt 840  
 ttagtcaaag caaatcataa attgcgttca gataagtaca cttactttga tttgaaacaac 900  
 atagaagact cagctttacg aagtttggtt gctcagtcaa ttgtctatgc tcgaaataat 960  
 ggtgtagagt ttacactgga agtaaaagat acgattacca agcttccaat tgaactattg 1020  
 gatttgggtt gtatcatgag cgttttattg aataatgctg tcgaaggatc ggctgatagc 1080  
 tataaaaagc agatggaagt agcagttatt aagatggaaa ctgaaacagt tattgtgatt 1140  
 cagaattcat gtaaaatgac gatgactcct tcaggagatc tatttgcctt aggattctcc 1200  
 actaagggaa gaaatcgcg agtcggatta aataatgtga aagaactact agataagtac 1260  
 aacaatatta ttttagaaac agagatggaa ggcagtacat ttagacaaat cattagattt 1320  
 aagaggggaat ttgaatga 1338

<210> 209  
 <211> 375  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 209  
 aagaaaatgt ctaaaaatat tgtacaattg aataattctt ttattcaaaa tgaataccaa 60  
 cgctgctgct acctgatgaa agaacgacaa aaacggaatc gttttatggg aggggtattg 120  
 attttgatta tgctattatt tatcttgcca acttttaatt tagcgcagag ttatcagcaa 180  
 ttactccaaa gacgtcagca attagcagac ttgcaaactc agtatcaaac tttgagtgat 240  
 gaaaaggata aggagacagc atttgctacc aagttgaaag atgaagatta tgctgctaaa 300  
 tatacacgag cgaagtacta ttattctaag tcgagggaaa aagtttatac gattcctgac 360  
 ttgcttcaaa ggtga 375

<210> 210  
 <211> 1383  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 210  
 agatatagaa agaggtttgt catcgcaaag aaaaaagcga catttgatg tcaaaattgt 60  
 ggggtataatt ccctaaata tctgggacgt tgcccaact gtgggtcttg gtcttctttt 120  
 gtggaagagg ttgaggttgc cgaagttaag aatgcgcgtg tgccttgac aggtgagaaa 180

```

accaagccca tgaactagc tgaggtgact tccatcaatg tcaatcgaac caagacggag      240
atggaggaat tcaaccgtgt gcttggaggc ggagtggtag caggaagtct cgtccttata      300
ggtggggatc ctgggattgg gaaatcaact cttctcctac aagtctcaac ccagttgtcc      360
caagtgggga cagttctcta tgtcagtggg gaggagtctg cccagcagat taaactacgt      420
gcagagcgct taggtgatat tgatagttag ttttatctct atgcagagac caatatgcag      480
agtgttcgtg cagaagtgga gcgtatccag ccagactttc tcattattga ttccatccag      540
accatcatgt ctctgagat ttcaggggtg caggggtctg tttctcaggt gcgtgaagtg      600
accgctgaac tcatgcagtt ggccaagacc aataacattg ccatctttat cgtaggatcat      660
gtgaccaaag aaggaacctt ggctgggcct cgtatgttgg agcatatggt ggatacgggtg      720
ctttactttg aaggggagcg tcaccacacc tttcgtatct tgagagcggt caaaaatcgt      780
tttggttcca ctaatgagat tgggattttt gagatgcagt cgggagggtt ggttgaggta      840
ctcaatccga gtcaagtttt cctagaagag cgtttggatg gggcgactgg ttcctccatc      900
gttgtaacca tggaagggac gcgtccgatt ttggcggagg ttcaggcttt ggtaacaccg      960
accatgtttg gaaatgcaa gcgtactacg acaggacttg attttaaccg tgctagcttg     1020
attatggctg ttttgaaaa acgggcaggg cttctcttgc aaaatcagga tgcctatctc     1080
aaatctgctg gtggtgttaa attggatgaa cctgcgattg acttggctgt tgcagttgct     1140
attgcttcga gctacaaaga caagccaact aatcctcagg aatgttttgt cggagaactg     1200
ggcttgacag gagagattcg gcgcgtgaat cgtattgagc aacgcatcaa cgaagctgct     1260
aaactgggct ttactaagat ttatgtacct aagaattcct tgacaggaat cactctgcct     1320
aaggaaattc aggtcattgg cgtgacaacg attcaggaag tcttgaaaaa ggtctttgca     1380
taa                                                                    1383

```

&lt;210&gt; 211

&lt;211&gt; 753

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 211

```

aaccatctac tatacggacg gttcgaggtc aggtgcggaa tatggactaa tgggagtttc      60
tatctttcta gctctctttt acatgattcc ggctctttat tttctcttcc gtattgggaa     120
aaatgggaat tgccaaagaa ggttttgatt ctgtctttat tgggagggat gttcctttca     180

```

```

ggctggttgt ctagttttgc taatacttat atccatgatt tactgggggt tcttttccca 240
gatagtccat ttttaaagtc ctttgaaagt gctattgcgg ctcccttggg agaagaaccc 300
ttgaaattat tgtcacttgt ttttgttttg gctttgattc ctgtgcgaaa attaaaatct 360
ttgtttttac ttggaattgc ttccggtttg ggattccaaa tgattaagga tattggttat 420
attcgtacgg atttgccaga gggctttgac ttactatctt cgcaattttt agagcgtatc 480
atctcaggaa ttgcctctca ctggactttt tcagggtctag ctgtagtagg tgtttacttg 540
ctttacagag cctataaagg acagaagggt ggcaagaaac agggccttat ttttctaggt 600
ttagccttgg gaactcactt cttgtttaac tctccttttg tggagtggga aacagagttg 660
ccttttagcga ttccagtggg tacggctatt gctctctatg gtttttatca tgcttattgc 720
tttgttgaga aacacaatga gttgatgacc tag 753

```

&lt;210&gt; 212

&lt;211&gt; 2187

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 212

```

ttttcattga gtattaggga aaaggagatg aatatgaaat ttgggaaacg tcattatcgt 60
ccgcagggtg atcagatgga ctgcggtgta gcttcattag ccatggtttt tggctactat 120
ggtagttatt attttttggc tcacttgcca gaattggcta agacgaccat ggatgggacg 180
acggccttgg gcttgggtcaa ggtggcagag gagattgggt ttgagacgcg agccattaag 240
gcagatatga cgctttttga cttgccggat ttaacttttc cttttgttgc ccatgtgctt 300
aaggaaggga aattgctcca ctactatgtg gtgactgggc aggataagga tagcattcat 360
attgccgatc cagatcccgg ggtgaagttg actaaactgc cacgtgagcg ttttgaggaa 420
gaatggacag gagtgactct ttttatggca cctagtccag actataagcc tcataaggaa 480
caaaaaaatg gtctgtcttc ttttatccct atattagtga agcagcgtgg cttgattgcc 540
aatatcgttt tggcaacact cttggtaacc gtgattaaca ttgtgggttc ttattatctg 600
cagtctatca ttgataccta tgtgccagat cagatgcgtt cgacactagg gattatttct 660
attgggctag tcatcgtcta catcttcag caaatcttgt cttacgctca ggagtatctc 720
ttgcttgttt tggggcaacg cttgtcgatt gacgtgattt tgtcctatat caagcatggt 780
tttcacctcc ctatgtcctt ctttgcgaca cgcaggacag gggagatcgt gtctcgtttt 840

```

```

acagatgcta acagtatcat cgatgcgctg gcttcgacca tcctttcgat tttcctagat 900
gtgtcaacgg ttgtcattat ttcccttggt ctattttcac aaaataccaa tctctttttc 960
atgactttat tggcgcttcc tatctacaca gtgattatct ttgcctttat gaagccggtt 1020
gaaaagatga atcgggatac catggaagcc aatgcgggtc tgtcttcttc tatcattgag 1080
gacatcaacg gtattgagac tatcaagtcc ttgaccagtg aaagtcagcg ttaccaaaaa 1140
attgacaagg aattttgtgga ttatctgaag aaatccttta cctatagtcg agcagagagt 1200
cagcaaaagg ctctgaaaaa ggttgcccat ctcttgctta atgtcggcat tctctggatg 1260
ggggctgttc tggtcatgga tggcaagatg agtttggggc agttgattac ctataatacc 1320
ttgctgggtt actttactaa tcctttggaa aatatcatca atctgcaaac caagcttcag 1380
acagcgcagg ttgccaataa ccgtctaaat gaagtgtatc tagtagcttc tgagtttgag 1440
gagaagaaaa cagttgagga tttgagcttg atgaaggag atatgacctt caagcaggtt 1500
cattacaagt atggctatgg tcgagatgtc ttatcggata tcaatttaac cgttccccaa 1560
gggtctaagg tggcttttgt ggggatttca gggtcaggta agacgacttt ggccaagatg 1620
atgggttaatt tttacgaccc aagtcaaggg gagattagtc tgggtagtgt caatctcaat 1680
cagattgata aaaaagccct gcgccagtac atcaactatc tgtctcaaca gccctatgtc 1740
tttaacggaa cgattttgga gaatcttctt ttgggagcca aggaggggac gacacaggaa 1800
gatatcttac gggcggtcga attggcagag attcgagagg atatcgagcg catgccactg 1860
aattaccaga cagaattgac ttcggatggg gcagggattt caggtggtca acgtcagaga 1920
atcgctttgg cgcgtgctct cttgacagat gcgccggtct tgattttgga tgaggcgact 1980
agcagtttgg atattttgac agagaagcgg attgtcgata atctcattgc tttggacaag 2040
accttgattt tcattgctca ccgcttgact attgctgagc ggacagagaa ggtagttgtc 2100
ttggatcagg gcaagattgt cgaagaagga aagcatgctg atttgcttgc acaggggtggc 2160
ttttacgccc atttgggtcaa tagctag 2187

```

```

<210> 213
<211> 960
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 213
atggatatca aaataaaaag ggaggaaatt atgaaaaagt tttcaaaaac attgagagac 60

```

```

aactggatct ttctcttgat ggttttgcca ggggcactct ggttgattct attcttttac 120
attccagtat ttgggaacgt ggttgccttc aaagactacc acatgaccag taatgggttc 180
atagatagta tcataaataag taaatgggtc ggactcgata attttagatt cttatttagt 240
tcaagagacg cctttattat cacacgaaat actgtcctct acaatcttgg ctttatcttt 300
ctagggttag ttgtatctgt agggattgcc attatcctca gcgagctccg ttctaagaga 360
atgggtgaaga tttttcaaac ttctatgttg ttcccttact tcttgtcttg ggttatcatc 420
agtttcttta cagatgcctt cctaaatatt gataaagggg tgttcaatca tctattggaa 480
agtcttggtc tcaaagaagt caatttctac gctgacctgg gcatctggcc ctatctccta 540
cttttcctag gtatttggaagggtttgga tatagcagtg tcatgtacta tgcgacgac 600
atgggaattg atccaacctc ctacgaagca gcgacagtgg acggagctag caagtggcaa 660
cgtattcgca acgtaaccat tctcagttg actccgcttg taactgtatt gaccatcctt 720
gcagtcggaa atatcttccg cgcagacttc ggtctcttct atcaaatccc acacaatgct 780
ggtcagcttt acaatgtaac caacgttttg gacgtatatg tctttaatgg tttgactcag 840
acagcagata tcggtatggc tgcagcagcc ggtctttacc aatccgttgt tggtttgatt 900
ctggttatcc tatcaaacctt gcttgcaaga cgagtcgac caaactcagc tttgttctag 960

```

&lt;210&gt; 214

&lt;211&gt; 1179

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 214

```

aagaggattt atatgaaaaa gcaatcactc ttttttggtc cagggtattat cctgattggt 60
gtttccttgc gaactccttt tactgtttta ccattatct tgggaaatat ttcgcaagggt 120
ctggaggtag aagttagttc gcttgggtgc ttgaccagcc tgcctctcct tatgtttacc 180
ctcttttcac ctttttctac ccaactgggt cagaaaatcg gcttggagca tctcttcacc 240
tacagcctct tcttcttgac catcggtcca cttattcgac taatcaatct gccctgctc 300
tatctaggaa ccttgatggt tggggcaagt gtcgcagtca tcaatgtcct gcttcctagt 360
cttatccaag ccaatcaacc aaagaaaatt ggttttctga ccaccttata tgtaacgtct 420
atggggattg caacggctct ggcttctat ctagctgtgc ccattacaca agccagttct 480
tggaaggac ttatccttct cctcacgtta ctctgtctag caactttttt ggtctggctc 540

```



```

ccaaatcacc gctataatca tagactagct ccacaaacca aacaaaaaag tcaaataaag      600
gtcatgcgta ataaacaggt ttgggcaatt attatctttt cagggttttca atccttgatc      660
ttttacaccg tcatgacctg gttacctacc atgtctatcc atgcaggtct atccagtcac      720
gaagctggct tgctgacttc tatcttatct ctgattagca ttcttttttc aatgaccatc      780
ccaagcctga caaccagttt atctactcgc aaccgtcagc tcatgctcac tctggtttca      840
ctagctgggtg tggtcggcat ttccatgctc tttttcccaa tcaataattt catttactgg      900
cttgccatcc atctcctcat cggaaccgca accagtgtccc tcttccttta tctcatggtc      960
aactttttcac tcaagacaag cgcccctgaa aagacagccc aattgtccgg cctatctcaa     1020
acaggagggt atatcctagc agcctttggg ccaaccctct ttgggttacag ttttgacctg     1080
ttccactctt ggggtaccatc tgtagctgcc ctcttgctca tcgatatcct gatgactgtg     1140
gccctcttta cagtggacag agcggataag atcctttaa                               1179

```

<210> 215  
 <211> 453  
 <212> DNA  
 <213> Streptococcus pneumoniae

```

<400> 215
ttggatttcc tctttgctgc tgggtgccttt ggactagtca tcgcaaacaa tgcctccatc      60
tcaggtgctg aggggtgggtg tcaagctgaa gttgggttcag cctctgctat gagtgctgcc     120
gccttgactc tggctgcagg tggaacacct tatcaggcca gtcaagctat tgcctttgtc      180
attaaaaata tgctaggcct catctgtgac cctgttgagc gtttggtcga agttccctgt      240
gtcaaacgta atgccatggg agctagcttt gctttcatcg cagcagacat ggccttggca      300
ggtatcgaat ctaaaatccc tgtggatgaa gtgatcgatg ccatgtacca agtaggagca      360
agcatgccaa ctgcctttcg tgaaacagct gaagggtggac tcgctaccac ccctactggg      420
cgtcgcctcc aaaaagaaat tttcggagaa taa                               453

```

<210> 216  
 <211> 197  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 216

Met His Leu Thr His Arg Glu Val Arg Asp Lys Leu Leu Ser Tyr Ser

1	5	10	15
Glu Gly Leu Gln Val His Tyr Glu Leu Tyr Gln Leu Leu Leu Phe His	20	25	30
Phe Gln Glu Lys Asn Ala Asp His Phe Phe Gly Leu Ile Glu Gln Glu	35	40	45
Leu Pro Thr Val His Pro Leu Phe Gln Thr Val Phe Trp Thr Phe Leu	50	55	60
Arg Asp Arg Asp Lys Ile Ile Asn Ala Leu Lys Leu Pro Tyr Ser Asn	65	70	75
Ala Lys Leu Glu Ala Thr Asn Asn Leu Ile Lys Ile Ile Lys Arg Lys	85	90	95
Ala Phe Gly Phe Arg Asn Phe Asn Asn Phe Lys Lys Arg Ile Leu Met	100	105	110
Thr Leu Asn Ile Lys Lys Glu Ser Thr Asn Phe Val Leu Ser Arg Leu	115	120	125
Gln Leu Phe Ala Tyr Pro Leu His Leu Thr Lys Ser His Ser Leu Phe	130	135	140
His Gly Ile Lys Gly Lys Thr Trp Phe Gly Ile Glu Val Pro Ala Cys	145	150	155
Glu Val Phe Phe Val Pro Leu Ala Asp Ala Gly Ile Gly Asn His Thr	165	170	175
Cys Ile Val Ser Ala Glu Ser Gln Arg Gly Asp Asp Asn Leu Asp Ile	180	185	190
Cys Asp Phe Gly Cys	195		

```
<210> 217
<211> 218
<212> PRT
<213> Streptococcus pneumoniae
```

&lt;400&gt; 217

Met Pro Thr Ala Leu Gly Tyr Val Ser Ile Gly Leu Ala Cys Gly Ile  
 1 5 10 15

Ile Gly Ala Pro Tyr Val Thr Pro Val Glu Met Gly Leu Met Ser Leu  
 20 25 30

Phe Val Tyr Ala Gly Ser Ala Gln Phe Ala Met Leu Ala Leu Ile Val  
 35 40 45

Val Gln Ala Pro Val Ala Ala Ile Ala Met Thr Val Phe Leu Ile Asn  
 50 55 60

Leu Arg Leu Phe Leu Leu Ser Leu His Ala Ser Thr Tyr Phe Arg His  
 65 70 75 80

Thr Ser Leu Trp Tyr Asn Ile Gly Met Ser Ser Ile Leu Thr Asp Glu  
 85 90 95

Thr Tyr Gly Val Leu Met Gly Glu Leu Ala His Thr Asp Lys Val Asn  
 100 105 110

Pro Met Trp Met His Gly Asn Asn Leu Asn Ser Tyr Val Ala Trp Phe  
 115 120 125

Val Gly Thr Val Val Gly Thr Ala Leu Gly Gly Leu Leu Pro Asn Pro  
 130 135 140

Glu Ile Phe Gly Leu Asp Phe Ala Leu Val Gly Met Phe Ile Gly Ile  
 145 150 155 160

Phe Ala Ser Gln Phe Gln Ile Met Gln Arg Arg Ile Pro Val Arg Asn  
 165 170 175

Leu Leu Ile Ile Leu Ala Val Val Ala Val Ser Phe Phe Leu Leu Leu  
 180 185 190

Thr Val Met Ser Gln Ser Leu Ala Val Leu Phe Ala Thr Leu Leu Gly  
 195 200 205

Cys Ser Met Gly Val Val Leu Asp Gly Gln  
 210 215

<210> 218

<211> 276

<212> PRT

<213> Streptococcus pneumoniae

<400> 218

Met Lys Lys Ile Val Lys Tyr Ser Ser Leu Ala Ala Leu Ala Leu Val  
 1 5 10 15

Ala Ala Gly Val Leu Ala Ala Cys Ser Gly Gly Ala Lys Lys Glu Gly  
 20 25 30

Glu Ala Ala Ser Lys Lys Glu Ile Ile Val Ala Thr Asn Gly Ser Pro  
 35 40 45

Lys Pro Phe Ile Tyr Glu Glu Asn Gly Glu Leu Thr Gly Tyr Glu Ile  
 50 55 60

Glu Val Val Arg Ala Ile Phe Lys Asp Ser Asp Lys Tyr Asp Val Lys  
 65 70 75 80

Phe Glu Lys Thr Glu Trp Ser Gly Val Phe Ala Gly Leu Asp Ala Asp  
 85 90 95

Arg Tyr Asn Met Ala Val Asn Asn Leu Ser Tyr Thr Lys Glu Arg Ala  
 100 105 110

Glu Lys Tyr Leu Tyr Ala Ala Pro Ile Ala Gln Asn Pro Asn Val Leu  
 115 120 125

Val Val Lys Lys Asp Asp Ser Ser Ile Lys Ser Leu Asp Asp Ile Gly  
 130 135 140

Gly Lys Ser Thr Glu Val Val Gln Ala Thr Thr Ser Ala Lys Gln Leu  
 145 150 155 160

Glu Ala Tyr Asn Ala Glu His Thr Asp Asn Pro Thr Ile Leu Asn Tyr  
 165 170 175

Thr Lys Ala Asp Leu Gln Gln Ile Met Val Arg Leu Ser Asp Gly Gln  
 180 185 190

Phe Asp Tyr Lys Ile Phe Asp Lys Ile Gly Val Glu Thr Val Ile Lys  
 195 200 205

Asn Gln Gly Leu Asp Asn Leu Lys Val Ile Glu Leu Pro Ser Asp Gln  
 210 215 220

Gln Pro Tyr Val Tyr Pro Leu Leu Ala Gln Gly Gln Asp Glu Leu Lys  
 225 230 235 240

Ser Phe Val Asp Lys Arg Ile Lys Glu Leu Tyr Lys Asp Gly Thr Leu  
 245 250 255

Glu Lys Leu Ser Lys Gln Phe Phe Gly Asp Thr Tyr Leu Pro Ala Glu  
 260 265 270

Ala Asp Ile Lys  
 275

<210> 219  
 <211> 457  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 219

Met Val Phe Pro Ser Glu Gln Glu Gln Ile Glu Lys Phe Glu Lys Asp  
 1 5 10 15

His Val Ala Gln His Tyr Phe Glu Val Leu Arg Thr Leu Ile Ser Lys  
 20 25 30

Lys Ser Val Phe Ala Gln Gln Val Gly Leu Lys Glu Val Ala Asn Tyr  
 35 40 45

Leu Gly Glu Ile Phe Lys Arg Val Gly Ala Glu Val Glu Ile Asp Glu  
 50 55 60

Ser Tyr Thr Ala Pro Phe Val Met Ala His Phe Lys Ser Ser Arg Pro  
 65 70 75 80

Asp Ala Lys Thr Leu Ile Phe Tyr Asn His Tyr Asp Thr Val Pro Ala  
                                     85                                    90                                    95

Asp Gly Asp Gln Val Trp Thr Glu Asp Pro Phe Thr Leu Ser Val Arg  
                                     100                                    105                                    110

Asn Gly Phe Met Tyr Gly Arg Gly Val Asp Asp Asp Lys Gly His Ile  
                                     115                                    120                                    125

Thr Ala Arg Leu Ser Ala Leu Arg Lys Tyr Met Gln His His Asp Asp  
                                     130                                    135                                    140

Leu Pro Val Asn Ile Ser Phe Ile Met Glu Gly Ala Glu Glu Ser Ala  
                                     145                                    150                                    155                                    160

Ser Thr Asp Leu Asp Lys Tyr Leu Glu Lys His Ala Asp Lys Leu Arg  
                                     165                                    170                                    175

Gly Ala Asp Leu Leu Val Trp Glu Gln Gly Thr Lys Asn Ala Leu Glu  
                                     180                                    185                                    190

Gln Leu Glu Ile Ser Gly Gly Asn Lys Gly Ile Val Thr Phe Asp Ala  
                                     195                                    200                                    205

Lys Val Lys Ser Ala Asp Val Asp Ile His Ser Ser Tyr Gly Gly Val  
                                     210                                    215                                    220

Val Glu Ser Ala Pro Trp Tyr Leu Leu Gln Ala Leu Gln Ser Leu Arg  
                                     225                                    230                                    235                                    240

Ala Ala Asp Gly Arg Ile Leu Val Glu Gly Leu Tyr Glu Glu Val Gln  
                                     245                                    250                                    255

Glu Pro Asn Glu Arg Glu Met Ala Leu Leu Glu Thr Tyr Gly Gln Arg  
                                     260                                    265                                    270

Asn Pro Glu Glu Val Ser Arg Ile Tyr Gly Leu Glu Leu Pro Leu Leu  
                                     275                                    280                                    285

Gln Glu Glu Arg Met Ala Phe Leu Lys Arg Phe Phe Phe Asp Pro Ala  
                                     290                                    295                                    300

Leu Asn Ile Glu Gly Ile Gln Ser Gly Tyr Gln Gly Gln Gly Val Lys  
305 310 315 320

Thr Ile Leu Pro Ala Glu Ala Ser Ala Lys Leu Glu Val Arg Leu Val  
325 330 335

Pro Gly Leu Glu Pro His Asp Val Leu Glu Lys Ile Arg Lys Gln Leu  
340 345 350

Asp Lys Asn Gly Phe Asp Lys Val Glu Leu Tyr Tyr Thr Leu Gly Glu  
355 360 365

Met Ser Tyr Arg Ser Asp Met Ser Ala Pro Ala Ile Leu Asn Val Ile  
370 375 380

Glu Leu Ala Lys Lys Phe Tyr Pro Gln Gly Val Ser Val Leu Pro Thr  
385 390 395 400

Thr Ala Gly Thr Gly Pro Met His Thr Val Phe Asp Ala Leu Glu Val  
405 410 415

Pro Met Val Ala Phe Gly Leu Gly Asn Ala Asn Ser Arg Asp His Gly  
420 425 430

Gly Asp Glu Asn Val Arg Ile Ala Asp Tyr Tyr Thr His Ile Glu Leu  
435 440 445

Val Glu Glu Leu Ile Arg Ser Tyr Glu  
450 455

<210> 220  
<211> 204  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 220

Met Gly Arg Phe Leu Asp Phe Val Phe Asn Arg Phe Phe Leu Gly Met  
1 5 10 15

Ile Ala Thr Ala Phe Phe Trp Leu Leu Thr Leu Ala Gly Gly Ile Ile  
20 25 30

Leu Gly Leu Ala Pro Ala Ser Ala Thr Leu Met Ser Leu Tyr Ala Glu  
35 40 45

His Gly Tyr Ser Phe Arg Glu Tyr Ser Leu Lys Glu Ala Trp Ser Leu  
50 55 60

Tyr Lys Gln Asn Phe Val Ser Ser Asn Leu Ile Phe Tyr Ser Phe Leu  
65 70 75 80

Gly Val Gly Leu Val Leu Thr Tyr Gly Leu Tyr Leu Leu Val Gln Leu  
85 90 95

Pro His Gln Thr Ile Val His Leu Ile Ala Thr Leu Leu Asn Val Leu  
100 105 110

Val Val Ala Leu Ile Phe Leu Ala Tyr Thr Val Ser Leu Lys Leu Gln  
115 120 125

Val Tyr Phe Ala Leu Ser Tyr Arg Asn Ser Leu Lys Leu Ser Leu Ile  
130 135 140

Gly Ile Phe Met Ser Leu Ala Ala Val Ala Lys Val Leu Leu Gly Thr  
145 150 155 160

Val Leu Leu Val Ala Ile Gly Tyr Tyr Met Pro Ala Leu Leu Phe Phe  
165 170 175

Val Gly Ile Gly Met Trp His Phe Phe Ile Ser Asp Met Leu Glu Pro  
180 185 190

Val Tyr Glu Ile Ile His Glu Lys Leu Ala Thr Lys  
195 200

<210> 221

<211> 152

<212> PRT

<213> Streptococcus pneumoniae

<400> 221

Met Lys Lys Gln Val Phe His Asp Ala Ala Thr Gly Val Leu Ile Gly  
1 5 10 15



Leu Ile Leu Ser Ile Leu Phe Ser Leu Ile Tyr Ala Pro Asn Thr Tyr  
 20 25 30

Ala Pro Leu Asn Pro Tyr Ser Leu Ile Gly Gln Val Met Asp Gln His  
 35 40 45

Gln Val His Gly Ala Leu Val Leu Leu Tyr Cys Thr Leu Ile Trp Ala  
 50 55 60

Thr Ile Gly Met Leu Phe Asn Phe Gly Asn Arg Leu Phe Ser Arg Asp  
 65 70 75 80

Trp Ser Met Leu Arg Ala Thr Leu Thr His Phe Phe Leu Met Leu Ala  
 85 90 95

Gly Phe Val Pro Leu Ala Thr Leu Ala Gly Trp Phe Pro Phe His Trp  
 100 105 110

Ile Phe Tyr Leu Gln Leu Ile Ile Glu Phe Ala Ile Val Tyr Leu Ile  
 115 120 125

Ile Trp Ala Ile Leu Tyr Lys Arg Glu Ala Lys Lys Val Asp His Ile  
 130 135 140

Asn Gln Leu Leu Glu His Arg Lys  
 145 150

<210> 222  
 <211> 197  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 222

Met Tyr Ala Tyr Leu Lys Gly Ile Ile Thr Lys Ile Thr Ala Lys Tyr  
 1 5 10 15

Ile Val Leu Glu Thr Asn Gly Ile Gly Tyr Ile Leu His Val Ala Asn  
 20 25 30

Pro Tyr Ala Tyr Ser Gly Gln Val Asn Gln Glu Ala Gln Ile Tyr Val  
 35 40 45

His Gln Val Val Arg Glu Asp Ala His Leu Leu Tyr Gly Phe Arg Ser  
50 55 60

Glu Asp Glu Lys Lys Leu Phe Leu Ser Leu Ile Ser Val Ser Gly Ile  
65 70 75 80

Gly Pro Val Ser Ala Leu Ala Ile Ile Ala Ala Asp Asp Asn Ala Gly  
85 90 95

Leu Val Gln Ala Ile Glu Thr Lys Asn Ile Thr Tyr Leu Thr Lys Phe  
100 105 110

Pro Lys Ile Gly Lys Lys Thr Ala Gln Gln Met Val Leu Asp Leu Glu  
115 120 125

Gly Lys Val Val Val Ala Gly Asp Asp Leu Pro Ala Lys Val Ala Val  
130 135 140

Gln Ala Ser Ala Glu Asn Gln Glu Leu Glu Glu Ala Met Glu Ala Met  
145 150 155 160

Leu Ala Leu Gly Tyr Lys Ala Thr Glu Leu Lys Lys Ile Lys Lys Phe  
165 170 175

Phe Glu Gly Thr Thr Asp Thr Ala Glu Asn Tyr Ile Lys Ser Ala Leu  
180 185 190

Lys Met Leu Val Lys  
195

<210> 223  
<211> 189  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 223

Met Lys Lys Ile Val Leu Val Ser Leu Ala Phe Leu Phe Val Leu Val  
1 5 10 15

Gly Cys Gly Gln Lys Lys Glu Thr Gly Pro Ala Thr Lys Thr Glu Lys  
20 25 30

Asp Thr Leu Gln Ser Ala Leu Pro Val Ile Glu Asn Ala Glu Lys Asn  
35 40 45

Thr Val Val Thr Lys Thr Leu Val Leu Pro Lys Ser Asp Asp Gly Ser  
50 55 60

Gln Gln Thr Gln Thr Ile Thr Tyr Lys Asp Lys Thr Phe Leu Ser Leu  
65 70 75 80

Ala Ile Gln Gln Lys Arg Pro Val Ser Asp Glu Leu Lys Thr Tyr Ile  
85 90 95

Asp Gln His Gly Val Glu Glu Thr Gln Lys Ala Leu Leu Glu Ala Glu  
100 105 110

Glu Lys Asp Lys Ser Ile Ile Glu Ala Arg Lys Leu Ala Gly Phe Lys  
115 120 125

Leu Glu Thr Lys Leu Leu Ser Ala Thr Glu Leu Gln Thr Thr Thr Ser  
130 135 140

Phe Asp Phe Gln Val Leu Asp Val Lys Lys Ala Ser Gln Leu Glu His  
145 150 155 160

Leu Lys Asn Ile Gly Leu Glu Asn Leu Leu Lys Asn Glu Pro Ser Lys  
165 170 175

Tyr Ile Ser Asp Arg Leu Ala Asn Gly Ala Thr Glu Gln  
180 185

<210> 224

<211> 152

<212> PRT

<213> Streptococcus pneumoniae

<400> 224

Met Lys Leu Lys Arg Phe Thr Leu Ser Leu Ala Ser Leu Ala Ser Phe  
1 5 10 15

Ser Leu Leu Val Ala Cys Ser Gln Arg Ala Gln Gln Val Gln Gln Pro  
20 25 30

Val Ala Gln Gln Gln Val Gln Gln Pro Ala Gln Gln Asn Thr Asn Thr  
 35 40 45

Ala Asn Ala Gly Gly Asn Gln Asn Gln Ala Ala Pro Val Gln Asn Gln  
 50 55 60

Pro Val Ala Gln Pro Thr Asp Ile Asp Gly Thr Tyr Thr Gly Gln Asp  
 65 70 75 80

Asp Gly Asp Arg Ile Thr Leu Val Val Thr Gly Thr Thr Gly Thr Trp  
 85 90 95

Thr Glu Leu Glu Ser Asp Gly Asp Gln Lys Val Lys Gln Val Thr Leu  
 100 105 110

Asp Ser Ala Asn Gln Arg Met Ile Ile Gly Asp Asp Val Lys Ile Tyr  
 115 120 125

Thr Val Asn Gly Asn Gln Ile Val Val Asp Asp Met Asp Arg Asp Pro  
 130 135 140

Ser Asp Gln Ile Val Leu Thr Lys  
 145 150

<210> 225  
 <211> 510  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 225

Met Lys Tyr Arg Lys Phe Gln Leu Leu Met Ser Lys Tyr Gly Phe Ser  
 1 5 10 15

Leu Ser Ile Met Leu Leu Glu Leu Cys Leu Val Phe Gly Leu Phe Leu  
 20 25 30

Tyr Leu Gly Arg Met Ala Pro Ile Leu Trp Ile Thr Val Leu Ile Leu  
 35 40 45

Leu Ser Ile Ile Thr Ile Ile Ser Ile Val Asn Arg Asn Thr Thr Pro  
 50 55 60

Glu Asn Lys Val Thr Trp Leu Leu Val Ala Phe Val Pro Val Phe Gly  
 65 70 75 80

Pro Leu Leu Tyr Leu Met Phe Gly Glu Arg Arg Leu Ser Lys Lys Glu  
 85 90 95

Ile Lys Gln Leu Lys Lys Leu Gly Ser Met His Phe Gln Glu Ala Asn  
 100 105 110

Ser Gln Leu Leu Lys Glu Lys Leu Lys Glu Ser Asp Lys Ala Ala Tyr  
 115 120 125

Gly Val Ile Lys Ser Leu Leu Ser Met Asp Thr Asn Ala Asp Ile Tyr  
 130 135 140

Asp Gln Thr Ala Ser Thr Phe Phe Pro Asn Gly Glu Ala Met Trp Lys  
 145 150 155 160

Lys Met Val Glu Asp Leu Lys Lys Ala Glu Lys Phe Ile Phe Leu Glu  
 165 170 175

Tyr Tyr Ile Ile Glu Glu Gly Leu Met Trp Asn Arg Ile Leu Asp Ile  
 180 185 190

Leu Glu Gln Lys Val Ala Gln Gly Val Glu Val Lys Met Leu Tyr Asp  
 195 200 205

Asp Ile Gly Cys Met Ala Thr Leu Thr Gly Asp Tyr Ala His Arg Leu  
 210 215 220

Arg Gln Leu Gly Ile Glu Ala His Lys Phe Asn Lys Val Ile Pro Arg  
 225 230 235 240

Leu Thr Val Ala Tyr Asn Asn Arg Asp His Arg Lys Ile Leu Ile Val  
 245 250 255

Asp Gly Gln Ile Ala Tyr Thr Gly Gly Val Asn Leu Ala Asp Glu Tyr  
 260 265 270

Ile Asn His Val Glu Arg Phe Gly Tyr Trp Lys Asp Ser Gly Ile Arg  
 275 280 285

Leu Asp Gly Leu Ala Val Lys Ala Leu Thr Arg Leu Phe Leu Thr Thr  
 290 295 300

Trp Tyr Ile Asn Arg Gly Glu Ile Ser Asp Phe Asp Gln Tyr His Leu  
 305 310 315 320

Glu Asn His Ser Ile Pro Ser Asp Gly Leu Thr Ile Pro Tyr Gly Ser  
 325 330 335

Gly Pro Lys Pro Ile Phe Arg Ala Gln Val Gly Lys Lys Val Tyr Gln  
 340 345 350

Ser Leu Ile Asn Gln Ala Thr Glu Ser Val Tyr Ile Thr Thr Pro Tyr  
 355 360 365

Leu Ile Ile Asp Tyr Asp Leu Thr Glu Thr Ile Lys Asn Ala Ala Met  
 370 375 380

Arg Gly Val Asp Val Arg Ile Ile Thr Pro Tyr Ile Pro Asp Lys Lys  
 385 390 395 400

Phe Ile Gln Leu Val Thr Arg Gly Ala Tyr Pro Asp Leu Leu Ser Ala  
 405 410 415

Gly Val Arg Ile Tyr Glu Tyr Ser Pro Gly Phe Ile His Ser Lys Gln  
 420 425 430

Met Leu Val Asp Glu Asp Phe Ala Val Val Gly Thr Ile Asn Leu Asp  
 435 440 445

Tyr Arg Ser Leu Val His His Tyr Glu Asn Ala Val Leu Leu Tyr Lys  
 450 455 460

Thr Pro Ser Ile Arg Glu Ile Ala Arg Asp Phe Arg Asn Ile Phe Ala  
 465 470 475 480

Asp Ser Gln Glu Val Tyr Pro His Ser Ile Lys Thr Ser Trp Tyr Gln  
 485 490 495

Lys Leu Val Lys Glu Ile Ala Gln Leu Phe Ala Pro Ile Leu

500 505 510

<210> 226  
 <211> 81  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 226

Met Asn Gln Thr Phe Gly Thr Val Val Ser Asn Asp Trp Phe Ser Leu  
 1 5 10 15

Ser Asn Ile Asn Ile Gln Thr Thr Phe Tyr Cys Leu Arg Leu Ile Ile  
 20 25 30

Phe Thr Leu Val Val Ile Phe Phe Phe Ile Val Asn Trp Trp Val Lys  
 35 40 45

Asp Leu Val Glu Ser Phe Ser Ser Tyr Ala Val Asp Asp Thr Pro Thr  
 50 55 60

Gln Thr Phe Gln Lys Ala Val Arg Val His Phe Asn Ile Asp Asn Thr  
 65 70 75 80

Phe

<210> 227  
 <211> 490  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 227

Met Ile Asn Asp Ile Ile Leu Leu Leu Phe Val Lys Ile Lys Arg Arg  
 1 5 10 15

Leu Met Met Asp Lys Leu Phe Lys Leu Lys Glu Asn Gly Thr Asp Val  
 20 25 30

Arg Thr Glu Val Leu Ala Gly Leu Thr Thr Phe Phe Ala Met Ser Tyr  
 35 40 45

Ile Leu Phe Val Asn Pro Gln Ile Leu Ser Gln Thr Gly Met Pro Ala  
 50 55 60

Gln Gly Val Phe Leu Ala Thr Ile Ile Gly Ala Val Ala Gly Thr Leu  
 65 70 75 80

Met Met Ala Phe Tyr Ala Asn Leu Pro Tyr Ala Gln Ala Pro Gly Met  
 85 90 95

Gly Leu Asn Ala Phe Phe Thr Phe Thr Val Val Phe Gly Leu Gly Tyr  
 100 105 110

Ser Trp Gln Glu Ala Leu Ala Met Val Phe Ile Cys Gly Ile Ile Ser  
 115 120 125

Leu Ile Ile Thr Leu Thr Asn Val Arg Lys Met Ile Ile Glu Ser Ile  
 130 135 140

Pro Asn Ala Leu Arg Ser Ala Ile Ser Ala Gly Ile Gly Val Phe Leu  
 145 150 155 160

Ala Tyr Val Gly Ile Lys Asn Ala Gly Leu Leu Lys Phe Thr Ile Asp  
 165 170 175

Pro Gly Asn Tyr Thr Val Val Gly Glu Gly Ala Asp Lys Ala Gln Ala  
 180 185 190

Thr Ile Ala Ala Asn Ser Ser Ala Val Pro Gly Leu Val Ser Phe Asn  
 195 200 205

Asn Pro Ala Val Leu Val Ala Leu Ala Gly Leu Ala Ile Thr Ile Phe  
 210 215 220

Phe Val Ile Lys Gly Ile Lys Gly Gly Ile Ile Leu Ser Ile Leu Thr  
 225 230 235 240

Thr Thr Val Leu Ala Ile Ala Val Gly Leu Val Asp Leu Ser Ser Ile  
 245 250 255

Asp Phe Ala Asn Asn His Val Gly Ala Ala Phe Glu Asp Leu Lys Thr  
 260 265 270

Ile Phe Gly Ala Ala Leu Gly Ser Glu Gly Leu Gly Ala Leu Val Ser



275	280	285
Asp Thr Ala Arg Leu Pro Glu Thr Leu Met Ala Ile Leu Ala Phe Ser		
290	295	300
Leu Thr Asp Ile Phe Asp Thr Ile Gly Thr Leu Ile Gly Thr Gly Glu		
305	310	315
Lys Val Gly Ile Val Ala Thr Asn Gly Glu Asn His Gln Ser Ala Lys		
325	330	335
Leu Asp Lys Ala Leu Tyr Ser Asp Leu Ile Gly Thr Thr Val Gly Ala		
340	345	350
Ile Ala Gly Thr Ser Asn Val Thr Thr Tyr Val Glu Ser Ala Ala Gly		
355	360	365
Ile Gly Ala Gly Gly Arg Thr Gly Leu Thr Ala Leu Val Val Ala Ile		
370	375	380
Cys Phe Ala Ile Ser Ser Phe Phe Ser Pro Leu Leu Ala Ile Val Pro		
385	390	395
Thr Ala Ala Thr Ala Pro Ile Leu Ile Ile Val Gly Ile Met Met Leu		
405	410	415
Gly Ser Leu Lys Asn Ile His Trp Asp Asp Met Ser Glu Ala Val Pro		
420	425	430
Ala Phe Phe Thr Ser Ile Phe Met Gly Phe Ser Tyr Ser Ile Thr Gln		
435	440	445
Gly Ile Ala Val Gly Phe Leu Thr Tyr Thr Leu Thr Lys Leu Val Lys		
450	455	460
Gly Gln Val Lys Asp Val His Val Met Ile Trp Ile Leu Asp Ala Leu		
465	470	475
Phe Ile Leu Asn Tyr Ile Ser Met Ala Leu		
485	490	

<210> 228  
 <211> 1077  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 228

Met Ile Leu Gln Tyr Val Tyr Trp Ser Val Tyr Met Gln Thr Lys Thr  
 1 5 10 15

Lys Lys Leu Ile Val Ser Leu Ser Ser Leu Val Leu Ser Gly Phe Leu  
 20 25 30

Leu Asn His Tyr Met Thr Ile Gly Ala Glu Glu Thr Thr Thr Asn Thr  
 35 40 45

Ile Gln Gln Ser Gln Lys Glu Val Gln Tyr Gln Gln Arg Asp Thr Lys  
 50 55 60

Asn Leu Val Glu Asn Gly Asp Phe Gly Gln Thr Glu Asp Gly Ser Ser  
 65 70 75 80

Pro Trp Thr Gly Ser Lys Ala Gln Gly Trp Ser Ala Trp Val Asp Gln  
 85 90 95

Lys Asn Ser Ala Asp Ala Ser Thr Arg Val Ile Glu Ala Lys Asp Gly  
 100 105 110

Ala Ile Thr Ile Ser Ser His Glu Lys Leu Arg Ala Ala Leu His Arg  
 115 120 125

Met Val Pro Ile Glu Ala Lys Lys Lys Tyr Lys Leu Arg Phe Lys Ile  
 130 135 140

Lys Thr Asp Asn Lys Ile Gly Ile Ala Lys Val Arg Ile Ile Glu Glu  
 145 150 155 160

Ser Gly Lys Asp Lys Arg Leu Trp Asn Ser Ala Thr Thr Ser Gly Thr  
 165 170 175

Lys Asp Trp Gln Thr Ile Glu Ala Asp Tyr Ser Pro Thr Leu Asp Val  
 180 185 190

Asp Lys Ile Lys Leu Glu Leu Phe Tyr Glu Thr Gly Thr Gly Thr Val  
 195 200 205  
 Ser Phe Lys Asp Ile Glu Leu Val Glu Val Ala Asp Gln Leu Ser Glu  
 210 215 220  
 Asp Ser Gln Thr Asp Lys Gln Leu Glu Glu Lys Ile Asp Leu Pro Ile  
 225 230 235 240  
 Gly Lys Lys His Val Phe Ser Leu Ala Asp Tyr Thr Tyr Lys Val Glu  
 245 250 255  
 Asn Pro Asp Val Ala Ser Val Lys Asn Gly Ile Leu Glu Pro Leu Lys  
 260 265 270  
 Glu Gly Thr Thr Asn Val Ile Val Ser Lys Asp Gly Lys Glu Val Lys  
 275 280 285  
 Lys Ile Pro Leu Lys Ile Leu Ala Ser Val Lys Asp Ala Tyr Thr Asp  
 290 295 300  
 Arg Leu Asp Asp Trp Asn Gly Ile Ile Ala Gly Asn Gln Tyr Tyr Asp  
 305 310 315 320  
 Ser Lys Asn Glu Gln Met Ala Lys Leu Asn Gln Glu Leu Glu Gly Lys  
 325 330 335  
 Val Ala Asp Ser Leu Ser Ser Ile Ser Ser Gln Ala Asp Arg Thr Tyr  
 340 345 350  
 Leu Trp Glu Lys Phe Ser Asn Tyr Lys Thr Ser Ala Asn Leu Thr Ala  
 355 360 365  
 Thr Tyr Arg Lys Leu Glu Glu Met Ala Lys Gln Val Thr Asn Pro Ser  
 370 375 380  
 Ser Arg Tyr Tyr Gln Asp Glu Thr Val Val Arg Thr Val Arg Asp Ser  
 385 390 395 400  
 Met Glu Trp Met His Lys His Val Tyr Asn Ser Glu Lys Ser Ile Val  
 405 410 415

Gly Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Arg Ala Ile Asn Asn  
 420 425 430

Thr Leu Ser Leu Met Lys Glu Tyr Phe Ser Asp Glu Glu Ile Lys Lys  
 435 440 445

Tyr Thr Asp Val Ile Glu Lys Phe Val Pro Asp Pro Glu His Phe Arg  
 450 455 460

Lys Thr Thr Asp Asn Pro Phe Lys Ala Leu Gly Gly Asn Leu Val Asp  
 465 470 475 480

Met Gly Arg Val Lys Val Ile Ala Gly Leu Leu Arg Lys Asp Asp Gln  
 485 490 495

Glu Ile Ser Ser Thr Ile Arg Ser Ile Glu Gln Val Phe Lys Leu Val  
 500 505 510

Asp Gln Gly Glu Gly Phe Tyr Gln Asp Gly Ser Tyr Ile Asp His Thr  
 515 520 525

Asn Val Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Asp Gly Leu  
 530 535 540

Ser Gln Leu Leu Pro Val Ile Gln Lys Thr Lys Asn Pro Ile Asp Lys  
 545 550 555 560

Asp Lys Met Gln Thr Met Tyr His Trp Ile Asp Lys Ser Phe Ala Pro  
 565 570 575

Leu Leu Val Asn Gly Glu Leu Met Asp Met Ser Arg Gly Arg Ser Ile  
 580 585 590

Ser Arg Ala Asn Ser Glu Gly His Val Ala Ala Val Glu Val Leu Arg  
 595 600 605

Gly Ile His Arg Ile Ala Asp Met Ser Glu Gly Glu Thr Lys Gln Cys  
 610 615 620

Leu Gln Ser Leu Val Lys Thr Ile Val Gln Ser Asp Ser Tyr Tyr Asp  
 625 630 635 640

Val Phe Lys Asn Leu Lys Thr Tyr Lys Asp Ile Ser Leu Met Gln Ser  
 645 650 655

Leu Leu Ser Asp Ala Gly Val Ala Ser Val Pro Arg Pro Ser Tyr Leu  
 660 665 670

Ser Ala Phe Asn Lys Met Asp Lys Thr Ala Met Tyr Asn Ala Glu Lys  
 675 680 685

Gly Phe Gly Phe Gly Leu Ser Leu Phe Ser Ser Arg Thr Leu Asn Tyr  
 690 695 700

Glu His Met Asn Lys Glu Asn Lys Arg Gly Trp Tyr Thr Ser Asp Gly  
 705 710 715 720

Met Phe Tyr Leu Tyr Asn Gly Asp Leu Ser His Tyr Ser Asp Gly Tyr  
 725 730 735

Trp Pro Thr Val Asn Pro Tyr Lys Met Pro Gly Thr Thr Glu Thr Asp  
 740 745 750

Ala Lys Arg Ala Asp Ser Asp Thr Gly Lys Val Leu Pro Ser Ala Phe  
 755 760 765

Val Gly Thr Ser Lys Leu Asp Asp Ala Asn Ala Thr Ala Thr Met Asp  
 770 775 780

Phe Thr Asn Trp Asn Gln Thr Leu Thr Ala His Lys Ser Trp Phe Met  
 785 790 795 800

Leu Lys Asp Lys Ile Ala Phe Leu Gly Ser Asn Ile Gln Asn Thr Ser  
 805 810 815

Thr Asp Thr Ala Ala Thr Thr Ile Asp Gln Arg Lys Leu Glu Ser Gly  
 820 825 830

Asn Pro Tyr Lys Val Tyr Val Asn Asp Lys Glu Ala Ser Leu Thr Glu  
 835 840 845

Gln Glu Lys Asp Tyr Pro Glu Thr Gln Ser Val Phe Leu Glu Ser Phe

850		855		860
Asp Ser Lys Lys Asn Ile Gly Tyr Phe Phe Phe Lys Lys Ser Ser Ile				
865		870		880
Ser Met Ser Lys Lys Ala Leu Gln Lys Gly Ala Trp Lys Asp Ile Asn Glu				
	885		890	895
Gly Gln Ser Asp Lys Glu Val Glu Asn Glu Phe Leu Thr Ile Ser Gln				
	900		905	910
Ala His Lys Gln Asn Arg Asp Ser Tyr Gly Tyr Met Leu Ile Pro Asn				
	915		920	925
Val Asp Arg Ala Thr Phe Asn Gln Met Ile Lys Glu Leu Glu Ser Ser				
	930		935	940
Leu Ile Glu Asn Asn Glu Thr Leu Gln Ser Val Tyr Asp Ala Lys Gln				
	945		950	955
Gly Val Trp Gly Ile Val Lys Tyr Asp Asp Ser Val Ser Thr Ile Ser				
	965		970	975
Asn Gln Phe Gln Val Leu Lys Arg Gly Val Tyr Thr Ile Arg Lys Glu				
	980		985	990
Gly Asp Glu Tyr Lys Ile Ala Tyr Tyr Asn Pro Glu Thr Gln Glu Ser				
	995		1000	1005
Ala Pro Asp Gln Glu Val Phe Lys Lys Leu Glu Gln Ala Ala Gln				
	1010		1015	1020
Pro Gln Val Gln Asn Ser Lys Glu Lys Glu Lys Ser Glu Glu Glu				
	1025		1030	1035
Lys Asn His Ser Asp Gln Lys Asn Leu Pro Gln Thr Gly Glu Gly				
	1040		1045	1050
Gln Ser Ile Leu Ala Ser Leu Gly Phe Leu Leu Leu Gly Ala Phe				
	1055		1060	1065

Tyr Leu Phe Arg Arg Gly Lys Asn Asn  
1070 1075

<210> 229  
<211> 259  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 229

Met Ser Ile Asn Val Phe Gln Ala Ile Leu Ile Gly Leu Trp Thr Ala  
1 5 10 15

Phe Cys Phe Ser Gly Met Leu Leu Gly Ile Tyr Thr Asn Arg Cys Ile  
20 25 30

Val Leu Ser Phe Gly Val Gly Ile Ile Leu Gly Asp Leu Pro Thr Ala  
35 40 45

Leu Ala Met Gly Ala Ile Gly Glu Leu Ala Tyr Met Gly Phe Gly Val  
50 55 60

Gly Ala Gly Gly Thr Val Pro Pro Asn Pro Ile Gly Pro Gly Ile Phe  
65 70 75 80

Gly Thr Leu Met Ala Ile Thr Ser Ala Gly Lys Val Ser Pro Glu Ala  
85 90 95

Ala Leu Ala Leu Ser Thr Pro Ile Ala Val Ala Ile Gln Phe Leu Gln  
100 105 110

Thr Phe Ala Tyr Thr Val Arg Ala Gly Ala Pro Glu Thr Ala Met Lys  
115 120 125

His Leu Lys Asn His Asn Leu Lys Lys Phe Lys Phe Thr Leu Asn Ala  
130 135 140

Thr Ile Trp Leu Phe Ala Phe Ile Gly Phe Thr Leu Gly Cys Leu Gly  
145 150 155 160

Ala Leu Ser Met Asp Thr Leu Leu Lys Leu Val Asp Tyr Ile Pro Pro  
165 170 175

Val Leu Leu Thr Gly Leu Thr Val Ala Gly Lys Met Leu Pro Ala Ile  
 180 185 190

Gly Phe Ala Met Ile Leu Ser Val Met Ala Lys Lys Glu Leu Ile Pro  
 195 200 205

Phe Val Leu Leu Gly Tyr Val Cys Ala Ala Tyr Leu Asn Ile Pro Thr  
 210 215 220

Ile Gly Ile Ala Ile Val Gly Thr Ile Phe Ala Leu Ile Glu Phe Tyr  
 225 230 235 240

Asn Lys Pro Lys Thr Ala Asp His Val Val Glu Glu Glu Ala His Asp  
 245 250 255

Asp Trp Ile

<210> 230  
 <211> 111  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 230

Met Lys Ser Leu Ala Arg Leu Leu Ile Ile His Val Phe Ile Ser Ile  
 1 5 10 15

Phe Leu Phe Phe Ala Leu Thr Ser Gly Ala Ile Ser His Thr Val Leu  
 20 25 30

Leu Leu Leu Leu Leu Phe Leu Pro Ala Leu Asn Lys Gly Leu Glu Lys  
 35 40 45

Ile Gln Ser Lys Arg Ile Pro Val Leu Asn Ala Ala Leu Phe Phe Leu  
 50 55 60

Leu Ile Ser Phe Pro Gln Leu Leu Thr Asn Pro Val Gln Trp Lys Phe  
 65 70 75 80

Ser Ile Phe Leu Val Val Thr Ile Ile Ser Ser Leu Ala Tyr Phe Tyr  
 85 90 95



Asn Phe Tyr Gln Val Val Lys Glu Val Asp Gln Lys Gln Leu Ile  
 100 105 110

<210> 231  
 <211> 750  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 231

Met Lys Trp Thr Lys Arg Val Ile Arg Tyr Ala Thr Lys Asn Arg Lys  
 1 5 10 15

Ser Pro Ala Glu Asn Arg Arg Arg Val Gly Lys Ser Leu Ser Leu Leu  
 20 25 30

Ser Val Phe Val Phe Ala Ile Phe Leu Val Asn Phe Ala Val Ile Ile  
 35 40 45

Gly Thr Gly Thr Arg Phe Gly Thr Asp Leu Ala Lys Glu Ala Lys Lys  
 50 55 60

Val His Gln Thr Thr Arg Thr Val Pro Ala Lys Arg Gly Thr Ile Tyr  
 65 70 75 80

Asp Arg Asn Gly Val Pro Ile Ala Glu Asp Ala Thr Ser Tyr Asn Val  
 85 90 95

Tyr Ala Val Ile Asp Glu Asn Tyr Lys Ser Ala Thr Gly Lys Ile Leu  
 100 105 110

Tyr Val Glu Lys Thr Gln Phe Asn Lys Val Ala Glu Val Phe His Lys  
 115 120 125

Tyr Leu Asp Met Glu Glu Ser Tyr Val Arg Glu Gln Leu Ser Gln Pro  
 130 135 140

Asn Leu Lys Gln Val Ser Phe Gly Ala Lys Gly Asn Gly Ile Thr Tyr  
 145 150 155 160

Ala Asn Met Met Ser Ile Lys Lys Glu Leu Glu Ala Ala Glu Val Lys  
 165 170 175

Gly Ile Asp Phe Thr Thr Ser Pro Asn Arg Ser Tyr Pro Asn Gly Gln  
 180 185 190

Phe Ala Ser Ser Phe Ile Gly Leu Ala Gln Leu His Glu Asn Glu Asp  
 195 200 205

Gly Ser Lys Ser Leu Leu Gly Thr Ser Gly Met Glu Ser Ser Leu Asn  
 210 215 220

Ser Ile Leu Ala Gly Thr Asp Gly Ile Ile Thr Tyr Glu Lys Asp Arg  
 225 230 235 240

Leu Gly Asn Ile Val Pro Gly Thr Glu Gln Val Ser Gln Arg Thr Met  
 245 250 255

Asp Gly Lys Asp Val Tyr Thr Thr Ile Ser Ser Pro Leu Gln Ser Phe  
 260 265 270

Met Glu Thr Gln Met Asp Ala Phe Gln Glu Lys Val Lys Gly Lys Tyr  
 275 280 285

Met Thr Ala Thr Leu Val Ser Ala Lys Thr Gly Glu Ile Leu Ala Thr  
 290 295 300

Thr Gln Arg Pro Thr Phe Asp Ala Asp Thr Lys Glu Gly Ile Thr Glu  
 305 310 315 320

Asp Phe Val Trp Arg Asp Ile Leu Tyr Gln Ser Asn Tyr Glu Pro Gly  
 325 330 335

Ser Thr Met Lys Val Met Met Leu Ala Ala Ala Ile Asp Asn Asn Thr  
 340 345 350

Phe Pro Gly Gly Glu Val Phe Asn Ser Ser Glu Leu Lys Ile Ala Asp  
 355 360 365

Ala Thr Ile Arg Asp Trp Asp Val Asn Glu Gly Leu Thr Gly Gly Arg  
 370 375 380

Thr Met Thr Phe Ser Gln Gly Phe Ala His Ser Ser Asn Val Gly Met  
 385 390 395 400

Thr Leu Leu Glu Gln Lys Met Gly Asp Ala Thr Trp Leu Asp Tyr Leu  
 405 410 415

Asn Arg Phe Lys Phe Gly Val Pro Thr Arg Phe Gly Leu Thr Asp Glu  
 420 425 430

Tyr Ala Gly Gln Leu Pro Ala Asp Asn Ile Val Asn Ile Ala Gln Ser  
 435 440 445

Ser Phe Gly Gln Gly Ile Ser Val Thr Gln Thr Gln Met Ile Arg Ala  
 450 455 460

Phe Thr Ala Ile Ala Asn Asp Gly Val Met Leu Glu Pro Lys Phe Ile  
 465 470 475 480

Ser Ala Ile Tyr Asp Pro Asn Asp Gln Thr Ala Arg Lys Ser Gln Lys  
 485 490 495

Glu Ile Val Gly Asn Pro Val Ser Lys Asp Ala Ala Ser Leu Thr Arg  
 500 505 510

Thr Asn Met Val Leu Val Gly Thr Asp Pro Val Tyr Gly Thr Met Tyr  
 515 520 525

Asn His Ser Thr Gly Lys Pro Thr Val Thr Val Pro Gly Gln Asn Val  
 530 535 540

Ala Leu Lys Ser Gly Thr Ala Gln Ile Ala Asp Glu Lys Asn Gly Gly  
 545 550 555 560

Tyr Leu Val Gly Leu Thr Asp Tyr Ile Phe Ser Ala Val Ser Met Ser  
 565 570 575

Pro Ala Glu Asn Pro Asp Phe Ile Leu Tyr Val Thr Val Gln Gln Pro  
 580 585 590

Glu His Tyr Ser Gly Ile Gln Leu Gly Glu Phe Ala Asn Pro Ile Leu  
 595 600 605

Glu Arg Ala Ser Ala Met Lys Asp Ser Leu Asn Leu Gln Thr Thr Ala  
 610 615 620

Lys Ala Leu Glu Gln Val Ser Gln Gln Ser Pro Tyr Pro Met Pro Ser  
625 630 635 640

Val Lys Asp Ile Ser Pro Gly Asp Leu Ala Glu Glu Leu Arg Arg Asn  
645 650 655

Leu Val Gln Pro Ile Val Val Gly Thr Gly Thr Lys Ile Lys Asn Ser  
660 665 670

Ser Ala Glu Glu Gly Lys Asn Leu Ala Pro Asn Gln Gln Val Leu Ile  
675 680 685

Leu Ser Asp Lys Ala Glu Glu Val Pro Asp Met Tyr Gly Trp Thr Lys  
690 695 700

Glu Thr Ala Glu Thr Leu Ala Lys Trp Leu Asn Ile Glu Leu Glu Phe  
705 710 715 720

Gln Gly Ser Gly Ser Thr Val Gln Lys Gln Asp Val Arg Ala Asn Thr  
725 730 735

Ala Ile Lys Asp Ile Lys Lys Ile Thr Leu Thr Leu Gly Asp  
740 745 750

<210> 232

<211> 217

<212> PRT

<213> Streptococcus pneumoniae

<400> 232

Met Ser Asn Gly Asn Arg Met Lys Asn Gly Asn Arg Ile Tyr Ser Trp  
1 5 10 15

Arg Leu Phe Met Tyr Gly Ile Ile Lys Arg Leu Gly Asp Ile Leu Leu  
20 25 30

Ser Leu Ile Gly Ile Ile Ile Leu Cys Pro Val Phe Met Ile Ile Ala  
35 40 45

Ile Ala Ile Lys Leu Asp Ser Glu Gly Pro Val Ile Phe Lys Gln Lys  
50 55 60

Arg Phe Gly Ile His Lys Glu Tyr Phe Tyr Ile Leu Lys Phe Arg Ser  
65 70 75 80

Met Lys Ile Asp Ala Pro Lys Asn Val Ala Pro Arg Asn Leu Tyr Asn  
85 90 95

Pro Glu Gln Trp Ile Thr Lys Val Gly Ala Phe Leu Arg Lys Thr Ser  
100 105 110

Leu Asp Glu Leu Pro Gln Leu Phe Asn Ile Leu Val Gly Asn Met Ser  
115 120 125

Ile Val Gly Pro Arg Pro Ala Gly Ile Asn Glu Leu Asp Leu Ile Ala  
130 135 140

Glu Arg Asp Lys Tyr Gly Ala Asn Asp Ile Leu Pro Gly Leu Thr Gly  
145 150 155 160

Trp Ala Gln Ile Asn Gly Arg Asp Thr Leu Ser Val Glu Met Lys Thr  
165 170 175

Glu Leu Asp Gly Tyr Tyr Val Lys His Leu Ser Leu Ile Met Asp Ile  
180 185 190

Arg Cys Ile Val Lys Thr Ile Pro Tyr Val Leu Lys Arg Lys Gly Ile  
195 200 205

Val Glu Gly Ser Gly Lys Lys Glu Ser  
210 215

<210> 233

<211> 409

<212> PRT

<213> Streptococcus pneumoniae

<400> 233

Met Lys Ile Leu Phe Val Cys Gln His Tyr Lys Pro Glu Pro Phe Arg  
1 5 10 15

Leu Ser Asp Ile Cys Glu Asp Leu Val Arg Lys Gly His Glu Val Ser  
20 25 30

Val Leu Ala Gly Ile Pro Asn Tyr Pro Glu Gly Lys Ile Tyr Ala Asp  
 35 40 45

Tyr Arg His Asn Lys Lys Arg Arg Glu Ile Ile Glu Gly Val Thr Ile  
 50 55 60

Tyr Arg Ser Tyr Thr Ile Pro Arg Lys Lys Ser Val Val Phe Arg Leu  
 65 70 75 80

Leu Asn Tyr Phe Ser Phe Ala Ile Ser Ser Thr Leu Gly Val Leu Leu  
 85 90 95

Gly Arg Tyr Lys Thr Lys Asp Gly Ser Asn Phe Asp Cys Val Phe Val  
 100 105 110

Asn Gln Leu Ser Pro Val Met Met Ala Trp Ala Gly Met Ala Tyr Lys  
 115 120 125

Lys Lys Tyr Lys Lys Pro Met Phe Leu Tyr Cys Met Asp Val Trp Pro  
 130 135 140

Asp Ser Leu Thr Val Gly Gly Val Lys Gln Asp Gly Leu Ile Phe Lys  
 145 150 155 160

Leu Phe Lys Phe Ile Ser Lys Lys Val Tyr Arg Ala Ser Asp Tyr Ile  
 165 170 175

Phe Val Thr Ser Pro Ser Phe Lys Asn Tyr Phe Val Lys Gln Phe Asp  
 180 185 190

Ile Ser Glu Gln Lys Ile Thr Tyr Leu Pro Gln Tyr Ala Glu Asp Leu  
 195 200 205

Phe Ile Pro Asp Glu Ser Ile Val Asn Lys Glu Ser Val Asp Leu Thr  
 210 215 220

Phe Ala Gly Asn Ile Gly Lys Ala Gln Asn Leu Glu Thr Ile Leu Lys  
 225 230 235 240

Ala Ala Ser Leu Ile Glu Lys Asn Thr Asn Leu Pro Lys Lys Ile His

```
<210> 234
<211> 372
<212> PRT
<213> Streptococcus pneumoniae

<400> 234
```

-199-

-200-



Lys Gln Lys Ala Leu Glu Leu Asn Leu Thr Pro Tyr Val Leu Phe Leu  
                                   245                                  250                                  255

Gly Arg Arg Thr Asp Ile Ser Asp Leu Leu Ser Ala Met Asp Val Phe  
                                   260                                  265                                  270

Leu Leu Pro Ser Lys Tyr Glu Gly Leu Pro Val Ser Leu Val Glu Ala  
                                   275                                  280                                  285

Gln Ala Ser Gly Leu Gln Ile Leu Ser Ser Asp Thr Val Thr Gln Glu  
                                   290                                  295                                  300

Val Asp Val Thr Lys Asn Ile Ser Tyr Leu Pro Ile Asn Glu Glu Ser  
                                   305                                  310                                  315                                  320

Val Leu Leu Trp Lys Asp Lys Val Leu Ser Leu Thr Ser Glu Glu Cys  
                                   325                                  330                                  335

Asn Arg Phe Glu Ile Asn Asn Ser Met Thr Asp Gly Leu Tyr Asp Ile  
                                   340                                  345                                  350

Cys Tyr Gln Ala Ser Lys Leu Leu Asn Arg Tyr Gln Glu Met Cys Val  
                                   355                                  360                                  365

Ile Lys Glu Ile  
                                   370

<210> 235  
 <211> 413  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 235

Met Lys Val Asp Arg Ile Ser Phe Ile Lys Asn Thr Ser Ser Leu Tyr  
   1                                  5                                  10                                  15

Ile Leu Asn Ile Val Lys Leu Leu Phe Pro Leu Leu Thr Leu Pro Tyr  
                                   20                                  25                                  30

Leu Thr Arg Val Leu Ser Leu Asp Ala Tyr Gly Met Val Ile Tyr Val  
                                   35                                  40                                  45

Lys Ala Leu Ile Ala Tyr Val Gln Leu Val Ile Asp Phe Gly Phe Met  
50 55 60

Ile Ser Ala Thr Lys Asn Ile Val Asn Ala Cys Thr Thr Pro Ser Lys  
65 70 75 80

Ile Gly Arg Ile Val Gly Asp Thr Leu Val Glu Lys Ile Phe Leu Ser  
85 90 95

Ile Ile Ser Ile Leu Ile Tyr Thr Ile Leu Met Trp Gln Ile Pro Ile  
100 105 110

Met Arg Glu Asn Ile Leu Phe Ser Val Phe Tyr Leu Leu Ala Thr Val  
115 120 125

Thr Asn Ile Phe Ile Phe Asp Phe Leu Phe Arg Gly Ile Glu Lys Met  
130 135 140

His Ala Val Ala Ile Pro Tyr Ile Ile Ser Lys Thr Ile Ile Thr Ile  
145 150 155 160

Leu Thr Phe Ile Val Val Lys Asp Asp Ser Ser Ile Leu Trp Ile Pro  
165 170 175

Ile Leu Glu Gly Ile Gly Asn Leu Val Ala Ala Val Val Ser Tyr Arg  
180 185 190

Phe Leu His Tyr Tyr Gly Ile Lys Leu Ser Phe Ser Tyr Leu Ser Val  
195 200 205

Trp Val Lys Asp Leu Lys Glu Ser Ser Ile Tyr Phe Leu Ser Asn Phe  
210 215 220

Ala Thr Thr Ile Phe Gly Val Phe Thr Thr Val Ile Ser Gly Phe Tyr  
225 230 235 240

Leu Gln Ser Gln Glu Ile Ala Phe Trp Gly Ile Ala Met Gln Leu Leu  
245 250 255

Ser Ala Ala Lys Ser Leu Tyr Asn Pro Ile Ala Asn Ser Leu Tyr Pro  
260 265 270

His Met Ile Arg Thr Lys Asp Ile Gln Ser Val Lys Ser Ile Asn Arg  
 275 280 285

Ile Met Phe Ile Pro Ile Ile Phe Gly Val Leu Ile Val Leu Phe Phe  
 290 295 300

Ser Asn Gln Ile Leu Ser Ile Ile Gly Gly Glu Lys Tyr Thr Val Ser  
 305 310 315 320

Ala Asp Phe Leu Lys Tyr Leu Leu Pro Ala Phe Val Ala Ser Phe Tyr  
 325 330 335

Ser Met Ile Tyr Gly Trp Pro Val Leu Gly Ala Ile Asp Lys Val Lys  
 340 345 350

Glu Thr Thr Met Thr Thr Ile Leu Ala Ser Ile Val Gln Thr Leu Gly  
 355 360 365

Leu Gly Ile Phe Ile Leu Ser Asp Asn Phe Ser Leu Val Thr Leu Ala  
 370 375 380

Ile Cys Ser Ser Met Ser Glu Val Val Leu Trp Ile Ser Arg Tyr Leu  
 385 390 395 400

Ile Tyr Phe Lys Asn Arg Ser Leu Phe Val Arg Ser Lys  
 405 410

<210> 236

<211> 1767

<212> PRT

<213> Streptococcus pneumoniae

<400> 236

Met Asn Lys Gly Leu Phe Glu Lys Arg Cys Lys Tyr Ser Ile Arg Lys  
 1 5 10 15

Phe Ser Leu Gly Val Ala Ser Val Met Ile Gly Ala Ala Phe Phe Gly  
 20 25 30

Thr Ser Pro Val Leu Ala Asp Ser Val Gln Ser Gly Ser Thr Ala Asn  
 35 40 45

Leu Pro Ala Asp Leu Ala Thr Ala Leu Ala Thr Ala Lys Glu Asn Asp  
 50 55 60

Gly Arg Asp Phe Glu Ala Pro Lys Val Gly Glu Asp Gln Gly Ser Pro  
 65 70 75 80

Glu Val Thr Asp Gly Pro Lys Thr Glu Glu Glu Leu Leu Ala Leu Glu  
 85 90 95

Lys Glu Lys Pro Ala Glu Glu Lys Pro Lys Glu Asp Lys Pro Ala Ala  
 100 105 110

Ala Lys Pro Glu Thr Pro Lys Thr Val Thr Pro Glu Trp Gln Thr Val  
 115 120 125

Ala Asn Lys Glu Gln Gln Gly Thr Val Thr Ile Arg Glu Glu Lys Gly  
 130 135 140

Val Arg Tyr Asn Gln Leu Ser Ser Thr Ala Gln Asn Asp Asn Ala Gly  
 145 150 155 160

Lys Pro Ala Leu Phe Glu Lys Lys Gly Leu Thr Val Asp Ala Asn Gly  
 165 170 175

Asn Ala Thr Val Asp Leu Thr Phe Lys Asp Asp Ser Glu Lys Gly Lys  
 180 185 190

Ser Arg Phe Gly Val Phe Leu Lys Phe Lys Asp Thr Lys Asn Asn Val  
 195 200 205

Phe Val Gly Tyr Asp Lys Asp Gly Trp Phe Trp Glu Tyr Lys Ser Pro  
 210 215 220

Thr Thr Ser Thr Trp Tyr Arg Gly Ser Arg Val Ala Ala Pro Glu Thr  
 225 230 235 240

Gly Ser Thr Asn Arg Leu Ser Ile Thr Leu Lys Ser Asp Gly Gln Leu  
 245 250 255

Asn Ala Ser Asn Asn Asp Val Asn Leu Phe Asp Thr Val Thr Leu Pro  
 260 265 270

Ala Ala Val Asn Asp His Leu Lys Asn Glu Lys Lys Ile Leu Leu Lys  
 275 280 285

Ala Gly Ser Tyr Asp Asp Glu Arg Thr Val Val Ser Val Lys Thr Asp  
 290 295 300

Asn Gln Glu Gly Val Lys Thr Glu Asp Thr Pro Ala Glu Lys Glu Thr  
 305 310 315 320

Gly Pro Glu Val Asp Asp Ser Lys Val Thr Tyr Asp Thr Ile Gln Ser  
 325 330 335

Lys Val Leu Lys Ala Val Ile Asp Gln Ala Phe Pro Arg Val Lys Glu  
 340 345 350

Tyr Ser Leu Asn Gly His Thr Leu Pro Gly Gln Val Gln Gln Phe Asn  
 355 360 365

Gln Val Phe Ile Asn Asn His Arg Ile Thr Pro Glu Val Thr Tyr Lys  
 370 375 380

Lys Ile Asn Glu Thr Thr Ala Glu Tyr Leu Met Lys Leu Arg Asp Asp  
 385 390 395 400

Ala His Leu Ile Asn Ala Glu Met Thr Val Arg Leu Gln Val Val Asp  
 405 410 415

Asn Gln Leu His Phe Asp Val Thr Lys Ile Val Asn His Asn Gln Val  
 420 425 430

Thr Pro Gly Gln Lys Ile Asp Asp Glu Ser Lys Leu Leu Ser Ser Ile  
 435 440 445

Ser Phe Leu Gly Asn Ala Leu Val Ser Val Ser Ser Asn Gln Thr Gly  
 450 455 460

Ala Lys Phe Asp Gly Ala Thr Met Ser Asn Asn Thr His Val Ser Gly  
 465 470 475 480

Asp Asp His Ile Asp Val Thr Asn Pro Met Lys Asp Leu Ala Lys Gly

				485						490						495
Tyr	Met	Tyr	Gly	Phe	Val	Ser	Thr	Asp	Lys	Leu	Ala	Ala	Gly	Val	Trp	
			500					505					510			
Ser	Asn	Ser	Gln	Asn	Ser	Tyr	Gly	Gly	Gly	Ser	Asn	Asp	Trp	Thr	Arg	
		515					520					525				
Leu	Thr	Ala	Tyr	Lys	Glu	Thr	Val	Gly	Asn	Ala	Asn	Tyr	Val	Gly	Ile	
	530						535					540				
His	Ser	Ser	Glu	Trp	Gln	Trp	Glu	Lys	Ala	Tyr	Lys	Gly	Ile	Val	Phe	
545					550					555					560	
Pro	Glu	Tyr	Thr	Lys	Glu	Leu	Pro	Ser	Ala	Lys	Val	Val	Ile	Thr	Glu	
				565					570					575		
Asp	Ala	Asn	Ala	Asp	Lys	Asn	Val	Asp	Trp	Gln	Asp	Gly	Ala	Ile	Ala	
			580					585					590			
Tyr	Arg	Ser	Ile	Met	Asn	Asn	Pro	Gln	Gly	Trp	Glu	Lys	Val	Lys	Asp	
		595					600					605				
Ile	Thr	Ala	Tyr	Arg	Ile	Ala	Met	Asn	Phe	Gly	Ser	Gln	Ala	Gln	Asn	
	610					615					620					
Pro	Phe	Leu	Met	Thr	Leu	Asp	Gly	Ile	Lys	Lys	Ile	Asn	Leu	His	Thr	
625					630					635					640	
Asp	Gly	Leu	Gly	Gln	Gly	Val	Leu	Leu	Lys	Gly	Tyr	Gly	Ser	Glu	Gly	
				645					650					655		
His	Asp	Ser	Gly	His	Leu	Asn	Tyr	Ala	Asp	Ile	Gly	Lys	Arg	Ile	Gly	
			660					665					670			
Gly	Val	Glu	Asp	Phe	Lys	Thr	Leu	Ile	Glu	Lys	Ala	Lys	Lys	Tyr	Gly	
		675					680					685				
Ala	His	Leu	Gly	Ile	His	Val	Asn	Ala	Ser	Glu	Thr	Tyr	Pro	Glu	Ser	
	690					695					700					

Lys Tyr Phe Asn Glu Lys Ile Leu Arg Lys Asn Pro Asp Gly Ser Tyr  
 705 710 715 720  
 Ser Tyr Gly Trp Asn Trp Leu Asp Gln Gly Ile Asn Ile Asp Ala Ala  
 725 730 735  
 Tyr Asp Leu Ala His Gly Arg Leu Ala Arg Trp Glu Asp Leu Lys Lys  
 740 745 750  
 Lys Leu Gly Asp Gly Leu Asp Phe Ile Tyr Val Asp Val Trp Gly Asn  
 755 760 765  
 Gly Gln Ser Gly Asp Asn Gly Ala Trp Ala Thr His Val Leu Ala Lys  
 770 775 780  
 Glu Ile Asn Lys Gln Gly Trp Arg Phe Ala Ile Glu Trp Gly His Gly  
 785 790 795 800  
 Gly Glu Tyr Asp Ser Thr Phe His His Trp Ala Ala Asp Leu Thr Tyr  
 805 810 815  
 Gly Gly Tyr Thr Asn Lys Gly Ile Asn Ser Ala Ile Thr Arg Phe Ile  
 820 825 830  
 Arg Asn His Gln Lys Asp Ala Trp Val Gly Asp Tyr Arg Ser Tyr Gly  
 835 840 845  
 Gly Ala Ala Asn Tyr Pro Leu Leu Gly Gly Tyr Ser Met Lys Asp Phe  
 850 855 860  
 Glu Gly Trp Gln Gly Arg Ser Asp Tyr Asn Gly Tyr Val Thr Asn Leu  
 865 870 875 880  
 Phe Ala His Asp Val Met Thr Lys Tyr Phe Gln His Phe Thr Val Ser  
 885 890 895  
 Lys Trp Glu Asn Gly Thr Pro Val Thr Met Thr Asp Asn Gly Ser Thr  
 900 905 910  
 Tyr Lys Trp Thr Pro Glu Met Arg Val Glu Leu Val Asp Ala Asp Asn  
 915 920 925

Asn Lys Val Val Val Thr Arg Lys Ser Asn Asp Val Asn Ser Pro Gln  
 930 935 940

Tyr Arg Glu Arg Thr Val Thr Leu Asn Gly Arg Val Ile Gln Asp Gly  
 945 950 955 960

Ser Ala Tyr Leu Thr Pro Trp Asn Trp Asp Ala Asn Gly Lys Lys Leu  
 965 970 975

Ser Thr Asp Lys Glu Lys Met Tyr Tyr Phe Asn Thr Gln Ala Gly Ala  
 980 985 990

Thr Thr Trp Thr Leu Pro Ser Asp Trp Ala Lys Ser Lys Val Tyr Leu  
 995 1000 1005

Tyr Lys Leu Thr Asp Gln Gly Lys Thr Glu Glu Gln Glu Leu Thr  
 1010 1015 1020

Val Lys Asp Gly Lys Ile Thr Leu Asp Leu Leu Ala Asn Gln Pro  
 1025 1030 1035

Tyr Val Leu Tyr Arg Ser Lys Gln Thr Asn Pro Glu Met Ser Trp  
 1040 1045 1050

Ser Glu Gly Met His Ile Tyr Asp Gln Gly Phe Asn Ser Gly Thr  
 1055 1060 1065

Leu Lys His Trp Thr Ile Ser Gly Asp Ala Ser Lys Ala Glu Ile  
 1070 1075 1080

Val Lys Ser Gln Gly Ala Asn Asp Met Leu Arg Ile Gln Gly Asn  
 1085 1090 1095

Lys Glu Lys Val Ser Leu Thr Gln Lys Leu Thr Gly Leu Lys Pro  
 1100 1105 1110

Asn Thr Lys Tyr Ala Val Tyr Val Gly Val Asp Asn Arg Ser Asn  
 1115 1120 1125

Ala Lys Ala Ser Ile Thr Val Asn Thr Gly Glu Lys Glu Val Thr  
 1130 1135 1140



Thr Tyr	Thr Asn Lys Ser Leu	Ala Leu Asn Tyr Val	Lys Ala Tyr
1145	1150	1155	
Ala His	Asn Thr Arg Arg Asp	Asn Ala Thr Val Asp	Asp Thr Ser
1160	1165	1170	
Tyr Phe	Gln Asn Met Tyr Ala	Phe Phe Thr Thr Gly	Ala Asp Val
1175	1180	1185	
Ser Asn	Val Thr Leu Thr Leu	Ser Arg Glu Ala Gly	Asp Gln Ala
1190	1195	1200	
Thr Tyr	Phe Asp Glu Ile Arg	Thr Phe Glu Asn Asn	Ser Ser Met
1205	1210	1215	
Tyr Gly	Asp Lys His Asp Thr	Gly Lys Gly Thr Phe	Lys Gln Asp
1220	1225	1230	
Phe Glu	Asn Val Ala Gln Gly	Ile Phe Pro Phe Val	Val Gly Gly
1235	1240	1245	
Val Glu	Gly Val Glu Asp Asn	Arg Thr His Leu Ser	Glu Lys His
1250	1255	1260	
Asn Pro	Tyr Thr Gln Arg Gly	Trp Asn Gly Lys Lys	Val Asp Asp
1265	1270	1275	
Val Ile	Glu Gly Asn Trp Ser	Leu Lys Thr Asn Gly	Leu Val Ser
1280	1285	1290	
Arg Arg	Asn Leu Val Tyr Gln	Thr Ile Pro Gln Asn	Phe Arg Phe
1295	1300	1305	
Glu Ala	Gly Lys Thr Tyr Arg	Val Thr Phe Glu Tyr	Glu Ala Gly
1310	1315	1320	
Ser Asp	Asn Thr Tyr Ala Phe	Val Val Gly Lys Gly	Glu Phe Gln
1325	1330	1335	
Ser Gly	Arg Arg Gly Thr Gln	Ala Ser Asn Leu Glu	Met His Glu

1340	1345	1350
Leu Pro Asn Thr Trp Thr Asp Ser Lys Lys Ala Lys Lys Ala Thr 1355 1360 1365		
Phe Leu Val Thr Gly Ala Glu Thr Gly Asp Thr Trp Val Gly Ile 1370 1375 1380		
Tyr Ser Thr Gly Asn Ala Ser Asn Thr Arg Gly Asp Ser Gly Gly 1385 1390 1395		
Asn Ala Asn Phe Arg Gly Tyr Asn Asp Phe Met Met Asp Asn Leu 1400 1405 1410		
Gln Ile Glu Glu Ile Thr Leu Thr Gly Lys Met Leu Thr Glu Asn 1415 1420 1425		
Ala Leu Lys Asn Tyr Leu Pro Thr Val Ala Met Thr Asn Tyr Thr 1430 1435 1440		
Lys Glu Ser Met Asp Ala Leu Lys Glu Ala Val Phe Asn Leu Ser 1445 1450 1455		
Gln Ala Asp Asp Asp Ile Ser Val Glu Glu Ala Arg Ala Glu Ile 1460 1465 1470		
Ala Lys Ile Glu Ala Leu Lys Asn Ala Leu Val Gln Lys Lys Thr 1475 1480 1485		
Ala Leu Val Ala Asp Asp Phe Ala Ser Leu Thr Ala Pro Ala Gln 1490 1495 1500		
Ala Gln Glu Gly Leu Ala Asn Ala Phe Asp Gly Asn Val Ser Ser 1505 1510 1515		
Leu Trp His Thr Ser Trp Asn Gly Gly Asp Val Gly Lys Pro Ala 1520 1525 1530		
Thr Met Val Leu Lys Glu Pro Thr Glu Ile Thr Gly Leu Arg Tyr 1535 1540 1545		

Val	Pro	Arg	Gly	Ser	Gly	Ser	Asn	Gly	Asn	Leu	Arg	Asp	Val	Lys
1550						1555					1560			
Leu	Val	Val	Thr	Asp	Glu	Ser	Gly	Lys	Glu	His	Thr	Phe	Thr	Ala
1565						1570					1575			
Thr	Asp	Trp	Pro	Asn	Asn	Asn	Lys	Pro	Lys	Asp	Ile	Asp	Phe	Gly
1580						1585					1590			
Lys	Thr	Ile	Lys	Ala	Lys	Lys	Ile	Val	Leu	Thr	Gly	Thr	Lys	Thr
1595						1600					1605			
Tyr	Gly	Asp	Gly	Gly	Asp	Lys	Tyr	Gln	Ser	Ala	Ala	Glu	Leu	Ile
1610						1615					1620			
Phe	Thr	Arg	Pro	Gln	Val	Ala	Glu	Thr	Pro	Leu	Asp	Leu	Ser	Gly
1625						1630					1635			
Tyr	Glu	Ala	Ala	Leu	Val	Lys	Ala	Gln	Lys	Leu	Thr	Asp	Lys	Asp
1640						1645					1650			
Asn	Gln	Glu	Glu	Val	Ala	Ser	Val	Gln	Ala	Ser	Met	Lys	Tyr	Ala
1655						1660					1665			
Thr	Asp	Asn	His	Leu	Leu	Thr	Glu	Arg	Met	Val	Glu	Tyr	Phe	Ala
1670						1675					1680			
Asp	Tyr	Leu	Asn	Gln	Leu	Lys	Asp	Ser	Ala	Thr	Lys	Pro	Asp	Ala
1685						1690					1695			
Pro	Thr	Val	Glu	Lys	Pro	Glu	Phe	Lys	Leu	Arg	Ser	Leu	Ala	Ser
1700						1705					1710			
Glu	Gln	Gly	Lys	Thr	Pro	Asp	Tyr	Lys	Gln	Glu	Ile	Ala	Arg	Pro
1715						1720					1725			
Glu	Thr	Pro	Glu	Gln	Ile	Leu	Pro	Ala	Thr	Gly	Glu	Ser	Gln	Ser
1730						1735					1740			
Asp	Thr	Ala	Leu	Ile	Leu	Ala	Ser	Val	Ser	Leu	Ala	Leu	Ser	Ala
1745						1750					1755			

Leu Phe Val Val Lys Thr Lys Lys Asp  
1760 1765

<210> 237  
<211> 232  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 237

Met Arg Lys Phe Lys Ile Phe Leu Phe Ile Glu Ala Cys Leu Leu Thr  
1 5 10 15

Gly Ala Leu Ile Leu Met Val Ser Glu His Phe Ser Arg Phe Leu Leu  
20 25 30

Ile Leu Phe Leu Phe Leu Leu Leu Ile Arg Tyr Tyr Thr Gly Lys Glu  
35 40 45

Gly Asn Asn Leu Leu Leu Val Ala Ala Thr Ile Leu Phe Phe Phe Ile  
50 55 60

Val Met Leu Asn Pro Phe Val Ile Leu Ala Ile Phe Val Ala Val Ile  
65 70 75 80

Tyr Ser Leu Phe Leu Leu Tyr Pro Met Met Asn Gln Glu Lys Glu Gln  
85 90 95

Thr Asn Leu Val Phe Glu Glu Val Val Thr Val Lys Lys Glu Lys Asn  
100 105 110

Arg Trp Phe Gly Asn Leu His His Phe Ser Ser Tyr Gln Thr Cys Gln  
115 120 125

Phe Asp Asp Ile Asn Leu Phe Arg Phe Met Gly Lys Asp Thr Ile His  
130 135 140

Leu Glu Arg Val Ile Leu Thr Asn His Asp Asn Val Ile Ile Leu Arg  
145 150 155 160

Lys Met Val Gly Thr Thr Lys Ile Ile Val Pro Val Asp Val Glu Val  
165 170 175

Ser Leu Ser Val Asn Cys Leu Tyr Gly Asp Leu Ile Phe Phe Asn Gln  
 180 185 190

Pro Lys Arg Ala Leu Arg Asn Glu His Tyr His Gln Glu Thr Lys Asp  
 195 200 205

Tyr Leu Lys Ser Asn Lys Ser Val Lys Ile Phe Leu Thr Thr Met Ile  
 210 215 220

Gly Asp Val Glu Val Val Arg Gly  
 225 230

<210> 238  
 <211> 79  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 238

Met Lys Lys Thr Val Tyr Lys Lys Leu Gly Ile Ser Ile Ile Ala Ser  
 1 5 10 15

Thr Leu Leu Ala Ser Gln Leu Ser Thr Val Ser Ala Leu Ser Val Ile  
 20 25 30

Ser Ser Thr Gly Glu Glu Tyr Glu Val Ser Glu Thr Leu Glu Lys Gly  
 35 40 45

Pro Glu Ser Asn Asp Ser Ser Leu Ser Glu Ile Ser Pro Thr Tyr Gly  
 50 55 60

Ser Tyr Tyr Gln Lys Gln Ser Glu Val Leu Ser Val Met Met Ile  
 65 70 75

<210> 239  
 <211> 778  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 239

Met Asn Lys Lys Ile Leu Glu Thr Leu Glu Phe Asp Lys Val Lys Ala  
 1 5 10 15

Leu Phe Glu Pro His Leu Leu Thr Glu Gln Gly Leu Glu Gln Leu Arg  
 20 25 30

Gln Leu Ala Pro Thr Ala Lys Ala Asp Lys Ile Lys Gln Ala Phe Ala  
 35 40 45

Glu Met Lys Glu Met Gln Ala Leu Phe Val Glu Gln Pro His Phe Thr  
 50 55 60

Ile Leu Ser Thr Lys Glu Ile Ala Gly Val Cys Lys Arg Leu Glu Met  
 65 70 75 80

Gly Ala Asp Leu Asn Ile Glu Glu Phe Leu Leu Leu Lys Arg Val Leu  
 85 90 95

Leu Ala Ser Arg Glu Leu Gln Asn Phe Tyr Thr Asn Leu Glu Asn Val  
 100 105 110

Ser Leu Glu Glu Leu Ala Leu Trp Phe Glu Lys Leu His Asp Phe Pro  
 115 120 125

Gln Leu Gln Gly Asn Leu Gln Ala Phe Asn Asp Ala Gly Phe Ile Glu  
 130 135 140

Asn Phe Ala Ser Glu Glu Leu Ala Arg Ile Arg Arg Lys Ile His Asp  
 145 150 155 160

Ser Glu Ser Gln Val Arg Asp Val Leu Gln Asp Leu Leu Lys Gln Lys  
 165 170 175

Ala Gln Leu Leu Thr Glu Gly Ile Val Ala Ser Arg Asn Gly Arg Gln  
 180 185 190

Val Leu Pro Val Lys Asn Thr Tyr Arg Asn Lys Ile Ala Gly Val Val  
 195 200 205

His Asp Ile Ser Ala Ser Gly Asn Thr Val Tyr Ile Glu Pro Arg Glu  
 210 215 220

Val Val Lys Leu Ser Glu Glu Ile Ala Ser Leu Arg Ala Asp Glu Arg  
 225 230 235 240

Tyr Glu Met Leu Arg Ile Leu Gln Glu Ile Ser Glu Arg Val Arg Pro  
 245 250 255  
 His Ala Ala Glu Ile Ala Asn Asp Ala Trp Ile Ile Gly His Leu Asp  
 260 265 270  
 Leu Ile Arg Ala Lys Val Arg Phe Ile Gln Glu Arg Gln Ala Val Val  
 275 280 285  
 Pro Gln Leu Ser Glu Asn Gln Glu Ile Gln Leu Leu His Val Cys His  
 290 295 300  
 Pro Leu Val Lys Asn Ala Val Ala Asn Asp Val Tyr Phe Gly Gln Asp  
 305 310 315 320  
 Leu Thr Ala Ile Val Ile Thr Gly Pro Asn Thr Gly Gly Lys Thr Ile  
 325 330 335  
 Met Leu Lys Thr Leu Gly Leu Thr Gln Val Met Ala Gln Ser Gly Leu  
 340 345 350  
 Pro Ile Leu Ala Asp Lys Gly Ser Arg Val Gly Ile Phe Glu Glu Ile  
 355 360 365  
 Phe Ala Asp Ile Gly Asp Glu Gln Ser Ile Glu Gln Ser Leu Ser Thr  
 370 375 380  
 Phe Ser Ser His Met Thr Asn Ile Val Asp Ile Leu Gly Lys Val Asn  
 385 390 395 400  
 Gln His Ser Leu Leu Leu Leu Asp Glu Leu Gly Ala Gly Thr Asp Pro  
 405 410 415  
 Gln Glu Gly Ala Ala Leu Ala Met Ala Ile Leu Glu Asp Leu Arg Leu  
 420 425 430  
 Arg Gln Ile Lys Thr Met Ala Thr Thr His Tyr Pro Glu Leu Lys Ala  
 435 440 445  
 Tyr Gly Ile Glu Thr Ala Phe Val Gln Asn Ala Ser Met Glu Phe Asp  
 450 455 460

Thr Ala Thr Leu Arg Pro Thr Tyr Arg Phe Met Gln Gly Val Pro Gly  
 465 470 475 480

Arg Ser Asn Ala Phe Glu Ile Ala Lys Arg Leu Gly Leu Ser Glu Val  
 485 490 495

Ile Val Gly Asp Ala Ser Gln Gln Ile Asp Gln Asp Asn Asp Val Asn  
 500 505 510

Arg Ile Ile Glu Gln Leu Glu Glu Gln Thr Leu Glu Ser Arg Lys Arg  
 515 520 525

Leu Asp Asn Ile Arg Glu Val Glu Gln Glu Asn Leu Lys Met Asn Arg  
 530 535 540

Ala Leu Lys Lys Leu Tyr Asn Glu Leu Asn Arg Glu Lys Glu Thr Glu  
 545 550 555 560

Leu Asn Lys Ala Arg Glu Gln Ala Ala Glu Ile Val Asp Met Ala Leu  
 565 570 575

Ser Glu Ser Asp Gln Ile Leu Lys Asn Leu His Ser Lys Ser Gln Leu  
 580 585 590

Lys Pro His Glu Ile Ile Glu Ala Lys Ala Lys Leu Lys Lys Leu Ala  
 595 600 605

Pro Glu Lys Val Asp Leu Ser Lys Asn Lys Val Leu Gln Lys Ala Lys  
 610 615 620

Lys Lys Arg Ala Pro Lys Val Gly Asp Asp Ile Val Val Leu Ser Tyr  
 625 630 635 640

Gly Gln Arg Gly Thr Leu Thr Ser Gln Leu Lys Asp Gly Arg Trp Glu  
 645 650 655

Ala Gln Val Gly Leu Ile Lys Met Thr Leu Glu Glu Lys Glu Phe Asp  
 660 665 670

Leu Val Gln Ala Gln Gln Glu Lys Pro Val Lys Lys Lys Gln Val Asn



675                      680                      685  
 Val Val Lys Arg Thr Ser Gly Arg Gly Pro Gln Ala Arg Leu Asp Leu  
 690                      695                      700  
 Arg Gly Lys Arg Tyr Glu Glu Ala Met Asn Glu Leu Asp Thr Phe Ile  
 705                      710                      715                      720  
 Asp Gln Ala Leu Leu Asn Asn Met Ala Gln Val Asp Ile Ile His Gly  
 725                      730                      735  
 Ile Gly Thr Gly Val Ile Arg Glu Gly Val Thr Lys Tyr Leu Gln Arg  
 740                      745                      750  
 Asn Lys His Val Lys Ser Phe Gly Tyr Ala Pro Gln Asn Ala Gly Gly  
 755                      760                      765  
 Ser Gly Ala Thr Ile Val Thr Phe Lys Gly  
 770                      775  
  
 <210> 240  
 <211> 91  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 240  
 Met Ser Phe Leu Asp Lys Ser Asn Leu Gly Thr Asn Gln Val Gln Met  
 1                      5                      10                      15  
 Thr Asp Asn Pro Ser Val Ile Ser Asn Leu Ser Arg Met Arg Ala Asp  
 20                      25                      30  
 Thr Leu Arg Asn Phe Leu Glu Asn Ala Lys His Phe Ile Ala Leu Ile  
 35                      40                      45  
 Cys Ser Gln Thr Ser Asn Phe Phe Ala Gln Phe Asp Tyr Leu Thr Gly  
 50                      55                      60  
 Phe Asp Ile Asp Gly Val Ser Thr Ser Arg Asn Ile Met Asn Asp Thr  
 65                      70                      75                      80  
 Cys Asn Leu Ile Ala Val Gly Val Phe Asp Trp

85

90

<210> 241  
 <211> 303  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 241

Met Glu Val Arg Met Lys Lys Leu Pro Leu Val Phe Ser Gly Cys Leu  
 1 5 10 15

Leu Gly Leu Ala Gly Ala Gly Asn Leu Ile Leu Asp Thr Leu Pro Val  
 20 25 30

Leu Ser His Leu Phe Ser Leu Ile Gly Leu Val Leu Trp Ile Tyr Phe  
 35 40 45

Leu Ile Leu His Leu Phe Asn Trp Lys Glu Thr Lys Gln Glu Leu Thr  
 50 55 60

Lys Pro Pro Leu Leu Ser Gly Met Ala Thr Phe Pro Met Ala Gly Met  
 65 70 75 80

Ile Leu Ser Thr Tyr Val Phe Arg Val Phe Ser Tyr Leu Pro Leu Val  
 85 90 95

Ala Gln Gly Ile Trp Trp Phe Ser Phe Leu Leu Asp Leu Thr Leu Ile  
 100 105 110

Ala Gly Phe Thr Ile Lys Phe Ala Cys Pro Gly Arg Arg Val His Ala  
 115 120 125

Thr Pro Ser Trp Thr Val Leu Tyr Val Gly Ile Ala Val Ala Ala Leu  
 130 135 140

Thr Tyr Pro Leu Val Gly Ile Ile Glu Ile Ala Tyr Ala Thr Leu Ser  
 145 150 155 160

Phe Gly Phe Leu Leu Thr Phe Tyr Leu Tyr Pro Leu Ile Tyr Ser Asp  
 165 170 175

Leu Lys Lys His Pro Leu Pro Leu Ala Leu Leu Gly Gln Glu Gly Ile

180 185 190  
 Tyr Cys Ala Pro Phe Ser Leu Leu Leu Ala Ser Leu Val Arg Val Gly  
 195 200 205  
 Gly Thr Ser Leu Pro Thr Trp Val Leu Ile Val Met Ile Leu Ala Ser  
 210 215 220  
 Gln Ser Phe Phe Phe Phe Val Leu Thr Arg Leu Pro Asn Ile Leu Lys  
 225 230 235 240  
 Gln Gly Phe Gln Pro Ala Phe Ser Ala Leu Thr Phe Pro Thr Ile Ile  
 245 250 255  
 Thr Ala Thr Ser Leu Lys Met Ala Gln Gly Ile Leu Lys Leu Pro Phe  
 260 265 270  
 Leu Asp Tyr Leu Val Leu Ala Glu Thr Ile Ile Cys Leu Thr Ile Leu  
 275 280 285  
 Phe Phe Val Leu Gly Ala Tyr Leu Ile Trp Leu Arg Lys Lys Val  
 290 295 300  
 <210> 242  
 <211> 281  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 242  
 Met Tyr Leu Ile Glu Ile Leu Lys Ser Ile Phe Phe Gly Ile Val Glu  
 1 5 10 15  
 Gly Ile Thr Glu Trp Leu Pro Ile Ser Ser Thr Gly His Leu Ile Leu  
 20 25 30  
 Ala Glu Glu Phe Ile Gln Tyr Gln Asn Gln Asn Glu Ala Phe Met Ser  
 35 40 45  
 Met Phe Asn Val Val Ile Gln Leu Gly Ala Ile Leu Ala Val Met Val  
 50 55 60  
 Ile Tyr Phe Asn Lys Leu Asn Pro Phe Lys Pro Thr Lys Asp Lys Gln

65		70		75		80
Glu Val Arg Lys Thr Trp Arg Leu Trp Leu Lys Val Leu Ile Ala Thr	85		90		95	
Leu Pro Leu Leu Gly Val Phe Lys Phe Asp Asp Trp Phe Asp Thr His	100		105		110	
Phe His Asn Met Val Ser Val Ala Leu Met Leu Ile Ile Tyr Gly Val	115		120		125	
Ala Phe Ile Tyr Leu Glu Lys Arg Asn Lys Ala Arg Ala Ile Glu Pro	130		135		140	
Ser Val Thr Glu Leu Asp Lys Leu Pro Tyr Thr Thr Ala Phe Tyr Ile	145		150		155	160
Gly Leu Phe Gln Val Leu Ala Leu Leu Pro Gly Thr Ser Arg Ser Gly	165		170		175	
Ala Thr Ile Val Gly Gly Leu Leu Asn Gly Thr Ser Arg Ser Val Val	180		185		190	
Thr Glu Phe Thr Phe Tyr Leu Gly Ile Pro Val Met Phe Gly Ala Ser	195		200		205	
Ala Leu Lys Ile Phe Lys Phe Val Lys Ala Gly Glu Leu Leu Ser Phe	210		215		220	
Gly Gln Leu Phe Leu Leu Leu Val Ala Met Gly Val Ala Phe Ala Val	225		230		235	240
Ser Met Val Ala Ile Arg Phe Leu Thr Ser Tyr Val Lys Lys His Asp	245		250		255	
Phe Thr Leu Phe Gly Lys Tyr Arg Ile Val Leu Gly Ser Val Leu Leu	260		265		270	
Leu Tyr Ser Phe Val Arg Leu Phe Val	275		280			

<210> 243  
 <211> 304  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 243

Met Leu Ile Lys Met Val Lys Thr Lys Lys Gln Lys Arg Asn Asn Leu  
 1 5 10 15

Leu Leu Gly Val Val Phe Phe Ile Gly Met Ala Val Met Ala Tyr Pro  
 20 25 30

Leu Val Ser Arg Leu Tyr Tyr Arg Val Glu Ser Asn Gln Gln Ile Ala  
 35 40 45

Asp Phe Asp Lys Glu Lys Ala Thr Leu Asp Glu Ala Asp Ile Asp Glu  
 50 55 60

Arg Met Lys Leu Ala Gln Ala Phe Asn Asp Ser Leu Asn Asn Val Val  
 65 70 75 80

Ser Gly Asp Pro Trp Ser Glu Glu Met Lys Lys Lys Gly Arg Ala Glu  
 85 90 95

Tyr Ala Arg Met Leu Glu Ile His Glu Arg Met Gly His Val Glu Ile  
 100 105 110

Pro Val Ile Asp Val Asp Leu Pro Val Tyr Ala Gly Thr Ala Glu Glu  
 115 120 125

Val Leu Gln Gln Gly Ala Gly His Leu Glu Gly Thr Ser Leu Pro Ile  
 130 135 140

Gly Gly Asn Ser Thr His Ala Val Ile Thr Ala His Thr Gly Leu Pro  
 145 150 155 160

Thr Ala Lys Met Phe Thr Asp Leu Thr Lys Leu Lys Val Gly Asp Lys  
 165 170 175

Phe Tyr Val His Asn Ile Lys Glu Val Met Ala Tyr Gln Val Asp Gln  
 180 185 190

Val Lys Val Ile Glu Pro Thr Asn Phe Asp Asp Leu Leu Ile Val Pro  
 195 200 205

Gly His Asp Tyr Val Thr Leu Leu Thr Cys Thr Pro Tyr Met Ile Asn  
 210 215 220

Thr His Arg Leu Leu Val Arg Gly His Arg Ile Pro Tyr Val Ala Glu  
 225 230 235 240

Val Glu Glu Glu Phe Ile Ala Ala Asn Lys Leu Ser His Leu Tyr Arg  
 245 250 255

Tyr Leu Phe Tyr Val Ala Val Gly Leu Ile Val Ile Leu Leu Trp Ile  
 260 265 270

Ile Arg Arg Leu Arg Lys Lys Lys Lys Gln Pro Glu Lys Ala Leu Lys  
 275 280 285

Ala Leu Lys Ala Ala Arg Lys Glu Val Lys Val Glu Asp Gly Gln Gln  
 290 295 300

<210> 244  
 <211> 297  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 244

Met Asp Asn Ser Arg Arg Ser Arg Lys Lys Gly Thr Lys Lys Lys Lys  
 1 5 10 15

His Pro Leu Ile Leu Leu Leu Ile Phe Leu Val Gly Phe Ala Val Ala  
 20 25 30

Ile Tyr Pro Leu Val Ser Arg Tyr Tyr Tyr Arg Ile Glu Ser Asn Glu  
 35 40 45

Val Ile Lys Glu Phe Asp Glu Thr Val Ser Gln Met Asp Lys Ala Glu  
 50 55 60

Leu Glu Glu Arg Trp Arg Leu Ala Gln Ala Phe Asn Ala Thr Leu Lys  
 65 70 75 80

Pro Ser Glu Ile Leu Asp Pro Phe Thr Glu Gln Glu Lys Lys Lys Gly  
                             85                            90                            95

Val Ser Glu Tyr Ala Asn Met Leu Lys Val His Glu Arg Ile Gly Tyr  
                             100                            105                            110

Val Glu Ile Pro Ala Ile Asp Gln Glu Ile Pro Met Tyr Val Gly Thr  
                             115                            120                            125

Ser Glu Asp Ile Leu Gln Lys Gly Ala Gly Leu Leu Glu Gly Ala Ser  
             130                            135                            140

Leu Pro Val Gly Gly Glu Asn Thr His Thr Val Ile Thr Ala His Arg  
     145                            150                            155                            160

Gly Leu Pro Thr Ala Glu Leu Phe Ser Gln Leu Asp Lys Met Lys Lys  
                             165                            170                            175

Gly Asp Ile Phe Tyr Leu His Val Leu Asp Gln Val Leu Ala Tyr Gln  
                             180                            185                            190

Val Asp Gln Ile Val Thr Val Glu Pro Asn Asp Phe Glu Pro Val Leu  
             195                            200                            205

Ile Gln His Gly Glu Asp Tyr Ala Thr Leu Leu Thr Cys Thr Pro Tyr  
     210                            215                            220

Met Ile Asn Ser His Arg Leu Leu Val Arg Gly Lys Arg Ile Pro Tyr  
     225                            230                            235                            240

Thr Ala Pro Ile Ala Glu Arg Asn Arg Ala Val Arg Glu Arg Gly Gln  
                             245                            250                            255

Phe Trp Leu Trp Leu Leu Leu Gly Ala Met Ala Val Ile Leu Leu Leu  
                             260                            265                            270

Leu Tyr Arg Val Tyr Arg Asn Arg Arg Ile Val Lys Gly Leu Glu Lys  
             275                            280                            285

Gln Leu Glu Gly Arg His Val Lys Asp  
     290                            295

<210> 245  
 <211> 441  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 245

Met Met Asn Asn Ile Leu Ala Phe Leu Glu Thr Lys Val Ala Pro Phe  
 1 5 10 15

Gly Glu Lys Val Gly Asn Gln Arg His Leu Lys Ala Ile Arg Glu Gly  
 20 25 30

Phe Met Met Ala Met Pro Leu Ile Leu Val Gly Ser Leu Phe Leu Ile  
 35 40 45

Leu Ile Ser Trp Pro Gln Glu Ala Phe Thr Asn Trp Leu Asn Ser Val  
 50 55 60

Gly Leu Leu Ser Ile Leu Thr Thr Met Asn Gln Ser Thr Val Ala Ile  
 65 70 75 80

Ile Ser Leu Val Ala Cys Phe Gly Ile Ala Tyr Arg Leu Ser Glu Gly  
 85 90 95

Tyr Gly Thr Asp Gly Pro Ser Ala Gly Ile Ile Ala Leu Ser Ser Phe  
 100 105 110

Val Leu Met Ala Pro Arg Phe Ser Ser Met Val Tyr Asp Lys Asn Gly  
 115 120 125

Glu Gln Val Lys Gln Leu Phe Gly Gly Ala Ile Pro Phe Ser Ser Leu  
 130 135 140

Asn Ala Ser Ser Leu Phe Met Ala Ile Thr Ile Gly Leu Val Thr Ala  
 145 150 155 160

Glu Ile Tyr Arg Met Phe Ile Gln Arg Gly Ile Thr Ile Lys Met Pro  
 165 170 175

Ser Gly Val Pro Asp Val Val Ser Lys Ser Phe Ser Ala Leu Leu Ser  
 180 185 190



Gly Phe Thr Thr Phe Val Leu Trp Ala Leu Val Leu Lys Gly Leu Glu  
 195 200 205

Ala Ala Gly Val Ala Gly Gly Leu Asn Gly Leu Leu Gly Ala Ile Val  
 210 215 220

Gly Thr Pro Leu Lys Leu Ile Ala Gly Thr Leu Pro Gly Met Ile Leu  
 225 230 235 240

Cys Val Ile Val Asn Ser Phe Phe Trp Phe Cys Gly Val Asn Gly Gly  
 245 250 255

Gln Val Leu Asn Ala Phe Val Asp Pro Val Trp Leu Gln Phe Thr Thr  
 260 265 270

Glu Asn Gln Glu Ala Val Ala Ala Gly Gln Thr Leu Gln His Ile Ile  
 275 280 285

Thr Leu Pro Phe Lys Asp Leu Phe Val Phe Ile Gly Gly Gly Gly Ala  
 290 295 300

Thr Ile Gly Leu Ala Ile Cys Leu Phe Leu Phe Ser Lys Ser Arg Ala  
 305 310 315 320

Asn Lys Thr Leu Gly Lys Leu Ala Ile Ile Pro Ser Ile Phe Asn Ile  
 325 330 335

Asn Thr Ala Ile Leu Phe Thr Phe Pro Thr Val Leu Asn Pro Ile Met  
 340 345 350

Leu Ile Pro Phe Ile Ala Thr Pro Thr Ile Asn Ala Leu Ile Thr Tyr  
 355 360 365

Val Ser Met Ala Val Gly Leu Val Pro Tyr Thr Thr Gly Val Ile Leu  
 370 375 380

Pro Trp Thr Met Pro Pro Ile Ile Gly Gly Phe Leu Ala Thr Gly Ala  
 385 390 395 400

Ser Trp Arg Gly Ala Leu Leu Gln Val Val Leu Ile Leu Val Ser Val  
 405 410 415

Ala Ile Tyr Tyr Pro Phe Phe Lys Ile Ala Asp Lys Arg Asn Leu Glu  
 420 425 430

Lys Glu Lys Ala Thr Val Gly Gly Lys  
 435 440

<210> 246  
 <211> 559  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 246

Met Asp Lys Leu Val Ala Ala Ile Glu Lys Gln Gln Gly Lys Phe Glu  
 1 5 10 15

Lys Ile Ser Thr Asn Asn Tyr Met Met Ala Ile Lys Asp Gly Phe Ile  
 20 25 30

Ala Thr Met Pro Leu Ile Met Phe Ser Ser Phe Leu Met Ile Ile Ile  
 35 40 45

Met Ile Pro Lys Asn Phe Gly Val Glu Leu Pro Ser Pro Ala Ile Val  
 50 55 60

Trp Met Arg Lys Val Tyr Met Leu Thr Met Gly Val Leu Gly Ile Ile  
 65 70 75 80

Val Ser Gly Thr Val Gly Lys Ser Leu Val Gly Asn Val Asn Arg Lys  
 85 90 95

Met Pro His Gly Lys Val Ile Asn Asp Ile Ser Ala Met Leu Ala Ala  
 100 105 110

Ile Cys Ser Tyr Leu Val Leu Thr Val Thr Leu Val Val Asp Glu Lys  
 115 120 125

Thr Gly Ser Thr Ser Leu Ser Thr Asn Tyr Leu Gly Ser Gln Gly Leu  
 130 135 140

Ile Thr Ser Phe Val Ser Ala Phe Ile Thr Val Asn Val Tyr Arg Phe  
 145 150 155 160

Cys Ile Lys Arg Asp Ile Thr Ile His Leu Pro Lys Glu Val Pro Gly  
 165 170 175

Ala Ile Ser Gln Ala Phe Arg Asp Ile Phe Pro Phe Ser Phe Val Leu  
 180 185 190

Leu Ile Ser Gly Leu Leu Asp Ile Val Ser Arg Phe Ser Leu Asp Val  
 195 200 205

Pro Phe Ala Gln Val Phe Gln Gln Leu Leu Thr Pro Ile Phe Lys Gly  
 210 215 220

Ala Glu Ser Tyr Pro Ala Met Met Leu Ile Trp Phe Met Cys Ala Leu  
 225 230 235 240

Leu Trp Phe Val Gly Ile His Gly Pro Ser Ile Val Leu Pro Ala Val  
 245 250 255

Thr Ala Leu Gln Leu Ser Asn Met Glu Glu Asn Ala Gln Leu Leu Ala  
 260 265 270

Asn Gly Gln Phe Pro Tyr His Ser Leu Thr Pro Asn Phe Gly Asn Tyr  
 275 280 285

Ile Ala Ala Ile Gly Gly Thr Gly Ala Thr Phe Val Val Pro Phe Ile  
 290 295 300

Leu Ile Phe Phe Met Arg Ser Lys Gln Leu Lys Ser Val Gly Lys Ala  
 305 310 315 320

Thr Ile Thr Pro Val Leu Phe Ala Val Asn Glu Pro Leu Leu Phe Gly  
 325 330 335

Met Pro Val Ile Leu Asn Pro Tyr Leu Phe Val Pro Phe Leu Met Thr  
 340 345 350

Pro Pro Val Asn Val Phe Leu Gly Lys Val Phe Ile Asp Phe Phe Gly  
 355 360 365

Met Asn Gly Phe Tyr Ile Gln Leu Pro Trp Thr Phe Pro Gly Pro Leu

370                      375                      380  
 Gly Leu Leu Ile Gly Thr Asn Phe Gln Leu Ile Ser Phe Val Phe Leu  
 385                      390                      395                      400  
 Ser Leu Ile Leu Val Val Asp Ile Leu Ile Tyr Leu Pro Phe Cys Arg  
                     405                      410                      415  
 Ala Tyr Asp Arg Gln Leu Leu Val Lys Glu Asp Ile Ala Ser Ser Asn  
                     420                      425                      430  
 Asp Ile Ile Leu Glu Glu Asp Thr Ser Glu Ile Ile Pro Gly Glu Ile  
                     435                      440                      445  
 Asp Glu Ile Lys Ser Lys Glu Leu Lys Val Leu Val Leu Cys Ala Gly  
                     450                      455                      460  
 Ser Gly Thr Ser Ala Gln Leu Ala Asn Ala Ile Asn Glu Gly Ala Asn  
 465                      470                      475                      480  
 Leu Thr Glu Val Arg Val Ile Ala Asn Ser Gly Ala Tyr Gly Ala His  
                     485                      490                      495  
 Tyr Asp Ile Met Gly Val Tyr Asp Leu Ile Ile Leu Ala Pro Gln Val  
                     500                      505                      510  
 Arg Ser Tyr Tyr Arg Glu Met Lys Val Asp Ala Glu Arg Leu Gly Ile  
                     515                      520                      525  
 Gln Ile Val Ala Thr Arg Gly Met Glu Tyr Ile His Leu Thr Lys Ser  
                     530                      535                      540  
 Pro Ser Lys Ala Leu Gln Phe Val Leu Glu His Tyr Gln Ala Val  
 545                      550                      555  
  
 <210> 247  
 <211> 560  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 247  
 Met Lys Glu Ala Ile Ile Glu Trp Lys Asp Phe Ser Phe Arg Tyr Glu

-229-

Ile Leu Phe Asn Gly Ser Pro Asp Gln Leu Leu Ala Thr Asp Leu Leu  
 225 230 235 240  
 Thr Gln Asn Gly Ile Arg Glu Pro Leu Tyr Leu Thr Thr Leu Arg Gln  
 245 250 255  
 Leu Gly Val Asp Leu Val Lys Glu Glu Gln Leu Ala Asn Leu Asp Asn  
 260 265 270  
 Leu Ser Ile Ser Lys Gly Gln Val Gln Leu Gln Asn Glu Leu Ala Lys  
 275 280 285  
 Glu Thr Pro Ala Leu Gln Ser Leu Phe Arg Leu Glu Glu Val Ser Phe  
 290 295 300  
 Ser Tyr Asp Asp Arg Pro Ile Leu Lys Ser Leu His Leu Asp Ile Lys  
 305 310 315 320  
 Lys Gly Glu Lys Ile Ala Ile Val Gly Lys Asn Gly Ala Gly Lys Ser  
 325 330 335  
 Thr Leu Ala Lys Ala Ile Ser Ser Phe Ile Gln Thr Glu Gly Arg Tyr  
 340 345 350  
 Leu Trp Glu Lys Gln Asp Ile Lys Gly Asp Ser Val Ala Glu Arg Ala  
 355 360 365  
 Glu Arg Val Gly Tyr Val Leu Gln Asn Pro Asn Gln Met Ile Ser Thr  
 370 375 380  
 Asn Met Ile Phe Asp Glu Val Ala Leu Gly Leu Arg Leu Arg Gly Val  
 385 390 395 400  
 Asp Glu Lys Glu Ile Glu Thr Arg Val Tyr Glu Thr Leu Lys Ile Cys  
 405 410 415  
 Gly Leu Tyr Glu Phe Arg Asn Trp Pro Ile Ser Ala Leu Ser Phe Gly  
 420 425 430  
 Gln Lys Lys Arg Val Thr Ile Ala Ser Ile Leu Val Leu Gly Ala Glu  
 435 440 445

Ile Ile Leu Leu Asp Glu Pro Thr Ala Gly Gln Asp Gln Lys Asn Tyr  
 450 455 460

Thr Glu Ile Met Glu Phe Leu Glu Glu Leu His Gln Lys Gly His Thr  
 465 470 475 480

Ile Val Met Ile Thr His Asp Met Gln Leu Met Leu Asp Tyr Ser Asp  
 485 490 495

Arg Val Leu Val Met Val Asp Gly Glu Leu Ile Ala Asp Thr Val Pro  
 500 505 510

Ala Ser Leu Leu Ser Asp Pro Glu Leu Leu Val Lys Ala Asn Leu Lys  
 515 520 525

Glu Thr Ser Ile Phe Asn Leu Ala Lys Lys Leu Asp Val Asp Pro Leu  
 530 535 540

Asp Leu Thr Ala Phe Tyr Lys Glu Arg Arg Glu Gly Cys Lys Leu Asn  
 545 550 555 560

<210> 248

<211> 543

<212> PRT

<213> Streptococcus pneumoniae .

<400> 248

Met Ser Ile Asn Trp Gln Glu Ile Leu Phe His Phe Leu Gly Gly Leu  
 1 5 10 15

Gly Leu Phe Leu Tyr Ser Ile Lys Thr Met Gly Asp Gly Leu Gln Gln  
 20 25 30

Ala Ala Gly Asp Arg Leu Arg Phe Tyr Ile Asp Lys Tyr Thr Ser Asn  
 35 40 45

Pro Phe Phe Gly Val Leu Val Gly Ile Gly Met Thr Ala Leu Ile Gln  
 50 55 60

Ser Ser Ser Gly Val Thr Val Ile Thr Val Gly Leu Val Ser Ala Gly  
 65 70 75 80

Leu Leu Thr Leu Arg Gln Ala Ile Gly Ile Val Met Gly Ala Asn Ile  
 85 90 95

Gly Thr Thr Val Thr Ser Phe Leu Ile Gly Phe Lys Leu Gly Asn Tyr  
 100 105 110

Ala Leu Pro Met Leu Phe Ile Gly Ala Val Cys Leu Phe Phe Thr Lys  
 115 120 125

Asn Arg Thr Val Asn Asn Ile Gly Arg Ile Leu Phe Gly Val Gly Gly  
 130 135 140

Ile Phe Phe Ala Leu Asn Leu Met Ser Gly Ala Met Ala Pro Leu Lys  
 145 150 155 160

Asp Leu Gln Val Phe Lys Asp Tyr Met Ile Glu Leu Ser Lys Asn Pro  
 165 170 175

Val Leu Gly Val Phe Val Gly Thr Gly Leu Thr Leu Leu Ile Gln Ala  
 180 185 190

Ser Ser Ala Thr Ile Gly Ile Leu Gln Asn Leu Tyr Ala Gly Asn Leu  
 195 200 205

Ile Asp Leu Gln Gly Ala Leu Pro Val Leu Phe Gly Asp Asn Ile Gly  
 210 215 220

Thr Thr Ile Thr Ala Ile Ile Ala Ser Leu Gly Ala Asn Ile Ala Ala  
 225 230 235 240

Lys Arg Val Ala Gly Ala His Val Ala Phe Asn Val Ile Gly Thr Val  
 245 250 255

Val Cys Val Ile Phe Leu Val Pro Phe Thr Val Leu Ile His Trp Phe  
 260 265 270

Glu Ala Thr Leu Asn Leu Ala Pro Glu Met Thr Ile Ala Phe Ala His  
 275 280 285

Gly Thr Phe Asn Ile Thr Asn Thr Ile Val Gln Phe Pro Phe Ile Gly  
 290 295 300



Ala Leu Ala Tyr Phe Val Thr Lys Ile Ile Pro Gly Glu Asp Glu Val  
305 310 315 320

Val Lys Tyr Glu Pro Leu Tyr Leu Asp Glu His Phe Ile Lys Gln Ala  
325 330 335

Pro Ser Ile Ala Leu Gly Asn Ala Lys Lys Glu Leu Leu His Leu Gly  
340 345 350

Asn Tyr Ala Ala Lys Ala Phe Asp Leu Ser Tyr Lys Tyr Ile Ile Asp  
355 360 365

Leu Asp Glu Lys Val Ala Glu Lys Gly His Lys Thr Glu Glu Ala Ile  
370 375 380

Asn Thr Ile Asp Glu Gln Leu Thr Arg Tyr Leu Ile Ala Leu Ser Ser  
385 390 395 400

Glu Ala Leu Ser Gln Lys Glu Ser Glu Val Leu Thr Asn Ile Leu Asp  
405 410 415

Ser Ser Arg Asp Leu Glu Arg Ile Gly Asp His Thr Glu Ala Leu Leu  
420 425 430

Asn Leu Thr Asp Tyr Leu Gln Arg Lys Asn Val Glu Phe Ser Asp Ala  
435 440 445

Ala Leu Lys Glu Leu Glu Glu Val Tyr Arg Gln Thr Ser Asp Phe Ile  
450 455 460

Lys Asp Ala Leu Asp Ser Val Glu Asn Asn Asp Ile Glu Lys Ala Arg  
465 470 475 480

Ser Leu Val Glu Arg His Glu Ala Ile Asn Lys Ile Glu Arg Val Leu  
485 490 495

Arg Lys Thr His Ile Lys Arg Leu Asn Lys Gly Glu Cys Ser Thr Gln  
500 505 510

Ala Gly Val Asn Phe Ile Asp Ile Ile Ser His Tyr Thr Arg Val Ser

515

520

525

Asp His Ala Met Asn Leu Ala Glu Lys Val Phe Ala Glu Gln Ile  
 530 535 540

&lt;210&gt; 249

&lt;211&gt; 1659

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 249

Met Lys Asn Pro Phe Phe Glu Arg Arg Cys Arg Tyr Ser Ile Arg Lys  
 1 5 10 15

Leu Ser Val Gly Ala Cys Ser Leu Met Ile Gly Ala Val Leu Phe Ala  
 20 25 30

Gly Pro Ala Leu Ala Glu Glu Thr Ala Val Pro Glu Asn Ser Gly Ala  
 35 40 45

Asn Thr Glu Leu Val Ser Gly Glu Ser Glu His Ser Thr Asn Glu Ala  
 50 55 60

Asp Lys Gln Asn Glu Gly Glu His Ala Arg Glu Asn Lys Leu Glu Lys  
 65 70 75 80

Ala Glu Gly Val Ala Ile Ala Ser Glu Thr Ala Ser Pro Ala Ser Asn  
 85 90 95

Glu Ala Ala Thr Thr Glu Thr Ala Glu Ala Ala Ser Ala Ala Lys Pro  
 100 105 110

Glu Glu Lys Ala Ser Glu Val Val Ala Glu Thr Pro Ser Ala Glu Ala  
 115 120 125

Lys Pro Lys Ser Asp Lys Glu Thr Glu Ala Lys Pro Glu Ala Thr Asn  
 130 135 140

Gln Gly Asp Glu Ser Lys Pro Ala Ala Glu Ala Asn Lys Thr Glu Lys  
 145 150 155 160

Glu Val Gln Pro Asp Val Pro Lys Asn Thr Glu Lys Thr Leu Lys Pro

-235-

Gln Asp Gly Leu Gly Glu Tyr Asn Tyr Gln Phe Met Gln Pro Glu Gly  
 385 390 395 400

Asp Lys Val Pro Ala Asp Asn Phe Phe Ala Asn Phe Asn Trp Asp Lys  
 405 410 415

Ala Lys Asn Asp Tyr Thr Ile Ala Thr Ala Asn Trp Ile Gly Arg Asn  
 420 425 430

Pro Tyr Asp Val Phe Ala Gly Leu Glu Leu Gln Gln Gly Gly Ser Tyr  
 435 440 445

Lys Thr Lys Val Lys Trp Asn Asp Ile Leu Asp Glu Asn Gly Lys Leu  
 450 455 460

Arg Leu Ser Leu Gly Leu Phe Ala Pro Asp Thr Ile Thr Ser Leu Gly  
 465 470 475 480

Lys Thr Gly Glu Asp Tyr His Lys Asn Glu Asp Ile Phe Phe Thr Gly  
 485 490 495

Tyr Gln Gly Asp Pro Thr Gly Gln Lys Pro Gly Asp Lys Asp Trp Tyr  
 500 505 510

Gly Ile Ala Asn Leu Val Ala Asp Arg Thr Pro Ala Val Gly Asn Thr  
 515 520 525

Phe Thr Thr Ser Phe Asn Thr Gly His Gly Lys Lys Trp Phe Val Asp  
 530 535 540

Gly Lys Val Ser Lys Asp Ser Glu Trp Asn Tyr Arg Ser Val Ser Gly  
 545 550 555 560

Val Leu Pro Thr Trp Arg Trp Trp Gln Thr Ser Thr Gly Glu Lys Leu  
 565 570 575

Arg Ala Glu Tyr Asp Phe Thr Asp Ala Tyr Asn Gly Gly Asn Ser Leu  
 580 585 590

Lys Phe Ser Gly Asp Val Ala Gly Lys Thr Asp Gln Asp Val Arg Leu  
 595 600 605

Tyr Ser Thr Lys Leu Glu Val Thr Glu Lys Thr Lys Leu Arg Val Ala  
610 615 620

His Lys Gly Gly Lys Gly Ser Lys Val Tyr Met Ala Phe Ser Thr Thr  
625 630 635 640

Pro Asp Tyr Lys Phe Asp Asp Ala Asp Ala Trp Lys Glu Leu Thr Leu  
645 650 655

Ser Asp Asn Trp Thr Asn Glu Glu Phe Asp Leu Ser Ser Leu Ala Gly  
660 665 670

Lys Thr Ile Tyr Ala Val Lys Leu Phe Phe Glu His Glu Gly Ala Val  
675 680 685

Lys Asp Tyr Gln Phe Asn Leu Gly Gln Leu Thr Ile Ser Asp Asn His  
690 695 700

Gln Glu Pro Gln Ser Pro Thr Ser Phe Ser Val Val Lys Gln Ser Leu  
705 710 715 720

Lys Asn Ala Gln Glu Ala Glu Ala Val Val Gln Phe Lys Gly Asn Lys  
725 730 735

Asp Ala Asp Phe Tyr Glu Val Tyr Glu Lys Asp Gly Asp Ser Trp Lys  
740 745 750

Leu Leu Thr Gly Ser Ser Ser Thr Thr Ile Tyr Leu Pro Lys Val Ser  
755 760 765

Arg Ser Ala Ser Ala Gln Gly Thr Thr Gln Glu Leu Lys Val Val Ala  
770 775 780

Val Gly Lys Asn Gly Val Arg Ser Glu Ala Ala Thr Thr Thr Phe Asp  
785 790 795 800

Trp Gly Met Thr Val Lys Asp Thr Ser Leu Pro Lys Pro Leu Ala Glu  
805 810 815

Asn Ile Val Pro Gly Ala Thr Val Ile Asp Ser Thr Phe Pro Lys Thr  
820 825 830

Glu Gly Gly Glu Gly Ile Glu Gly Met Leu Asn Gly Thr Ile Thr Ser  
           835                                  840                                  845

Leu Ser Asp Lys Trp Ser Ser Ala Gln Leu Ser Gly Ser Val Asp Ile  
           850                                  855                                  860

Arg Leu Thr Lys Pro Arg Thr Val Val Arg Trp Val Met Asp His Ala  
 865                                  870                                  875                                  880

Gly Ala Gly Gly Glu Ser Val Asn Asp Gly Leu Met Asn Thr Lys Asp  
                                   885                                  890                                  895

Phe Asp Leu Tyr Tyr Lys Asp Ala Asp Gly Glu Trp Lys Leu Ala Lys  
                                   900                                  905                                  910

Glu Val Arg Gly Asn Lys Ala His Val Thr Asp Ile Thr Leu Asp Lys  
           915                                  920                                  925

Pro Ile Thr Ala Gln Asp Trp Arg Leu Asn Val Val Thr Ser Asp Asn  
           930                                  935                                  940

Gly Thr Pro Trp Lys Ala Ile Arg Ile Tyr Asn Trp Lys Met Tyr Glu  
 945                                  950                                  955                                  960

Lys Leu Asp Thr Glu Ser Val Asn Ile Pro Met Ala Lys Ala Ala Ala  
                                   965                                  970                                  975

Arg Ser Leu Gly Asn Asn Lys Val Gln Val Gly Phe Ala Asp Val Pro  
                                   980                                  985                                  990

Ala Gly Ala Thr Ile Thr Val Tyr Asp Asn Pro Asn Ser Gln Thr Pro  
           995                                  1000                                  1005

Leu Ala Thr Leu Lys Ser Glu Val Gly Gly Asp Leu Ala Ser Ala  
           1010                                  1015                                  1020

Pro Leu Asp Leu Thr Asn Gln Ser Gly Leu Leu Tyr Tyr Arg Thr  
           1025                                  1030                                  1035

Gln Leu Pro Gly Lys Glu Ile Ser Asn Val Leu Ala Val Ser Val

1040		1045		1050
Pro Lys Asp Asp Arg Arg Ile Lys Ser Val Ser Leu Glu Thr Gly				
1055		1060		1065
Pro Lys Lys Thr Ser Tyr Ala Glu Gly Glu Asp Leu Asp Leu Arg				
1070		1075		1080
Gly Gly Val Leu Arg Val Gln Tyr Glu Gly Gly Thr Glu Asp Glu				
1085		1090		1095
Leu Ile Arg Leu Thr His Ala Gly Val Ser Val Ser Gly Phe Asp				
1100		1105		1110
Thr His His Lys Gly Glu Gln Asn Leu Thr Leu Gln Tyr Leu Gly				
1115		1120		1125
Gln Pro Val Asn Ala Asn Leu Ser Val Thr Val Thr Gly Gln Asp				
1130		1135		1140
Glu Ala Ser Pro Lys Thr Ile Leu Gly Ile Glu Val Ser Gln Glu				
1145		1150		1155
Pro Lys Lys Asp Tyr Leu Val Gly Asp Ser Leu Asp Leu Ser Glu				
1160		1165		1170
Gly Arg Phe Ala Val Ala Tyr Ser Asn Asp Thr Met Glu Glu His				
1175		1180		1185
Ser Phe Thr Asp Glu Gly Val Glu Ile Ser Gly Tyr Asp Ala Gln				
1190		1195		1200
Lys Thr Gly Arg Gln Thr Leu Thr Leu His Tyr Gln Gly His Glu				
1205		1210		1215
Val Ser Phe Asp Val Leu Val Ser Pro Lys Ala Ala Leu Asn Asp				
1220		1225		1230
Glu Tyr Leu Lys Gln Lys Leu Ala Glu Val Glu Ala Ala Lys Asn				
1235		1240		1245

Lys Val	Val Tyr Asn Phe Ala	Ser Ser Glu Val Lys	Glu Ala Phe
1250	1255	1260	
Leu Lys	Ala Ile Glu Ala Ala	Glu Gln Val Leu Lys	Asp His Glu
1265	1270	1275	
Thr Ser	Thr Gln Asp Gln Val	Asn Asp Arg Leu Asn	Lys Leu Thr
1280	1285	1290	
Glu Ala	His Lys Ala Leu Asn	Gly Gln Glu Lys Phe	Thr Glu Glu
1295	1300	1305	
Lys Thr	Glu Leu Asp Arg Leu	Thr Gly Glu Val Gln	Glu Leu Leu
1310	1315	1320	
Ala Ala	Lys Pro Asn His Pro	Ser Gly Ser Ala Leu	Ala Pro Leu
1325	1330	1335	
Leu Glu	Lys Asn Lys Ala Leu	Val Glu Lys Val Asp	Leu Ser Pro
1340	1345	1350	
Glu Glu	Leu Thr Thr Ala Lys	Gln Ser Leu Lys Asp	Leu Val Ala
1355	1360	1365	
Leu Leu	Lys Glu Asp Lys Pro	Ala Val Phe Ser Asp	Ser Lys Thr
1370	1375	1380	
Gly Val	Glu Val His Phe Ser	Asn Lys Glu Lys Thr	Val Ile Lys
1385	1390	1395	
Gly Leu	Lys Val Glu Arg Val	Gln Ala Ser Ala Glu	Glu Lys Lys
1400	1405	1410	
Tyr Phe	Ala Gly Glu Asp Ala	His Val Phe Glu Ile	Glu Gly Leu
1415	1420	1425	
Asp Glu	Lys Gly Gln Asp Val	Asp Leu Ser Tyr Ala	Ser Ile Val
1430	1435	1440	
Lys Ile	Pro Ile Glu Lys Asp	Lys Lys Val Lys Lys	Val Phe Phe
1445	1450	1455	



Leu Pro Glu Gly Lys Glu Ala Val Glu Leu Ala Phe Glu Gln Thr  
 1460 1465 1470  
 Asp Ser His Val Ile Phe Thr Ala Pro His Phe Thr His Tyr Ala  
 1475 1480 1485  
 Phe Val Tyr Glu Ser Ala Glu Lys Pro Gln Pro Ala Lys Pro Ala  
 1490 1495 1500  
 Pro Gln Asn Thr Val Leu Pro Lys Pro Thr Tyr Gln Pro Thr Ser  
 1505 1510 1515  
 Asp Gln Gln Lys Ala Pro Lys Leu Glu Val Gln Glu Glu Lys Val  
 1520 1525 1530  
 Ala Phe His Arg Gln Glu His Glu Asn Thr Glu Met Leu Val Gly  
 1535 1540 1545  
 Glu Gln Arg Val Ile Ile Gln Gly Arg Asp Gly Leu Leu Arg His  
 1550 1555 1560  
 Val Phe Glu Val Asp Glu Asn Gly Gln Arg Arg Leu Arg Ser Thr  
 1565 1570 1575  
 Glu Val Ile Gln Glu Ala Ile Pro Glu Ile Val Glu Ile Gly Thr  
 1580 1585 1590  
 Lys Val Lys Thr Val Pro Ala Val Val Ala Thr Gln Glu Lys Pro  
 1595 1600 1605  
 Ala Gln Asn Thr Ala Val Lys Ser Glu Glu Ala Ser Lys Gln Leu  
 1610 1615 1620  
 Pro Asn Thr Gly Thr Ala Asp Ala Asn Glu Ala Leu Ile Ala Gly  
 1625 1630 1635  
 Leu Ala Ser Leu Gly Leu Ala Ser Leu Ala Leu Thr Leu Arg Arg  
 1640 1645 1650  
 Lys Arg Glu Asp Lys Asp  
 1655

<210> 250  
 <211> 320  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 250

Met Val Thr Ile Ile Asn Ile Gly Gly Ser Tyr Tyr Leu Gln Gly Ile  
 1 5 10 15

Leu Asp Glu Tyr Ile Pro Asn Gln Met Lys Ser Thr Leu Gly Ile Ile  
 20 25 30

Ser Val Gly Leu Val Ile Thr Tyr Ile Leu Gln Gln Val Met Ser Phe  
 35 40 45

Ser Arg Asp Tyr Leu Leu Thr Val Leu Ser Gln Arg Leu Ser Ile Asp  
 50 55 60

Val Ile Leu Ser Tyr Ile Arg His Ile Phe Glu Leu Pro Met Ser Phe  
 65 70 75 80

Phe Ala Thr Arg Arg Thr Gly Glu Ile Ile Ser Arg Phe Thr Asp Ala  
 85 90 95

Asn Ser Ile Ile Asp Ala Leu Ala Ser Thr Ile Leu Ser Leu Phe Leu  
 100 105 110

Asp Val Ser Ile Leu Ile Leu Val Gly Gly Val Leu Leu Ala Gln Asn  
 115 120 125

Pro Asn Leu Phe Leu Leu Ser Leu Ile Ser Ile Pro Ile Tyr Met Phe  
 130 135 140

Ile Ile Phe Ser Phe Met Lys Pro Phe Glu Lys Met Asn His Asp Val  
 145 150 155 160

Met Gln Ser Asn Ser Met Val Ser Ser Ala Ile Ile Glu Asp Ile Asn  
 165 170 175

Gly Ile Glu Thr Ile Lys Ser Leu Thr Ser Glu Glu Asn Arg Tyr Gln  
 180 185 190

Asn Ile Asp Ser Glu Phe Val Asp Tyr Leu Glu Lys Ser Phe Lys Leu  
195 200 205

Ser Lys Tyr Ser Ile Leu Gln Thr Ser Leu Lys Gln Gly Thr Lys Leu  
210 215 220

Val Leu Asn Ile Leu Ile Leu Trp Phe Gly Ala Gln Leu Val Met Ser  
225 230 235 240

Ser Lys Ile Ser Ile Gly Gln Leu Ile Thr Phe Asn Thr Leu Phe Ser  
245 250 255

Tyr Phe Thr Thr Pro Met Glu Asn Ile Ile Asn Leu Gln Thr Lys Leu  
260 265 270

Gln Ser Ala Lys Val Ala Asn Asn Arg Leu Asn Glu Val Tyr Leu Val  
275 280 285

Glu Ser Glu Phe Gln Val Gln Glu Asn Pro Val His Ser His Phe Leu  
290 295 300

Met Gly Asp Ile Glu Phe Asp Asp Leu Ser Tyr Lys Tyr Gly Phe Gly  
305 310 315 320

<210> 251

<211> 77

<212> PRT

<213> Streptococcus pneumoniae

<400> 251

Met Tyr Lys His Leu Phe Phe Leu Asp Ser Lys Thr Leu Asp Arg Leu  
1 5 10 15

Thr Pro Tyr Ile Leu Val Leu Ala Ser Asp Thr Ile Ala Phe Asn Val  
20 25 30

Phe Val Leu Thr Phe Val Ser Ala Val Val Phe Asn Phe Leu Asn Ser  
35 40 45

Met Leu Ala Leu Met Ala Ile Phe Ile Gly Ala Gly Tyr Val Val Gly  
50 55 60

Phe Trp Leu Leu Ile Leu Asn Glu Asn Gln Arg Ala Asn  
65 70 75

<210> 252  
<211> 203  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 252

Met Glu Phe Phe Asp Lys Phe His Ala Leu Cys Phe Gly Phe Leu Val  
1 5 10 15

Leu Ile Ile Val Ile Thr Val Pro Tyr Thr Ile Asn His Gly Gly Phe  
20 25 30

Phe Gln Asn Glu Ser Ala Leu Ile Leu Val Ser Leu Leu Val Thr Ser  
35 40 45

Leu Ser Val Ala Tyr Ala Arg Lys Phe Glu Met Ile Ser Phe Gly Met  
50 55 60

Leu Ser Lys Lys Gln Leu Leu Leu Phe Ile Ala Ile Phe Leu Leu Ser  
65 70 75 80

Val Leu Glu Thr Leu Val Tyr Ile His Phe Phe Ala Val Ser Ser Gly  
85 90 95

Ser Gly Val Gln His Leu Ala Glu Val Ser Arg Gly Ile Ser Leu Ser  
100 105 110

Leu Ile Leu Thr Thr Ser Val Phe Gly Pro Ile Gln Glu Glu Leu Ile  
115 120 125

Phe Arg Gly Leu Leu Gln Gly Ala Val Phe Asp Asn Ser Trp Leu Gly  
130 135 140

Leu Val Leu Thr Ser Ser Leu Phe Ser Phe Met His Gly Pro Ser Asn  
145 150 155 160

Val Pro Ser Phe Ile Phe Tyr Leu Leu Gly Gly Leu Leu Leu Gly Phe  
165 170 175

Ala Tyr Lys Lys Ser Gln Asn Leu Trp Val Ser Thr Leu Val His Met  
180 185 190

Leu Tyr Asn Ser Trp Pro Leu Leu Tyr Tyr Leu  
195 200

<210> 253

<211> 612

<212> PRT

<213> Streptococcus pneumoniae

<400> 253

Met Ser Tyr Lys Asp Thr Val Gln Lys Ile Leu Asp Val Ile Gly Gly  
1 5 10 15

Glu Lys Asn Val Asn Arg Val Thr His Cys Val Thr Arg Leu Arg Leu  
20 25 30

Glu Leu Lys Asp Glu Asn Leu Val Asn Asp Asp Asp Val Lys Lys Ile  
35 40 45

Pro Gly Val Ile Gly Ile Met Lys Lys Asn Gly Gln Tyr Gln Ile Ile  
50 55 60

Leu Gly Asn Asp Val Ala Asn Tyr Tyr Lys Glu Phe Val Lys Leu Gly  
65 70 75 80

Asn Phe Glu Ser Asp Ser Val Val Gln Gly His Lys Gly Asn Ile Leu  
85 90 95

Glu Arg Ile Ile Glu Tyr Ile Ala Gly Ser Met Thr Pro Ile Ile Pro  
100 105 110

Ala Met Leu Gly Gly Gly Met Leu Lys Val Leu Val Ile Ile Leu Pro  
115 120 125

Met Leu Gly Ile Leu Gln Ser Asp Ser Gln Thr Ile Ala Phe Leu Thr  
130 135 140

Phe Phe Gly Asp Ala Pro Tyr Tyr Phe Leu Pro Leu Leu Leu Ala Tyr  
145 150 155 160

Ser Ala Ser Gln Lys Leu Lys Val Thr Ser Thr Leu Ala Met Ser Val  
 165 170 175

Ala Gly Val Leu Leu His Pro Asn Phe Val Gln Met Val Gln Ser Gly  
 180 185 190

Asn Pro Leu Ser Leu Phe Gly Ala Pro Val Thr Pro Ala Ser Tyr Gly  
 195 200 205

Ser Ser Val Val Pro Ile Leu Ile Met Val Trp Leu Met Lys Tyr Ile  
 210 215 220

Glu Lys Ile Ile Ala Lys Leu Thr Leu Ala Ile Thr Lys Ser Phe Leu  
 225 230 235 240

Gln Pro Thr Leu Val Leu Leu Val Ser Ser Cys Ile Ala Leu Val Val  
 245 250 255

Val Gly Pro Ile Gly Val Ile Val Gly Glu Gly Leu Ser Asn Leu Val  
 260 265 270

Gly Gln Met Tyr Gly Val Ala Gly Trp Leu Thr Leu Ala Ile Leu Gly  
 275 280 285

Ala Ile Met Pro Phe Ile Val Met Thr Gly Met His Trp Ala Phe Ala  
 290 295 300

Pro Ile Phe Leu Ala Ala Ser Ile Ala Thr Pro Asp Val Leu Ile Leu  
 305 310 315 320

Pro Ala Met Leu Gly Ser Asn Leu Ala Gln Gly Ala Ala Ser Met Ala  
 325 330 335

Val Ala Leu Lys Ser Lys Asn Asn Asn Thr Lys Gln Ile Ala Phe Ala  
 340 345 350

Ala Gly Phe Ser Ala Leu Leu Ala Gly Ile Thr Glu Pro Ala Leu Tyr  
 355 360 365

Gly Val Thr Leu Lys Tyr Lys Lys Pro Leu Tyr Ala Ala Met Ile Gly

370		375		380
Gly Gly Leu Ala Gly Leu Phe Ala Gly Leu Thr Ser Val Lys Ala Tyr				
385		390		395 400
Leu Phe Ala Val Pro Ser Leu Ile Ala Leu Pro Gln Phe Ile Tyr Ser				
	405		410	415
Asp Val Pro Ser Asn Ile Val Asn Ala Leu Ile Val Ala Val Ile Ser				
	420		425	430
Val Val Ile Thr Phe Val Leu Ala Tyr Ile Phe Gly Ile Asp Glu Glu				
	435		440	445
Glu Ser Ser Ser Asn Leu Glu Val Glu Ala Gly Val Ser Asn Lys Lys				
	450		455	460
Met Ile Phe Ser Pro Ile Ser Gly Glu Ile Ile Pro Leu Ser Asp Val				
465		470		475 480
Gln Asp Lys Thr Phe Ser Asp Lys Leu Ile Gly Asp Gly Val Ala Ile				
	485		490	495
Ile Pro Ser Glu Gly Lys Val Tyr Ala Pro Phe Asp Gly Lys Ile Thr				
	500		505	510
Asn Ile Phe Pro Thr Lys His Ala Ile Gly Leu Lys Ser Asp Glu Gly				
	515		520	525
Val Glu Leu Leu Ile His Ile Gly Leu Asp Thr Val Glu Leu Lys Gly				
	530		535	540
Gln Gly Phe Ile Ser His Val Glu Glu Gly Asp Arg Val Phe Lys Asn				
545		550		555 560
Gln Leu Ile Phe Glu Met Asp Leu Asn Leu Ile Lys Thr Lys Gly Tyr				
	565		570	575
Glu Thr Val Thr Pro Val Ile Val Thr Asn Thr Asn Asp Phe Leu Asp				
	580		585	590

Val Leu Val Leu Pro Asn Asn Gln Thr Ile Glu His Ser Lys Glu Leu  
 595 600 605

Leu Val Ile Leu  
 610

<210> 254  
 <211> 75  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 254

Met Val Gly Ile Ala Lys Ser Phe Trp Ile Lys Ser Ala Lys Arg Thr  
 1 5 10 15

Val Val Ser Leu Ile Leu Asn Leu Leu Leu Ala Val Thr Leu Ile  
 20 25 30

Lys Trp Gly Ala Asn Ser Cys Ile Ser Cys Lys Ala Glu Ile Met Leu  
 35 40 45

Ser Leu Pro Thr Ala Gly Phe Gly Gly Asn Thr Ser Asn Glu Ser Asp  
 50 55 60

Gly Val Trp Arg Asp Ile Cys Asn Asn Leu Phe  
 65 70 75

<210> 255  
 <211> 219  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 255

Met Glu Ser Ile Leu Glu Val Leu Thr Pro Asp Asn Leu Val Phe Ile  
 1 5 10 15

Phe Lys Gly Phe Gly Leu Thr Leu Tyr Ile Ser Leu Ile Ala Ile Ile  
 20 25 30

Leu Ser Thr Ile Ile Gly Thr Val Leu Ala Val Thr Arg Asn Gly Lys  
 35 40 45

Asn Pro Val Leu Arg Ile Ile Ser Ser Ile Tyr Ile Glu Phe Val Arg



50                                      55                                      60  
 Asn Val Pro Asn Leu Leu Trp Ile Phe Thr Ile Phe Leu Val Phe Lys  
 65                                      70                                      75                                      80  
 Met Lys Ser Thr Pro Ala Gly Ile Thr Ala Phe Thr Leu Phe Thr Ser  
                                     85                                      90                                      95  
 Ala Ala Leu Ala Glu Ile Ile Arg Gly Gly Leu Asn Ala Val Asp Lys  
                                     100                                      105                                      110  
 Gly Gln Tyr Glu Ala Gly Met Ser Gln Gly Phe Thr Ser Ala Gln Ile  
                                     115                                      120                                      125  
 Leu Tyr Tyr Ile Ile Leu Pro Gln Ala Ile Arg Lys Met Leu Pro Ala  
                                     130                                      135                                      140  
 Ile Ile Ser Gln Phe Val Thr Val Ile Lys Asp Thr Ser Leu Leu Tyr  
 145                                      150                                      155                                      160  
 Ser Val Ile Ala Leu Gln Glu Leu Phe Gly Ala Ser Gln Ile Leu Met  
                                     165                                      170                                      175  
 Gly Arg Tyr Phe Glu Pro Glu Gln Val Phe Ser Leu Tyr Ile Leu Ile  
                                     180                                      185                                      190  
 Ala Leu Ile Tyr Phe Ser Phe Asn Leu Ala Ile Ser Ser Leu Ser His  
                                     195                                      200                                      205  
 Met Leu Ala Lys Arg Trp Gln Gln Ala Ala Glu  
                                     210                                      215  
  
 <210> 256  
 <211> 252  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 256  
 Met Ala Leu Val Glu Phe Lys Asn Val Glu Lys Tyr Tyr Gly Asp Tyr  
 1                                      5                                      10                                      15  
 His Ala Phe Arg Asn Ile Asn Leu Arg Phe Glu Lys Gly Gln Val Val

20	25	30
Val Leu Leu Gly Pro Ser Gly Ser Gly Lys Ser Thr Leu Ile Arg Thr		
35	40	45
Ile Asn Gly Leu Glu Thr Val Asp Lys Gly Ser Leu Leu Val Asn Gly		
50	55	60
His Gln Val Ala Gly Ala Ser Gln Lys Asp Leu Val Pro Leu Arg Lys		
65	70	75
Glu Val Gly Met Val Phe Gln His Phe Asn Leu Tyr Pro His Lys Ala		
85	90	95
Val Leu Glu Asn Val Thr Leu Ala Pro Ile Glu Val Leu Gly Ile Asp		
100	105	110
Lys Lys Glu Ala Glu Lys Thr Ala Gln Lys Tyr Leu Glu Phe Val Asn		
115	120	125
Met Trp Asp Lys Lys Asp Ser Tyr Pro Ala Met Leu Ser Gly Gly Gln		
130	135	140
Lys Gln Arg Ile Ala Ile Ala Arg Gly Leu Ala Met His Pro Glu Leu		
145	150	155
Leu Leu Phe Asp Glu Pro Thr Ser Ala Leu Asp Pro Glu Thr Ile Gly		
165	170	175
Asp Val Leu Ala Val Met Gln Lys Leu Ala His Asp Gly Met Asn Met		
180	185	190
Ile Ile Val Thr His Glu Met Gly Phe Ala Arg Glu Val Ala Asp Arg		
195	200	205
Ile Ile Phe Met Ala Asp Gly Glu Val Leu Val Asp Thr Thr Asp Val		
210	215	220
Asp Asn Phe Phe Asp Asn Pro Ser Glu Pro Arg Ala Gln Gln Phe Leu		
225	230	235
		240

Ser Lys Ile Ile Asn His Glu Ser Asp Lys Val Lys  
                                   245                                  250

<210> 257  
 <211> 406  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 257

Met Tyr Arg Tyr Gln Ile Gly Ile Pro Thr Leu Glu Tyr Asp Gln Phe  
 1                                  5                                  10                                  15

Val Lys Glu His Glu Leu Ala Asn Val Leu Gln Ser Ser Ala Trp Glu  
                                   20                                  25                                  30

Glu Val Lys Ser Asn Trp Gln His Glu Lys Phe Gly Val Tyr Arg Glu  
                                   35                                  40                                  45

Glu Lys Leu Leu Ala Thr Ala Ser Ile Leu Ile Arg Thr Leu Pro Leu  
                                   50                                  55                                  60

Gly Tyr Lys Met Phe Tyr Ile Pro Arg Gly Pro Ile Leu Asp Tyr Gly  
 65                                  70                                  75                                  80

Asp Lys Glu Leu Leu Asn Phe Ala Ile Gln Ser Ile Lys Ser Tyr Ala  
                                   85                                  90                                  95

Arg Ser Lys Arg Ala Val Phe Val Thr Phe Asp Pro Ser Ile Cys Leu  
                                   100                                  105                                  110

Ser Gln Ser Leu Ile Asn Gln Glu Lys Thr Glu Phe Pro Glu Asn Leu  
                                   115                                  120                                  125

Ala Ile Ile Asp Ser Leu Gln Gln Met Gly Val Arg Trp Ser Gly Lys  
                                   130                                  135                                  140

Thr Glu Glu Met Gly Asp Thr Ile Gln Pro Arg Ile Gln Ala Lys Ile  
 145                                  150                                  155                                  160

Tyr Lys Glu Asn Phe Glu Glu Asp Lys Leu Ser Lys Ser Thr Lys Gln  
                                   165                                  170                                  175

Ala Ile Arg Thr Ala Arg Asn Lys Gly Leu Glu Ile Gln Tyr Gly Gly  
 180 185 190

Leu Glu Leu Leu Asp Ser Phe Ser Glu Leu Met Lys Lys Thr Glu Lys  
 195 200 205

Arg Lys Glu Ile His Leu Arg Asn Glu Ala Tyr Tyr Lys Lys Leu Leu  
 210 215 220

Asp Asn Phe Lys Asp Lys Ala Tyr Ile Thr Leu Ala Thr Leu Asp Val  
 225 230 235 240

Ser Lys Arg Ser Gln Glu Leu Glu Glu Gln Leu Ala Lys Asn Arg Ala  
 245 250 255

Leu Glu Glu Thr Phe Thr Glu Ser Thr Arg Thr Ser Lys Val Glu Ala  
 260 265 270

Gln Lys Lys Glu Lys Glu Arg Leu Leu Glu Glu Leu Thr Phe Leu Gln  
 275 280 285

Glu Tyr Ile Asp Val Gly Gln Ala Arg Val Pro Leu Ala Ala Thr Leu  
 290 295 300

Ser Leu Glu Phe Gly Thr Thr Ser Val Asn Ile Tyr Ala Gly Met Asp  
 305 310 315 320

Asp Asp Phe Lys Arg Tyr Asn Ala Pro Ile Leu Thr Trp Tyr Glu Thr  
 325 330 335

Ala Arg Tyr Ala Phe Glu Arg Gly Met Ile Trp Gln Asn Leu Gly Gly  
 340 345 350

Val Glu Asn Ser Leu Asn Gly Gly Leu Tyr His Phe Lys Glu Lys Phe  
 355 360 365

Asn Pro Thr Ile Glu Glu Tyr Leu Gly Glu Phe Thr Met Pro Thr His  
 370 375 380

Pro Leu Tyr Pro Leu Leu Arg Leu Ala Leu Asp Phe Arg Lys Thr Leu  
 385 390 395 400

Arg Lys Lys His Arg Lys  
405

<210> 258  
<211> 194  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 258

Met Lys Glu Ile Phe Met Ala Lys Lys Gly Thr Leu Thr Gly Leu Leu  
1 5 10 15

Leu Phe Gly Ile Phe Phe Gly Ala Gly Asn Leu Ile Phe Pro Pro Ser  
20 25 30

Leu Gly Ala Leu Ser Gly Glu His Phe Leu Pro Ala Ile Ala Gly Phe  
35 40 45

Val Phe Ser Gly Val Gly Ile Ala Val Leu Thr Leu Ile Ile Gly Thr  
50 55 60

Leu Asn Pro Lys Gly Tyr Ile Tyr Glu Ile Ser Thr Lys Ile Ala Pro  
65 70 75 80

Trp Phe Ala Thr Leu Tyr Leu Ser Val Leu Tyr Leu Ser Ile Gly Pro  
85 90 95

Phe Phe Ala Thr Pro Arg Thr Ala Thr Thr Ala Tyr Glu Val Gly Ile  
100 105 110

Ser Pro Leu Leu Ser Asp Ala Asn Lys Gly Leu Gly Leu Ile Val Phe  
115 120 125

Thr Val Leu Tyr Phe Ala Ala Ala Tyr Leu Ile Ser Leu Asn Pro Ser  
130 135 140

Lys Ile Leu Asp Arg Ile Gly Arg Ile Leu Thr Pro Val Phe Ala Ile  
145 150 155 160

Leu Ile Val Ile Leu Val Val Leu Gly Ala Ile Lys Tyr Gly Gly Thr  
165 170 175

Ser Pro Gln Ala Ala Ser Leu Leu Ile Lys Leu Leu Pro Leu Val Gln  
 180 185 190

Val Ser

<210> 259  
 <211> 561  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 259

Met Lys Gly Gly Thr Pro Gly Val Tyr Ile Leu Ser Gln Ala Thr Gln  
 1 5 10 15

Glu Ile Phe Gly Ser Thr Ala Gln Leu Phe Leu Ala Ala Met Val Thr  
 20 25 30

Val Thr Cys Phe Thr Thr Thr Val Gly Leu Ile Val Ser Thr Ala Glu  
 35 40 45

Phe Phe Asn Glu Arg Phe Pro Gln Ile Ser Tyr Lys Val Tyr Ala Thr  
 50 55 60

Ala Phe Thr Leu Ile Gly Phe Ala Ile Ala Asn Leu Gly Leu Asp Ala  
 65 70 75 80

Ile Ile Lys Tyr Ser Ile Pro Val Leu Val Ile Leu Tyr Pro Ile Thr  
 85 90 95

Ile Ala Ile Val Met Ile Val Ile Val Asn Lys Phe Val Ala Leu Ser  
 100 105 110

Lys Pro Gly Met Gln Leu Thr Ile Ala Val Val Thr Val Ile Ala Ile  
 115 120 125

Ala Ser Val Leu Gly Ser Ser Leu Arg Leu Ser Phe Leu Gln Ile Leu  
 130 135 140

Leu Ala Phe Phe Leu Leu Pro Arg His Leu Ser His Gly Trp Cys Gln  
 145 150 155 160

Pro Leu Leu Glu Ser Cys Ser His Trp Phe Tyr Gln Thr Ser Lys Lys  
 165 170 175

Ala Met Phe Leu Lys Trp Asn Asn His Leu Asn His Phe Cys Ser Gln  
 180 185 190

Val Tyr Arg Ser Asp Phe Leu Phe Leu Ser Asp Asp Lys Cys Val Ile  
 195 200 205

Ile Gly Ser Glu Arg Gly Glu Glu Met Asn Gln Thr Val Glu Tyr Ile  
 210 215 220

Lys Glu Leu Thr Ala Ile Ala Ser Pro Thr Gly Phe Thr Arg Glu Ile  
 225 230 235 240

Ala Asp Tyr Leu Val Lys Thr Leu Glu Gly Phe Gly Tyr Gln Pro Val  
 245 250 255

Arg Thr Ser Lys Gly Gly Val Asn Val Thr Ile Lys Gly Gln Asn Asp  
 260 265 270

Glu Gln His Arg Tyr Val Thr Ala His Val Asp Thr Leu Gly Ala Ile  
 275 280 285

Val Arg Ala Val Lys Pro Asp Gly Arg Leu Lys Met Asp Arg Ile Gly  
 290 295 300

Gly Phe Pro Trp Asn Met Ile Glu Gly Glu Asn Cys Thr Ile His Val  
 305 310 315 320

Ala Ser Thr Gly Glu Lys Val Ser Gly Thr Ile Leu Ile His Gln Thr  
 325 330 335

Ser Cys His Val Tyr Lys Asp Ala Gly Thr Ala Glu Arg Thr Gln Asp  
 340 345 350

Asn Met Glu Val Arg Leu Asp Ala Lys Val Thr Ser Glu Lys Glu Thr  
 355 360 365

Arg Ala Leu Gly Ile Glu Val Gly Asp Phe Ile Ser Phe Asp Pro Arg  
 370 375 380

Thr Val Val Thr Glu Thr Gly Phe Ile Lys Ser Arg His Leu Asp Asp  
385 390 395 400

Lys Val Ser Ala Ala Ile Leu Leu Asn Leu Leu Arg Ile Tyr Lys Glu  
405 410 415

Glu Lys Ile Glu Leu Pro Val Thr Thr His Phe Ala Phe Ser Val Phe  
420 425 430

Glu Glu Val Gly His Gly Ala Asn Ser Asn Ile Pro Ala Gln Val Val  
435 440 445

Glu Tyr Leu Ala Val Asp Met Gly Ala Met Gly Asp Asp Gln Gln Thr  
450 455 460

Asp Glu Tyr Thr Val Ser Ile Cys Val Lys Asp Ala Ser Gly Pro Tyr  
465 470 475 480

His Tyr Asp Phe Arg Gln His Leu Val Ala Leu Ala Lys Glu Gln Asp  
485 490 495

Ile Pro Phe Lys Leu Asp Ile Tyr Pro Phe Tyr Gly Ser Asp Ala Ser  
500 505 510

Ala Ala Met Ser Ala Gly Ala Glu Val Lys His Ala Leu Leu Gly Ala  
515 520 525

Gly Ile Glu Ser Ser His Ser Tyr Glu Arg Thr His Ile Asp Ser Val  
530 535 540

Ile Ala Thr Glu Arg Met Val Asp Ala Tyr Leu Lys Ser Thr Leu Val  
545 550 555 560

Asp

<210> 260  
<211> 330  
<212> PRT  
<213> Streptococcus pneumoniae



&lt;400&gt; 260

Met Ala Met Ile Glu Val Glu His Leu Gln Lys Asn Phe Val Lys Thr  
 1 5 10 15

Val Lys Glu Pro Gly Leu Lys Gly Ala Leu Arg Ser Phe Ile His Pro  
 20 25 30

Glu Lys Gln Thr Phe Glu Ala Val Lys Asp Leu Thr Phe Glu Val Pro  
 35 40 45

Lys Gly Gln Ile Leu Gly Phe Ile Gly Ala Asn Gly Ala Gly Lys Ser  
 50 55 60

Thr Thr Ile Lys Met Leu Thr Gly Ile Leu Lys Pro Thr Ser Gly Phe  
 65 70 75 80

Cys Arg Ile Asn Gly Lys Ile Pro Gln Asp Asn Arg Gln Asp Tyr Val  
 85 90 95

Lys Asp Ile Gly Val Val Phe Gly Gln Arg Thr Gln Leu Trp Trp Asp  
 100 105 110

Leu Ala Leu Gln Glu Thr Tyr Thr Val Leu Lys Glu Ile Tyr Asp Val  
 115 120 125

Pro Asp Ser Leu Phe His Lys Arg Met Asp Phe Leu Asn Glu Val Leu  
 130 135 140

Asp Leu Lys Asp Phe Ile Lys Asp Pro Val Arg Thr Leu Ser Leu Gly  
 145 150 155 160

Gln Arg Met Arg Ala Asp Ile Ala Ala Ser Leu Leu His Asn Pro Lys  
 165 170 175

Val Leu Phe Leu Asp Glu Pro Thr Ile Gly Leu Asp Val Ser Val Lys  
 180 185 190

Asp Asn Ile Arg Arg Ala Ile Thr Gln Ile Asn Gln Glu Glu Glu Thr  
 195 200 205

Thr Ile Leu Leu Thr Thr His Asp Leu Ser Asp Ile Glu Gln Leu Cys

210                                      215                                      220  
 Asp Arg Ile Phe Met Ile Asp Lys Gly Gln Glu Ile Phe Asp Gly Thr  
 225                                      230                                      235                                      240  
 Val Ser Gln Leu Lys Glu Thr Phe Gly Lys Met Lys Thr Leu Ser Phe  
                                     245                                      250                                      255  
 Glu Leu Leu Pro Gly Gln Ser His Leu Val Ser His Tyr Asp Gly Leu  
                                     260                                      265                                      270  
 Ser Asp Met Thr Ile Asp Arg Gln Gly Asn Ser Leu Asn Ile Glu Phe  
                                     275                                      280                                      285  
 Asp Ser Ser Arg Tyr Gln Ser Ala Asp Ile Ile Lys Gln Thr Leu Ser  
                                     290                                      295                                      300  
 Asp Phe Glu Ile Arg Asp Leu Lys Met Val Asp Thr Asp Ile Glu Asp  
 305                                      310                                      315                                      320  
 Ile Ile Arg Arg Phe Tyr Arg Lys Glu Leu  
                                     325                                      330  
  
 <210> 261  
 <211> 491  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 261  
 Met Asp Ala Ile Phe Asp Leu Ile Gly Lys Val Phe Asn Pro Ile Leu  
 1                                      5                                      10                                      15  
 Glu Met Gly Gly Pro Val Ile Met Leu Ile Ile Leu Thr Val Leu Ala  
                                     20                                      25                                      30  
 Leu Leu Phe Gly Val Lys Phe Ser Lys Ala Leu Glu Gly Gly Ile Lys  
                                     35                                      40                                      45  
 Leu Ala Ile Ala Leu Thr Gly Ile Gly Ala Ile Ile Gly Met Leu Asn  
 50                                      55                                      60  
 Thr Ala Phe Ser Ala Ser Leu Ala Lys Phe Val Glu Asn Thr Gly Ile

65		70		75		80									
Gln	Leu	Ser	Ile	Thr	Asp	Val	Gly	Trp	Ala	Pro	Leu	Ala	Thr	Ile	Thr
			85						90					95	
Trp	Gly	Ser	Ala	Trp	Thr	Leu	Tyr	Phe	Leu	Leu	Ile	Met	Leu	Ile	Val
			100					105					110		
Asn	Ile	Val	Met	Leu	Ala	Met	Lys	Lys	Thr	Asp	Thr	Leu	Asp	Val	Asp
		115					120					125			
Ile	Phe	Asp	Ile	Trp	His	Leu	Ser	Ile	Thr	Gly	Leu	Leu	Ile	Lys	Trp
	130					135						140			
Tyr	Ala	Asp	Asn	Asn	Gly	Val	Ser	Gln	Gly	Val	Ser	Leu	Phe	Ile	Ala
145					150					155					160
Thr	Ala	Ala	Ile	Val	Leu	Val	Gly	Val	Leu	Lys	Ile	Ile	Asn	Ser	Asp
			165						170					175	
Leu	Met	Lys	Pro	Thr	Phe	Asp	Asp	Leu	Leu	Asn	Ala	Pro	Ser	Ser	Ser
			180					185					190		
Pro	Met	Thr	Ser	Thr	His	Met	Asn	Tyr	Met	Met	Asn	Pro	Val	Ile	Met
		195					200					205			
Val	Leu	Asp	Lys	Ile	Phe	Glu	Lys	Phe	Phe	Pro	Gly	Leu	Asp	Lys	Tyr
	210					215					220				
Asp	Phe	Asp	Ala	Ala	Lys	Leu	Asn	Lys	Lys	Ile	Gly	Phe	Trp	Gly	Ser
225					230					235					240
Lys	Phe	Phe	Ile	Gly	Phe	Ile	Leu	Gly	Ile	Val	Ile	Gly	Ile	Met	Gly
			245					250						255	
Thr	Pro	His	Pro	Ile	Ala	Gly	Val	Ala	Asp	Ala	Asp	Lys	Trp	Arg	Leu
			260					265					270		
Val	Ile	Lys	Gly	Trp	Leu	Ser	Leu	Gly	Leu	Thr	Ala	Gly	Val	Ser	Leu
		275					280					285			

Glu Leu Phe Ser Leu Ile Gly Ser Trp Phe Ile Ala Ala Val Glu Pro  
 290 295 300

Leu Ser Gln Gly Ile Thr Asn Val Ala Thr Lys Arg Leu Gln Gly Arg  
 305 310 315 320

Lys Phe Asn Ile Gly Leu Asp Trp Pro Phe Ile Ala Gly Arg Ala Glu  
 325 330 335

Ile Trp Ala Cys Ala Asn Val Leu Ala Pro Ile Met Leu Ile Glu Ala  
 340 345 350

Val Leu Leu Ser Lys Val Gly Asn Gly Ile Leu Pro Leu Ala Gly Ile  
 355 360 365

Ile Ala Met Gly Val Thr Pro Ala Leu Leu Val Val Thr Arg Gly Lys  
 370 375 380

Leu Leu Arg Met Ile Ile Phe Gly Thr Leu Leu Leu Pro Leu Phe Leu  
 385 390 395 400

Leu Ser Gly Thr Leu Ile Ala Pro Phe Ala Thr Glu Leu Ala Lys Gly  
 405 410 415

Val Gly Ala Phe Pro Glu Gly Val Ser Gln Thr Gln Leu Ile Thr His  
 420 425 430

Ser Thr Leu Glu Gly Pro Ile Glu Lys Leu Leu Gly Trp Thr Ile Gly  
 435 440 445

Asn Thr Thr Thr Gly Asp Ile Lys Ala Ile Leu Gly Ala Val Val Phe  
 450 455 460

Leu Val Phe Tyr Ile Gly Ile Phe Ala Trp Tyr Arg Lys Gln Met Ile  
 465 470 475 480

Lys Arg Asn Glu Glu Tyr Ala Ala Lys Ala Lys  
 485 490

<210> 262  
 <211> 106  
 <212> PRT

<213> Streptococcus pneumoniae

<400> 262

Met Ile Leu Thr Leu Val Val Cys Ile Ile Leu Thr Lys Leu Phe Arg  
1 5 10 15

Leu Lys Lys Leu Gly Arg Asn Phe Ala Asp Leu Ala Phe Pro Val Leu  
20 25 30

Val Phe Glu Tyr Tyr Leu Ile Thr Ala Lys Thr Phe Thr His Asn Phe  
35 40 45

Leu Pro Arg Leu Gly Leu Ala Leu Ser Ile Leu Ala Ile Ile Leu Val  
50 55 60

Phe Phe Phe Leu Leu Lys Lys Arg Ser Phe Tyr Tyr Pro Lys Phe Ile  
65 70 75 80

Lys Phe Phe Trp Arg Ala Gly Phe Leu Leu Thr Leu Ile Met Tyr Ile  
85 90 95

Glu Met Ile Val Glu Leu Phe Leu Met Lys  
100 105

<210> 263

<211> 236

<212> PRT

<213> Streptococcus pneumoniae

<400> 263

Met Gly His Ile Phe Phe Phe Leu Ser Val Phe Leu Ala Gly Ile Leu  
1 5 10 15

Ser Phe Phe Ser Pro Cys Ile Leu Pro Leu Leu Pro Val Tyr Thr Gly  
20 25 30

Val Leu Leu Asp Asp Lys Asp Gly Ala Gln Ala Ser Ser Gly Lys Phe  
35 40 45

Ser Ile Ser Val Thr Ser Leu Leu Arg Thr Leu Ala Phe Ile Ala Gly  
50 55 60

Ile Ser Phe Ile Phe Ile Leu Leu Gly Tyr Gly Ala Gly Phe Leu Gly  
65 70 75 80

Asp Leu Leu Tyr Ala Ser Trp Phe Gln Tyr Leu Thr Gly Ala Ile Ile  
85 90 95

Ile Leu Leu Gly Leu His Gln Met Glu Ile Leu His Phe Lys Gly Leu  
100 105 110

Tyr Lys Glu Lys Arg Leu Gln Leu Gln Gly Gln Gly Gln Asn Gly Lys  
115 120 125

Gly Tyr Ser Gln Ala Phe Leu Leu Gly Leu Thr Phe Ser Phe Ala Trp  
130 135 140

Thr Pro Cys Val Gly Pro Val Leu Gly Ser Val Leu Ala Leu Ala Ala  
145 150 155 160

Ser Gly Gly Ser Gly Ala Trp Gln Gly Ala Gly Leu Met Leu Val Tyr  
165 170 175

Thr Leu Gly Leu Ala Leu Pro Phe Leu Leu Leu Ala Leu Thr Ser Ser  
180 185 190

Tyr Val Leu Lys His Phe Arg Lys Leu His Pro Tyr Leu Gly Ile Leu  
195 200 205

Lys Lys Val Gly Gly Phe Leu Ile Ile Val Met Gly Phe Leu Val Leu  
210 215 220

Phe Gly Asn Ala Ser Ile Leu Ser Gln Leu Phe Glu  
225 230 235

<210> 264

<211> 91

<212> PRT

<213> Streptococcus pneumoniae

<400> 264

Met Gly Met Thr Asn Leu Ser Gln Asn Arg Ala Asn Arg Asn Leu Asn  
1 5 10 15

Met Leu Asp Met His Ala Asn Cys Ser Val Ser Asp Ile Gln Ser Ser  
                   20                  25                  30

Met Ser Leu Asp Lys Phe Asn Leu Asn Trp Ile Leu His Lys Leu Lys  
                   35                  40                  45

Gly Cys Gln Leu Pro Arg Thr Ser Cys Met Lys Ser Arg Met Asp Thr  
                   50                  55                  60

Asp Asn Phe Gln Thr Lys Leu Leu Cys His Leu Thr Phe Asn Asn Glu  
                   65                  70                  75                  80

Ser Pro Ile Asp Met Leu Thr Thr Leu Asn Cys  
                   85                  90

<210> 265

<211> 332

<212> PRT

<213> Streptococcus pneumoniae

<400> 265

Met Asn Lys Arg Leu Phe Ser Lys Met Ser Leu Val Thr Leu Pro Ile  
                   1                  5                  10                  15

Leu Ala Leu Phe Ser Gln Ser Val Leu Ala Glu Glu Asn Ile His Phe  
                   20                  25                  30

Ser Ser Cys Lys Glu Ala Trp Ala Asn Gly Tyr Ser Asp Ile His Glu  
                   35                  40                  45

Gly Glu Pro Gly Tyr Ser Ala Lys Leu Asp Arg Asp His Asp Gly Val  
                   50                  55                  60

Ala Cys Glu Leu Lys Asn Ala Pro Lys Gly Ala Phe Lys Ala Lys Gln  
                   65                  70                  75                  80

Ser Thr Ala Ile Gln Ile Asn Thr Ser Ser Ala Thr Thr Ser Gly Trp  
                   85                  90                  95

Val Lys Gln Asp Gly Ala Trp Tyr Tyr Phe Asp Gly Asn Gly Asn Leu  
                   100                  105                  110

Val Lys Asn Ala Trp Gln Gly Ser Tyr Tyr Leu Lys Ala Asp Gly Lys  
 115 120 125

Met Ala Gln Ser Glu Trp Ile Tyr Asp Ser Ser Tyr Gln Ala Trp Tyr  
 130 135 140

Tyr Leu Lys Ser Asp Gly Ser Tyr Ala Lys Asn Ala Trp Gln Gly Ala  
 145 150 155 160

Tyr Tyr Leu Lys Ser Asn Gly Lys Met Ala Gln Gly Glu Trp Val Tyr  
 165 170 175

Asp Ser Ser Tyr Gln Ala Trp Tyr Tyr Leu Lys Ser Asp Gly Ser Tyr  
 180 185 190

Ala Arg Asn Ala Trp Gln Gly Asn Tyr Tyr Leu Lys Ser Asp Gly Lys  
 195 200 205

Met Ala Lys Gly Glu Trp Val Tyr Asp Ala Thr Tyr Gln Ala Trp Tyr  
 210 215 220

Tyr Leu Thr Ser Asp Gly Ser Tyr Ala Tyr Ser Thr Trp Gln Gly Asn  
 225 230 235 240

Tyr Tyr Leu Lys Ser Asp Gly Lys Met Ala Val Asn Glu Trp Val Asp  
 245 250 255

Gly Gly Arg Tyr Tyr Val Gly Ala Asp Gly Val Trp Lys Glu Val Gln  
 260 265 270

Ala Ser Thr Ala Ser Ser Ser Asn Asp Ser Asn Ser Glu Tyr Ser Ala  
 275 280 285

Ala Leu Gly Lys Ala Lys Ser Tyr Asn Ser Leu Phe His Met Ser Lys  
 290 295 300

Lys Arg Met Tyr Arg Gln Leu Thr Ser Asp Phe Asp Lys Phe Ser Asn  
 305 310 315 320

Asp Ala Ala Gln Tyr Ala Ile Asp His Leu Asp Asp  
 325 330



<210> 266  
 <211> 412  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 266

Met Ile Glu Thr Glu Lys Lys Glu Glu Arg Val Leu Leu Ile Gly Val  
 1 5 10 15

Glu Leu Gln Gly Met Asp Ser Phe Asp Leu Ser Met Glu Glu Leu Ala  
 20 25 30

Ser Leu Ala Lys Thr Ala Gly Ala Val Val Val Asp Ser Tyr Arg Gln  
 35 40 45

Lys Arg Glu Lys Tyr Asp Ser Lys Thr Phe Val Gly Ser Gly Lys Leu  
 50 55 60

Glu Glu Ile Ala Leu Met Val Asp Ala Glu Glu Ile Thr Thr Val Ile  
 65 70 75 80

Val Asn Asn Arg Leu Thr Pro Arg Gln Asn Val Asn Leu Glu Glu Val  
 85 90 95

Leu Gly Val Lys Val Ile Asp Arg Met Gln Leu Ile Leu Asp Ile Phe  
 100 105 110

Ala Met Arg Ala Arg Ser His Glu Gly Lys Leu Gln Val His Leu Ala  
 115 120 125

Gln Leu Lys Tyr Leu Leu Pro Arg Leu Val Gly Gln Gly Ile Met Leu  
 130 135 140

Ser Arg Gln Ala Gly Gly Ile Gly Ser Arg Gly Pro Gly Glu Ser Gln  
 145 150 155 160

Leu Glu Leu Asn Arg Arg Ser Val Arg Asn Gln Ile Thr Asp Ile Glu  
 165 170 175

Arg Gln Leu Lys Val Val Glu Lys Asn Arg Ala Thr Val Arg Glu Lys  
 180 185 190

Arg Leu Glu Ser Ser Thr Phe Lys Ile Gly Leu Ile Gly Tyr Thr Asn  
 195 200 205

Ala Gly Lys Ser Thr Ile Met Asn Ile Leu Thr Ser Lys Thr Gln Tyr  
 210 215 220

Glu Ala Asp Glu Leu Phe Ala Thr Leu Asp Ala Thr Thr Lys Ser Ile  
 225 230 235 240

His Leu Gly Gly Asn Leu Gln Val Thr Leu Thr Asp Thr Val Gly Phe  
 245 250 255

Ile Gln Asp Leu Pro Thr Glu Leu Val Ser Ser Phe Lys Ser Thr Leu  
 260 265 270

Glu Glu Ser Lys His Val Asp Leu Leu Val His Val Ile Asp Ala Ser  
 275 280 285

Asn Pro Tyr His Glu Glu His Glu Lys Thr Val Leu Ser Ile Met Lys  
 290 295 300

Asp Leu Asp Met Glu Asp Ile Pro His Leu Thr Leu Tyr Asn Lys Ala  
 305 310 315 320

Asp Leu Val Glu Asp Phe Thr Pro Thr Gln Thr Pro Tyr Thr Leu Ile  
 325 330 335

Ser Ala Lys Ser Glu Asp Ser Arg Glu Asn Leu Gln Ala Leu Leu Leu  
 340 345 350

Asp Lys Ile Lys Glu Ile Phe Glu Ala Phe Thr Leu Arg Val Pro Phe  
 355 360 365

Ser Lys Ser Tyr Lys Ile His Asp Leu Glu Ser Val Ala Ile Leu Glu  
 370 375 380

Glu Arg Asp Tyr Gln Glu Asp Gly Glu Val Ile Thr Gly Tyr Ile Ser  
 385 390 395 400

Glu Lys Asn Lys Trp Arg Leu Glu Glu Phe Tyr Asp  
 405 410

<210> 267  
 <211> 84  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 267

Met Val Tyr Leu Val Leu Gly Ile Leu Leu Leu Leu Tyr Val Phe  
 1 5 10 15

Ala Thr Pro Glu Ser Ile Lys Gly Thr Val Asn Ile Val Ala Met Val  
 20 25 30

Cys Ile Leu Val Ala Leu Leu Ile Leu Leu Val Leu Ser Phe Leu Lys  
 35 40 45

Ile Phe Gln Leu Pro Thr Glu Ile Phe Leu Ala Ile Ala Met Leu Ile  
 50 55 60

Leu Ala Tyr Phe Ser Val Arg Asp Ile Thr Leu Met Pro Val Lys Lys  
 65 70 75 80

Ser Lys Arg Arg

<210> 268  
 <211> 211  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 268

Met Tyr Gly Val Arg Lys Leu Ile Val Ala Asp Tyr Asp Ile Ile Glu  
 1 5 10 15

Pro Ser Asn Leu Asn Arg Gln Ile Leu Tyr Thr Glu Ser Asp Val Gly  
 20 25 30

Lys Glu Lys Ile Asn Val Leu Ser Glu Lys Ile His Lys Tyr Asn Ser  
 35 40 45

Asp Val Gln Val Val Pro Ile Ser Ile Lys Val Ser Ser Val Glu Glu  
 50 55 60

Leu Glu Lys Ile Val Ala Glu Tyr Gly Ser Ile Asp Phe Ile Val Lys  
65 70 75 80

Ala Ile Asp Thr Pro Ile Asp Ile Ile Lys Ile Val Asn Gln Phe Ala  
85 90 95

Val Ser His Lys Ile Ser Tyr Ile Ser Gly Gly Phe Asn Gly Cys Tyr  
100 105 110

Leu Ile Ile Asp Asn Ile Tyr Ile Pro Thr Ile Gly Ser Cys Phe Gly  
115 120 125

Cys Arg Asn Ile Asn Lys Asp Ile Asn Lys Tyr Thr Leu Ser Asp Lys  
130 135 140

Thr Lys Trp Pro Thr Thr Pro Glu Met Pro Ala Ile Leu Gly Gly Ile  
145 150 155 160

Met Thr Asn Leu Ile Ile Lys Ile Phe Leu Gly Cys Tyr Asn Glu Ile  
165 170 175

Leu Ile Asp Asn Ala Tyr Val Tyr Asn Met Arg Asn His Ala Leu Ser  
180 185 190

Gln Glu Lys Tyr Val Leu Glu Asn Gly Glu Cys Pro Ile Cys Lys Lys  
195 200 205

Ile Ile Lys  
210

<210> 269

<211> 126

<212> PRT

<213> Streptococcus pneumoniae

<400> 269

Met Lys Asp Asn Asn Ile Arg Ala Lys Thr Phe Ile Arg Ser Val Cys  
1 5 10 15

Phe Cys Leu Leu Ser Gly Gly Val Ala Phe Leu Ser Ala Ile Gly Gln  
20 25 30

Phe Thr Val Ile Glu Thr Gln Leu Ile Val Leu Phe Leu Gly Ile Ile  
35 40 45

Phe Ala Ile Tyr Tyr Ala Tyr Tyr Asn Lys Asn Ile Gln Thr Ser Leu  
50 55 60

Glu Asn Ile Val Trp Leu Phe Ser Ser Phe Glu Ile Leu Phe Leu Leu  
65 70 75 80

Val Asn Phe Arg Thr Phe Ile Gln Leu Pro Val Asp Ile Phe Ile Gly  
85 90 95

Met Ile Ile Phe Leu Met Leu Trp Ile Phe Ile Met Leu Gly Ile Val  
100 105 110

Cys Leu Ser Tyr Tyr Ile Thr Leu Leu Phe Ser Lys Glu Ala  
115 120 125

<210> 270  
<211> 217  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 270

Met Gly Gln Lys Ser Gln Asn Leu Thr Ser Gly Glu Leu Lys Arg Ile  
1 5 10 15

Gly Leu Val Ser Asp Thr Ser Gly Phe Tyr Glu Lys Met Ser Leu Tyr  
20 25 30

Asn Asn Leu Leu Phe Tyr Ser Lys Phe Tyr Asn Ile Ser Lys Ser Arg  
35 40 45

Val Asp Asn Leu Leu Lys Arg Val Gly Leu Tyr Asp Ser Arg Lys Met  
50 55 60

Val Ala Gly Lys Leu Ser Thr Gly Met Arg Gln Arg Met Leu Leu Ala  
65 70 75 80

Arg Ala Leu Ile Asn Asn Pro Ala Val Leu Phe Leu Asp Glu Pro Thr  
85 90 95

Ser Gly Leu Asp Pro Thr Thr Ser Arg Thr Ile His Glu Leu Ile Leu  
 100 105 110

Glu Leu Lys Thr Ala Gly Thr Thr Ile Phe Leu Thr Thr His Asp Met  
 115 120 125

Asn Glu Ala Thr Leu Leu Cys Asp Tyr Val Ala Leu Leu Asn Lys Gly  
 130 135 140

Lys Leu Val Glu Gln Gly Ala Pro Ser Glu Leu Ile Gln Arg Tyr Asn  
 145 150 155 160

Lys Asp Lys Lys Ile Lys Val Thr Asp Tyr Asn Gly Asn Gln Ile Thr  
 165 170 175

Phe Asp Phe Thr Ser Leu Glu Gln Val Ser Gln Thr Asp Leu Glu Asn  
 180 185 190

Ile Phe Ser Ile His Ser Cys Glu Pro Thr Leu Glu Asp Ile Phe Ile  
 195 200 205

Thr Leu Thr Gly Gly Lys Leu Asn Ala  
 210 215

<210> 271

<211> 254

<212> PRT

<213> Streptococcus pneumoniae

<400> 271

Met Glu Phe Phe Ile Cys Asn Leu Val Arg Val Val Gln Ser Pro Arg  
 1 5 10 15

Phe Tyr Met Ser Leu Phe Leu Thr Leu Leu Cys Met Ser Leu Gly Asn  
 20 25 30

Phe Leu Ala Phe Asn Gly Ile Tyr Lys Ile Glu Gly Leu Ser Ile Phe  
 35 40 45

Phe Ala Ala Ser Ser Ile Arg Gly Phe Ser Pro Ile Ser Leu Val Ala  
 50 55 60

Ala Leu Ile Cys Thr Leu Pro Tyr Ser Ser Gln Ile Ile Glu Asp Ala  
65 70 75 80

Glu Ser His Phe Leu Thr Ala Gln Leu Cys Arg Ile Ser Lys Lys Lys  
85 90 95

Tyr Leu Ala Ile Val Gly Ser Thr Val Ile Ile Ser Ser Phe Leu Val  
100 105 110

Phe Phe Leu Pro Tyr Leu Leu Leu Leu Gly Ile Asn Leu Leu Val Thr  
115 120 125

Pro Tyr Gln Glu Ile Tyr Ile Gly Asp Tyr Ser Gly Ala Leu Lys Glu  
130 135 140

Leu Phe Asp Ser Asn Gln Phe Leu Tyr Ser Leu Val Thr Thr Leu Trp  
145 150 155 160

Tyr Gly Val Trp Gly Ala Val Phe Ser Ile Phe Gly Leu Ala Ser Ala  
165 170 175

Leu Leu Val Lys Lys Lys Ile Gly Ala Ile Phe Ile Pro Val Ala Tyr  
180 185 190

Met Met Val Gly Gly Ile Phe Trp Ala Ile Leu Gly Leu Ser Tyr Leu  
195 200 205

Glu Pro Val Thr Thr Leu Ala Leu Gly Tyr Gln Lys Asp Ile Ser Leu  
210 215 220

Ser Leu Val Ser Ala His Leu Ala Phe Ile Leu Phe Val Ser Cys Leu  
225 230 235 240

Val Val Tyr Gly Thr Phe Phe Leu His Ser Glu Asp Tyr Val  
245 250

<210> 272

<211> 215

<212> PRT

<213> Streptococcus pneumoniae

<400> 272

Met Asn Glu Ile Ile Thr Leu Lys Asn Ile Glu Leu Lys Leu Lys Lys  
 1 5 10 15  
 Thr Cys Val Phe Gln Asn Leu Asn Phe Ser Cys Lys Gln Gly Glu Ile  
 20 25 30  
 Ile Gly Ile Thr Gly Ala Asn Gly Ser Gly Lys Ser Val Leu Phe Lys  
 35 40 45  
 Leu Ile Ala Gly Leu Tyr Ser Pro Ser Tyr Gly Glu Val Leu Ile Asn  
 50 55 60  
 Gly Glu Asn Ile Val Pro Glu Arg Lys Ile Pro Ala Asn Leu Gly Ala  
 65 70 75 80  
 Leu Ile Glu Glu Pro Gly Phe Ile Asn Tyr Tyr Ser Gly Phe Lys Asn  
 85 90 95  
 Leu Gln Tyr Leu Ala Ser Ile Arg Gly Val Val Gly Asn Gln Glu Ile  
 100 105 110  
 Asn Asp Thr Leu Lys Ile Val Gly Leu Tyr Glu Gln Lys Asp Gln Lys  
 115 120 125  
 Val Lys Thr Tyr Ser Leu Gly Met Arg Lys Lys Leu Gly Ile Ala Gln  
 130 135 140  
 Ala Ile Met Glu Asn Pro Ser Ile Leu Leu Leu Asp Glu Pro Met Asn  
 145 150 155 160  
 Ala Leu Asp Lys Ser Ser Val Glu Asn Met Arg Thr Leu Phe Arg Lys  
 165 170 175  
 Leu Ser Ser Glu Lys Gly Thr Thr Ile Leu Ile Ala Ser His Ser Glu  
 180 185 190  
 Glu Asp Ile Arg Ile Leu Cys Asp Lys Val Tyr Ala Ile Glu Asp Lys  
 195 200 205  
 Val Cys Thr Leu Cys Ser Asp  
 210 215



<210> 273  
 <211> 252  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 273

Met Ser Glu Thr Ile Leu Glu Ile Lys Glu Leu Lys Lys Ser Phe Gly  
 1 5 10 15

Asp Asn Pro Ile Leu Gln Gly Leu Ser Leu Glu Ile Lys Lys Gly Glu  
 20 25 30

Val Val Val Ile Leu Gly Pro Ser Gly Cys Gly Lys Ser Thr Leu Leu  
 35 40 45

Arg Cys Leu Asn Gly Leu Glu Ser Ile Gln Gly Gly Asp Ile Leu Leu  
 50 55 60

Asp Gly Gln Ser Ile Val Glu Asn Lys Lys Asp Phe His Leu Val Arg  
 65 70 75 80

Gln Lys Ile Gly Met Val Phe Gln Ser Tyr Glu Leu Phe Pro His Leu  
 85 90 95

Asp Val Leu Gln Asn Leu Ile Leu Gly Pro Ile Lys Ala Gln Gly Arg  
 100 105 110

Asp Lys Lys Glu Val Thr Glu Glu Ala Leu Gln Leu Leu Glu Arg Val  
 115 120 125

Gly Leu Leu Asp Lys Gln His Ser Phe Ala Arg Gln Leu Ser Gly Gly  
 130 135 140

Gln Lys Gln Arg Val Ala Ile Val Arg Ala Leu Leu Met His Pro Glu  
 145 150 155 160

Ile Ile Leu Phe Asp Glu Val Thr Ala Ser Leu Asp Pro Glu Met Val  
 165 170 175

Arg Glu Val Leu Glu Leu Ile Asn Asp Leu Ala Gln Glu Gly Arg Thr  
 180 185 190

Met Ile Leu Val Thr His Glu Met Gln Phe Ala Gln Ala Ile Thr Asp  
 195 200 205

Arg Ile Ile Phe Leu Asp Gln Gly Lys Ile Ala Glu Glu Gly Thr Ala  
 210 215 220

Gln Ala Phe Phe Thr Asn Pro Gln Thr Lys Arg Ala Gln Glu Phe Leu  
 225 230 235 240

Asn Val Phe Asp Phe Ser Gln Phe Gly Ser Tyr Leu  
 245 250

<210> 274

<211> 206

<212> PRT

<213> Streptococcus pneumoniae

<400> 274

Met His Ile Ala Val Trp Gly Ile Leu Gly Ser Phe Leu Leu Gly Leu  
 1 5 10 15

Ile Val Ser Ile Ile Arg His Tyr Arg Ile Leu Val Leu Ala Gln Val  
 20 25 30

Ala Thr Ala Tyr Ile Glu Leu Ser Arg Asn Thr Pro Leu Leu Ile Gln  
 35 40 45

Leu Phe Phe Leu Tyr Phe Gly Leu Pro Arg Ile Gly Ile Val Leu Ser  
 50 55 60

Ser Glu Val Cys Ala Thr Leu Gly Leu Val Phe Leu Gly Gly Ser Tyr  
 65 70 75 80

Met Ala Glu Ser Phe Arg Ser Gly Leu Glu Ala Ile Ser Gln Thr Gln  
 85 90 95

Gln Glu Ile Gly Leu Ala Ile Gly Leu Thr Pro Leu Gln Val Phe Tyr  
 100 105 110

Tyr Val Val Leu Pro Gln Ala Thr Ala Val Ala Leu Pro Ser Phe Ser  
 115 120 125

Ala Asn Val Ile Phe Leu Ile Lys Glu Thr Ser Val Phe Ser Ala Val  
130 135 140

Ala Leu Ala Asp Leu Met Tyr Val Ala Lys Asp Leu Ile Gly Leu Tyr  
145 150 155 160

Tyr Glu Thr Asp Ile Ala Leu Ala Met Leu Val Val Ala Tyr Leu Ile  
165 170 175

Met Leu Leu Pro Ile Ser Leu Val Phe Ser Trp Ile Glu Arg Arg Leu  
180 185 190

Arg His Ala Gly Phe Gly Asn Pro Ser Thr Leu Ser Arg Lys  
195 200 205

<210> 275

<211> 461

<212> PRT

<213> Streptococcus pneumoniae

<400> 275

Met Gly Leu Glu Leu Arg Ala Ile Gln Ser Pro Ile Phe Ser Glu Pro  
1 5 10 15

Phe Asp Phe Thr Phe His Ala Gln Ala Phe Thr Leu Leu Val Gly Ser  
20 25 30

Ser Gly Ser Gly Lys Ser Ser Leu Phe Gln Met Ile Ala Gln Val Ser  
35 40 45

Ser Leu Pro Tyr Ser Gly Gln Val Leu Ile Asp Gly Ser Glu Val Ser  
50 55 60

Gln Leu Ser Ile Val Glu Arg Val Gln Thr Val Gly Ile Leu Leu Gln  
65 70 75 80

Asn Pro Asn His Gln Phe Thr Met Glu Ser Leu Phe Glu Glu Leu Val  
85 90 95

Phe Thr Met Glu Asn Ile Gly Tyr His Leu Gln Glu Ile Asp Ser Lys  
100 105 110

Ile Ala Glu Val Val Gln Gln Cys Arg Cys Lys Asp Ile Leu His Arg  
 115 120 125

Leu Ile His His Leu Ser Gly Gly Glu Lys Gln Lys Ala Ala Leu Ala  
 130 135 140

Val Leu Phe Ala Met Asn Pro Arg Val Tyr Leu Leu Asp Glu Pro Phe  
 145 150 155 160

Ala Ser Ile Asp Arg Lys Ser Arg Ile Glu Ile Leu Glu Ile Leu Lys  
 165 170 175

Glu Leu Val Tyr Asp Gly Lys Thr Val Ile Leu Cys Asp His Asp Leu  
 180 185 190

Ser Asp Tyr Lys Ala Tyr Ile Asp His Met Val Glu Leu Arg Asp Gly  
 195 200 205

Lys Leu Arg Glu Val Phe Gln Ile Pro Ser Tyr Glu Met Thr Gln Val  
 210 215 220

Ala Ser Lys Glu Val Ala Ser Ser Pro Glu Leu Phe His Met Asn Arg  
 225 230 235 240

Val Thr Gly Glu Leu Gly Asn Arg Pro Leu Phe Ser Ile Ala Asp Phe  
 245 250 255

Thr Phe Tyr Gln Gly Ile Ser Cys Ile Leu Gly Asp Asn Gly Val Gly  
 260 265 270

Lys Ser Thr Leu Phe Arg Ser Ile Leu Gln Phe Gln Lys Tyr Lys Gly  
 275 280 285

Ser Ile Thr Trp Lys Gly Ser Val Leu Lys Lys Lys Lys Ser Leu Tyr  
 290 295 300

Arg Asp Leu Thr Gly Val Val Gln Glu Ala Glu Lys Gln Phe Ile Arg  
 305 310 315 320

Val Ser Leu Arg Glu Glu Leu Gln Leu Asp Gly Pro Asp Ser Glu Arg

-277-

50		55		60											
Asp	Asn	Leu	Leu	Ala	Gly	Ile	Pro	Gly	Asn	Gly	Arg	Phe	Leu	Tyr	Ser
65					70					75					80
Val	Phe	Ser	Gln	Phe	Asp	Asn	His	Asp	Ile	Ile	Asn	Phe	Phe	Thr	Glu
				85					90					95	
Asn	Gly	Val	Lys	Leu	Lys	Val	Glu	Asp	His	Gly	Arg	Val	Phe	Pro	Ala
			100					105					110		
Ser	Asp	Lys	Ser	Arg	Thr	Ile	Ile	Glu	Ala	Leu	Glu	Lys	Lys	Ile	Thr
		115					120					125			
Glu	Leu	Gly	Gly	Gln	Val	Ala	Thr	Gln	Ile	Glu	Ile	Val	Ser	Val	Lys
	130					135						140			
Lys	Val	Asp	Asp	Gln	Phe	Val	Leu	Lys	Ser	Ala	Asp	Gln	Thr	Phe	Thr
145					150					155					160
Cys	Glu	Lys	Leu	Ile	Val	Thr	Thr	Gly	Gly	Lys	Ser	Tyr	Pro	Ser	Thr
			165						170					175	
Gly	Ser	Thr	Gly	Phe	Gly	His	Glu	Ile	Ala	Arg	His	Phe	Lys	His	Thr
			180					185					190		
Ile	Thr	Asp	Leu	Glu	Ala	Ala	Glu	Ser	Pro	Leu	Leu	Thr	Asp	Phe	Pro
		195					200						205		
His	Lys	Ala	Leu	Gln	Gly	Ile	Ser	Leu	Asp	Asp	Val	Thr	Leu	Ser	Tyr
	210					215					220				
Gly	Lys	His	Val	Ile	Thr	His	Asp	Leu	Leu	Phe	Thr	His	Phe	Gly	Leu
225					230					235					240
Ser	Gly	Pro	Ala	Ala	Leu	Arg	Met	Ser	Ser	Phe	Val	Lys	Gly	Gly	Glu
			245						250					255	
Val	Leu	Ser	Leu	Asp	Val	Leu	Pro	Gln	Leu	Ser	Glu	Lys	Asp	Leu	Val
			260					265					270		

Thr Phe Leu Glu Glu Asn Arg Glu Lys Ser Leu Lys Asn Ala Leu Lys  
 275 280 285

Thr Leu Leu Pro Glu Arg Leu Ala Glu Phe Phe Val Gln Gly Tyr Pro  
 290 295 300

Glu Lys Val Lys Gln Leu Thr Glu Lys Glu Arg Glu Gln Leu Val Gln  
 305 310 315 320

Ser Ile Lys Glu Leu Lys Ile Pro Val Thr Gly Lys Met Ser Leu Ala  
 325 330 335

Lys Ser Phe Val Thr Lys Gly Gly Val Ser Leu Lys Glu Ile Asn Pro  
 340 345 350

Lys Thr Leu Glu Ser Lys Leu Val Pro Gly Leu His Phe Ala Gly Glu  
 355 360 365

Val Met Asp Ile Asn Ala His Thr Gly Gly Phe Asn Ile Thr Ser Ala  
 370 375 380

Leu Cys Thr Gly Trp Val Ala Gly Ser Leu His Tyr Asp  
 385 390 395

<210> 277  
 <211> 83  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 277

Met Lys Lys Lys Phe Ala Leu Ser Phe Val Ala Leu Ala Ser Val Ala  
 1 5 10 15

Leu Leu Ala Ala Cys Gly Glu Val Lys Ser Gly Ala Val Asn Thr Ala  
 20 25 30

Gly Asn Ser Val Glu Glu Lys Thr Ile Lys Ile Gly Phe Asn Phe Glu  
 35 40 45

Glu Ser Gly Ser Leu Ala Ala Tyr Gly Thr Ala Glu Gln Lys Gly Ala  
 50 55 60

Gln Leu Ala Val Asp Glu Ile Asn Ala Ala Val Val Ser Met Glu Asn  
 65 70 75 80

Lys Ser Lys

<210> 278  
 <211> 254  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 278

Met Ala Leu Leu Glu Val Lys Gln Leu Thr Lys His Phe Gly Gly Leu  
 1 5 10 15

Thr Ala Val Gly Asp Val Thr Leu Glu Leu Asn Glu Gly Glu Leu Val  
 20 25 30

Gly Leu Ile Gly Pro Asn Gly Ala Gly Lys Thr Thr Leu Phe Asn Leu  
 35 40 45

Leu Thr Gly Val Tyr Glu Pro Ser Glu Gly Thr Val Thr Leu Asp Gly  
 50 55 60

His Leu Leu Asn Gly Lys Ser Pro Tyr Lys Ile Ala Ser Leu Gly Leu  
 65 70 75 80

Gly Arg Thr Phe Gln Asn Ile Arg Leu Phe Lys Asp Leu Thr Val Leu  
 85 90 95

Asp Asn Val Leu Ile Ala Phe Gly Asn His His Lys Gln His Val Phe  
 100 105 110

Thr Ser Phe Leu Arg Leu Pro Ala Phe Tyr Lys Ser Glu Lys Glu Leu  
 115 120 125

Lys Ala Lys Ala Leu Glu Leu Leu Lys Ile Phe Asp Leu Asp Gly Asp  
 130 135 140

Ala Glu Thr Leu Ala Lys Asn Leu Ser Tyr Gly Gln Gln Arg Arg Leu  
 145 150 155 160



Glu Ile Val Arg Ala Leu Ala Thr Glu Pro Lys Ile Leu Phe Leu Asp  
 165 170 175

Glu Pro Ala Ala Gly Met Asn Pro Gln Glu Thr Ala Glu Leu Thr Glu  
 180 185 190

Leu Ile Arg Arg Ile Lys Asp Glu Phe Lys Ile Thr Ile Met Leu Ile  
 195 200 205

Glu His Asp Met Asn Leu Val Met Glu Val Thr Glu Arg Ile Tyr Val  
 210 215 220

Leu Glu Tyr Gly Arg Leu Ile Ala Gln Gly Thr Pro Asp Glu Ile Lys  
 225 230 235 240

Thr Asn Lys Arg Val Ile Glu Ala Tyr Leu Gly Gly Glu Ala  
 245 250

<210> 279  
 <211> 230  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 279

Met Ser Ile Ile Glu Met Arg Asp Val Val Lys Lys Tyr Asp Asn Gly  
 1 5 10 15

Thr Thr Ala Leu Arg Gly Val Ser Val Ser Val Gln Pro Gly Glu Phe  
 20 25 30

Ala Tyr Ile Val Gly Pro Ser Gly Ala Gly Lys Ser Thr Phe Ile Arg  
 35 40 45

Ser Leu Tyr Arg Glu Val Lys Ile Asp Lys Gly Ser Leu Ser Val Ala  
 50 55 60

Gly Phe Asn Leu Val Lys Ile Lys Lys Lys Asp Val Pro Leu Leu Arg  
 65 70 75 80

Arg Ser Val Gly Val Val Phe Gln Asp Tyr Lys Leu Leu Pro Lys Lys  
 85 90 95

Thr Val Tyr Glu Asn Ile Ala Tyr Ala Met Glu Val Ile Gly Glu Asn  
 100 105 110

Arg Arg Asn Ile Lys Arg Arg Val Met Glu Val Leu Asp Leu Val Gly  
 115 120 125

Leu Lys His Lys Val Arg Ser Phe Pro Asn Glu Leu Ser Gly Gly Glu  
 130 135 140

Gln Gln Arg Ile Ala Ile Ala Arg Ala Ile Val Asn Asn Pro Lys Val  
 145 150 155 160

Leu Ile Ala Asp Glu Pro Thr Gly Asn Leu Asp Pro Asp Asn Ser Trp  
 165 170 175

Glu Ile Met Asn Leu Leu Glu Arg Ile Asn Leu Gln Gly Thr Thr Ile  
 180 185 190

Leu Met Ala Thr His Asn Ser Gln Ile Val Asn Thr Leu Arg His Arg  
 195 200 205

Val Ile Ala Ile Glu Asn Gly Arg Val Val Arg Asp Glu Ser Lys Gly  
 210 215 220

Glu Tyr Gly Tyr Asp Asp  
 225 230

<210> 280  
 <211> 726  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 280

Met Met Lys Asp Thr Phe Lys Asn Val Leu Ser Phe Glu Phe Trp Gln  
 1 5 10 15

Lys Phe Gly Lys Ala Leu Met Val Val Ile Ala Val Met Pro Ala Ala  
 20 25 30

Gly Leu Met Ile Ser Ile Gly Lys Ser Ile Val Met Ile Asn Pro Thr  
 35 40 45

Phe Ala Pro Leu Val Ile Thr Gly Gly Ile Leu Glu Gln Ile Gly Trp  
 50 55 60

Gly Val Ile Gly Asn Leu His Ile Leu Phe Ala Leu Ala Ile Gly Gly  
 65 70 75 80

Ser Trp Ala Lys Glu Arg Ala Gly Gly Ala Phe Ala Ala Gly Leu Ala  
 85 90 95

Phe Ile Leu Ile Asn Arg Ile Thr Gly Thr Ile Phe Gly Val Ser Gly  
 100 105 110

Asp Met Leu Lys Asn Pro Asp Ala Met Val Thr Thr Phe Phe Gly Gly  
 115 120 125

Ser Ile Lys Val Ala Asp Tyr Phe Ile Ser Val Leu Glu Ala Pro Ala  
 130 135 140

Leu Asn Met Gly Val Phe Val Gly Ile Ile Ser Gly Phe Val Gly Ala  
 145 150 155 160

Thr Ala Tyr Asn Lys Tyr Tyr Asn Phe Arg Lys Leu Pro Asp Ala Leu  
 165 170 175

Ser Phe Phe Asn Gly Lys Arg Phe Val Pro Phe Val Val Ile Leu Arg  
 180 185 190

Ser Ala Ile Ala Ala Ile Leu Leu Ala Ala Phe Trp Pro Val Val Gln  
 195 200 205

Thr Gly Ile Asn Asn Phe Gly Ile Trp Ile Ala Asn Ser Gln Glu Thr  
 210 215 220

Ala Pro Ile Leu Ala Pro Phe Leu Tyr Gly Thr Leu Glu Arg Leu Leu  
 225 230 235 240

Leu Pro Phe Gly Leu His His Met Leu Thr Ile Pro Met Asn Tyr Thr  
 245 250 255

Ala Leu Gly Gly Thr Tyr Asp Ile Leu Thr Gly Ala Ala Lys Gly Thr  
 260 265 270

Gln Val Phe Gly Gln Asp Pro Leu Trp Leu Ala Trp Val Thr Asp Leu  
 275 280 285

Val Asn Leu Lys Gly Thr Asp Ala Ser Gln Tyr Gln His Leu Leu Asp  
 290 295 300

Thr Val His Pro Ala Arg Phe Lys Val Gly Gln Met Ile Gly Ser Phe  
 305 310 315 320

Gly Ile Leu Met Gly Val Ile Val Ala Ile Tyr Arg Asn Val Asp Ala  
 325 330 335

Asp Lys Lys His Lys Tyr Lys Gly Met Met Ile Ala Thr Ala Leu Ala  
 340 345 350

Thr Phe Leu Thr Gly Val Thr Glu Pro Ile Glu Tyr Met Phe Met Phe  
 355 360 365

Ile Ala Thr Pro Met Tyr Leu Val Tyr Ser Leu Val Gln Gly Ala Ala  
 370 375 380

Phe Ala Met Ala Asp Val Val Asn Leu Arg Met His Ser Phe Gly Ser  
 385 390 395 400

Ile Glu Phe Leu Thr Arg Thr Pro Ile Ala Ile Ser Ala Gly Ile Gly  
 405 410 415

Met Asp Ile Val Asn Phe Val Trp Val Thr Val Leu Phe Ala Val Ile  
 420 425 430

Met Tyr Phe Ile Ala Asn Phe Met Ile Gln Lys Phe Asn Tyr Ala Thr  
 435 440 445

Pro Gly Arg Asn Gly Asn Tyr Glu Thr Ala Glu Gly Ser Glu Glu Thr  
 450 455 460

Ser Ser Glu Val Lys Val Ala Ala Gly Ser Gln Ala Val Asn Ile Ile  
 465 470 475 480

Asn Leu Leu Gly Gly Arg Val Asn Ile Val Asp Val Asp Ala Cys Met  
 485 490 495

Thr Arg Leu Arg Val Thr Val Lys Asp Ala Asp Lys Val Gly Asn Ala  
 500 505 510

Glu Gln Trp Lys Ala Glu Gly Ala Met Gly Leu Val Met Lys Gly Gln  
 515 520 525

Gly Val Gln Ala Ile Tyr Gly Pro Lys Ala Asp Ile Leu Lys Ser Asp  
 530 535 540

Ile Gln Asp Ile Leu Asp Ser Gly Glu Ile Ile Pro Glu Thr Leu Pro  
 545 550 555 560

Ser Gln Met Thr Glu Ala Gln Gln Asn Thr Val His Phe Lys Asp Leu  
 565 570 575

Thr Glu Glu Val Tyr Ser Val Ala Asp Gly Gln Val Val Ala Leu Glu  
 580 585 590

Gln Val Lys Asp Pro Val Phe Ala Gln Lys Met Met Gly Asp Gly Phe  
 595 600 605

Ala Val Glu Pro Ala Asn Gly Asn Ile Val Ser Pro Val Ser Gly Thr  
 610 615 620

Val Ser Ser Ile Phe Pro Thr Lys His Ala Phe Gly Ile Val Thr Glu  
 625 630 635 640

Ala Gly Leu Glu Val Leu Val His Ile Gly Leu Asp Thr Val Ser Leu  
 645 650 655

Glu Gly Lys Pro Phe Thr Val His Val Ala Glu Gly Gln Lys Val Ala  
 660 665 670

Ala Gly Asp Leu Leu Val Thr Ala Asp Leu Asp Ala Ile Arg Ala Ala  
 675 680 685

Gly Arg Glu Thr Ser Thr Val Val Val Phe Thr Asn Gly Asp Ala Ile  
 690 695 700

Lys Ser Val Lys Leu Glu Lys Thr Gly Ser Leu Ala Ala Lys Thr Ala

705

710

715

720

Val Ala Lys Val Glu Leu  
725

<210> 281  
<211> 513  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 281

Met Ser Ile Leu Glu Val Lys Asn Leu Ser His Gly Phe Gly Asp Arg  
1 5 10 15

Ala Ile Phe Glu Asp Val Ser Phe Arg Leu Leu Lys Gly Glu His Ile  
20 25 30

Gly Leu Val Gly Ala Asn Gly Glu Gly Lys Ser Thr Phe Met Ser Ile  
35 40 45

Val Thr Gly Lys Met Leu Pro Asp Glu Gly Lys Val Glu Trp Ser Lys  
50 55 60

Tyr Val Thr Ala Gly Tyr Leu Asp Gln His Ser Val Leu Ala Glu Arg  
65 70 75 80

Gln Ser Val Arg Asp Val Leu Arg Thr Ala Phe Asp Glu Leu Phe Lys  
85 90 95

Ala Glu Ala Arg Ile Asn Asp Leu Tyr Met Lys Met Ala Glu Asp Gly  
100 105 110

Ala Asp Val Asp Ala Leu Met Glu Glu Val Gly Glu Leu Gln Asp Arg  
115 120 125

Leu Glu Ser Arg Asp Phe Tyr Thr Leu Asp Ala Lys Ile Asp Glu Val  
130 135 140

Ala Arg Ala Leu Gly Val Met Asp Phe Gly Met Asp Thr Asp Val Thr  
145 150 155 160

Ser Leu Ser Gly Gly Gln Arg Thr Lys Val Leu Leu Ala Lys Leu Leu

	165		170		175
Leu Glu Lys Pro Asp Ile Leu Leu Leu Asp Glu Pro Thr Asn Tyr Leu	180		185		190
Asp Ala Glu His Ile Asp Trp Leu Lys Arg Tyr Leu Gln Asn Tyr Glu	195		200		205
Asn Ala Phe Val Leu Ile Ser His Asp Ile Pro Phe Leu Asn Asp Val	210		215		220
Ile Asn Ile Val Tyr His Val Glu Asn Gln Gln Leu Thr Arg Tyr Ser	225		230		235
Gly Asp Tyr Tyr Gln Phe Gln Glu Val Tyr Ala Met Lys Lys Ser Gln	245		250		255
Leu Glu Ala Ala Tyr Glu Arg Gln Gln Lys Glu Ile Ala Asp Leu Lys	260		265		270
Asp Phe Val Ala Arg Asn Lys Ala Arg Val Ala Thr Arg Asn Met Ala	275		280		285
Met Ser Arg Gln Lys Lys Leu Asp Lys Met Asp Ile Ile Glu Leu Gln	290		295		300
Ser Glu Lys Pro Lys Pro Ser Phe Asp Phe Lys Pro Ala Arg Thr Pro	305		310		315
Gly Arg Phe Ile Phe Gln Ala Lys Asn Leu Gln Ile Gly Tyr Asp Arg	325		330		335
Pro Leu Thr Lys Pro Leu Asn Leu Thr Phe Glu Arg Asn Gln Lys Val	340		345		350
Ala Ile Ile Gly Ala Asn Gly Ile Gly Lys Thr Thr Leu Leu Lys Ser	355		360		365
Leu Leu Gly Ile Ile Ser Pro Ile Ala Gly Glu Val Glu Arg Gly Asp	370		375		380

Tyr Leu Glu Leu Gly Tyr Phe Glu Gln Glu Val Glu Gly Gly Asn Arg  
385 390 395 400

Gln Thr Pro Leu Glu Ala Val Trp Asn Ala Phe Pro Ala Leu Asn Gln  
405 410 415

Ala Glu Val Arg Ala Ala Leu Ala Arg Cys Gly Leu Thr Thr Lys His  
420 425 430

Ile Glu Ser Gln Ile Gln Val Leu Ser Gly Gly Glu Gln Ala Lys Val  
435 440 445

Arg Phe Cys Leu Leu Met Asn Arg Glu Asn Asn Val Leu Val Leu Asp  
450 455 460

Glu Pro Thr Asn His Leu Asp Val Asp Ala Lys Asp Glu Leu Lys Arg  
465 470 475 480

Ala Leu Lys Glu Tyr Arg Gly Ser Ile Leu Met Val Cys His Glu Pro  
485 490 495

Asp Phe Tyr Glu Gly Trp Ile Asp Gln Ile Trp Asp Phe Asn Asn Leu  
500 505 510

Thr

<210> 282  
<211> 267  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 282

Met Lys Lys Leu Ala Thr Leu Leu Leu Leu Ser Thr Val Ala Leu Ala  
1 5 10 15

Gly Cys Ser Ser Val Gln Arg Ser Leu Arg Gly Asp Asp Tyr Val Asp  
20 25 30

Ser Ser Leu Ala Ala Glu Glu Ser Ser Lys Val Ala Ala Gln Ser Ala  
35 40 45



Lys Glu Leu Asn Asp Ala Leu Thr Asn Glu Asn Ala Asn Phe Pro Gln  
 50 55 60

Leu Ser Lys Glu Val Ala Glu Asp Glu Ala Glu Val Ile Phe His Thr  
 65 70 75 80

Ser Gln Gly Asp Ile Arg Ile Lys Leu Phe Pro Lys Leu Ala Pro Leu  
 85 90 95

Ala Val Glu Asn Phe Leu Thr His Ala Lys Glu Gly Tyr Tyr Asn Gly  
 100 105 110

Ile Thr Phe His Arg Val Ile Asp Gly Phe Met Val Gln Thr Gly Asp  
 115 120 125

Pro Lys Gly Asp Gly Thr Gly Gly Gln Ser Ile Trp His Asp Lys Asp  
 130 135 140

Lys Thr Lys Asp Lys Gly Thr Gly Phe Lys Asn Glu Ile Thr Pro Tyr  
 145 150 155 160

Leu Tyr Asn Ile Arg Gly Ala Leu Ala Met Ala Asn Thr Gly Gln Pro  
 165 170 175

Asn Thr Asn Gly Ser Gln Phe Phe Ile Asn Gln Asn Ser Thr Asp Thr  
 180 185 190

Ser Ser Lys Leu Pro Thr Ser Lys Tyr Pro Gln Lys Ile Ile Glu Ala  
 195 200 205

Tyr Lys Glu Gly Gly Asn Pro Ser Leu Asp Gly Lys His Pro Val Phe  
 210 215 220

Gly Gln Val Ile Asp Gly Met Asp Val Val Asp Lys Ile Ala Lys Ala  
 225 230 235 240

Glu Lys Asp Glu Lys Asp Lys Pro Thr Thr Ala Ile Thr Ile Asp Ser  
 245 250 255

Ile Glu Val Val Lys Asp Tyr Asp Phe Lys Ser  
 260 265

<210> 283  
 <211> 448  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 283

Met Arg Glu Tyr Asp Ile Ile Ala Ile Gly Gly Gly Ser Gly Gly Ile  
 1 5 10 15

Ala Thr Met Asn Arg Ala Gly Glu His Gly Ala Lys Ala Ala Val Ile  
 20 25 30

Glu Glu Lys Lys Leu Gly Gly Thr Cys Val Asn Val Gly Cys Val Pro  
 35 40 45

Lys Lys Ile Met Trp Tyr Gly Ala Gln Ile Ala Glu Thr Phe His Gln  
 50 55 60

Phe Gly Glu Asp Tyr Gly Phe Lys Thr Thr Asp Leu Asn Phe Asp Phe  
 65 70 75 80

Ala Thr Leu Arg Arg Asn Arg Glu Ala Tyr Ile Asp Arg Ala Arg Ser  
 85 90 95

Ser Tyr Asp Gly Ser Phe Lys Arg Asn Gly Val Asp Leu Ile Glu Gly  
 100 105 110

His Ala Glu Phe Val Asp Ser His Thr Val Ser Val Asn Gly Glu Leu  
 115 120 125

Ile Arg Ala Lys His Ile Val Ile Ala Thr Gly Ala His Pro Ser Ile  
 130 135 140

Pro Asn Ile Pro Gly Ala Glu Leu Gly Gly Ser Ser Asp Asp Val Phe  
 145 150 155 160

Ala Trp Glu Glu Leu Pro Glu Ser Ile Ala Ile Leu Gly Ala Gly Tyr  
 165 170 175

Ile Ala Val Glu Leu Ala Gly Val Leu His Thr Phe Gly Val Lys Thr  
 180 185 190

Asp Leu Phe Val Arg Arg Asp Arg Pro Leu Arg Gly Phe Asp Ser Tyr  
 195 200 205

Ile Val Glu Gly Leu Val Lys Glu Met Glu Arg Thr Asn Leu Pro Leu  
 210 215 220

His Thr His Lys Val Pro Val Lys Leu Glu Lys Thr Thr Asp Gly Ile  
 225 230 235 240

Thr Ile His Phe Glu Asp Gly Thr Ser His Thr Ala Ser Gln Val Ile  
 245 250 255

Trp Ala Thr Gly Arg Arg Pro Asn Val Lys Gly Leu Gln Leu Glu Lys  
 260 265 270

Ala Gly Val Thr Leu Asn Glu Arg Gly Phe Ile Gln Val Asp Glu Tyr  
 275 280 285

Gln Asn Thr Val Val Glu Gly Ile Tyr Ala Leu Gly Asp Val Thr Gly  
 290 295 300

Glu Lys Glu Leu Thr Pro Val Ala Ile Lys Ala Gly Arg Thr Leu Ser  
 305 310 315 320

Glu Arg Leu Phe Asn Gly Lys Thr Thr Ala Lys Met Asp Tyr Ser Thr  
 325 330 335

Ile Pro Thr Val Val Phe Ser His Pro Ala Ile Gly Thr Val Gly Leu  
 340 345 350

Thr Glu Glu Gln Ala Ile Lys Glu Tyr Gly Gln Asp Gln Ile Lys Val  
 355 360 365

Tyr Lys Ser Ser Phe Ala Ser Met Tyr Ser Ala Cys Thr Cys Asn Arg  
 370 375 380

Gln Glu Ser Arg Phe Lys Leu Ile Thr Ala Gly Ser Glu Glu Lys Val  
 385 390 395 400

Val Gly Leu His Gly Ile Gly Tyr Gly Val Asp Glu Met Ile Gln Gly  
 405 410 415

Phe Ala Val Ala Ile Lys Met Gly Ala Thr Lys Ala Asp Phe Asp Ala  
 420 425 430

Thr Val Ala Ile His Pro Thr Ala Ser Glu Glu Phe Val Thr Met Arg  
 435 440 445

<210> 284

<211> 444

<212> PRT

<213> Streptococcus pneumoniae

<400> 284

Met Phe Ser Lys Leu Lys Lys Thr Trp Tyr Ala Asp Asp Phe Ser Tyr  
 1 5 10 15

Phe Ile Arg Asn Phe Gly Val Phe Thr Leu Ile Phe Ser Thr Met Thr  
 20 25 30

Leu Ile Ile Leu Gln Val Met His Ser Ser Leu Tyr Thr Ser Val Asp  
 35 40 45

Asp Lys Leu His Gly Leu Ser Glu Asn Pro Gln Ala Val Ile Gln Leu  
 50 55 60

Ala Ile Asn Arg Ala Thr Glu Glu Ile Lys Asp Leu Glu Asn Ala Arg  
 65 70 75 80

Ala Asp Ala Ser Lys Val Glu Ile Lys Pro Asn Val Ser Ser Asn Thr  
 85 90 95

Glu Val Ile Leu Phe Asp Lys Asp Phe Thr Gln Leu Leu Ser Gly Asn  
 100 105 110

Arg Phe Leu Gly Leu Asp Lys Ile Lys Leu Glu Lys Lys Glu Leu Gly  
 115 120 125

His Ile Tyr Gln Ile Gln Val Phe Asn Ser Tyr Gly Gln Glu Glu Ile  
 130 135 140

Tyr Arg Val Ile Leu Met Glu Thr Asn Ile Ser Ser Val Ser Thr Asn  
 145 150 155 160

Ile Lys Tyr Ala Ala Val Leu Ile Asn Thr Ser Gln Leu Glu Gln Ala  
 165 170 175

Ser Gln Lys His Glu Gln Leu Ile Val Val Val Met Ala Ser Phe Trp  
 180 185 190

Ile Leu Ser Leu Leu Ala Ser Leu Tyr Leu Ala Arg Val Ser Val Arg  
 195 200 205

Pro Leu Leu Glu Ser Met Gln Lys Gln Gln Ser Phe Val Glu Asn Ala  
 210 215 220

Ser His Glu Leu Arg Thr Pro Leu Ala Val Leu Gln Asn Arg Leu Glu  
 225 230 235 240

Thr Leu Phe Arg Lys Pro Glu Ala Thr Ile Met Asp Val Ser Glu Ser  
 245 250 255

Ile Ala Ser Ser Leu Glu Glu Val Arg Asn Met Arg Phe Leu Thr Thr  
 260 265 270

Ser Leu Leu Asn Leu Ala Arg Arg Asp Asp Gly Ile Lys Pro Glu Leu  
 275 280 285

Ala Glu Val Pro Thr Ser Phe Phe Asn Thr Thr Phe Thr Asn Tyr Glu  
 290 295 300

Met Ile Ala Ser Glu Asn Asn Arg Val Phe Arg Phe Glu Asn Arg Ile  
 305 310 315 320

His Arg Thr Ile Val Thr Asp Gln Leu Leu Leu Lys Gln Leu Met Thr  
 325 330 335

Ile Leu Phe Asp Asn Ala Val Lys Tyr Thr Glu Glu Asp Gly Glu Ile  
 340 345 350

Asp Phe Leu Ile Ser Ala Thr Asp Arg Asn Leu Tyr Leu Leu Val Ser  
 355 360 365

Asp Asn Gly Ile Gly Ile Ser Thr Glu Asp Lys Lys Lys Ile Phe Asp

370                      375                      380  
 Arg Phe Tyr Arg Val Asp Lys Ala Arg Thr Arg Gln Lys Gly Gly Phe  
 385                      390                      395                      400  
 Gly Leu Gly Leu Ser Leu Ala Lys Gln Ile Val Asp Ala Leu Lys Gly  
 405                      410                      415  
 Thr Val Thr Val Lys Asp Asn Lys Pro Lys Gly Thr Ile Phe Glu Val  
 420                      425                      430  
 Lys Ile Ala Ile Gln Thr Pro Ser Lys Lys Lys Lys  
 435                      440  
 <210> 285  
 <211> 356  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 285  
 Met Ile Leu Ser Leu Thr Val His Thr Tyr Phe Ile Ile Phe Ser Ala  
 1                      5                      10                      15  
 Glu Asn Tyr Tyr Arg Lys Val Thr Lys Arg Ile Lys Ser Leu Phe Ile  
 20                      25                      30  
 Phe Lys Ala Trp Leu Ile Leu Glu Lys Cys Gly Ile Ile Phe Leu Met  
 35                      40                      45  
 Glu Lys Ile Val Ile Thr Ala Thr Ala Glu Ser Ile Glu Gln Val Glu  
 50                      55                      60  
 Gln Leu Leu Glu Ala Gly Val Asp Arg Ile Tyr Val Gly Glu Lys Asp  
 65                      70                      75                      80  
 Phe Gly Leu Arg Leu Pro Thr Thr Phe Ser Tyr Asp Gln Leu Arg Glu  
 85                      90                      95  
 Ile Ala Lys Leu Val His Asp Ala Gly Lys Glu Leu Ile Val Ala Val  
 100                      105                      110  
 Asn Ala Leu Met His Gln Asp Met Met Asp Arg Ile Lys Pro Phe Leu

115	120	125
Asn Phe Leu Glu Glu Ile Lys Thr Asp Tyr Ile Thr Ile Gly Asp Ala 130 135 140		
Gly Val Phe Tyr Val Val Asn Arg Asp Gly Tyr Ser Phe Lys Thr Ile 145 150 155 160		
Tyr Asp Ala Ser Thr Met Val Thr Ser Ser Arg Gln Ile Asn Phe Trp 165 170 175		
Gly Gln Lys Ala Gly Ala Ser Glu Ala Val Leu Ala Arg Glu Ile Pro 180 185 190		
Ser Ala Glu Leu Phe Lys Met Pro Glu Ile Leu Glu Ile Pro Ala Glu 195 200 205		
Val Leu Val Tyr Gly Ala Ser Val Ile His His Ser Lys Arg Pro Leu 210 215 220		
Leu Gln Asn Tyr Tyr Asn Phe Thr His Ile Asp Asp Glu Lys Thr His 225 230 235 240		
Lys Arg Asp Leu Phe Leu Ala Glu Pro Ser Asp Pro Glu Ser His Tyr 245 250 255		
Ser Ile Phe Glu Asp Asn His Gly Thr His Ile Phe Ala Asn Asn Asp 260 265 270		
Leu Asp Leu Met Ile Lys Leu Thr Glu Leu Val Glu His Gly Phe Thr 275 280 285		
Arg Trp Lys Leu Glu Gly Leu Tyr Thr Pro Gly Gln Asn Phe Val Glu 290 295 300		
Ile Ala Lys Leu Phe Ile Gln Ala Arg Ser Leu Ile Gln Glu Gly Asn 305 310 315 320		
Phe Ser His Ala Gln Ala Phe Leu Leu Asp Glu Glu Val Arg Lys Leu 325 330 335		

His Pro Lys Asn Arg Phe Leu Asp Thr Gly Phe Tyr Asp Tyr Asp Pro  
 340 345 350

Asp Met Val Arg  
 355

<210> 286  
 <211> 229  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 286

Met Thr Met Asn Phe Ser Phe Leu Pro Lys Tyr Leu Pro Tyr Phe Asn  
 1 5 10 15

Tyr Gly Ala Val Val Thr Ile Leu Ile Ser Ile Cys Val Ile Phe Leu  
 20 25 30

Gly Thr Ile Leu Gly Val Val Leu Ala Phe Gly Gln Arg Ser Lys Phe  
 35 40 45

Lys Pro Leu Val Trp Leu Ala Asn Leu Tyr Val Trp Ile Phe Arg Gly  
 50 55 60

Thr Pro Met Met Val Gln Ile Met Ile Ala Phe Ala Leu Met His Ile  
 65 70 75 80

Asn Ala Pro Thr Ile Gln Ile Gly Ile Leu Gly Val Asp Phe Ser Arg  
 85 90 95

Leu Ile Pro Gly Ile Leu Ile Ile Ser Met Asn Ser Gly Ala Tyr Val  
 100 105 110

Ser Glu Thr Val Arg Ala Gly Ile Asn Ala Val Pro Lys Gly Gln Leu  
 115 120 125

Glu Ala Ala Tyr Ser Leu Gly Ile Arg Pro Lys Asn Ala Met Arg Tyr  
 130 135 140

Val Ile Leu Pro Gln Ala Val Lys Asn Ile Leu Pro Ala Leu Gly Asn  
 145 150 155 160



Glu Phe Ile Thr Ile Ile Lys Asp Ser Ser Leu Leu Ser Ala Ile Gly  
 165 170 175

Val Met Glu Leu Trp Asn Gly Ala Thr Thr Val Ser Thr Thr Thr Tyr  
 180 185 190

Leu Pro Leu Thr Pro Leu Leu Phe Ala Ala Phe Tyr Tyr Leu Ile Met  
 195 200 205

Thr Ser Ile Leu Thr Val Ala Leu Lys Ala Phe Glu Lys His Met Gly  
 210 215 220

Gln Gly Asp Lys Lys  
 225

<210> 287

<211> 244

<212> PRT

<213> Streptococcus pneumoniae

<400> 287

Met Thr Glu Thr Leu Ile Lys Ile Glu Asn Leu His Lys Ser Phe Gly  
 1 5 10 15

Lys Asn Glu Val Leu Lys Gly Ile Asn Leu Glu Ile Lys Arg Gly Glu  
 20 25 30

Val Val Val Ile Ile Gly Pro Ser Gly Ser Gly Lys Ser Thr Leu Leu  
 35 40 45

Arg Ser Met Asn Leu Leu Glu Glu Ala Thr Lys Gly Lys Val Ile Phe  
 50 55 60

Glu Gly Val Asp Ile Thr Asp Lys Lys Asn Asp Leu Phe Ala Met Arg  
 65 70 75 80

Glu Lys Met Gly Met Val Phe Gln Gln Phe Asn Leu Phe Pro Asn Met  
 85 90 95

Thr Val Met Glu Asn Ile Thr Leu Ser Pro Ile Lys Thr Lys Gly Asp  
 100 105 110

Ser Lys Ala Val Ala Glu Lys Arg Ala Gln Glu Leu Leu Glu Lys Val  
 115 120 125

Gly Leu Pro Asp Lys Ala Asp Ala Tyr Pro Gln Ser Leu Ser Gly Gly  
 130 135 140

Gln Gln Gln Arg Ile Ala Ile Ala Arg Gly Leu Ala Met Glu Pro Asp  
 145 150 155 160

Val Leu Leu Phe Asp Glu Pro Thr Ser Ala Leu Asp Pro Glu Met Val  
 165 170 175

Gly Glu Val Leu Ala Val Met Gln Asp Leu Ala Lys Ser Gly Met Thr  
 180 185 190

Met Val Ile Val Thr His Glu Met Gly Phe Ala Arg Glu Val Ala Asp  
 195 200 205

Arg Val Ile Phe Met Ala Asp Gly Val Val Val Glu Asp Gly Thr Pro  
 210 215 220

Glu Gln Ile Phe Glu Gln Thr Gln Gly Gln Arg Thr Lys Asp Phe Leu  
 225 230 235 240

Ser Lys Val Leu

<210> 288

<211> 78

<212> PRT

<213> Streptococcus pneumoniae

<400> 288

Met Lys Ile Leu Lys Arg Tyr Ile Leu Glu Leu Cys Phe Ile Leu Ser  
 1 5 10 15

Phe Ala Leu Pro Phe Ile Lys Gly Thr Asn Ala Asp Asn Gly Arg Cys  
 20 25 30

Phe Val Glu Thr Tyr Tyr Gly Phe Thr Phe Leu Met Glu His Ala Ile  
 35 40 45

Val Thr Ala Val Phe Ile Cys Ser Phe Leu Ile Ala Phe Leu Leu Lys  
 50 55 60

Asn Asp Gly Arg Asn Gly Leu Leu Arg Val Val Ile Ala Phe  
 65 70 75

<210> 289  
 <211> 511  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 289

Met Ala His Glu Asn Val Ile Glu Met Arg Asp Ile Thr Lys Val Phe  
 1 5 10 15

Gly Gly Phe Val Ala Asn Asp Lys Ile Asn Leu His Leu Arg Lys Gly  
 20 25 30

Glu Ile His Ala Leu Leu Gly Glu Asn Gly Ala Gly Lys Ser Thr Leu  
 35 40 45

Met Asn Met Leu Ala Gly Leu Leu Glu Pro Thr Ser Gly Glu Ile Ala  
 50 55 60

Val Asn Gly Gln Val Val Asn Leu Asp Ser Pro Ser Lys Ala Ala Ser  
 65 70 75 80

Leu Gly Ile Gly Met Val His Gln His Phe Met Leu Val Glu Ala Phe  
 85 90 95

Thr Val Ala Glu Asn Ile Ile Leu Gly Ser Glu Leu Thr Lys Asn Gly  
 100 105 110

Val Leu Asp Ile Ala Gly Ala Ser Lys Glu Ile Lys Ala Leu Ser Glu  
 115 120 125

Arg Tyr Gly Leu Ala Val Asp Pro Ser Ala Lys Val Ala Asp Ile Ser  
 130 135 140

Val Gly Ala Gln Gln Arg Val Glu Ile Leu Lys Thr Leu Tyr Arg Gly  
 145 150 155 160

Ala Asp Ile Leu Ile Phe Asp Glu Pro Thr Ala Val Leu Thr Pro Ser  
165 170 175

Glu Ile Asp Glu Leu Met Ala Ile Met Lys Asn Leu Val Lys Glu Gly  
180 185 190

Lys Ser Ile Ile Leu Ile Thr His Lys Leu Asp Glu Ile Arg Ala Val  
195 200 205

Ser Asp Arg Val Thr Val Ile Arg Arg Gly Lys Ser Ile Glu Thr Val  
210 215 220

Glu Ile Ala Gly Ala Thr Asn Ala Asp Leu Ala Glu Met Met Val Gly  
225 230 235 240

Arg Ser Val Ser Phe Lys Thr Glu Lys Gln Ala Ser Lys Pro Lys Glu  
245 250 255

Val Val Leu Ser Ile Lys Asp Leu Val Val Asn Glu Asn Arg Gly Val  
260 265 270

Pro Ala Val Lys Asn Leu Ser Leu Asp Val Arg Ala Gly Glu Ile Val  
275 280 285

Gly Ile Ala Gly Ile Asp Gly Asn Gly Gln Ser Glu Leu Ile Gln Ala  
290 295 300

Ile Thr Gly Leu Arg Lys Val Glu Ser Gly Ser Ile Glu Leu Lys Gly  
305 310 315 320

Asp Ser Ile Val Gly Leu His Pro Arg Gln Ile Thr Glu Leu Ser Val  
325 330 335

Gly His Val Pro Glu Asp Arg His Arg Asp Gly Leu Ile Leu Glu Met  
340 345 350

Met Ile Ser Glu Asn Ile Ala Leu Gln Thr Tyr Tyr Lys Glu Pro His  
355 360 365

Ser Lys Asn Gly Ile Leu Asn Tyr Ser Asn Ile Thr Ser Tyr Ala Lys  
370 375 380

Lys Leu Met Glu Glu Phe Asp Val Arg Ala Ala Ser Glu Leu Val Pro  
385 390 395 400

Ala Ala Ala Leu Ser Gly Gly Asn Gln Gln Lys Ala Ile Ile Ala Arg  
405 410 415

Glu Ile Asp Arg Asp Pro Asp Leu Leu Ile Val Ser Gln Pro Thr Arg  
420 425 430

Gly Leu Asp Val Gly Ala Ile Glu Tyr Ile His Lys Arg Leu Ile Glu  
435 440 445

Glu Arg Asp Asn Gly Lys Ala Val Leu Val Val Ser Phe Glu Leu Asp  
450 455 460

Glu Ile Leu Asn Val Ser Asp Arg Ile Ala Val Ile His Asp Gly Lys  
465 470 475 480

Ile Gln Gly Ile Val Ser Pro Glu Thr Thr Asn Lys Gln Glu Leu Gly  
485 490 495

Val Leu Met Ala Gly Gly Asn Leu Gly Lys Glu Lys Ser Asp Val  
500 505 510

<210> 290

<211> 307

<212> PRT

<213> Streptococcus pneumoniae

<400> 290

Met Thr Glu Leu Ala Lys Gln Leu Leu Glu Leu Thr Tyr Ile Val Ile  
1 5 10 15

Gly Cys Gln Phe Leu His Thr Ala Tyr Cys Ser Tyr Lys Asp Lys Thr  
20 25 30

Asn Pro Val Arg Leu Gly Thr Ser Ala Phe Trp Thr Leu Leu Ser Ile  
35 40 45

Thr Phe Ile Gly Gly Ser Tyr Met Pro Asn Met Ser Ile Gly Ile Ile  
50 55 60

Val Ile Leu Leu Ser Leu Leu Thr Leu Phe Lys Gln Val Arg Ile Gly  
 65 70 75 80

Thr Leu Pro Ser Leu Asp Glu Met Lys Ala Asn Ile Glu Ser Asn Arg  
 85 90 95

Leu Lys Asn Lys Ile Phe Ile Pro Val Met Leu Met Ala Ile Leu Ala  
 100 105 110

Leu Val Leu Ala Gln Met Ile Pro Glu Phe Ser Lys Ile Ser Ile Ser  
 115 120 125

Leu Ala Ala Leu Phe Ala Thr Ile Ser Val Leu Val Ile Thr Asn Ser  
 130 135 140

His Pro Lys Ser Leu Leu Ser Glu Asn Asn Arg Met Thr Gln Gln Val  
 145 150 155 160

Ser Thr Ser Gly Ile Val Pro Gln Leu Leu Gly Ala Leu Gly Ala Ile  
 165 170 175

Phe Thr Val Ala Gly Val Gly Asp Val Ile Ser His Leu Ile Ser Gly  
 180 185 190

Ile Val Pro Ser Asp Ser Arg Phe Ile Gly Val Leu Ala Tyr Val Leu  
 195 200 205

Gly Met Val Leu Phe Thr Met Ile Met Gly Asn Ala Phe Ala Ala Phe  
 210 215 220

Thr Val Ile Thr Ala Gly Val Gly Val Pro Phe Val Phe Ala Leu Gly  
 225 230 235 240

Ala Asn Pro Ile Val Ala Gly Ala Leu Ala Met Thr Ala Gly Tyr Cys  
 245 250 255

Gly Thr Leu Leu Thr Pro Met Ala Ala Asn Phe Asn Ala Leu Pro Ala  
 260 265 270

Ala Leu Met Asp Met Lys Asp Gln Asn Gly Val Ile Lys Ala Gln Ala  
 275 280 285

Gly Val Ala Leu Val Met Ile Val Ile His Ile Phe Leu Met Tyr Phe  
 290 295 300

Leu Ala Phe  
 305

<210> 291  
 <211> 369  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 291

Met Phe Arg Arg Asn Lys Leu Phe Phe Trp Thr Thr Glu Ile Leu Leu  
 1 5 10 15

Leu Thr Ile Ile Phe Tyr Leu Trp Arg Gln Met Gly Ser Leu Ile Asn  
 20 25 30

Pro Phe Val Ser Val Leu Asn Thr Ile Met Ile Pro Phe Leu Leu Gly  
 35 40 45

Gly Phe Phe Tyr Tyr Leu Thr Asn Pro Ile Val Thr Phe Leu Asn Lys  
 50 55 60

Val Cys Lys Leu Asn Arg Leu Leu Gly Ile Leu Ile Thr Leu Cys Thr  
 65 70 75 80

Leu Val Trp Gly Met Val Ile Gly Val Val Tyr Leu Leu Pro Ile Leu  
 85 90 95

Ile Asn Gln Leu Ser Ser Leu Ile Ile Ser Ser Gln Thr Ile Tyr Ser  
 100 105 110

Arg Val Gln Asp Leu Ile Ile Asp Leu Ser Asn Tyr Pro Ala Leu Gln  
 115 120 125

Asn Leu Asp Val Glu Ala Thr Ile Gln Gln Leu Asn Leu Ser Tyr Val  
 130 135 140

Asp Ile Leu Gln Asn Ile Leu Asn Ser Val Ser Asn Ser Val Gly Ser  
 145 150 155 160

Val Leu Ser Ala Leu Ile Ser Thr Val Leu Ile Leu Ile Met Thr Pro  
 165 170 175

Val Phe Leu Val Tyr Phe Leu Leu Asp Gly His Lys Phe Leu Pro Met  
 180 185 190

Leu Glu Arg Thr Ile Leu Lys Arg Asp Arg Leu His Ile Ala Gly Leu  
 195 200 205

Leu Lys Asn Leu Asn Ala Thr Ile Ala Arg Tyr Ile Ser Gly Val Ser  
 210 215 220

Ile Asp Ala Ile Ile Ile Gly Cys Leu Ala Tyr Ile Gly Tyr Ser Ile  
 225 230 235 240

Ile Gly Leu Lys Tyr Ala Leu Val Phe Ala Ile Phe Ser Gly Val Ala  
 245 250 255

Asn Leu Ile Pro Tyr Val Gly Pro Ser Ile Gly Leu Ile Pro Met Ile  
 260 265 270

Ile Ala Asn Ile Phe Thr Asp Pro His Arg Leu Leu Ile Ala Val Ile  
 275 280 285

Tyr Met Leu Val Val Gln Gln Val Asp Gly Asn Ile Leu Tyr Pro Arg  
 290 295 300

Ile Val Gly Ser Val Met Lys Val His Pro Ile Thr Ile Leu Val Leu  
 305 310 315 320

Leu Leu Leu Ser Ser Asn Ile Tyr Gly Val Val Gly Met Ile Val Ala  
 325 330 335

Val Pro Thr Tyr Ser Ile Leu Lys Glu Ile Ser Lys Phe Leu Ser His  
 340 345 350

Leu Tyr Glu Asn His Lys Ile Met Lys Glu Arg Glu Arg Glu Leu Ala  
 355 360 365

Lys



<210> 292  
 <211> 662  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 292

Met Phe Arg Leu Thr Asn Lys Leu Ala Val Ser Asn Leu Ile Lys Asn  
 1 5 10 15

Arg Lys Leu Tyr Tyr Pro Phe Ala Leu Ala Val Leu Leu Ala Val Thr  
 20 25 30

Ile Thr Tyr Leu Phe Tyr Ser Leu Thr Phe Asn Pro Lys Ile Ala Glu  
 35 40 45

Ile Arg Gly Gly Thr Thr Ile Gln Ala Thr Leu Gly Phe Gly Met Phe  
 50 55 60

Val Val Thr Leu Ala Ser Ala Ile Ile Val Leu Tyr Ala Asn Ser Phe  
 65 70 75 80

Val Met Lys Asn Arg Ser Lys Glu Leu Gly Ile Tyr Gly Met Leu Gly  
 85 90 95

Leu Glu Lys Arg His Leu Ile Ser Met Thr Phe Lys Glu Leu Val Val  
 100 105 110

Phe Gly Ile Leu Thr Val Gly Ala Gly Ile Gly Ile Gly Ala Leu Phe  
 115 120 125

Asp Lys Leu Ile Phe Ala Phe Leu Leu Lys Leu Met Lys Leu Lys Val  
 130 135 140

Glu Leu Val Ala Thr Phe Gln Met Asn Val Val Ile Ala Val Leu Val  
 145 150 155 160

Val Phe Gly Leu Ile Phe Leu Gly Leu Met Phe Leu Asn Ala Leu Arg  
 165 170 175

Ile Ala Arg Met Asn Ala Leu Gln Leu Ser Arg Glu Lys Ala Ser Gly

180	185	190
Glu Lys Arg Gly Arg Phe Leu Pro Leu Gln Thr Ile Leu Gly Ser Ile 195 200 205		
Ser Leu Gly Ile Gly Tyr Tyr Leu Ala Leu Thr Val Thr Asp Pro Leu 210 215 220		
Thr Ala Leu Thr Thr Phe Phe Leu Ala Val Leu Leu Val Ile Phe Gly 225 230 235 240		
Thr Tyr Leu Leu Phe Asn Ala Gly Ile Thr Val Phe Leu Gln Ile Leu 245 250 255		
Lys Lys Asn Lys Lys Tyr Tyr Tyr Gln Pro Asn Asn Leu Ile Ser Val 260 265 270		
Ser Asn Leu Ile Phe Arg Met Lys Lys Asn Ala Val Gly Leu Ala Thr 275 280 285		
Ile Ala Ile Leu Ser Thr Met Val Leu Val Thr Met Ser Ala Ala Thr 290 295 300		
Ser Ile Phe Asn Ser Ala Glu Ser Phe Lys Lys Val Leu Asn Pro His 305 310 315 320		
Asp Phe Gly Val Ser Gly Gln Asn Val Glu Lys Glu Asp Leu Asp Lys 325 330 335		
Leu Leu Ser Gln Phe Ala Ser Asp Lys Gly Tyr Ser Val Lys Glu Lys 340 345 350		
Glu Val Leu Arg Tyr Ser Asn Phe Gly Ile Ala Asn Gln Glu Gly Thr 355 360 365		
Lys Leu Thr Ile Phe Glu Lys Gly Gln Asn Arg Val Gln Pro Thr Thr 370 375 380		
Val Phe Met Val Phe Asp Gln Lys Asp Tyr Glu Asn Met Thr Gly Gln 385 390 395 400		

Lys Leu Ser Leu Ser Gly Asn Glu Val Gly Leu Phe Ala Lys Asn Asp  
 405 410 415  
 Gly Leu Lys Gly Gln Lys Ala Leu Thr Leu Asn Asp His Gln Phe Ser  
 420 425 430  
 Val Lys Glu Glu Phe Asn Lys Asp Phe Ile Val Asn His Val Pro Asn  
 435 440 445  
 Lys Phe Asn Ile Leu Thr Thr Asp Tyr Asn Tyr Leu Val Val Pro Asp  
 450 455 460  
 Leu Gln Ala Phe Leu Asp Gln Phe Pro Asp Ser Ala Ile Tyr Asn Gln  
 465 470 475 480  
 Phe Tyr Gly Gly Met Asn Val Asn Val Ser Glu Glu Glu Gln Leu Lys  
 485 490 495  
 Val Ala Glu Glu Tyr Glu Asn Tyr Leu Asn Gln Phe Asn Ala Gln Leu  
 500 505 510  
 Asp Thr Glu Gly Ser Tyr Val Tyr Gly Ser Asn Leu Ala Asp Ala Ser  
 515 520 525  
 Ser Gln Met Ser Ala Leu Phe Gly Gly Val Phe Phe Ile Gly Ile Phe  
 530 535 540  
 Leu Ser Ile Ile Phe Met Val Gly Thr Val Leu Val Ile Tyr Tyr Lys  
 545 550 555 560  
 Gln Ile Ser Glu Gly Tyr Glu Asp Arg Glu Arg Phe Ile Ile Leu Gln  
 565 570 575  
 Lys Val Gly Leu Asp Gln Lys Gln Ile Lys Gln Thr Ile Asn Lys Gln  
 580 585 590  
 Val Leu Thr Val Phe Phe Leu Pro Leu Leu Phe Ala Phe Ile His Leu  
 595 600 605  
 Ala Phe Ala Tyr His Met Leu Ser Leu Ile Leu Lys Val Ile Gly Val  
 610 615 620

Leu Asp Thr Thr Met Met Leu Ile Val Thr Leu Ser Ile Cys Ala Ile  
625 630 635 640

Phe Leu Ile Ala Tyr Val Leu Ile Phe Met Ile Thr Ser Arg Ser Tyr  
645 650 655

Arg Lys Ile Val Gln Met  
660

<210> 293

<211> 419

<212> PRT

<213> Streptococcus pneumoniae

<400> 293

Met Ser Arg Leu Leu Val Ile Gly Cys Gly Gly Val Ala Gln Val Ala  
1 5 10 15

Ile Ser Lys Ile Cys Gln Asp Ser Glu Thr Phe Thr Glu Ile Met Ile  
20 25 30

Ala Ser Arg Thr Lys Ser Lys Cys Asp Asp Leu Lys Ala Lys Leu Glu  
35 40 45

Gly Lys Thr Ser Thr Lys Ile Glu Thr Ala Ala Leu Asp Ala Asp Lys  
50 55 60

Val Glu Glu Val Ile Ala Leu Ile Glu Ser Tyr Lys Pro Glu Ala Val  
65 70 75 80

Leu Asn Val Ala Leu Pro Tyr Gln Asp Leu Thr Ile Met Asp Ala Cys  
85 90 95

Leu Ala Thr Gly Val His Tyr Ile Asp Thr Ala Asn Tyr Glu Ala Glu  
100 105 110

Asp Thr Glu Asp Pro Glu Trp Arg Ala Ile Tyr Glu Lys Arg Cys Lys  
115 120 125

Glu Leu Gly Phe Thr Ala Tyr Phe Asp Tyr Ser Trp Gln Trp Ala Tyr  
130 135 140

Gln Glu Lys Phe Lys Glu Ala Gly Leu Thr Ala Leu Leu Gly Ser Gly  
 145 150 155 160

Phe Asp Pro Gly Val Thr Ser Val Phe Ser Ala Tyr Ala Leu Lys His  
 165 170 175

Tyr Phe Asp Glu Ile His Tyr Ile Asp Ile Leu Asp Cys Asn Gly Gly  
 180 185 190

Asp His Gly Tyr Pro Phe Ala Thr Asn Phe Asn Pro Glu Ile Asn Leu  
 195 200 205

Arg Glu Val Ser Ala Pro Gly Ser Tyr Trp Glu Asp Gly Lys Trp Val  
 210 215 220

Glu Val Glu Ala Met Ser Ile Lys Arg Glu Tyr Asp Phe Pro Gln Val  
 225 230 235 240

Gly Gln Lys Asp Met Tyr Leu Leu His His Glu Glu Ile Glu Ser Leu  
 245 250 255

Ala Lys Asn Ile Pro Gly Val Lys Arg Ile Arg Phe Phe Met Thr Phe  
 260 265 270

Gly Gln Ser Tyr Leu Thr His Met Lys Cys Leu Glu Asn Val Gly Leu  
 275 280 285

Leu Arg Thr Asp Thr Ile Asn Phe Asn Gly Gln Glu Ile Val Pro Ile  
 290 295 300

Gln Phe Leu Lys Ala Leu Leu Pro Asp Pro Ala Ser Leu Gly Pro Arg  
 305 310 315 320

Thr Val Gly Lys Thr Asn Ile Gly Cys Ile Phe Thr Gly Val Lys Asp  
 325 330 335

Gly Val Lys Lys Thr Ile Tyr Ile Tyr Asn Val Cys Asp His Gln Glu  
 340 345 350

Cys Tyr Ala Glu Val Gly Ser Gln Ala Ile Ser Tyr Thr Thr Gly Val  
 355 360 365

Pro Ala Met Ile Gly Thr Lys Leu Val Met Asn Gly Thr Trp Lys Gln  
 370 375 380

Ala Gly Val Tyr Asn Leu Glu Glu Leu Asp Pro Asp Pro Phe Met Glu  
 385 390 395 400

Ala Leu Asn Glu Tyr Gly Leu Pro Trp Val Val Val Glu Asn Pro Gln  
 405 410 415

Met Val Asp

<210> 294  
 <211> 216  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 294

Met Glu Ala Ile Ile Glu Lys Ile Lys Glu Tyr Lys Ile Ile Val Ile  
 1 5 10 15

Cys Thr Gly Leu Gly Leu Leu Val Gly Gly Phe Phe Leu Leu Lys Pro  
 20 25 30

Ala Pro Gln Thr Pro Val Lys Glu Thr Asn Leu Gln Ala Glu Val Ala  
 35 40 45

Ala Val Ser Lys Asp Ser Ser Thr Glu Lys Glu Val Lys Lys Glu Glu  
 50 55 60

Lys Glu Glu Pro Leu Glu Gln Asp Leu Ile Thr Val Asp Val Lys Gly  
 65 70 75 80

Ala Val Lys Ser Pro Gly Ile Tyr Asp Leu Pro Val Gly Ser Arg Val  
 85 90 95

Asn Asp Ala Val Gln Lys Ala Gly Gly Leu Thr Glu Gln Ala Asp Ser  
 100 105 110

Lys Ser Leu Asn Leu Ala Gln Lys Val Ser Asp Glu Ala Leu Val Tyr  
 115 120 125

Val Pro Thr Lys Gly Glu Glu Ala Val Ser Gln Gln Thr Gly Ser Gly  
130 135 140

Thr Ala Ser Ser Thr Ser Lys Glu Lys Lys Val Asn Leu Asn Lys Ala  
145 150 155 160

Ser Leu Glu Glu Leu Lys Gln Val Lys Gly Leu Gly Gly Lys Arg Ala  
165 170 175

Gln Asp Ile Ile Asp His Arg Glu Ala Asn Gly Lys Phe Lys Ser Val  
180 185 190

Asp Glu Leu Lys Lys Val Ser Gly Ile Gly Gly Lys Thr Ile Glu Lys  
195 200 205

Leu Lys Asp Tyr Val Thr Val Asp  
210 215

<210> 295  
<211> 502  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 295

Met Leu Gln Trp Ile Lys Asn Phe Ser Ile Pro Leu Ile Tyr Leu Ser  
1 5 10 15

Phe Leu Leu Leu Trp Leu Tyr Tyr Ala Ile Phe Ser Ala Ser Tyr Leu  
20 25 30

Ala Leu Leu Gly Phe Val Phe Leu Leu Val Cys Leu Phe Ile Gln Phe  
35 40 45

Pro Trp Lys Ser Ala Gly Lys Val Leu Ile Ile Cys Gly Ile Phe Gly  
50 55 60

Phe Trp Phe Val Phe Gln Asn Trp Gln Gln Ser Gln Ala Ser Gln Asn  
65 70 75 80

Leu Ala Asp Ser Val Glu Arg Val Arg Ile Leu Pro Asp Thr Ile Lys  
85 90 95

Val Asn Gly Asp Ser Leu Ser Phe Arg Gly Lys Ser Asn Gly Arg Ala  
 100 105 110

Phe Gln Val Tyr Tyr Lys Leu Gln Ser Glu Glu Glu Lys Glu Ala Phe  
 115 120 125

Gln Ala Leu Thr Asp Leu His Glu Ile Gly Leu Glu Gly Lys Leu Ser  
 130 135 140

Glu Pro Glu Gly Gln Arg Asn Phe Gly Gly Phe Asn Tyr Gln Ala Tyr  
 145 150 155 160

Leu Lys Thr Gln Gly Ile Tyr Gln Thr Leu Asn Ile Lys Thr Ile Gln  
 165 170 175

Ser Leu Gln Lys Ile Gly Ser Trp Asp Ile Gly Glu Asn Leu Ser Ser  
 180 185 190

Leu Arg Arg Lys Ala Val Val Trp Ile Lys Thr His Phe Pro Asp Pro  
 195 200 205

Met Gly Asn Tyr Met Thr Gly Leu Leu Leu Gly His Leu Asp Thr Asp  
 210 215 220

Phe Glu Glu Met Asn Glu Leu Tyr Ser Ser Leu Gly Ile Ile His Leu  
 225 230 235 240

Phe Ala Leu Ser Gly Met Gln Val Gly Phe Phe Met Asn Gly Phe Lys  
 245 250 255

Lys Leu Leu Leu Arg Leu Gly Leu Thr Gln Glu Lys Leu Lys Trp Leu  
 260 265 270

Thr Tyr Pro Phe Ser Leu Ile Tyr Ala Gly Leu Thr Gly Phe Ser Ala  
 275 280 285

Ser Val Ile Arg Ser Leu Leu Gln Lys Leu Leu Ala Gln His Gly Val  
 290 295 300

Lys Gly Leu Asp Asn Phe Ala Leu Thr Val Leu Val Leu Phe Ile Val



305                      310                      315                      320  
 Met Pro Asn Phe Phe Leu Thr Ala Gly Gly Val Leu Ser Cys Ala Tyr  
                                  325                                   330                                   335  
 Ala Phe Ile Leu Thr Met Thr Ser Lys Glu Gly Glu Gly Leu Lys Ala  
                                  340                                   345                                   350  
 Val Thr Ser Glu Ser Leu Val Ile Ser Leu Gly Ile Leu Pro Ile Leu  
                                  355                                   360                                   365  
 Ser Phe Tyr Phe Ala Glu Phe Gln Pro Trp Ser Ile Leu Leu Thr Phe  
                                  370                                   375                                   380  
 Val Phe Ser Phe Leu Phe Asp Leu Val Phe Leu Pro Leu Leu Ser Ile  
                                  385                                   390                                   395                                   400  
 Leu Phe Val Leu Ser Phe Leu Tyr Pro Val Ile Gln Leu Asn Phe Ile  
                                  405                                   410                                   415  
 Phe Glu Trp Leu Glu Gly Ile Ile Arg Leu Val Ser Gln Val Ala Arg  
                                  420                                   425                                   430  
 Arg Pro Leu Val Phe Gly Gln Pro Asn Ala Trp Leu Leu Ile Leu Leu  
                                  435                                   440                                   445  
 Leu Ile Ser Leu Ala Leu Val Tyr Asp Leu Arg Lys Asn Ile Lys Gly  
                                  450                                   455                                   460  
 Leu Thr Val Leu Ser Leu Leu Ile Thr Gly Leu Phe Phe Leu Thr Lys  
                                  465                                   470                                   475                                   480  
 Tyr Pro Leu Glu Asn Glu Ile Thr Met Leu Asp Val Gly Gln Gly Glu  
                                  485                                   490                                   495  
 Ser Ile Phe Tyr Gly Met  
                                  500

<210> 296  
 <211> 77  
 <212> PRT  
 <213> Streptococcus pneumoniae

&lt;400&gt; 296

Met Tyr Asn Leu Leu Leu Thr Ile Leu Leu Val Leu Ser Val Val Ile  
 1 5 10 15

Val Ile Ala Ile Phe Met Gln Pro Thr Lys Asn Gln Ser Ser Asn Val  
 20 25 30

Phe Asp Ala Ser Ser Gly Asp Leu Phe Glu Arg Ser Lys Ala Arg Gly  
 35 40 45

Phe Glu Ala Val Met Gln Arg Leu Thr Gly Ile Leu Val Phe Phe Trp  
 50 55 60

Leu Ala Ile Ala Leu Ala Leu Thr Val Leu Ser Ser Arg  
 65 70 75

&lt;210&gt; 297

&lt;211&gt; 280

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 297

Met Leu Ser Trp Leu Ala Arg Val Ile Lys Gly Ile Val Ile Ala Leu  
 1 5 10 15

Gly Phe Ile Leu Pro Gly Ile Ser Gly Gly Val Leu Ala Ala Ile Leu  
 20 25 30

Gly Ile Tyr Glu Arg Met Ile Gly Phe Leu Ala His Pro Phe Lys Asp  
 35 40 45

Phe Lys Glu Asn Val Leu Tyr Phe Ile Pro Val Ala Ile Gly Met Leu  
 50 55 60

Leu Gly Ile Gly Leu Phe Ser Tyr Pro Ile Glu Tyr Leu Leu Glu Asn  
 65 70 75 80

Tyr Gln Val Phe Val Leu Trp Ser Phe Ala Gly Ala Ile Ile Gly Thr  
 85 90 95

Val Pro Ser Leu Leu Lys Glu Ser Thr Arg Glu Ser Asp Arg Asp Lys

100 105 110  
 Ile Asp Leu Ala Trp Leu Trp Thr Thr Phe Ile Ile Ser Gly Leu Gly  
 115 120 125  
 Leu Tyr Ala Leu Asn Phe Val Val Gly Thr Leu Ser Ala Ser Phe Leu  
 130 135 140  
 Asn Phe Val Leu Ala Gly Ala Leu Leu Ala Leu Gly Val Leu Val Pro  
 145 150 155 160  
 Gly Leu Ser Pro Ser Asn Leu Leu Leu Ile Leu Gly Leu Tyr Ala Pro  
 165 170 175  
 Met Leu Thr Gly Phe Lys Thr Phe Asp Phe Leu Gly Thr Phe Phe Pro  
 180 185 190  
 Ile Gly Ile Gly Ala Gly Ala Thr Leu Ile Val Phe Ser Lys Leu Ile  
 195 200 205  
 Asp Tyr Ala Leu Asn Asn Tyr His Ser Arg Val Tyr His Phe Ile Ile  
 210 215 220  
 Gly Ile Val Leu Ser Ser Thr Leu Leu Ile Leu Ile Pro Asn Ala Gly  
 225 230 235 240  
 Asn Ala Glu Ser Ile Gln Tyr Thr Gly Leu Ser Leu Val Gly Tyr Val  
 245 250 255  
 Ile Ile Ala Phe Phe Phe Ala Leu Gly Ile Trp Leu Gly Ile Trp Met  
 260 265 270  
 Ser Gln Leu Glu Asp Lys Tyr Lys  
 275 280  
 <210> 298  
 <211> 210  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 298  
 Met Phe Tyr Leu Ser Leu Ser Arg Ile Ala Leu Ser Ser Ser Thr Ser

1                      5                      10                      15  
 Leu Val Ser Val Ser Ala Glu Pro Phe Ser Ser Phe Thr Lys Ser Arg  
                     20                      25                      30  
 Val Ser Trp Arg Arg Phe Trp Ala Leu Ala Arg Thr Phe Leu Ser Ala  
                     35                      40                      45  
 Phe Ser Ala Ser Ser Cys Pro Arg Thr Leu Ile Asn Ser Val Leu Asn  
                     50                      55                      60  
 Cys Trp Ile Ser Asp Ser Phe Leu Arg Arg Ile Ser Gln Lys Ala Ile  
                     65                      70                      75                      80  
 Thr Pro Arg Arg Ala Ser Arg Leu Thr Thr Ile Thr Pro Ala Gly Thr  
                     85                      90                      95  
 Glu Phe Val Ser Val Ile Leu Ser Glu Ser Leu Leu Ser Ser Val Pro  
                     100                      105                      110  
 Cys Phe Ala Ser Phe Leu Ser Cys Ala Gly Leu Leu Ser Leu Ala Phe  
                     115                      120                      125  
 Ala Phe Thr Ser Leu Arg Glu Ser Lys Ala Ala Gln Pro Ser Gln Thr  
                     130                      135                      140  
 Leu Leu Gln Tyr Ala Asp Leu Thr Leu Ser Arg His Tyr Leu Pro Glu  
                     145                      150                      155                      160  
 Leu Phe Glu His Leu Gly Gly Gln Pro Trp Leu His Arg Phe Ser Asp  
                     165                      170                      175  
 Gln Ile Leu Leu Pro Lys Leu Ser Ser Val Gly Leu Thr Leu Asp Ser  
                     180                      185                      190  
 Arg His Glu Val Gln Thr Cys Gln Leu Ala Leu Glu Leu Val Cys Ser  
                     195                      200                      205  
 Leu Ser  
                     210

<210> 299  
 <211> 235  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 299

Met Glu Thr Ile Val Phe Leu Ile Ser Val Phe Leu Ala Gly Val Leu  
 1 5 10 15

Ser Phe Phe Ser Pro Cys Ile Phe Pro Leu Leu Pro Val Tyr Ala Gly  
 20 25 30

Ile Leu Leu Asp Asp Gln Glu Ser Ala Lys Ser Phe Ser Leu Phe Gly  
 35 40 45

Arg Lys Val Leu Trp Ser Gly Leu Ile Arg Thr Leu Cys Phe Ile Ala  
 50 55 60

Gly Ile Ser Leu Ile Phe Phe Ile Leu Gly Phe Gly Ala Gly Tyr Phe  
 65 70 75 80

Gly His Ile Leu Tyr Ala Asn Trp Phe Arg Tyr Gly Met Gly Ala Ile  
 85 90 95

Ile Ile Ile Leu Gly Leu His Gln Met Glu Ile Phe His Leu Lys Lys  
 100 105 110

Leu Glu Val Gln Lys Ser Phe Thr Phe Lys Lys Ser Asp Ser Asn Arg  
 115 120 125

Tyr Trp Ser Ala Phe Leu Leu Gly Ile Thr Phe Ser Phe Gly Trp Thr  
 130 135 140

Pro Cys Ile Gly Pro Val Leu Ser Ser Val Leu Ala Leu Ala Ala Ser  
 145 150 155 160

Gly Gly Asn Gly Ala Trp Gln Gly Ala Ile Tyr Thr Leu Ile Tyr Thr  
 165 170 175

Leu Gly Met Ala Leu Pro Phe Leu Val Leu Ala Leu Ala Ser Gly Leu  
 180 185 190

Val Met Pro Tyr Phe Ser Lys Ile Lys Arg His Met Met Leu Leu Lys  
 195 200 205

Lys Ile Gly Gly Phe Leu Ile Val Leu Met Gly Ile Leu Leu Leu Leu  
 210 215 220

Gly Gln Val Asn Val Leu Ala Gly Ile Phe Glu  
 225 230 235

<210> 300

<211> 311

<212> PRT

<213> Streptococcus pneumoniae

<400> 300

Met Val Lys Glu Leu Phe Met Lys Lys Gln Asn Leu Phe Leu Val Leu  
 1 5 10 15

Leu Ser Val Phe Leu Leu Cys Leu Gly Ala Cys Gly Gln Lys Glu Ser  
 20 25 30

Gln Thr Gly Lys Gly Met Lys Ile Val Thr Ser Phe Tyr Pro Ile Tyr  
 35 40 45

Ala Met Val Lys Glu Val Ser Gly Asp Leu Asn Asp Val Arg Met Ile  
 50 55 60

Gln Ser Ser Ser Gly Ile His Ser Phe Glu Pro Ser Ala Asn Asp Ile  
 65 70 75 80

Ala Ala Ile Tyr Asp Ala Asp Val Phe Val Tyr His Ser His Thr Leu  
 85 90 95

Glu Ser Trp Ala Gly Ser Leu Asp Pro Asn Leu Lys Lys Ser Lys Val  
 100 105 110

Lys Val Leu Glu Ala Ser Glu Gly Met Thr Leu Glu Arg Val Pro Gly  
 115 120 125

Leu Glu Asp Val Glu Ala Gly Asp Gly Val Asp Glu Lys Thr Leu Tyr  
 130 135 140

Asp Pro His Thr Trp Leu Asp Pro Glu Lys Ala Gly Glu Glu Ala Gln  
145 150 155 160

Ile Ile Ala Asp Lys Leu Ser Glu Val Asp Ser Glu His Lys Glu Thr  
165 170 175

Tyr Gln Lys Asn Ala Gln Ala Phe Ile Lys Lys Ala Gln Glu Leu Thr  
180 185 190

Lys Lys Phe Gln Pro Lys Phe Glu Lys Ala Thr Gln Lys Thr Phe Val  
195 200 205

Thr Gln His Thr Ala Phe Ser Tyr Leu Ala Lys Arg Phe Gly Leu Asn  
210 215 220

Gln Leu Gly Ile Ala Gly Ile Ser Pro Glu Gln Glu Pro Ser Pro Arg  
225 230 235 240

Gln Leu Thr Glu Ile Gln Glu Phe Val Lys Thr Tyr Lys Val Lys Thr  
245 250 255

Ile Phe Thr Glu Ser Asn Ala Ser Ser Lys Val Ala Glu Thr Leu Val  
260 265 270

Lys Ser Thr Gly Val Gly Leu Lys Thr Leu Asn Pro Leu Glu Ser Asp  
275 280 285

Pro Gln Asn Asp Lys Thr Tyr Leu Glu Asn Leu Glu Glu Asn Met Ser  
290 295 300

Ile Leu Ala Glu Glu Leu Lys  
305 310

<210> 301

<211> 125

<212> PRT

<213> Streptococcus pneumoniae

<400> 301

Met Leu Lys Asn Leu Lys Ser Phe Leu Leu Arg Gly Asn Val Ile Asp  
1 5 10 15

Leu Ala Val Gly Val Val Ile Ala Ser Ala Phe Gly Ala Ile Val Thr  
20 25 30

Ser Leu Val Asn Asp Ile Ile Thr Pro Leu Ile Leu Asn Pro Ala Leu  
35 40 45

Lys Ala Ala Lys Val Glu Arg Ile Ala Gln Leu Ser Trp His Gly Val  
50 55 60

Gly Tyr Gly Asn Phe Leu Ser Ala Ile Ile Asn Phe Ile Phe Val Gly  
65 70 75 80

Thr Ala Leu Phe Phe Ile Ile Lys Gly Ile Glu Lys Ala Gln Lys Leu  
85 90 95

Thr Gly Ile Lys Glu Glu Lys Thr Asp Glu Lys Lys Pro Thr Glu Leu  
100 105 110

Glu Val Leu Gln Glu Ile Lys Ala Leu Leu Glu Lys Lys  
115 120 125

<210> 302

<211> 339

<212> PRT

<213> Streptococcus pneumoniae

<400> 302

Met His Ala Lys Met Arg Asn Lys Lys Gln Ile Asn Leu Gly Ile Ile  
1 5 10 15

Phe Ile Ile Cys Leu Gly Leu Leu Ile Thr Ile Phe Leu Ser Leu Lys  
20 25 30

Leu Gly Thr Lys Glu Ile Asn Ile Arg Asp Phe Leu Ala Ala Phe Gly  
35 40 45

Met Gly Asn Thr Asn Asp Asp Phe Ile Lys Ser Ile Ile Tyr Lys Arg  
50 55 60

Ile Pro Arg Thr Ile Phe Ala Ile Leu Ala Gly Ser Ser Leu Ala Ile  
65 70 75 80



Ser Gly Val Leu Met Gln Ser Val Thr Arg Asn Pro Ile Ala Asp Pro  
 85 90 95

Gly Ile Leu Gly Ile Asn Thr Gly Ala Ser Leu Ser Val Val Ile Gly  
 100 105 110

Leu Ser Phe Leu Gly Ile Ser Ser Ser Ile Ser His Ile Ser Phe Ala  
 115 120 125

Ile Ile Gly Gly Leu Val Ser Ala Ile Phe Val Tyr Ala Ile Ala Val  
 130 135 140

Ser Gly Lys Ala Gly Leu Thr Pro Ile Lys Leu Ala Leu Ser Gly Thr  
 145 150 155 160

Cys Val Ser Met Ala Leu Ser Ser Phe Val Ser Phe Leu Ile Leu Pro  
 165 170 175

Asn Asn Asn Val Leu Asp Lys Phe Arg Phe Trp Gln Ile Gly Ser Leu  
 180 185 190

Gly Ala Ala Thr Leu Ser Ser Ile Ser Thr Leu Leu Pro Phe Ile Ile  
 195 200 205

Leu Gly His Leu Ile Ala Ile Phe Ile Ser Ser Asp Leu Asn Ala Leu  
 210 215 220

Ala Met Gly Asp Glu Met Ala Val Gly Leu Gly Val Asn Val Asn Arg  
 225 230 235 240

Ile Arg Ser Leu Ala Ile Ile Ala Ser Val Leu Leu Cys Ser Ser Ile  
 245 250 255

Thr Ala Ile Gly Gly Pro Ile Gly Phe Val Gly Leu Ile Val Pro His  
 260 265 270

Phe Cys Gly Leu Phe Ile Ser Lys Asp Ile Arg Thr Met Thr Ile Ser  
 275 280 285

Ser Ser Phe Ile Gly Ala Glu Leu Leu Leu Ile Cys Asp Ile Ile Gly  
 290 295 300

Arg Met Leu Gly Lys Pro Gly Glu Ile Glu Val Gly Ile Ile Thr Ala  
 305 310 315 320

Ile Ile Gly Gly Pro Val Leu Ile Tyr Val Thr Met Lys Asn Arg Gly  
 325 330 335

Val Asn Asn

<210> 303

<211> 335

<212> PRT

<213> Streptococcus pneumoniae

<400> 303

Met Gln Asn Leu Ile Ile Gly Ile Gln Lys Arg Lys Asn Arg Ile Thr  
 1 5 10 15

Leu Phe Ser Ser Leu Phe Leu Leu Ile Ile Ile Ser Leu Ser Phe Phe  
 20 25 30

Ile Leu Leu Ile Gly Asp Glu Ser Tyr Ser Phe Ser Thr Leu Ile Lys  
 35 40 45

Val Leu Asn Ser Glu Thr Val Pro Gly Ala Ser Phe Ser Ile Met Glu  
 50 55 60

Ile Arg Leu Pro Lys Leu Leu Ala Gly Ile Ile Ala Gly Trp Ser Phe  
 65 70 75 80

Gly Leu Ala Gly Phe Ile Phe Gln Thr Met Leu Arg Asn Pro Leu Ala  
 85 90 95

Ser Pro Asp Ile Ile Gly Val Thr Ser Ser Ser Ser Ile Ala Ala Val  
 100 105 110

Phe Cys Ile Leu Val Leu Lys Thr Asn Ser Leu Thr Thr Gly Ile Ile  
 115 120 125

Ser Ile Thr Cys Gly Leu Thr Ser Ser Leu Ile Leu Phe Leu Leu Ala  
 130 135 140

Lys Lys Asp Gly Phe Ser Ala Ala Arg Leu Ile Ile Leu Gly Ile Gly  
 145 150 155 160

Phe Gln Ala Val Thr Arg Ala Gly Thr Ser Phe Leu Leu Leu Lys Val  
 165 170 175

Ala Arg Tyr Glu Leu Gln Glu Val Met Arg Trp Leu Ser Gly Ser Leu  
 180 185 190

Ser Phe Thr Lys Leu Asp Asp Ile Pro Leu Val Leu Ile Val Ser Ile  
 195 200 205

Ile Ala Thr Ile Leu Val Leu Phe Phe Asn Lys Arg Leu Glu Ile Ile  
 210 215 220

Glu Leu Gly Glu Glu Ile Ala Ile Gly Leu Gly Ala Asn Pro Glu Leu  
 225 230 235 240

Ser Arg Leu Val Leu Ile Phe Cys Ala Val Ser Leu Thr Ala Phe Ser  
 245 250 255

Thr Ser Ile Thr Gly Pro Ile Ala Cys Ile Ser Phe Leu Ala Gly Pro  
 260 265 270

Ile Ala Leu Asn Ile Gly Lys Lys Arg Ser Pro Ile Leu Ala Gly Leu  
 275 280 285

Val Gly Ile Leu Leu Val Leu Leu Ser Asp Ile Phe Ser Gln Asn Ile  
 290 295 300

Leu Pro Ala Arg Tyr Pro Val Gly Val Val Thr Gly Leu Leu Gly Ser  
 305 310 315 320

Pro Tyr Leu Ile Tyr Leu Leu Ile Lys Met Asn Arg Arg Asn Ile  
 325 330 335

<210> 304

<211> 305

<212> PRT

<213> Streptococcus pneumoniae

<400> 304

Met Asn Cys Phe Leu Lys Met Asn Asn Val Ser Val Arg Tyr Asp Asp  
 1 5 10 15  
 Val Ile Ala Leu Lys Asp Ile Thr Leu Gln Ile Asn Lys Gly Asp Phe  
 20 25 30  
 Ile Gly Leu Leu Gly Ser Asn Gly Ala Gly Lys Ser Thr Leu Ile Asn  
 35 40 45  
 Ser Ile Val Gly Phe Gln Glu Ile Tyr Leu Gly Glu Ile Glu Tyr Cys  
 50 55 60  
 Asp Lys Asp Leu Ile Val Ser Ser Gln Pro Phe Ala His Leu Gly Phe  
 65 70 75 80  
 Thr Pro Gln Thr Thr Val Ile Asp Phe Tyr Thr Thr Val Lys Asp Asn  
 85 90 95  
 Val Ile Leu Gly Leu Asn Leu Ala Gly Lys Phe Gly Lys Asn Ala Glu  
 100 105 110  
 Lys Leu Cys Gln Ile Ala Leu Glu Ile Val Gly Leu Ala Asp Lys Lys  
 115 120 125  
 Asn Asn Leu Val Glu Thr Leu Ser Gly Gly Gln Leu Gln Arg Val Gln  
 130 135 140  
 Ile Ala Arg Ala Ile Ala His Asn Pro Asp Phe Tyr Ile Leu Asp Glu  
 145 150 155 160  
 Pro Thr Val Gly Leu Asp Thr Glu Ser Ala Glu Lys Phe Leu Met Tyr  
 165 170 175  
 Leu Lys Asp Lys Ser Leu Glu Gly Lys Thr Ile Ile Ile Ser Ser His  
 180 185 190  
 Asp Ile Asn Leu Leu Glu Lys Phe Cys Lys Lys Ile Leu Phe Leu Gln  
 195 200 205  
 Asn Gly Ser Ile Ser Phe Phe Gly Asp Met Arg Asp Phe Val Asp Asn  
 210 215 220

Ser Thr Ile Lys Leu Asn Phe Ser Met Gln Asn Arg Ile Ser Arg Tyr  
 225 230 235 240

Gln Ile Glu Phe Leu Glu Asn Phe Arg Phe Lys Val His Ile Glu Asp  
 245 250 255

Asn Asp Ser Phe Thr Ile Glu Val Pro Ile Glu Glu Lys Ile Leu Asp  
 260 265 270

Val Ile Asn Glu Val Gly Lys Ala Cys Glu Ile Lys Asn Phe Ser Thr  
 275 280 285

Ser Lys Leu Thr Leu Gln Glu Ser Tyr Leu Gln Arg Ile Gly Gly Glu  
 290 295 300

Lys  
 305

<210> 305  
 <211> 266  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 305

Met Lys Ala Asp Gln Leu Arg His Lys Ser Asp Leu Gly Leu Arg Gly  
 1 5 10 15

Leu Ala Ile Ile Ala Lys Asn Glu Ile Ile Ala Phe Phe Arg Ser Lys  
 20 25 30

Gly Leu Ile Ile Ser Gln Phe Leu Gln Pro Ile Leu Tyr Val Val Phe  
 35 40 45

Ile Ile Ile Gly Leu Asn Ser Ser Ile Lys Asn Ile Gln Phe Asn Asp  
 50 55 60

Ile Lys Thr Ser Tyr Ala Glu Tyr Thr Ile Ile Gly Val Ile Ala Leu  
 65 70 75 80

Leu Ile Ile Gly Gln Met Thr Gln Val Ile Tyr Arg Val Thr Ile Asp  
 85 90 95

Lys Lys Tyr Gly Leu Leu Ala Leu Lys Leu Cys Ser Gly Val Arg Pro  
 100 105 110

Leu Tyr Tyr Ile Leu Gly Met Ser Ile Tyr Ser Ile Leu Gly Leu Ile  
 115 120 125

Val Gln Glu Ile Ile Ile Tyr Ile Ile Thr Leu Ala Phe Glu Ile Asn  
 130 135 140

Ile Ala Met Asp Arg Phe Phe Tyr Thr Val Leu Leu Ser Ile Val Val  
 145 150 155 160

Leu Leu Phe Trp Asp Ser Leu Ala Ile Leu Leu Thr Met Phe Ile Asn  
 165 170 175

Asp Tyr Arg Arg Arg Asp Ile Val Ile Arg Phe Val Leu Thr Pro Leu  
 180 185 190

Gly Phe Thr Ala Pro Val Phe Tyr Leu Ile Asp Ser Ala Pro Ser Ile  
 195 200 205

Val Arg Trp Ile Gly Gln Leu Asn Pro Leu Thr Tyr Gln Leu Thr Ile  
 210 215 220

Leu Arg Asn Phe Tyr Phe Lys Asn Ser Thr Thr Leu Glu Leu Val Phe  
 225 230 235 240

Leu Leu Leu Thr Ser Leu Leu Val Leu Ile Ser Val Ser Phe Ile Ile  
 245 250 255

Pro Lys Ile Lys Leu Ile Leu Ile Glu Arg  
 260 265

<210> 306

<211> 344

<212> PRT

<213> Streptococcus pneumoniae

<400> 306

Met Leu Lys Glu Ile Lys Arg Arg Asn Arg Met Lys Asn Lys Arg Leu  
 1 5 10 15

Ile Gly Ile Ile Ala Ala Leu Ala Val Leu Val Ala Gly Ser Leu Ile  
                   20                                  25                                  30

Tyr Ser Ser Met Asn Lys Ser Glu Ala Gln Asn Asn Lys Asp Glu Lys  
           35                                  40                                  45

Lys Ile Thr Lys Ile Gly Val Leu Gln Phe Val Ser His Pro Ser Leu  
   50                                  55                                  60

Asp Leu Ile Tyr Lys Gly Ile Gln Asp Gly Leu Ala Glu Glu Gly Tyr  
  65                                  70                                  75                                  80

Lys Asp Asp Gln Val Lys Ile Asp Phe Met Asn Ser Glu Gly Asp Gln  
                   85                                  90                                  95

Ser Lys Val Ala Thr Met Ser Lys Gln Leu Val Ala Asn Gly Asn Asp  
                  100                                 105                                 110

Leu Val Val Gly Ile Ala Thr Pro Ala Ala Gln Gly Leu Ala Ser Ala  
          115                                 120                                 125

Thr Lys Asp Leu Pro Val Ile Met Ala Ala Ile Thr Asp Pro Ile Gly  
  130                                 135                                 140

Ala Asn Leu Val Lys Asp Leu Lys Lys Pro Gly Gly Asn Val Thr Gly  
  145                                 150                                 155                                 160

Val Ser Asp His Asn Pro Ala Gln Gln Gln Val Glu Leu Ile Lys Ala  
                  165                                 170                                 175

Leu Thr Pro Asn Val Lys Thr Ile Gly Ala Leu Tyr Ser Ser Ser Glu  
          180                                 185                                 190

Asp Asn Ser Lys Thr Gln Val Glu Glu Phe Lys Ala Tyr Ala Glu Lys  
          195                                 200                                 205

Ala Gly Leu Thr Val Glu Thr Phe Ala Val Pro Ser Thr Asn Glu Ile  
  210                                 215                                 220

Ala Ser Thr Val Thr Val Met Thr Ser Lys Val Asp Ala Ile Trp Val

225                                      230                                      235                                      240  
 Pro Ile Asp Asn Thr Ile Ala Ser Gly Phe Pro Thr Val Val Ser Ser  
    245                                      250                                      255  
 Asn Gln Ser Ser Lys Lys Pro Ile Tyr Pro Ser Ala Thr Ala Met Val  
    260                                      265                                      270  
 Glu Val Gly Gly Leu Ala Ser Val Val Ile Asp Gln His Asp Leu Gly  
    275                                      280                                      285  
 Val Ala Thr Gly Lys Met Ile Val Gln Val Leu Lys Gly Ala Lys Pro  
    290                                      295                                      300  
 Ala Asp Thr Pro Val Asn Val Phe Ser Thr Gly Lys Ser Val Ile Asn  
    305                                      310                                      315                                      320  
 Lys Lys Ile Ala Gln Glu Leu Gly Ile Thr Ile Pro Glu Ser Val Leu  
    325                                      330                                      335  
 Lys Glu Ala Gly Gln Val Ile Glu  
    340  
  
 <210> 307  
 <211> 252  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 307  
 Met Thr Ala Ile Val Glu Leu Lys Asn Ala Thr Lys Ile Val Lys Asn  
   1                                      5                                      10                                      15  
 Gly Phe Asp Glu Glu Lys Ile Ile Leu Asn Asp Val Ser Leu Glu Ile  
    20                                      25                                      30  
 Phe Glu Arg Asp Phe Ile Thr Ile Leu Gly Gly Asn Gly Ala Gly Lys  
    35                                      40                                      45  
 Ser Thr Leu Phe Asn Thr Ile Ala Gly Thr Leu Ser Leu Thr Ser Gly  
    50                                      55                                      60  
 Thr Ile Arg Ile Leu Gly Glu Asp Leu Thr Lys Phe Ser Pro Glu Lys



65                                      70                                      75                                      80  
 Arg Ala Lys Tyr Leu Ser Arg Val Phe Gln Asp Pro Lys Met Gly Thr  
                                     85                                      90                                      95  
 Ala Pro Arg Met Thr Val Ala Glu Asn Leu Leu Ile Ala Lys Phe Arg  
                                     100                                      105                                      110  
 Gly Glu Lys Arg Gly Leu Leu Pro Arg Arg Leu Thr Ser Tyr Lys Asp  
                                     115                                      120                                      125  
 Glu Phe Gln Ala Thr Ile Glu Lys Val Gly Asn Gly Leu Glu Lys His  
                                     130                                      135                                      140  
 Leu Asn Thr Pro Ile Glu Phe Leu Ser Gly Gly Gln Arg Gln Ala Leu  
                                     145                                      150                                      155                                      160  
 Ser Leu Leu Met Ala Thr Leu Lys Arg Pro Glu Leu Leu Leu Leu Asp  
                                     165                                      170                                      175  
 Glu His Thr Ala Ala Leu Asp Pro Lys Thr Ser Val Ala Leu Met Glu  
                                     180                                      185                                      190  
 Leu Thr Asp Glu Phe Val Lys Lys Asp Gln Leu Thr Ala Leu Met Ile  
                                     195                                      200                                      205  
 Thr His His Met Glu Asp Ala Leu Lys Tyr Gly Asn Arg Leu Ile Val  
                                     210                                      215                                      220  
 Met Lys Glu Gly Arg Ile Ile Gln Asp Leu Asn Gln Glu Glu Lys Ala  
                                     225                                      230                                      235                                      240  
 Lys Met Lys Ile Ser Asp Tyr Tyr Gln Leu Phe Glu  
                                     245                                      250  
  
 <210> 308  
 <211> 234  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 308  
 Met Gly Gly Lys Met Arg Leu Leu Pro Ile Arg Lys Ile Ser Arg Gln

1	5	10	15
Ser Lys Arg Leu Ala Leu Phe Leu Thr Phe Cys Ala Gly Tyr Val Asp	20	25	30
Ala Tyr Thr Phe Ile Val Arg Gly Asn Thr Leu Val Ala Gly Gln Thr	35	40	45
Gly Asn Val Val Phe Leu Ser Val Glu Leu Ile Lys Asn Asn Val Ser	50	55	60
Asp Val Arg Asp Lys Val Leu Thr Leu Leu Ala Phe Met Met Gly Val	65	70	75
Phe Leu Leu Thr Ile Tyr Lys Glu Lys Leu Arg Ile Val Lys Lys Pro	85	90	95
Ile Leu Ser Leu Ile Pro Leu Ala Ile Leu Ser Ile Ile Ile Ala Phe	100	105	110
Val Pro Gln Thr Val Asp Asn Ile Tyr Leu Val Pro Pro Leu Ala Phe	115	120	125
Cys Met Gly Leu Val Thr Thr Ala Phe Gly Glu Val Ser Gly Ile Ala	130	135	140
Tyr Asn Asn Ala Phe Met Thr Gly Asn Ile Lys Arg Thr Met Leu Ala	145	150	155
Phe Gly Asp Tyr Phe Arg Thr Lys His Thr Pro Phe Leu Arg Glu Gly	165	170	175
Phe Ile Phe Val Ser Leu Leu Ser Ser Phe Val Leu Gly Val Val Phe	180	185	190
Ser Ala Tyr Leu Thr Ile Phe Tyr His Glu Lys Thr Ile Leu Gly Val	195	200	205
Pro Ile Met Met Ser Val Phe Tyr Leu Ser Met Leu Phe Ala Ser Trp	210	215	220

Gln Lys Lys Val Lys Glu Lys Ala Ser Phe  
225 230

<210> 309  
<211> 282  
<212> PRT  
<213> Streptococcus pneumoniae  
  
<400> 309

Met Ile Lys Lys Ile Tyr Pro Ile Phe Thr Ile Leu Leu Gly Ala Ala  
1 5 10 15

Ile Tyr Ala Phe Gly Leu Thr Tyr Phe Val Val Pro His His Leu Phe  
20 25 30

Glu Gly Gly Ala Thr Gly Ile Thr Leu Ile Thr Phe Tyr Leu Phe Lys  
35 40 45

Ile Pro Val Ser Leu Met Asn Leu Leu Ile Asn Ile Pro Leu Phe Ile  
50 55 60

Leu Ala Trp Lys Ile Phe Gly Ala Lys Ser Leu Tyr Ser Ser Leu Leu  
65 70 75 80

Gly Thr Leu Ala Leu Ser Gly Trp Leu Ala Phe Phe Glu His Ile Pro  
85 90 95

Leu His Ile Asp Leu Gln Gly Asp Leu Leu Ile Thr Ala Leu Ile Ala  
100 105 110

Gly Ile Leu Leu Gly Ile Gly Leu Gly Ile Ile Phe Asn Ala Gly Gly  
115 120 125

Thr Thr Gly Gly Thr Asp Ile Leu Ala Arg Ile Leu Asn Lys Tyr Thr  
130 135 140

His Ile Ser Ile Gly Lys Leu Leu Phe Ile Leu Asp Phe Cys Ile Leu  
145 150 155 160

Met Leu Ile Leu Leu Ile Phe Lys Asp Leu Arg Leu Val Ser Tyr Thr  
165 170 175

Leu Leu Phe Asp Phe Ile Val Ser Arg Val Ile Asp Leu Ile Gly Glu  
 180 185 190

Gly Gly Tyr Ala Gly Lys Gly Phe Met Ile Ile Thr Lys Arg Pro Asp  
 195 200 205

Gln Leu Ala Lys Ala Ile Asn Asp Asp Leu Gly Arg Gly Val Thr Phe  
 210 215 220

Ile Ser Gly Gln Gly Tyr Tyr Ser Lys Glu Asn Leu Lys Ile Ile Tyr  
 225 230 235 240

Cys Ile Val Gly Arg Asn Glu Ile Val Lys Thr Lys Glu Met Ile His  
 245 250 255

Arg Ile Asp Pro Gln Ala Phe Ile Thr Ile Thr Glu Ala His Glu Ile  
 260 265 270

Leu Gly Glu Gly Phe Thr Phe Glu Lys Glu  
 275 280

<210> 310  
 <211> 91  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 310

Met Ala Asn Lys Gln Asp Leu Ile Ala Lys Val Ala Glu Ala Thr Glu  
 1 5 10 15

Leu Thr Lys Lys Asp Ser Ala Ala Ala Val Glu Ala Val Phe Ala Ala  
 20 25 30

Val Ala Asp Tyr Leu Ala Ala Gly Glu Lys Val Gln Leu Ile Gly Phe  
 35 40 45

Gly Asn Phe Glu Val Arg Glu Arg Ala Glu Arg Lys Gly Arg Asn Pro  
 50 55 60

Gln Thr Gly Lys Glu Met Thr Ile Ala Ala Ser Lys Val Pro Ala Phe  
 65 70 75 80

Lys Ala Gly Lys Ala Leu Lys Asp Ala Val Lys  
85 90

<210> 311  
<211> 356  
<212> PRT  
<213> Streptococcus pneumoniae  
  
<400> 311

Met Lys Arg Glu Ile Leu Leu Glu Arg Ile Asp Lys Leu Lys Gln Leu  
1 5 10 15

Met Pro Trp Tyr Val Leu Glu Tyr Tyr Gln Ser Lys Leu Ala Val Pro  
20 25 30

Tyr Ser Phe Thr Thr Leu Tyr Glu Tyr Leu Lys Glu Tyr Asp Arg Phe  
35 40 45

Phe Ser Trp Val Leu Glu Ser Gly Ile Ser Asn Ala Asp Lys Ile Ser  
50 55 60

Asp Ile Pro Leu Ser Val Leu Glu Asn Met Ser Lys Lys Asp Met Glu  
65 70 75 80

Ser Phe Ile Leu Tyr Leu Arg Glu Arg Pro Leu Leu Asn Ala Asn Thr  
85 90 95

Thr Lys Gln Gly Val Ser Gln Thr Thr Ile Asn Arg Thr Leu Ser Ala  
100 105 110

Leu Ser Ser Leu Tyr Lys Tyr Leu Thr Glu Glu Val Glu Asn Asp Gln  
115 120 125

Gly Glu Pro Tyr Phe Tyr Arg Asn Val Met Lys Lys Val Ser Thr Lys  
130 135 140

Lys Lys Lys Glu Thr Leu Ala Ala Arg Ala Glu Asn Ile Lys Gln Lys  
145 150 155 160

Leu Phe Leu Gly Asp Glu Thr Glu Gly Phe Leu Thr Tyr Ile Asp Gln  
165 170 175

Glu His Pro Gln Gln Leu Ser Asn Arg Ala Leu Ser Ser Phe Asn Lys  
 180 185 190  
 Asn Lys Glu Arg Asp Leu Ala Ile Ile Ala Leu Leu Leu Ala Ser Gly  
 195 200 205  
 Val Arg Leu Ser Glu Ala Val Asn Leu Asp Leu Arg Asp Leu Asn Leu  
 210 215 220  
 Lys Met Met Val Ile Asp Val Thr Arg Lys Gly Cys Lys Arg Asp Ser  
 225 230 235 240  
 Val Asn Val Ala Ala Phe Ala Lys Pro Tyr Leu Glu Asn Tyr Leu Ala  
 245 250 255  
 Ile Arg Asn Gln Arg Tyr Lys Thr Glu Lys Thr Asp Thr Ala Leu Phe  
 260 265 270  
 Leu Thr Leu Tyr Arg Gly Val Pro Asn Arg Ile Asp Ala Ser Ser Val  
 275 280 285  
 Glu Lys Met Val Ala Lys Tyr Ser Glu Asp Phe Lys Val Arg Val Thr  
 290 295 300  
 Pro His Lys Leu Arg His Thr Leu Ala Thr Arg Leu Tyr Asp Ala Thr  
 305 310 315 320  
 Lys Ser Gln Val Leu Val Ser His Gln Leu Gly His Ala Ser Thr Gln  
 325 330 335  
 Val Thr Asp Leu Tyr Thr His Ile Val Ser Asp Glu Gln Lys Asn Ala  
 340 345 350  
 Leu Asp Ser Leu  
 355

<210> 312  
 <211> 118  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 312

Met Ala Pro Arg Phe Pro Ala Ser Arg Ser Ala Ile Cys Ile Asp Pro  
1 5 10 15

Pro Phe Pro Leu Gln Val Pro Val Tyr Leu Pro Arg Ile Ser Ala Ile  
20 25 30

Ile Pro Leu Arg Ser Ile Pro Leu Ala Ile Ala Cys Pro Cys Pro Arg  
35 40 45

Trp Phe Glu Val Ile Arg Ser Ser Gly Leu Arg Ala Asn Ile Ala Pro  
50 55 60

Thr Leu Ala Ala Ser Ser Pro Thr Glu Lys Cys Val Ile Pro Gly Thr  
65 70 75 80

Phe Pro Phe Phe Thr Asn Cys Ala Ile Phe Lys Ser Met Arg Arg Ile  
85 90 95

Ser Ser Ile Leu Arg Asn Ile Ser Ser Lys Arg Phe Leu Ser Lys Val  
100 105 110

Asp Ile Phe Leu Pro Phe  
115

<210> 313

<211> 563

<212> PRT

<213> Streptococcus pneumoniae

<400> 313

Met Asn Lys Leu Ile Ala Phe Ile Glu Lys Gly Lys Pro Phe Phe Glu  
1 5 10 15

Lys Leu Ser Arg Asn Ile Tyr Leu Arg Ala Ile Arg Asp Gly Phe Ile  
20 25 30

Ala Gly Met Pro Val Ile Leu Phe Ser Ser Ile Phe Ile Leu Ile Ala  
35 40 45

Phe Val Pro Asn Ser Trp Gly Phe Lys Trp Ser Asp Glu Val Val Ala  
50 55 60

Phe Leu Met Lys Pro Tyr Ser Tyr Ser Met Gly Ile Leu Ala Leu Leu  
 65 70 75 80

Val Ala Gly Thr Thr Ala Lys Ser Leu Thr Asp Ser Val Asn Arg Ser  
 85 90 95

Met Glu Lys Thr Asn Gln Ile Lys Tyr Met Ser Thr Leu Leu Ala Ala  
 100 105 110

Ile Val Gly Leu Leu Met Leu Ala Ala Asp Pro Ile Glu Ser Gly Leu  
 115 120 125

Ala Thr Gly Phe Leu Gly Thr Lys Gly Leu Leu Ser Ala Phe Leu Ala  
 130 135 140

Ala Phe Val Thr Val Ala Ile Tyr Lys Val Cys Val Lys Asn Asn Val  
 145 150 155 160

Thr Ile Arg Met Pro Asp Glu Val Pro Pro Asn Ile Ser Gln Val Phe  
 165 170 175

Lys Asp Val Ile Pro Phe Thr Leu Ser Val Val Ser Leu Tyr Ala Leu  
 180 185 190

Asp Leu Leu Ala Arg Tyr Phe Val Gly Ser Ser Val Ala Glu Ser Ile  
 195 200 205

Gly Lys Phe Phe Ala Pro Leu Phe Ser Ala Ala Asp Gly Tyr Leu Gly  
 210 215 220

Ile Thr Ile Ile Phe Gly Ala Phe Ala Phe Phe Trp Phe Val Gly Ile  
 225 230 235 240

His Gly Pro Ser Ile Val Glu Pro Ala Ile Ala Ala Ile Thr Tyr Ala  
 245 250 255

Asn Ala Glu Val Asn Leu Asn Leu Leu Gln Gln Gly Met His Ala Asp  
 260 265 270

Lys Ile Leu Thr Ser Gly Thr Gln Met Phe Ile Val Thr Met Gly Gly  
 275 280 285



Thr Gly Ala Thr Leu Val Val Pro Phe Met Phe Met Trp Leu Thr Lys  
 290 295 300

Ser Lys Arg Asn Arg Ala Ile Gly Arg Ala Ser Val Val Pro Thr Phe  
 305 310 315 320

Phe Gly Val Asn Glu Pro Ile Leu Phe Gly Ala Pro Leu Val Leu Asn  
 325 330 335

Pro Ile Phe Phe Ile Pro Phe Ile Phe Ala Pro Ile Ala Asn Val Trp  
 340 345 350

Ile Phe Lys Phe Phe Ile Glu Thr Leu Gly Met Asn Ser Phe Thr Ala  
 355 360 365

Asn Leu Pro Trp Thr Thr Pro Ala Pro Leu Gly Leu Val Leu Gly Thr  
 370 375 380

Asn Phe Gln Val Leu Ser Phe Ile Leu Ala Ala Leu Leu Ile Val Val  
 385 390 395 400

Asp Val Val Ile Tyr Tyr Pro Phe Leu Lys Val Tyr Asp Glu Gln Ile  
 405 410 415

Leu Glu Glu Glu Arg Ser Gly Lys Ser Asn Asp Glu Leu Lys Glu Lys  
 420 425 430

Val Ala Ala Asn Phe Asn Thr Ala Lys Ala Asp Ala Ile Leu Glu Lys  
 435 440 445

Ala Gly Val Asp Ala Ala Gln Asn Thr Ile Thr Glu Glu Thr Asn Val  
 450 455 460

Leu Val Leu Cys Ala Gly Gly Gly Thr Ser Gly Leu Leu Ala Asn Ala  
 465 470 475 480

Leu Asn Lys Ala Ala Ala Glu Tyr Asn Val Pro Val Lys Ala Ala Ala  
 485 490 495

Gly Gly Tyr Gly Ala His Arg Glu Met Leu Pro Glu Phe Asp Leu Val  
 500 505 510

Ile Leu Ala Pro Gln Val Ala Ser Asn Phe Glu Asp Met Lys Ala Glu  
 515 520 525

Thr Asp Lys Leu Gly Ile Lys Leu Ala Lys Thr Glu Gly Ala Gln Tyr  
 530 535 540

Ile Lys Leu Thr Arg Asp Gly Lys Gly Ala Leu Ala Phe Val Gln Ala  
 545 550 555 560

Gln Phe Asp

<210> 314  
 <211> 265  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 314

Met Val Ser Ser Glu Phe Ile Ser Lys Ile Glu Phe Ala Cys Asn Lys  
 1 5 10 15

Lys Glu Ser Leu Tyr Ser Gln Ser Lys Phe Lys Tyr Ala Ile Arg Ser  
 20 25 30

Met Phe Ala Gly Ala Phe Leu Thr Phe Ser Thr Ala Ala Gly Ala Val  
 35 40 45

Gly Ala Asp Leu Ile Asn Lys Ile Ala Pro Gly Ser Gly Arg Phe Leu  
 50 55 60

Phe Pro Phe Val Phe Ala Trp Gly Leu Ala Tyr Ile Val Phe Leu Asn  
 65 70 75 80

Ala Glu Leu Val Thr Ser Asn Met Met Phe Leu Thr Ala Gly Ser Phe  
 85 90 95

Leu Lys Lys Ile Ser Trp Arg Lys Thr Ala Glu Ile Leu Leu Tyr Cys  
 100 105 110

Thr Leu Phe Asn Leu Ile Gly Ala Leu Ile Ala Gly Trp Gly Phe Ala  
 115 120 125

His Ser Ala Ala Tyr Ala Asn Leu Thr His Asp Ser Phe Ile Ser Gly  
130 135 140

Val Val Glu Met Lys Leu Gly Arg Ser Asn Glu Leu Val Leu Leu Glu  
145 150 155 160

Ala Ile Leu Ala Asn Ile Phe Val Asn Ile Ala Ile Leu Ser Phe Ile  
165 170 175

Leu Val Lys Asp Gly Gly Ala Lys Leu Trp Leu Val Leu Ser Ala Ile  
180 185 190

Tyr Met Phe Val Phe Leu Thr Asn Glu His Ile Ala Ala Asn Phe Ala  
195 200 205

Ser Phe Ala Ile Val Lys Phe Ser Val Ala Ala Asp Ser Ile Ala Asn  
210 215 220

Phe Gly Val Gly Asn Met Leu Arg His Trp Gly Val Thr Phe Ile Gly  
225 230 235 240

Asn Phe Ile Gly Gly Gly Leu Leu Met Gly Leu Pro Tyr Ala Phe Leu  
245 250 255

Asn Lys Asn Glu Asp Thr Tyr Val Asp  
260 265

<210> 315

<211> 449

<212> PRT

<213> Streptococcus pneumoniae

<400> 315

Met Leu Asp Leu Leu Lys Gln Thr Ile Phe Thr Arg Asp Phe Ile Phe  
1 5 10 15

Ile Leu Ile Leu Leu Gly Phe Ile Leu Val Val Thr Leu Leu Leu Leu  
20 25 30

Glu Asn Arg Arg Asp Asn Ile Gln Leu Lys Gln Val Asn Gln Lys Val  
35 40 45

Lys Asp Leu Ile Ala Gly Asp Tyr Ser Lys Val Leu Asp Met Gln Gly  
 50 55 60

Gly Ser Glu Ile Thr Asn Ile Thr Asn Asn Leu Asn Asp Leu Ser Glu  
 65 70 75 80

Val Ile Arg Leu Thr Gln Glu Asn Leu Glu Gln Glu Ser Lys Arg Leu  
 85 90 95

Asn Ser Ile Leu Phe Tyr Met Thr Asp Gly Val Leu Ala Thr Asn Arg  
 100 105 110

Arg Gly Gln Ile Ile Met Ile Asn Asp Thr Ala Lys Lys Gln Leu Gly  
 115 120 125

Leu Val Lys Glu Asp Val Leu Asn Arg Ser Ile Leu Glu Leu Leu Lys  
 130 135 140

Ile Glu Glu Asn Tyr Glu Leu Arg Asp Leu Ile Thr Gln Ser Pro Glu  
 145 150 155 160

Leu Leu Leu Asp Ser Gln Asp Ile Asn Gly Glu Tyr Leu Asn Leu Arg  
 165 170 175

Val Arg Phe Ala Leu Ile Arg Arg Glu Ser Gly Phe Ile Ser Gly Leu  
 180 185 190

Val Ala Val Leu His Asp Thr Thr Glu Gln Glu Lys Glu Glu Arg Glu  
 195 200 205

Arg Arg Leu Phe Val Ser Asn Val Ser His Glu Leu Arg Thr Pro Leu  
 210 215 220

Thr Ser Val Lys Ser Tyr Leu Glu Ala Leu Asp Glu Gly Ala Leu Cys  
 225 230 235 240

Glu Thr Val Ala Pro Asp Phe Ile Lys Val Ser Leu Asp Glu Thr Asn  
 245 250 255

Arg Met Met Arg Met Val Thr Asp Leu Leu His Leu Ser Arg Ile Asp

Asp

<210>	316
<211>	193
<212>	PRT
<213>	Streptococcus pneumoniae

&lt;400&gt; 316

Met Ser Gly Leu Leu Tyr His Thr Ser Val Tyr Ala Val Lys Lys Glu  
 1 5 10 15

Ile Leu Val Asn Thr Arg Lys Lys Thr Gln Phe Met Thr Met Thr Ala  
 20 25 30

Leu Leu Thr Ala Ile Ala Ile Leu Ile Pro Ile Val Met Pro Phe Lys  
 35 40 45

Ile Val Ile Pro Pro Ala Ser Tyr Thr Leu Gly Ser His Ile Ala Ile  
 50 55 60

Phe Ile Ala Met Phe Leu Ser Pro Leu Met Ala Val Phe Val Ile Leu  
 65 70 75 80

Ala Ser Ser Phe Gly Phe Leu Met Ala Gly Tyr Pro Met Val Ile Val  
 85 90 95

Phe Arg Ala Phe Ser His Ile Ser Phe Gly Ala Leu Gly Ala Leu Tyr  
 100 105 110

Leu Gln Lys Phe Pro Asp Thr Leu Asp Lys Pro Lys Ser Ser Trp Ile  
 115 120 125

Phe Asn Phe Val Leu Ala Val Val His Ala Leu Ala Glu Val Leu Ala  
 130 135 140

Cys Val Val Phe Tyr Ala Thr Ser Gly Thr Asn Val Glu Asn Met Phe  
 145 150 155 160

Tyr Val Leu Phe Val Leu Val Gly Phe Gly Thr Ile Ile His Ser Met  
 165 170 175

Val Asp Tyr Thr Leu Ala Leu Ala Val Tyr Lys Val Leu Arg Lys Arg  
 180 185 190

Arg

<210> 317  
 <211> 269  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 317

Met Lys Asn Lys Arg Ile Phe Lys Asp Phe Gln Ala Ser Lys Met Ser  
 1 5 10 15

Leu Asn Ile Tyr Thr Ser Pro Leu Leu Ala Phe Val Phe Val Phe Ile  
 20 25 30

Gly Glu Phe Val Ala Phe Thr Leu Tyr Gly Ile Gly Leu Leu Ala Leu  
 35 40 45

Ile Gly Leu Ala Arg Asn Phe Gly Glu Ala Gly Gln Asn Leu Ala Ser  
 50 55 60

Tyr Leu Gln Thr Leu His Gln Ser Leu Thr Asp Lys Thr Ser Asp Phe  
 65 70 75 80

Arg Leu Ile Leu Gly Leu Leu Ala Phe Gly Phe Ile Leu Asn Thr Val  
 85 90 95

Phe Arg Trp Thr Arg Lys Val Glu Lys Arg Pro Ile Arg Thr Leu Gly  
 100 105 110

Phe Tyr Arg Glu Asn Phe Leu Ser Asn Leu Leu Lys Gly Phe Ser Leu  
 115 120 125

Gly Leu Ala Leu Phe Leu Leu Thr Leu Leu Gly Leu Val Val Leu Gly  
 130 135 140

Gln Tyr Arg Leu Glu Ser Ile His Leu Asn Pro Tyr Ser Leu Ala Phe  
 145 150 155 160

Val Val Phe Thr Ile Pro Phe Trp Ile Leu Gln Gly Thr Ala Glu Glu  
 165 170 175

Val Val Ala Arg Ala Trp Leu Leu Pro Gln Leu Ala Ser Arg Thr Asn  
 180 185 190

Leu Lys Leu Ala Ile Leu Ile Ser Ser Leu Phe Phe Thr Leu Leu His  
195 200 205

Met Gly Asn Ser Gly Leu Thr Pro Leu Ser Leu Val Asn Leu Phe Leu  
210 215 220

Phe Gly Val Ala Met Ala Leu Tyr Leu Leu Lys Thr Asp Thr Val Trp  
225 230 235 240

Gly Val Ala Gly Ile His Gly Ala Trp Asn Phe Ala Gln Gly Asn Leu  
245 250 255

Phe Gly Ile Leu Val Ser Gly Gln Pro Ser Glu Arg Leu  
260 265

<210> 318  
<211> 721  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 318

Met Lys Lys Lys Phe Leu Ala Phe Leu Leu Ile Leu Phe Pro Ile Phe  
1 5 10 15

Ser Leu Gly Ile Ala Lys Ala Glu Thr Ile Lys Ile Val Ser Asp Thr  
20 25 30

Ala Tyr Ala Pro Phe Glu Phe Lys Asp Ser Asp Gln Thr Tyr Lys Gly  
35 40 45

Ile Asp Val Asp Ile Ile Asn Lys Val Ala Glu Ile Lys Gly Trp Asn  
50 55 60

Ile Gln Met Ser Tyr Pro Gly Phe Asp Ala Ala Val Asn Ala Val Gln  
65 70 75 80

Ala Gly Gln Ala Asp Ala Ile Met Ala Gly Met Thr Lys Thr Lys Glu  
85 90 95

Arg Glu Lys Val Phe Thr Met Ser Asp Thr Tyr Tyr Asp Thr Lys Val  
100 105 110



Val Ile Ala Thr Thr Lys Ser His Lys Ile Ser Lys Tyr Asp Gln Leu  
 115 120 125

Thr Gly Lys Thr Val Gly Val Lys Asn Gly Thr Ala Ala Gln Arg Phe  
 130 135 140

Leu Glu Thr Ile Lys Asp Lys Tyr Gly Phe Thr Ile Lys Thr Phe Asp  
 145 150 155 160

Thr Gly Asp Leu Met Asn Asn Ser Leu Ser Ala Gly Ala Ile Asp Ala  
 165 170 175

Met Met Asp Asp Lys Pro Val Ile Glu Tyr Ala Ile Asn Gln Gly Gln  
 180 185 190

Asp Leu His Ile Glu Met Asp Gly Glu Ala Val Gly Ser Phe Ala Phe  
 195 200 205

Gly Val Lys Lys Gly Ser Lys Tyr Glu His Leu Val Thr Glu Phe Asn  
 210 215 220

Gln Ala Leu Ser Glu Met Lys Lys Asp Gly Ser Leu Asp Lys Ile Ile  
 225 230 235 240

Lys Lys Trp Thr Ala Ser Ser Ser Ser Ala Val Pro Thr Thr Thr Thr  
 245 250 255

Leu Ala Gly Leu Lys Ala Ile Pro Val Lys Ala Lys Tyr Ile Ile Ala  
 260 265 270

Ser Asp Ser Ser Phe Ala Pro Phe Val Phe Gln Asn Ser Ser Asn Gln  
 275 280 285

Tyr Thr Gly Ile Asp Met Glu Leu Ile Lys Ala Ile Ala Lys Asp Gln  
 290 295 300

Gly Phe Glu Ile Glu Ile Thr Asn Pro Gly Phe Asp Ala Ala Ile Ser  
 305 310 315 320

Ala Val Gln Ala Gly Gln Ala Asp Gly Ile Ile Ala Gly Met Ser Val  
 325 330 335

Thr Asp Ala Arg Lys Ala Thr Phe Asp Phe Ser Glu Ser Tyr Tyr Thr  
 340 345 350

Ala Asn Thr Ile Leu Gly Val Lys Glu Ser Ser Asn Ile Ala Ser Tyr  
 355 360 365

Glu Asp Leu Lys Gly Lys Thr Val Gly Val Lys Asn Gly Thr Ala Ser  
 370 375 380

Gln Thr Phe Leu Thr Glu Asn Gln Ser Lys Tyr Gly Tyr Lys Ile Lys  
 385 390 395 400

Thr Phe Ala Asp Gly Ser Ser Met Tyr Asp Ser Leu Asn Thr Gly Ala  
 405 410 415

Ile Asp Ala Val Met Asp Asp Glu Pro Val Leu Lys Tyr Ser Ile Ser  
 420 425 430

Gln Gly Gln Lys Leu Lys Thr Pro Ile Ser Gly Thr Pro Ile Gly Glu  
 435 440 445

Thr Ala Phe Ala Val Lys Lys Gly Ala Asn Pro Glu Leu Ile Glu Met  
 450 455 460

Phe Asn Asn Gly Leu Ala Asn Leu Lys Ala Asn Gly Glu Phe Gln Lys  
 465 470 475 480

Ile Leu Asp Lys Tyr Leu Ala Ser Glu Ser Ser Thr Ala Ser Thr Ser  
 485 490 495

Thr Val Asp Glu Thr Thr Leu Trp Gly Leu Leu Gln Asn Asn Tyr Lys  
 500 505 510

Gln Leu Leu Ser Gly Leu Gly Ile Thr Leu Ala Leu Ala Leu Ile Ser  
 515 520 525

Phe Ala Ile Ala Ile Val Ile Gly Ile Ile Phe Gly Met Phe Ser Val  
 530 535 540

Ser Pro Tyr Lys Ser Leu Arg Val Ile Ser Glu Ile Phe Val Asp Val  
 545 550 555 560



Lys Asn Glu Val Leu Lys Gly Ile Thr Thr Lys Phe Tyr Glu Gly Asp  
 20 25 30  
 Val Val Cys Ile Ile Gly Pro Ser Gly Ser Gly Lys Ser Thr Phe Leu  
 35 40 45  
 Arg Ser Leu Asn Leu Leu Glu Glu Val Thr Ser Gly His Ile Thr Val  
 50 55 60  
 Asn Gly Tyr Asp Leu Thr Glu Lys Thr Thr Asn Val Asp His Val Arg  
 65 70 75 80  
 Glu Asn Ile Gly Met Val Phe Gln His Phe Asn Leu Phe Pro His Met  
 85 90 95  
 Ser Val Leu Asp Asn Ile Thr Phe Ala Pro Ile Glu His Lys Leu Met  
 100 105 110  
 Thr Lys Glu Glu Ala Glu Glu Leu Gly Met Glu Leu Leu Glu Lys Val  
 115 120 125  
 Gly Leu Ala Asp Lys Ala Asn Ala Asn Pro Asp Ser Leu Ser Gly Gly  
 130 135 140  
 Gln Lys Gln Arg Val Ala Ile Ala Arg Gly Leu Ala Met Asn Pro Asp  
 145 150 155 160  
 Ile Met Leu Phe Asp Glu Pro Thr Ser Ala Leu Asp Pro Glu Met Val  
 165 170 175  
 Gly Asp Val Leu Asn Val Met Lys Glu Leu Ala Glu Gln Gly Met Thr  
 180 185 190  
 Met Ile Ile Val Thr His Glu Met Gly Phe Ala Arg Gln Val Ala Asn  
 195 200 205  
 Arg Val Ile Phe Thr Ala Asp Gly Glu Phe Leu Glu Asp Gly Thr Pro  
 210 215 220  
 Asp Gln Ile Phe Asp Asn Pro Gln His Pro Arg Leu Lys Glu Phe Leu

225

230

235

240

Asp Lys Val Leu Asn Val  
245

&lt;210&gt; 320

&lt;211&gt; 119

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 320

Met Arg Ile Ile Tyr Leu Ile Ile Gly Phe Leu Ser Leu Thr Leu Ala  
1 5 10 15

Ile Val Gly Val Val Leu Pro Leu Leu Pro Thr Thr Pro Phe Leu Leu  
20 25 30

Leu Ser Ile Ala Cys Phe Ser Arg Ser Ser Lys Arg Phe Glu Asp Trp  
35 40 45

Leu Tyr His Thr Lys Leu Tyr Gln Ala Tyr Val Ala Asp Phe Arg Glu  
50 55 60

Thr Lys Ser Ile Ala Arg Glu Arg Lys Lys Lys Ile Ile Val Ser Ile  
65 70 75 80

Tyr Val Leu Met Gly Ile Ser Ile Tyr Phe Ala Pro Leu Leu Pro Val  
85 90 95

Lys Ile Gly Leu Gly Ala Leu Thr Ile Phe Ile Thr Tyr Tyr Leu Phe  
100 105 110

Lys Val Ile Pro Asp Lys Glu  
115

&lt;210&gt; 321

&lt;211&gt; 162

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 321

Met Ser Tyr Leu Arg Phe Phe Phe Ala Phe Phe Ile Leu Leu Ala Ile  
1 5 10 15

Arg Phe Met Asp Cys Phe Met Ala Asn Ser Pro Ile Leu Pro Phe Lys  
                   20                  25                  30  
 Pro Pro Pro Asn Ile Trp Leu Ile Ser Gly Ile Pro Ala Pro Pro Arg  
                   35                  40                  45  
 Ala Asp Lys Ser Gly Ile Pro Pro Cys Pro Ile Ile Pro Ser Arg Ala  
                   50                  55                  60  
 Asp Ile Ser Ile Pro Pro Ile Phe Gly Ile Phe Leu Gly Arg Leu Phe  
                   65                  70                  75                  80  
 Gly Leu Ile Pro Ile Cys Phe Ile Ile Leu Phe Ile Ser Pro Asp Ile  
                   85                  90                  95  
 Thr Pro Cys Met Ser Cys Leu Ala Trp Leu Lys Ser Leu Met Asn Leu  
                   100                  105                  110  
 Leu Thr Ser Thr Asn Val Phe Pro Glu Pro Ala Ala Ile Arg Arg Arg  
                   115                  120                  125  
 Arg Leu Gly Phe Asn Lys Ser Gly Phe Ser Arg Ser Ser Gly Val Ile  
                   130                  135                  140  
 Glu Asp Thr Met Ala Arg Leu Arg Ala Ile Trp Arg Ser Ser Thr Phe  
                   145                  150                  155                  160  
 Met Phe

<210> 322  
 <211> 124  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 322

Met Lys Lys Glu Gln Phe Tyr Pro Leu Gly Ile Phe Leu Ala Ala Met  
   1                  5                  10                  15  
 Leu Gly Gly Leu Val Arg Tyr Leu Val Ser Thr Trp Leu Pro Ala Ser  
                   20                  25                  30

Pro Asp Phe Pro Trp Gly Thr Leu Phe Val Asn Tyr Leu Gly Ile Phe  
35 40 45

Cys Leu Ile Tyr Leu Val Lys Gly Tyr Leu Val Tyr Lys Gly Thr Ser  
50 55 60

Lys Gly Leu Ile Leu Ala Leu Gly Thr Gly Phe Cys Gly Gly Leu Thr  
65 70 75 80

Thr Phe Ser Ser Leu Met Leu Asp Thr Val Lys Leu Leu Asp Thr Gly  
85 90 95

Arg Tyr Leu Ser Leu Ile Leu Tyr Leu Leu Leu Ser Ile Gly Gly Gly  
100 105 110

Leu Leu Leu Ala Tyr Tyr Leu Gly Arg Lys Lys Trp  
115 120

<210> 323

<211> 663

<212> PRT

<213> Streptococcus pneumoniae

<400> 323

Met Ala Ile Ser Gln Met Lys Arg Ile Ser Leu Leu Phe Ser Lys Ser  
1 5 10 15

Ser Leu Asp Asp Val Leu Lys Thr Ile Gln Glu Leu Glu Ser Val Gln  
20 25 30

Phe Arg Asp Leu Lys Val Gln Asp Asn Trp Ser Glu Ala Leu Glu Lys  
35 40 45

Asp Glu Val Val Phe Pro Thr Ile Gln Ile Phe His Thr Ser Asn Ser  
50 55 60

Asn His Gly Val Ile Glu Gly Asn Asp Ala Leu Thr Tyr Leu Met Asn  
65 70 75 80

Gln Gln Gln His Leu Glu Ala Thr Val Glu Lys Leu Gln Glu Tyr Leu  
85 90 95

Pro Lys Glu Asn Thr Phe Lys Leu Leu Gln Gln Pro Pro Ile Thr Thr  
 100 105 110

Ser Tyr Glu Glu Leu Glu Lys Phe Gly Lys Ala Asn Val Ala Glu Gly  
 115 120 125

Val Leu Lys Lys Val Asn His Gln Ile Asn Arg Val His Glu Leu Glu  
 130 135 140

Arg His Ile Gln Ser Asn Asn Glu Glu Ile Glu Arg Leu Ile Lys Trp  
 145 150 155 160

Glu Lys Leu Glu Ile Val Pro Ala Asn Leu Glu Gln Phe Ser Phe Cys  
 165 170 175

Lys Gly Lys Val Gly Thr Ile Pro Arg Thr Glu Asp Asn Arg Leu Tyr  
 180 185 190

Asn Ser Leu Leu Glu Asn Asn Ile Glu Val Gln Glu Ile Phe Ser Asn  
 195 200 205

Asp Arg Glu Tyr Gly Val Val Val Phe Tyr Gln Ser Ser Tyr Ser Ile  
 210 215 220

Asp Phe Asp Glu Tyr Leu Phe Glu Pro Phe Asp Tyr Ser Arg Lys Glu  
 225 230 235 240

Leu Pro Lys Gln Arg Val Val Asp Leu Asp Gln Glu Asn Met Gln Leu  
 245 250 255

Ile Thr Glu Lys Glu Asn Ile Ile Ala Ser Leu Gln Asp Ser Lys Lys  
 260 265 270

Tyr Leu Ile Asp Leu Gln Trp Gln Ile Asp Tyr Ile Leu Ser Ile Tyr  
 275 280 285

Ala Arg Gln Ile Ser Lys Asn Asn Phe Leu Cys Thr Pro His Leu Val  
 290 295 300

Ala Leu Glu Gly Trp Ile Glu Glu Thr Arg Ile Leu Tyr Phe Ile Lys



305		310		315		320
Val Met Asp Glu His Phe Gly His Ser Ile Tyr Ile Tyr Glu Ser Glu						
		325		330		335
Thr Leu Thr Asp Asn Gln Asp Glu Ile Pro Ile Lys Leu Thr Asn His						
		340		345		350
Ser Leu Ile Glu Pro Phe Glu Leu Leu Thr Glu Met Tyr Ala Leu Pro						
		355		360		365
Lys Tyr Tyr Glu Lys Asp Pro Thr Pro Val Leu Ala Pro Phe Tyr Phe						
		370		375		380
Thr Phe Phe Gly Met Met Val Ala Asp Leu Gly Tyr Gly Leu Leu Leu						
		385		390		395
						400
Phe Leu Gly Thr Met Leu Ala Leu Lys Ile Phe His Leu Pro Ser Ala						
		405		410		415
Thr Lys Arg Phe Leu Lys Phe Phe Asn Ile Leu Gly Val Ala Val Ala						
		420		425		430
Ile Trp Gly Gly Ile Tyr Gly Ser Phe Phe Gly Tyr Glu Leu Pro Phe						
		435		440		445
His Leu Ile Ser Thr Thr Ser Asp Val Met Thr Ile Leu Val Val Ser						
		450		455		460
Val Val Phe Gly Phe Ile Thr Val Phe Ala Gly Leu Leu Ala Ser Gly						
		465		470		475
						480
Leu Gln Lys Val Arg Met Asn Lys Tyr Ala Glu Ala Tyr Asn Ser Gly						
		485		490		495
Phe Ala Trp Cys Val Ile Leu Leu Gly Leu Leu Phe Ile Ala Val Gly						
		500		505		510
Met Leu Met Pro Asp Met Arg Pro Leu Phe Val Leu Gly Lys Trp Val						
		515		520		525

Ser Ile Phe Asn Ala Val Gly Ile Leu Ile Val Ser Ile Ile Gln Thr  
530 535 540

Lys Ser Leu Ser Gly Ile Gly Ala Gly Leu Phe Asn Leu Tyr Asn Ile  
545 550 555 560

Ser Ser Tyr Ile Gly Asp Leu Val Ser Phe Thr Arg Leu Met Ala Leu  
565 570 575

Gly Leu Ser Gly Ala Ser Ile Ala Ser Ala Phe Asn Leu Ile Val Gly  
580 585 590

Leu Phe Pro Gly Ile Leu Ala Lys Leu Thr Ile Gly Leu Val Leu Phe  
595 600 605

Ile Leu Leu His Ala Ile Asn Ile Phe Leu Ser Leu Leu Ser Gly Tyr  
610 615 620

Val His Gly Ala Arg Leu Ile Phe Val Glu Phe Phe Gly Lys Phe Tyr  
625 630 635 640

Glu Gly Gly Gly Lys Pro Phe Gln Pro Leu Lys Ala Ser Glu Lys Tyr  
645 650 655

Ile Lys Val Ile Thr Lys Asn  
660

<210> 324

<211> 296

<212> PRT

<213> Streptococcus pneumoniae

<400> 324

Met Lys Ile Ile Gly Ile Asp Ile Gly Gly Thr Thr Ile Lys Ala Asp  
1 5 10 15

Leu Tyr Asp Glu Phe Gly Thr Ser Leu Asn His Phe Lys Glu Ile Glu  
20 25 30

Thr Ile Ile Asp Tyr Asp Leu Gly Thr Asn Gln Ile Leu Asn Gln Val  
35 40 45

Cys Asp Leu Ile Gly Glu Tyr Thr Leu Asn His Ser Ile Asp Gly Val  
 50 55 60

Gly Ile Ser Thr Ala Gly Val Val Asn Ala Asn Thr Gly Glu Ile Ile  
 65 70 75 80

Tyr Ala Gly Tyr Thr Ile Pro Gly Tyr Ile Gly Val Asn Phe Thr Ala  
 85 90 95

Glu Ile Glu Lys Arg Phe Gly Leu Tyr Thr Phe Val Glu Asn Asp Val  
 100 105 110

Asn Cys Ala Ala Leu Gly Glu Leu Trp Lys Gly Gln Ala Lys Asp Lys  
 115 120 125

Lys Asn Val Val Met Val Thr Ile Gly Thr Gly Ile Gly Gly Ser Ile  
 130 135 140

Ile Val Asn Gly Gln Ile Val Asn Gly Phe Asn Tyr Thr Ala Gly Glu  
 145 150 155 160

Val Gly Tyr Ile Pro Val Gly Asn Ser Asp Trp Gln Ser Lys Ala Ser  
 165 170 175

Thr Thr Ala Leu Ile His Leu Tyr Gln Lys Lys Ser Leu Lys Thr Asn  
 180 185 190

Gln Thr Gly Arg Thr Phe Phe Thr Asp Leu Arg Ser Gly Asp Lys Val  
 195 200 205

Ala Glu Glu Thr Phe Glu Ile Phe Val Glu Asn Leu Thr Lys Gly Leu  
 210 215 220

Leu Thr Ile Ser Tyr Leu Leu Asn Pro Glu Ile Leu Ile Leu Gly Gly  
 225 230 235 240

Gly Ile Leu Asp Ser Lys Asp Ile Leu Leu Pro Glu Ile Gln Ser Ser  
 245 250 255

Leu Ala Lys Asn Ala Met Asp Asn Arg Phe Leu Pro Lys Asn Leu Val  
 260 265 270

Ala Ala Thr Leu Gly Asn Glu Ala Gly Arg Ile Gly Ala Val Lys Asn  
 275 280 285

Phe Leu Asp Arg Ile Ser Asn Lys  
 290 295

<210> 325  
 <211> 305  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 325

Met Lys Asp Leu Thr Lys Tyr Lys Gly Val Ile Pro Ala Phe Tyr Ala  
 1 5 10 15

Cys Tyr Asp Glu Asn Gly Glu Ile Ser Gln Asp Arg Val Lys Ser Leu  
 20 25 30

Val Gln Tyr Phe Ile Asp Lys Gly Val Lys Gly Ile Tyr Val Asn Gly  
 35 40 45

Ser Ser Gly Glu Cys Ile Tyr Gln Ser Val Glu Asp Arg Lys Gln Ile  
 50 55 60

Ile Glu Ala Val Met Glu Val Ala Lys Gly Lys Leu Thr Val Ile Asn  
 65 70 75 80

His Ile Ala Cys Asn Asn Thr Lys Asp Ser Ile Glu Leu Ala Lys His  
 85 90 95

Ser Glu Ser Val Gly Val Asp Ala Ile Ala Ala Ile Pro Pro Ile Tyr  
 100 105 110

Phe Lys Leu Pro Glu Tyr Ser Ile Ala Ala Tyr Trp Asn Ala Met Ser  
 115 120 125

Glu Ala Ala Ser Asn Thr Asp Phe Ile Ile Tyr Asn Ile Pro Gln Leu  
 130 135 140

Ala Gly Val Ala Leu Thr Gly Ser Leu Tyr Ala Thr Met Arg Gln Asn  
 145 150 155 160

Pro Arg Val Ile Gly Val Lys Asn Ser Ser Met Pro Val Gln Asp Ile  
165 170 175

Gln Met Phe Val Ala Ala Gly Gly Glu Asp Tyr Ile Val Phe Asn Gly  
180 185 190

Pro Asp Glu Gln Tyr Leu Gly Gly Arg Leu Met Gly Ala Glu Ala Gly  
195 200 205

Ile Gly Gly Thr Tyr Gly Val Met Pro Asp Leu Phe Leu Lys Leu Glu  
210 215 220

Ser Leu Ile Gln Glu Arg Asp Leu Asp Thr Ala Lys Lys Leu Gln Tyr  
225 230 235 240

Ala Ile Asn Glu Val Ile Tyr Lys Met Ile Ser Gly Lys Ala Asn Met  
245 250 255

Tyr Ala Val Ala Lys Glu Val Leu Arg Leu Asn Glu Lys Leu Asp Leu  
260 265 270

Gly Ser Val Arg Gln Pro Leu Glu Ala Leu Ala Glu Gly Asp Leu Glu  
275 280 285

Val Ala Lys Gln Ala Ala Glu Leu Ile Gln Gln Ala Arg Lys Glu Phe  
290 295 300

Leu  
305

<210> 326  
<211> 252  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 326

Met Ile Gly Gly Lys Asn Met Asp Lys Asp Tyr Ile Leu Lys Val Lys  
1 5 10 15

Gly Leu Tyr His Gln Phe Leu Leu Gly Asn Asn Lys Thr Leu Gln Val  
20 25 30

Leu Lys Asn Val Ser Leu Ser Ala Ser Arg Gly Glu Phe Ile Ser Ile  
 35 40 45

Leu Gly Ile Ser Gly Ser Gly Lys Ser Thr Leu Leu Lys Cys Ile Ser  
 50 55 60

Ser Leu Leu Glu Pro Thr Ser Gly Glu Val Ile Leu Asn Gly Ile Asn  
 65 70 75 80

Pro Tyr Lys Ile Arg Asn Ala Lys Leu Ser Ser Ile Arg Arg Asn Glu  
 85 90 95

Val Ser Phe Ile Phe Gln Ala Tyr Asn Leu Ile Pro Ser Leu Pro Val  
 100 105 110

Ile Glu Asn Ile Ala Leu Pro Leu Arg Leu Ser Gln Lys Lys Leu Thr  
 115 120 125

Ile Lys Asn Val Glu Asn Leu Leu Lys Arg Met Lys Phe Asn Ala Gly  
 130 135 140

Leu Asn Asp Phe Val Gly Thr Leu Ser Gly Gly Glu Gln Gln Lys Val  
 145 150 155 160

Ala Ile Ala Arg Ala Val Ile Ala Asp Ser Asp Ile Ile Phe Ala Asp  
 165 170 175

Glu Pro Thr Gly Ala Leu Asp Ser Val Ser Arg Glu Val Ile Phe Glu  
 180 185 190

Leu Leu Arg Glu Leu Val Gly Ala Gly Lys Cys Val Ile Met Val Thr  
 195 200 205

His Asp Ile Glu Leu Ala Ser Lys Thr Asp Arg Ala Leu Ile Leu Lys  
 210 215 220

Asp Gly Lys Ile Phe Lys Glu Leu His Arg Pro Ser Gly Glu Glu Leu  
 225 230 235 240

Tyr Lys Ile Leu Glu Val Gln Ser Thr Thr Glu Glu  
 245 250

<210> 327  
 <211> 535  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 327

Met Asn Tyr Leu Lys Phe Ile Lys Lys Thr Lys Leu Ile Leu Met Gly  
 1 5 10 15

Ile Leu Ile Phe Leu Ser Ser Phe Asn Gly Val Leu Leu Ser Gly Ile  
 20 25 30

Ile Val Tyr Ala Gly Ser Leu Asn Gln Thr Ser Ser Phe Ser Asp Val  
 35 40 45

Leu Arg Phe Gly Ala Ile Ser Ile Leu Gly Trp Ser Ala Ile Tyr Ile  
 50 55 60

Ser Asn Tyr Tyr Leu Glu Val Thr Glu Ala Ser Ile Thr Lys Asp Ile  
 65 70 75 80

Asn Val Lys Ile Lys Gln Gly Tyr Phe Arg Glu Gln Tyr Leu Ser Ser  
 85 90 95

Glu Met Val Lys Asp Tyr Ser Ser Ile Ile Ser Val Leu Ser Asn Asp  
 100 105 110

Leu Arg Leu Ile Glu Glu Asn Tyr Phe Arg Gln Ile Phe Glu Ile Ile  
 115 120 125

Ser Ser Ile Leu Leu Phe Ile Val Ser Leu Ser Phe Met Leu Tyr Leu  
 130 135 140

Asn Phe Leu Val Ser Ile Ile Phe Ile Val Leu Ser Ala Leu Pro Ile  
 145 150 155 160

Ile Val Pro Val Phe Met Lys Lys Met Leu Ser Asn Ser Ala Asn Glu  
 165 170 175

Tyr Ser Asn Ser Asn Ala Glu Tyr Thr His Ile Ile Lys Glu Ile Phe  
 180 185 190

Asn Gly Phe Lys Thr Leu Lys Ser Tyr Ser Val Thr Lys Glu Ile Ile  
 195 200 205

Ser Leu Ser Asp Lys Lys Leu Asp Lys Leu Glu Asp Ser Thr Phe Asn  
 210 215 220

Leu Lys Arg Ser Glu Val Leu Ser Lys Leu Val Ala Val Leu Ile Ser  
 225 230 235 240

Gly Phe Cys Phe Leu Val Pro Leu Val Val Gly Cys Tyr Phe Val Ile  
 245 250 255

Tyr His Lys Ser Leu Ser Phe Ser Glu Leu Ile Gly Ile Phe Leu Ala  
 260 265 270

Asn Asp Lys Val Leu Gly Pro Ile Gln Ser Ile Ala Tyr Ser Leu Asn  
 275 280 285

Lys Ile Asn Thr Thr Lys Asp Leu Arg Lys Pro Phe Leu Lys Tyr Leu  
 290 295 300

Ser Gly Glu Lys Asn Phe Ile Asp Ala Glu His Asp Asn Asn Gly Leu  
 305 310 315 320

Tyr Thr Ser Ser Ile Asp Glu Ile His Met Lys Asp Val Val Tyr Ser  
 325 330 335

Ile Thr Pro Glu Asn Lys Leu Ser Ile Asp Phe Ser Phe Lys Ser Pro  
 340 345 350

Phe Arg Val Leu Leu Thr Gly Thr Ser Gly Ser Gly Lys Thr Thr Ile  
 355 360 365

Leu Asn Leu Ile Asn Gly Ser Leu Lys Pro Gln Lys Gly Tyr Val Asn  
 370 375 380

Leu Leu Ser His Gly Lys Lys Ser Ser Asp Ser Ile Pro Thr Val Asp  
 385 390 395 400

Gln Thr Pro Tyr Ile Phe Asp Thr Thr Ile Arg Glu Asn Val Thr Leu



405 410 415  
 Phe Gln Asn Glu Tyr Phe Ser Asp Asp Gln Ile Ile Glu Val Leu Lys  
 420 425 430  
 Lys Val Asn Leu Tyr Glu Glu Leu Glu Lys Ile Asp Ile Leu Asn Tyr  
 435 440 445  
 Gln Cys Gly Glu Asn Gly Ser Asn Leu Ser Gly Gly Gln Lys Gln Lys  
 450 455 460  
 Ile Ala Leu Ala Arg Ala Leu Ile Arg Asn Asn Lys Val Tyr Leu Phe  
 465 470 475 480  
 Asp Glu Ile Ser Ala Asn Leu Asp Asn Asp Asn Ser Asn Ser Ile His  
 485 490 495  
 Asp Ile Leu Phe Asn Leu Gly Ile Ser Phe Ile Glu Val Ser His His  
 500 505 510  
 Tyr Asp Leu Asn Asp Lys Arg Tyr Thr Asp Ile Tyr Lys Leu Glu Asn  
 515 520 525  
 Gly Thr Leu Phe Lys Ile Lys  
 530 535  
  
 <210> 328  
 <211> 646  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 328  
 Met Asn Gln Ser Asn Glu Ile Phe Leu Asn Thr Ile Gln Glu Lys Thr  
 1 5 10 15  
 His Tyr Lys Arg Ser Ile Ser Ser Ser Phe Gln Glu Leu Lys Lys Trp  
 20 25 30  
 Asn Ser Leu Ile Phe Arg Arg Gly Arg Tyr Trp Tyr Gln Phe Asp Asn  
 35 40 45  
 Trp Ser Ile Pro Asn Thr Gly Val Ile Lys Glu Trp Tyr Val Glu Asp

50	55	60
Asn Asp Trp Ile Pro Lys Val Ser Ser Ser Ser Leu Asp Asn Ser Asn		
65	70	75 80
Ser Leu Lys Ile Val Phe Asp Val Glu Lys Tyr Thr Leu Pro Asp Asp		
	85	90 95
Ser Ile Leu Gln Asp Val Arg Ile Ser Ser Asp Glu Ser Tyr Ile Val		
	100	105 110
Leu Val Val Ser Ser Leu Arg Thr Thr Asn Leu Ile Gly Ile Lys Lys		
	115	120 125
Tyr Thr Met Glu Glu Leu Phe Ile Ile Glu Asp Ile Ser Val Glu Ser		
	130	135 140
Ser Phe Tyr Leu Gly Lys Phe Gly Val Met Tyr Thr Arg Ser Lys Glu		
145	150	155 160
Tyr Gly Arg Pro Ser Lys Leu Phe Tyr Lys Ser Phe Asp Ser Phe Thr		
	165	170 175
Glu Glu Glu Leu Phe Glu Glu Asn Glu Cys Ser Phe Arg Leu Lys Ile		
	180	185 190
Val His Ile Asp Ser Asn Asn Cys Phe Val Lys Ser Val Asp Phe Gln		
	195	200 205
Lys Gly Arg Ile Phe Leu Tyr Ser Phe Asp Arg Thr Gly Phe Val Arg		
	210	215 220
His Ser Tyr Thr Glu Thr Val Ala Pro Thr Pro Arg Asp Ile Ala Leu		
225	230	235 240
Phe Ser Thr Glu Lys Ala Gln Tyr Phe Leu Gly Leu Ser Ser Thr Glu		
	245	250 255
Glu Lys Lys Asp Gln Leu Ile Leu Arg Glu Thr Ser Ser Gly Asp Arg		
	260	265 270

Val Ser Ile Thr Ile Pro Tyr Gln Asp Arg Ala Arg Arg Val His Cys  
 275 280 285

Ile Gly Arg Tyr Ile Leu Leu Asp Cys Ser Asn Ala Ala Asn Ser Val  
 290 295 300

Phe Tyr Leu Ala Thr Phe Lys Asn Asn Ser Leu Arg Glu Leu Ser Val  
 305 310 315 320

Asn Lys Ile Thr Phe Asp Glu Lys Thr Thr Leu Tyr Glu Asn Ser Phe  
 325 330 335

Ser Asp Arg Val Leu Leu Phe Leu Glu Arg Arg Thr Phe Tyr Glu Lys  
 340 345 350

Ile Leu Ser Phe Asp Leu Ile Glu Asn Thr Leu Lys Thr Glu Phe Glu  
 355 360 365

Arg Pro Ile Ile Lys Ser Asn Asn Thr Lys Tyr Phe Ser Lys Val Ile  
 370 375 380

Trp Thr Lys Lys Asp Ser Tyr Asp Val Ser Ile Pro Ile Ser Leu Phe  
 385 390 395 400

Trp Lys Ser Glu Asp Thr Asp Glu Leu Pro Arg Arg Lys Lys Cys Ile  
 405 410 415

Leu Ser Val Tyr Gly Ala Tyr Gly Lys Asn Asp Asn Ser Asp Leu Asp  
 420 425 430

Glu Ile Met Leu Ser Ile Ile Asp Ala Gly Phe Ile Tyr Ala Ile Val  
 435 440 445

His Val Arg Gly Gly Gly Tyr Leu Gly Gly Glu Trp Tyr Arg Ser Gly  
 450 455 460

Lys Ala Leu Asn Lys Trp Asn Ser Ile Arg Asp Phe Ile Glu Gly Val  
 465 470 475 480

Asn Tyr Leu Arg Glu Asn Asp Val Ile Asp Ser Lys Arg Leu Gly Leu  
 485 490 495

Ile Thr Ser Ser Ala Gly Gly Ile Ile Ala Gly Ala Val Leu Asn Glu  
500 505 510

Glu Lys Asn Leu Leu Gln Ser Ile Leu Leu Phe Ser Pro Phe Ile Asn  
515 520 525

Pro Tyr Asp Thr Leu Gln Asn Pro Asn Asp Pro Leu Ser Lys Thr Glu  
530 535 540

Ile Ala Glu Trp Gly Asp Ile Arg Asp Pro Glu Val Lys Ala Tyr Ile  
545 550 555 560

Lys Ser Tyr Ser Pro Met Gln Asn Ile Glu Lys Ala Arg Asp Ser Asn  
565 570 575

Thr Val Ile Val Asn Ile Leu Gly Glu Lys Asp Pro Tyr Ile Asn Asn  
580 585 590

Asn Glu Val Ile Glu Trp Ser Lys Lys Leu Asn Ser Ile Gly Val Lys  
595 600 605

Ser Leu Leu Tyr Leu Asn Lys Ala Ala Gly His Gly Gly Phe Thr Pro  
610 615 620

Ser Asp Val Leu Leu Met Ile Asp Thr Leu Asn Tyr Phe Phe Glu Glu  
625 630 635 640

Val Gly Arg Asn Asn Leu  
645

<210> 329

<211> 477

<212> PRT

<213> Streptococcus pneumoniae

<400> 329

Met Ile Asp Gly Lys Arg Leu Leu Phe Ser Leu Thr Ile Val Ser Tyr  
1 5 10 15

Ala Leu Thr Leu Val Ser Gly Ile Val Tyr Leu Phe Asn Asn Asn Asn  
20 25 30

Val Ser Leu Leu Ser Thr Leu Leu Phe Leu Leu Val Ser Ser Leu Ile  
           35                          40                          45

Ala Cys Trp Asn Asp Ile Lys Tyr Tyr Leu Ile His Phe Ile Phe Tyr  
       50                          55                          60

Leu Thr Ile Phe Val Phe Leu Val Ser Arg Pro Thr Ile Asp Tyr Phe  
   65                          70                          75                          80

Arg Asp Gly Ala Leu Asp Thr Tyr His Pro Ile Ala Tyr Arg Phe Ala  
                           85                          90                          95

Phe Ile Val Val Met Ile Ser Ile Leu Gly Leu Thr Thr Gly Gly Ile  
                           100                          105                          110

Leu Ala Arg Tyr Phe Ile Ala Arg Lys Lys Ile Lys Val Ala Asn Ile  
       115                          120                          125

Gly Asn Ser Leu Lys Glu Val Tyr Ile Lys Arg Leu Arg Phe Val Ser  
       130                          135                          140

Leu Gly Val Phe Leu Leu Thr Tyr Pro Phe Tyr Phe Ile Arg Leu Phe  
   145                          150                          155                          160

Glu Arg Leu Leu Tyr Arg Leu Gln Thr Ser Tyr Tyr Ala Tyr Tyr Ala  
                           165                          170                          175

Asn Phe Glu Ser Lys Leu Pro Tyr Phe Thr Tyr Ile Leu Ser Thr Phe  
                           180                          185                          190

Thr Val Tyr Ala Met Cys Met Tyr Leu Ala Thr Lys Pro Lys Lys Leu  
       195                          200                          205

Gln Ala Thr Ala Val Leu Val Ser Phe Ile Ala Ala Asn Thr Ile His  
       210                          215                          220

Leu Ala Ile Gly Thr Arg Asn Pro Phe Ile Leu Ser Ile Leu Phe Ala  
   225                          230                          235                          240

Phe Val Tyr Tyr Phe Met Arg Glu Gln Thr Glu Lys Gly Lys Trp Ile  
                           245                          250                          255

Gly Phe Lys Glu Lys Leu Ala Ile Phe Val Gly Ser Pro Ile Leu Met  
 260 265 270

Leu Ala Met Gly Val Leu Asn Tyr Val Arg Asp Asn Val Gln Val Ser  
 275 280 285

His Thr Gly Phe Trp Asp Ile Leu Leu Asp Phe Ile Tyr Lys Gln Gly  
 290 295 300

Thr Ser Phe Gly Val Leu Ala Arg Gly Phe Leu Phe Asn Ser Ser Leu  
 305 310 315 320

Pro Tyr Arg Asp Phe Arg Asn Phe Thr Phe Gly Pro Val Leu Asp Tyr  
 325 330 335

Phe Ala Arg Gly Ser Leu Gly Ala Ile Phe Gly Gly Lys Ala Phe Glu  
 340 345 350

His Thr Thr Asn Ser Val Glu Leu Ala Ile Asp Ser Asn Ser Tyr Ala  
 355 360 365

His Asn Leu Ser Tyr Leu Val Leu Asn Lys Glu Tyr Leu Lys Gly His  
 370 375 380

Gly Ile Gly Ser Ser Tyr Ile Met Glu Leu Tyr Thr Asp Tyr Gly Met  
 385 390 395 400

Ile Gly Val Phe Leu Leu Ser Phe Leu Leu Gly Val Leu Phe Ile Ala  
 405 410 415

Met Leu Gln Val Ala Tyr Arg Ser Arg Thr Ile Leu Phe Ala Leu Ser  
 420 425 430

Leu Leu Ile Leu Asn Asn Leu Phe Phe Met Pro Arg Ser Ser Phe Ser  
 435 440 445

Glu Ser Phe Phe Asn Leu Phe Thr Met Gln Phe Trp Gly Ile Val Leu  
 450 455 460

Val Ile Ile Phe Val Ala Lys Met Leu Thr Lys Glu Asn

465

470

475

&lt;210&gt; 330

&lt;211&gt; 275

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 330

Met Gln Ser Arg Arg Lys Glu Met Lys Lys Thr Ser Ser Lys Leu Phe  
 1 5 10 15

Val Val Pro Tyr Met Leu Trp Ile Ala Leu Phe Val Leu Ala Pro Leu  
 20 25 30

Val Leu Ile Phe Gly Gln Ser Phe Phe Asn Ile Glu Gly Gln Phe Ser  
 35 40 45

Leu Glu Asn Tyr Lys Ser Tyr Phe Ala Ser Gln Asn Leu Thr Tyr Leu  
 50 55 60

Lys Met Ser Phe Asn Ser Val Leu Tyr Ala Gly Ile Val Thr Phe Val  
 65 70 75 80

Ala Leu Leu Ile Ser Tyr Pro Thr Ala Leu Phe Leu Thr Arg Leu Lys  
 85 90 95

His Arg Gln Leu Trp Leu Met Leu Ile Ile Leu Pro Thr Trp Ile Asn  
 100 105 110

Leu Leu Leu Lys Ala Tyr Ala Phe Ile Gly Ile Phe Gly Gln Asn Gly  
 115 120 125

Ser Ile Asn Gln Phe Leu Glu Phe Ile Gly Ile Gly Ser Gln Gln Leu  
 130 135 140

Leu Phe Thr Asp Phe Ser Phe Ile Phe Val Ala Ser Tyr Ile Glu Leu  
 145 150 155 160

Pro Phe Met Ile Leu Pro Ile Phe Asn Val Leu Asp Asp Met Asp Asn  
 165 170 175

Asn Leu Ile Asn Ala Ser Tyr Asp Leu Gly Ala Thr Lys Trp Glu Thr

180 185 190  
 Phe Arg His Val Ile Phe Pro Leu Ser Met Asn Gly Val Arg Ser Gly  
 195 200 205  
 Val Gln Ser Val Phe Ile Pro Ser Leu Ser Leu Phe Met Leu Thr Arg  
 210 215 220  
 Leu Ile Gly Gly Asn Arg Val Ile Thr Leu Gly Thr Ala Ile Glu Gln  
 225 230 235 240  
 Asn Phe Leu Thr Asn Asp Asn Tyr Gly Met Gly Ser Thr Ile Gly Val  
 245 250 255  
 Ile Leu Ile Leu Thr Met Phe Ile Thr Met Trp Val Thr Lys Glu Arg  
 260 265 270  
 Arg Glu Arg  
 275  
 <210> 331  
 <211> 252  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 331  
 Met Thr Asp Ala Ile Leu Gln Val Ser Asp Leu Ser Val Tyr Tyr Asn  
 1 5 10 15  
 Lys Lys Lys Ala Leu Asn Ser Val Ser Leu Ser Phe Gln Pro Lys Glu  
 20 25 30  
 Ile Thr Ala Leu Ile Gly Pro Ser Gly Ser Gly Lys Ser Thr Leu Leu  
 35 40 45  
 Lys Ser Leu Asn Arg Met Gly Asp Leu Asn Pro Glu Val Thr Thr Thr  
 50 55 60  
 Gly Ser Val Val Tyr Asn Gly His Asn Ile Tyr Ser Pro Arg Thr Asp  
 65 70 75 80  
 Thr Val Glu Leu Arg Lys Glu Ile Gly Met Val Phe Gln Gln Pro Asn



85 90 95  
 Pro Phe Pro Met Thr Ile Tyr Glu Asn Val Val Tyr Gly Leu Arg Ile  
 100 105 110  
 Asn Gly Ile Lys Asp Lys Gln Val Leu Asp Glu Ala Val Glu Lys Ala  
 115 120 125  
 Leu Gln Gly Ala Ser Ile Trp Asp Glu Val Lys Asp Arg Leu Tyr Asp  
 130 135 140  
 Ser Ala Ile Gly Leu Ser Gly Gly Gln Gln Gln Arg Val Cys Val Ala  
 145 150 155 160  
 Arg Val Leu Ala Thr Ser Pro Lys Ile Ile Leu Leu Asp Glu Pro Thr  
 165 170 175  
 Ser Ala Leu Asp Pro Ile Ser Ala Gly Lys Ile Glu Glu Thr Leu Tyr  
 180 185 190  
 Gly Leu Lys Asp Lys Tyr Thr Met Leu Leu Val Thr Arg Ser Met Gln  
 195 200 205  
 Gln Ala Ser Arg Ile Ser Asp Lys Thr Gly Phe Phe Leu Asp Gly Asp  
 210 215 220  
 Leu Ile Glu Phe Asn Asp Thr Lys Gln Met Phe Leu Asp Pro Gln His  
 225 230 235 240  
 Lys Glu Thr Glu Asp Tyr Ile Thr Gly Lys Phe Gly  
 245 250

<210> 332  
 <211> 294  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 332

Met Arg Ala Lys Lys Leu Asp Lys Leu Ala Thr Ala Val Leu Tyr Thr  
 1 5 10 15

Ile Ala Ser Ile Ile Val Thr Ile Leu Ala Ser Leu Ile Leu Tyr Ile

-370-

Thr Leu Ala Val His Ile Trp Lys Val Asn Ser Glu Gly Thr Ile Pro  
 245 250 255

Asp Gly Thr Ile Val Ser Ala Gly Ser Ala Ala Val Leu Leu Ile Phe  
 260 265 270

Ile Leu Ile Phe Asn Phe Gly Ala Arg Lys Phe Gly Ser Tyr Leu His  
 275 280 285

Lys Lys Leu Thr Ala Ala  
 290

<210> 333  
 <211> 586  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 333

Met Leu Met Lys Ile Tyr Lys Lys Leu Phe Ala Tyr Val Gln Asp Lys  
 1 5 10 15

Lys Tyr Leu Gly Val Leu Ala Ile Ile Phe Ser Ala Ile Ser Ala Ala  
 20 25 30

Leu Thr Val Tyr Gly Tyr Tyr Leu Ile Tyr Lys Phe Leu Asp Lys Leu  
 35 40 45

Ile Ile Asn Ser Asn Leu Ser Gly Ala Glu Ser Ile Ala Leu Lys Ser  
 50 55 60

Val Ile Thr Leu Thr Ser Gly Ala Ile Phe Tyr Phe Val Ser Gly Met  
 65 70 75 80

Phe Ser His Ile Leu Gly Phe Arg Leu Glu Thr Asn Leu Arg Lys Arg  
 85 90 95

Gly Ile Asp Gly Leu Glu Lys Ala Ser Phe Arg Phe Phe Asp Leu Asn  
 100 105 110

Pro Ser Gly Gln Ile Arg Lys Ile Ile Asp Asp Asn Ala Ala Gln Thr  
 115 120 125

His Gln Val Val Ala His Met Ile Pro Asp Ser Ser Gln Ala Ile Ile  
 130 135 140

Thr Pro Val Leu Val Leu Ala Leu Gly Phe Ile Val Ser Ile Arg Val  
 145 150 155 160

Gly Ile Ile Leu Leu Ala Leu Thr Ile Ile Gly Gly Leu Ile Leu Gly  
 165 170 175

Ala Met Met Gly Glu Gln Glu Phe Met Lys Ile Tyr Gln Glu Ser Leu  
 180 185 190

Ser Lys Leu Ser Ala Glu Thr Val Glu Tyr Val Arg Gly Met Gln Val  
 195 200 205

Val Lys Ile Phe Lys Ala Asn Val Glu Ser Phe Lys Ser Phe Tyr Lys  
 210 215 220

Ala Ile Lys Asp Tyr Ser Lys Tyr Ala Tyr Asp Tyr Ser Leu Ser Cys  
 225 230 235 240

Lys Arg Pro Tyr Val Leu Tyr Gln Trp Leu Phe Phe Gly Leu Ile Ala  
 245 250 255

Ile Leu Ile Ile Pro Ile Val Tyr Phe Met Thr Ser Leu Ala Ser Ala  
 260 265 270

Lys Val Ile Leu Leu Glu Leu Ile Met Ile Leu Phe Leu Ser Gly Val  
 275 280 285

Leu Phe Val Ser Phe Met Arg Met Met Trp Tyr Ser Met Tyr Ile Ser  
 290 295 300

Gln Gly Asn Tyr Ala Val Asp Thr Leu Glu Ala Leu Tyr Glu Asp Met  
 305 310 315 320

Gln Lys Asp Lys Leu Val His Gly Asn Val Asn Asn Phe Lys Asn Tyr  
 325 330 335

Asn Ile Glu Phe Glu Asn Val Ser Phe Ala Tyr Asn Asp Lys Ala Val  
 340 345 350

Ile Glu Asn Leu Ser Phe Asn Leu Glu Glu Gly Lys Ser Tyr Ala Leu  
 355 360 365

Val Gly Ser Ser Gly Ser Gly Lys Ser Thr Val Ala Lys Leu Ile Ser  
 370 375 380

Gly Phe Tyr Asn Val Asn Lys Gly Ser Ile Lys Ile Gly Gly Ile Ala  
 385 390 395 400

Ile Ser Glu Tyr Ser Asp Glu Ala Leu Ile Lys Ala Ile Ser Phe Val  
 405 410 415

Phe Gln Asp Ser Lys Leu Phe Lys Lys Ser Ile Tyr Asp Asn Val Ala  
 420 425 430

Leu Ala Asn Lys Asp Ala Thr Lys Asp Asp Val Met Arg Ala Leu Lys  
 435 440 445

Leu Ala Gly Cys Asp Leu Ile Leu Asp Lys Phe Pro Glu Arg Glu Asn  
 450 455 460

Thr Ile Ile Gly Ser Lys Gly Val Tyr Leu Ser Gly Gly Glu Lys Gln  
 465 470 475 480

Arg Ile Ala Ile Ala Arg Ala Ile Leu Lys Asp Ser Lys Ile Ile Ile  
 485 490 495

Met Asp Glu Ala Ser Ala Ser Ile Asp Pro Asp Asn Glu Phe Glu Leu  
 500 505 510

Gln Lys Ala Phe Lys Asn Leu Met Lys Asp Lys Thr Val Ile Met Ile  
 515 520 525

Ala His Arg Leu Ser Thr Ile Lys Asp Leu Asp Glu Ile Ile Val Met  
 530 535 540

Asp Ser Gly Lys Ile Ile Glu Arg Gly Ser Asp Lys Glu Leu Met Ser  
 545 550 555 560

Lys Asp Thr Arg Tyr Lys Ser Leu Gln Glu Met Phe Asn Ser Ala Asn  
 565 570 575

Glu Trp Arg Val Ser Asn Glu Arg Val Leu  
                     580                    585

<210> 334  
 <211> 581  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 334

Met Arg Met Asn Gly Gly Phe Gln Met Lys Glu Phe Tyr Lys Lys Arg  
 1                    5                    10                    15

Phe Ala Leu Thr Asp Gly Gly Ala Arg Asn Leu Ser Lys Ala Thr Leu  
                     20                    25                    30

Ala Ser Phe Phe Val Tyr Cys Ile Asn Met Leu Pro Ala Ile Leu Leu  
                     35                    40                    45

Met Ile Phe Ala Gln Glu Val Leu Glu Asn Met Gly Lys Ser Asn Gly  
                     50                    55                    60

Phe Tyr Ile Val Phe Ser Val Leu Ile Leu Ile Ala Met Tyr Ile Leu  
 65                    70                    75                    80

Leu Ser Ile Glu Tyr Asp Lys Leu Tyr Asn Thr Thr Tyr Gln Glu Ser  
                     85                    90                    95

Ala Asp Leu Arg Ile Arg Thr Ala Glu Asn Leu Ser Lys Leu Pro Leu  
                     100                    105                    110

Ser Tyr Phe Ser Lys His Asp Ile Ser Asp Ile Ser Gln Thr Ile Met  
                     115                    120                    125

Ala Asp Ile Glu Gly Ile Glu His Ala Met Ser His Ser Ile Pro Lys  
                     130                    135                    140

Val Gly Gly Met Val Leu Phe Phe Pro Leu Ile Ser Val Met Met Leu  
 145                    150                    155                    160

Ala Gly Asn Val Lys Met Gly Leu Ala Val Ile Ile Pro Ser Ile Leu  
                     165                    170                    175

Ser Phe Ile Phe Ile Pro Leu Ser Lys Lys Tyr Gln Val Asn Gly Gln  
 180 185 190

Asn Arg Tyr Tyr Asp Val Leu Arg Lys Asn Ser Glu Ser Phe Gln Glu  
 195 200 205

Asn Ile Glu Met Gln Met Glu Ile Lys Ala Tyr Asn Leu Ser Lys Asp  
 210 215 220

Ile Lys Asp Asp Leu Tyr Lys Lys Met Glu Asp Ser Glu Lys Val His  
 225 230 235 240

Leu Lys Ala Glu Val Thr Thr Ile Leu Thr Leu Ser Ile Ser Ser Ile  
 245 250 255

Phe Ser Phe Ile Ser Leu Ala Val Val Ile Phe Val Gly Val Asn Leu  
 260 265 270

Ile Ile Asn Lys Glu Ile Asn Ser Leu Tyr Leu Ile Gly Tyr Leu Leu  
 275 280 285

Ala Ala Met Lys Ile Lys Asp Ser Leu Asp Ala Ser Lys Glu Gly Leu  
 290 295 300

Met Glu Ile Phe Tyr Leu Ser Pro Lys Ile Glu Arg Leu Lys Glu Ile  
 305 310 315 320

Gln Asn Gln Asp Leu Gln Glu Gly Asp Asp Tyr Ser Leu Lys Lys Phe  
 325 330 335

Asp Ile Asp Leu Lys Asp Val Glu Phe Ala Tyr Asn Lys Asp Ala Lys  
 340 345 350

Val Leu Asn Gly Val Ser Phe Lys Ala Lys Gln Gly Glu Val Thr Ala  
 355 360 365

Leu Val Gly Ala Ser Gly Cys Gly Lys Thr Thr Ile Leu Lys Leu Ile  
 370 375 380

Ser Arg Leu Tyr Asp Tyr Asp Lys Gly Gln Ile Leu Ile Asp Gly Lys

```
<210> 335
<211> 209
<212> PRT
<213> Streptococcus pneumoniae
```



&lt;400&gt; 335

Met Asp Asn Lys Lys Leu Lys Val Lys Asp Leu Val Ser Ile Gly Val  
 1 5 10 15

Phe Gly Val Ile Tyr Phe Ala Phe Met Phe Gly Val Gly Met Met Gly  
 20 25 30

Leu Ile Pro Ile Leu Phe Leu Ile Tyr Pro Thr Val Leu Ala Ile Val  
 35 40 45

Ala Gly Thr Val Val Met Leu Phe Met Ala Lys Val Gln Lys Pro Trp  
 50 55 60

Ala Leu Phe Ile Phe Gly Met Ile Ser Pro Leu Val Met Phe Ala Ala  
 65 70 75 80

Gly His Thr Tyr Val Val Val Val Leu Ser Leu Ile Val Met Ile Ile  
 85 90 95

Ala Glu Leu Ile Arg Lys Ile Gly Asn Tyr Asn Ser Phe Lys Tyr Asn  
 100 105 110

Met Leu Ser Tyr Ala Ile Phe Ser Thr Trp Ile Cys Ser Ser Leu Met  
 115 120 125

Gln Met Leu Leu Ala Lys Glu Lys Tyr Met Glu Trp Ser Leu Met Thr  
 130 135 140

Met Gly Lys Asp Tyr Val Asp Val Leu Glu Lys Leu Ile Thr Tyr Pro  
 145 150 155 160

His Met Ala Leu Val Ala Leu Gly Ala Phe Leu Gly Gly Ile Leu Gly  
 165 170 175

Ala Tyr Ile Gly Lys Ala Leu Leu Lys Lys His Phe Ser Asn Gly Leu  
 180 185 190

Tyr Cys Val Gly Tyr Phe Thr Pro Cys Leu Ile Leu Trp Cys Tyr Leu  
 195 200 205

Asn

<210> 336  
 <211> 169  
 <212> PRT  
 <213> Streptococcus pneumoniae

&lt;400&gt; 336

Met Cys Gly Ile Leu Tyr Ser Leu Pro Asn Phe Met Val Leu Ser Glu  
 1 5 10 15

Leu Asn Pro Ile Val Lys Met Phe Leu Ser Ile Pro Ile Val Ile Arg  
 20 25 30

Met Phe Ile Leu Pro Phe Met Ala Ala Ser Phe Met Ile Lys Thr Ser  
 35 40 45

Asp Val Gly Ala Ile Ile Ser Ser Met Asp Lys Leu Lys Ile Ser Lys  
 50 55 60

Asn Val Ser Ile Pro Ile Ala Val Met Phe Arg Phe Phe Pro Ser Phe  
 65 70 75 80

Lys Glu Glu Lys Lys Asn Ile Lys Met Ala Met Arg Val Arg Gly Ile  
 85 90 95

Asn Phe Lys Asn Pro Val Lys Tyr Leu Glu Tyr Val Ser Val Pro Leu  
 100 105 110

Leu Ile Ile Ser Ser Asn Ile Ser Asp Asp Ile Ala Lys Ala Ala Glu  
 115 120 125

Thr Lys Ala Ile Glu Asn Pro Ile Ala Lys Thr Arg Tyr Ile Arg Val  
 130 135 140

Lys Ile Gln Leu Ile Asp Phe Val Tyr Val Leu Ala Val Ala Gly Leu  
 145 150 155 160

Ile Val Gly Gly Leu Ile Trp Leu Lys  
 165

<210> 337  
 <211> 374  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 337

Met Val Glu Ile Lys Asn Leu Ser Leu Asp Tyr Gly Glu Glu His Ile  
 1 5 10 15

Leu Asp Asp Ile Ser Leu Ser Ile Ala Glu Gly Glu Cys Val Leu Phe  
 20 25 30

Thr Gly Lys Ser Gly Asn Gly Lys Ser Ser Leu Ile Asn Ser Ile Asn  
 35 40 45

Gly Leu Ala Val Arg Tyr Asp Asn Ala Lys Thr Lys Gly Glu Ile Ile  
 50 55 60

Ile Asp Gly Lys Asn Ile Lys Asn Leu Glu Leu Tyr Gln Ile Ser Met  
 65 70 75 80

Leu Val Ser Thr Val Phe Gln Asn Pro Lys Thr Tyr Phe Phe Asn Val  
 85 90 95

Asn Thr Thr Leu Glu Leu Leu Phe Tyr Leu Glu Asn Ile Gly Leu Ala  
 100 105 110

Arg Glu Glu Met Asp Arg Arg Leu Lys Asp Ile Leu Glu Ile Phe Pro  
 115 120 125

Ile Lys Asn Leu Leu Asn Arg Asn Ile Phe Asn Leu Ser Gly Gly Glu  
 130 135 140

Lys Gln Ile Leu Cys Ile Ala Ala Ser Tyr Ile Ala Gly Thr Lys Ile  
 145 150 155 160

Ile Val Met Asp Glu Pro Ser Ser Asn Leu Asp Ile Lys Ser Ile Ser  
 165 170 175

Val Leu Ala Lys Met Leu Lys Ile Leu Lys Glu Lys Gly Ile Ser Ile  
 180 185 190

Ile Val Ala Glu His Arg Ile Tyr Tyr Leu Met Asp Ile Val Asp Arg  
 195 200 205

Val Phe Leu Ile Asp Lys Gly Lys Leu Lys Lys Thr Tyr Thr Arg Ser  
 210 215 220

Glu Phe Leu Lys Leu Asp Lys Asn Glu Leu Asn Ala Leu Ser Leu Arg  
 225 230 235 240

Asp Lys Glu Leu Ser Lys Leu Lys Val Pro Tyr Leu Lys Glu Gly Gly  
 245 250 255

Glu Tyr Gln Ile Lys Asn Leu Ser Tyr Lys Phe Thr Asp Asp Glu Cys  
 260 265 270

Leu Ser Leu Lys Asp Ile Ser Phe Lys Leu Gly Lys Ile Tyr Gly Ile  
 275 280 285

Ile Gly Ser Asn Gly Arg Gly Lys Ser Thr Leu Leu Arg Cys Leu Ile  
 290 295 300

Gly Leu Glu Lys Lys Ser Lys Glu Glu Ile Tyr Phe Lys Gly Glu Lys  
 305 310 315 320

Leu Ser Lys Lys Glu Arg Leu Lys Asn Ser Ser Leu Val Met Gln Asp  
 325 330 335

Val Asn His Gln Leu Phe Thr Asp Glu Val Phe Asn Glu Leu Arg Leu  
 340 345 350

Gly Val Lys Asn Phe Asp Glu Glu Lys Ala Lys Ile Ile Leu Asn Pro  
 355 360 365

Asn Tyr Ser Pro Gln Ile  
 370

<210> 338

<211> 75

<212> PRT

<213> Streptococcus pneumoniae

<400> 338

Met Ser Leu Ser Gly Gly Gln Lys Gln Arg Leu Ala Ile Ala Ser Val  
1 5 10 15

Met Cys Lys Asn Ser Pro Phe Val Phe Phe Asp Glu Pro Ser Ser Gly  
20 25 30

Met Asp Tyr Ser Asn Met Ile Lys Ile Ser Glu Leu Ile Asn Lys Tyr  
35 40 45

Lys Thr Met Asp Lys Ile Ile Phe Ile Val Ser His Asp Ile Glu Phe  
50 55 60

Leu Asn Glu Val Ala Asp Glu Ile Phe Glu Leu  
65 70 75

<210> 339

<211> 318

<212> PRT

<213> Streptococcus pneumoniae

<400> 339

Met Asp Ile Arg Pro Gln Ser Ser Asp Glu Leu Asp Ser Gln Arg Arg  
1 5 10 15

Val Arg Arg Asp Met Ser Asn Ser Leu Lys Gly Thr Leu Leu Thr Val  
20 25 30

Val Ala Gly Ile Ala Trp Gly Leu Ser Gly Thr Ser Gly Gln Tyr Leu  
35 40 45

Met Ala His Gly Ile Ser Ala Leu Val Leu Thr Asn Leu Arg Leu Leu  
50 55 60

Ile Ala Gly Gly Ile Leu Met Leu Leu Ala Tyr Ala Thr Ala Lys Asp  
65 70 75 80

Lys Ile Leu Val Phe Leu Lys Asp Arg Lys Ser Leu Leu Ser Leu Leu  
85 90 95

Ile Phe Ala Leu Ile Gly Leu Phe Leu Asn Gln Phe Ala Tyr Leu Ser  
100 105 110

Ala Ile Gln Glu Thr Asn Ala Gly Thr Ala Thr Val Leu Gln Tyr Val  
 115 120 125

Cys Pro Val Gly Ile Leu Ile Tyr Ser Cys Ile Lys Asp Arg Val Ala  
 130 135 140

Pro Thr Leu Gly Glu Ile Val Ser Ile Ile Phe Ala Ile Gly Gly Thr  
 145 150 155 160

Phe Leu Ile Ala Thr His Gly Gln Leu Asp Gln Leu Ser Met Thr Pro  
 165 170 175

Ala Gly Leu Phe Trp Gly Leu Phe Ser Ala Leu Thr Tyr Ala Leu Tyr  
 180 185 190

Ile Ile Leu Pro Ile Ala Leu Ile Lys Lys Trp Gly Ser Ser Leu Val  
 195 200 205

Ile Gly Val Gly Met Val Ile Ala Gly Leu Val Ala Leu Pro Phe Thr  
 210 215 220

Gly Val Leu Gln Ala Asp Ile Pro Thr Ser Leu Asp Phe Leu Leu Ala  
 225 230 235 240

Phe Ala Gly Ile Ile Leu Ile Gly Thr Val Phe Ala Tyr Thr Ala Phe  
 245 250 255

Leu Lys Gly Ala Ser Leu Ile Gly Pro Val Lys Ser Ser Leu Leu Ala  
 260 265 270

Ser Ile Glu Pro Ile Ser Ala Ile Phe Phe Ala Phe Leu Ile Met Asn  
 275 280 285

Glu Gln Phe Tyr Pro Ile Asp Phe Leu Gly Met Ala Met Ile Leu Phe  
 290 295 300

Ala Val Thr Leu Ile Ser Leu Lys Asp Leu Phe Leu Glu Lys  
 305 310 315

<210> 340

<211> 79

<212> PRT

<213> Streptococcus pneumoniae

<400> 340

Met Leu Leu Leu Ala Lys Glu Lys Val Ala Cys Leu Leu Thr Val Thr  
1 5 10 15

Cys Leu Ala Met Leu Phe Ala Met Pro Ala Leu Leu Leu Thr Thr Leu  
20 25 30

Thr Lys Met Glu Lys Asn Thr Val Ser Asn Ser Lys Ala Thr Thr Pro  
35 40 45

Leu Leu Phe Ser Met Lys Leu Thr Thr Leu Thr Val Ser Cys Phe Thr  
50 55 60

Ile Ala Ser Met Lys Lys Thr His Leu Gln Leu Lys Met Val Tyr  
65 70 75

<210> 341

<211> 78

<212> PRT

<213> Streptococcus pneumoniae

<400> 341

Met Arg Glu Ile Met Leu Leu Gln Leu Phe Ser Leu Tyr Phe Glu Ser  
1 5 10 15

Leu Ile Leu Thr Thr Ile Leu Val Leu Ile Phe Leu Gly Ile Trp Ile  
20 25 30

Gly Leu Arg Ala Met Ser Gly Val Asp Lys Thr Ala Arg Ala Arg Gln  
35 40 45

Ala His Leu Tyr Asp Met Ile Met Ile Gly Val Leu Val Val Pro Val  
50 55 60

Leu Ser Phe Ala Val Met Ser Leu Ile Leu Val Phe Lys Ala  
65 70 75

<210> 342

<211> 176

<212> PRT

<213> Streptococcus pneumoniae

&lt;400&gt; 342

Met Gln Lys Lys Tyr Val Lys Ile Leu Tyr Ser Ser Pro Ile Gly Ile  
 1 5 10 15

Leu Ser Leu Val Ala Asp Asp His Tyr Leu Tyr Gly Ile Trp Val Gln  
 20 25 30

Glu Gln Lys His Phe Glu Arg Gly Leu Gly Asp Glu Thr Ile Glu Glu  
 35 40 45

Val Val Ser His Pro Ile Leu Asp Pro Val Ile Ala Cys Leu Asp Asp  
 50 55 60

Tyr Phe Lys Gly Lys Pro Gln Asp Leu Ser Asn Leu Leu Leu Ala Pro  
 65 70 75 80

Ile Gly Thr Asn Phe Glu Lys Arg Val Trp Asp Tyr Leu Gln Gly Ile  
 85 90 95

Pro Tyr Gly Gln Thr Val Thr Tyr Gly Gln Ile Ala Gln Asp Leu Gln  
 100 105 110

Val Ala Ser Ala Gln Ala Ile Gly Gly Ala Val Gly Arg Asn Pro Trp  
 115 120 125

Ser Ile Leu Val Pro Cys His Arg Val Leu Gly Ala Gly Lys Arg Leu  
 130 135 140

Thr Gly Tyr Ala Ala Gly Val Glu Lys Lys Ala Trp Leu Leu Glu His  
 145 150 155 160

Glu Gly Val Asp Phe Lys Asp Arg Ser Asn Arg Arg Arg Ser Thr Cys  
 165 170 175

&lt;210&gt; 343

&lt;211&gt; 480

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 343

Met Pro Asn Cys Ile Ile Glu Ile Ile Ala Gln Ile Cys Tyr Asp Ile



1	5	10	15
Asn Met Asn Lys Ser Arg Leu Gly Arg Gly Arg His Gly Lys Thr Arg	20	25	30
His Val Leu Leu Ala Leu Ile Gly Ile Leu Ala Ile Ser Ile Cys Leu	35	40	45
Leu Gly Gly Phe Ile Ala Phe Lys Ile Tyr Gln Gln Lys Ser Phe Glu	50	55	60
Gln Lys Ile Glu Ser Leu Lys Lys Glu Lys Asp Asp Gln Leu Ser Glu	65	70	75
Gly Asn Gln Lys Glu His Phe Arg Gln Gly Gln Ala Glu Val Ile Ala	85	90	95
Tyr Tyr Pro Leu Gln Gly Glu Lys Val Ile Ser Ser Val Arg Glu Leu	100	105	110
Ile Asn Gln Asp Val Lys Asp Lys Leu Glu Ser Lys Asp Asn Leu Val	115	120	125
Phe Tyr Tyr Thr Glu Gln Glu Glu Ser Gly Leu Lys Gly Val Val Asn	130	135	140
Arg Asn Val Thr Lys Gln Ile Tyr Asp Leu Val Ala Phe Lys Ile Glu	145	150	155
Glu Thr Glu Lys Thr Ser Leu Gly Lys Val His Leu Thr Glu Asp Gly	165	170	175
Gln Pro Phe Thr Leu Asp Gln Leu Phe Ser Asp Ala Ser Lys Ala Lys	180	185	190
Glu Gln Leu Ile Lys Glu Leu Thr Ser Phe Ile Glu Asp Lys Lys Ile	195	200	205
Glu Gln Asp Gln Ser Glu Gln Ile Val Lys Asn Phe Ser Asp Gln Asp	210	215	220

Leu Ser Ala Trp Asn Phe Asp Tyr Lys Asp Ser Gln Ile Ile Leu Tyr  
 225 230 235 240  
 Pro Ser Pro Val Val Glu Asn Leu Glu Glu Ile Ala Leu Pro Val Ser  
 245 250 255  
 Ala Phe Phe Asp Val Ile Gln Ser Ser Tyr Leu Leu Glu Lys Asp Ala  
 260 265 270  
 Ala Leu Tyr Gln Ser Tyr Phe Asp Lys Lys His Gln Lys Val Val Ala  
 275 280 285  
 Leu Thr Phe Asp Asp Gly Pro Asn Pro Ala Thr Thr Pro Gln Val Leu  
 290 295 300  
 Glu Thr Leu Ala Lys Tyr Asp Ile Lys Ala Thr Phe Phe Val Leu Gly  
 305 310 315 320  
 Lys Asn Val Ser Gly Asn Glu Asp Leu Val Lys Arg Ile Lys Ser Glu  
 325 330 335  
 Gly His Val Val Gly Asn His Ser Trp Ser His Pro Ile Leu Ser Gln  
 340 345 350  
 Leu Ser Leu Asp Glu Ala Lys Lys Gln Ile Thr Asp Thr Glu Asp Val  
 355 360 365  
 Leu Thr Lys Val Leu Gly Ser Ser Ser Lys Leu Met Arg Pro Pro Tyr  
 370 375 380  
 Gly Ala Ile Thr Asp Asp Ile Arg Asn Ser Leu Asp Leu Ser Phe Ile  
 385 390 395 400  
 Met Trp Asp Val Asp Ser Leu Asp Trp Lys Ser Lys Asn Glu Ala Ser  
 405 410 415  
 Ile Leu Thr Glu Ile Gln Tyr Gln Val Ala Asn Gly Ser Ile Val Leu  
 420 425 430  
 Met His Asp Ile His Ser Pro Thr Val Asn Ala Leu Pro Arg Val Ile  
 435 440 445

Glu Tyr Leu Lys Asn Gln Gly Tyr Thr Phe Val Thr Ile Pro Glu Met  
 450 455 460

Leu Asn Thr Arg Leu Lys Ala His Glu Leu Tyr Tyr Ser Arg Asp Glu  
 465 470 475 480

<210> 344  
 <211> 232  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 344

Met Val Ile Leu Phe Ile His Ala Ile Ile Gly Thr Ile Thr Phe Arg  
 1 5 10 15

Arg Cys Ser Met Ser Tyr Leu Phe Glu Ile Leu Pro Ser Leu Leu Asn  
 20 25 30

Gly Ala Ser Thr Thr Val Gln Val Phe Ala Leu Val Leu Leu Phe Ser  
 35 40 45

Ile Pro Leu Gly Val Leu Ile Ala Phe Ala Leu Gln Val His Trp Lys  
 50 55 60

Pro Leu His Tyr Leu Ile Asn Ile Tyr Ile Trp Val Met Arg Gly Thr  
 65 70 75 80

Pro Leu Leu Leu Gln Leu Ile Phe Ile Tyr Tyr Val Leu Pro Ser Ile  
 85 90 95

Gly Ile Arg Leu Asp Arg Leu Pro Ala Ala Ile Ile Ala Phe Val Leu  
 100 105 110

Asn Tyr Ala Ala Tyr Phe Ala Glu Ile Phe Arg Gly Gly Ile Asp Thr  
 115 120 125

Ile Pro Arg Gly Gln Tyr Glu Ala Ala Lys Val Leu Lys Phe Ser Pro  
 130 135 140

Phe Asp Arg Val Arg Tyr Ile Ile Leu Pro Gln Val Thr Lys Ile Val  
 145 150 155 160

Leu Pro Ser Val Phe Asn Glu Val Met Ser Leu Val Lys Asp Thr Ser  
 165 170 175

Leu Val Tyr Ala Leu Gly Ile Ser Asp Leu Ile Leu Ala Ser Arg Thr  
 180 185 190

Ala Ala Asn Arg Asp Ala Ser Leu Val Pro Met Phe Leu Ala Gly Ala  
 195 200 205

Ile Tyr Leu Ile Leu Ile Gly Ile Val Thr Ile Ile Ser Lys Lys Val  
 210 215 220

Glu Lys Lys Tyr Ser Tyr Tyr Arg  
 225 230

<210> 345

<211> 238

<212> PRT

<213> Streptococcus pneumoniae

<400> 345

Met Glu Glu Ser Ile Asn Pro Ile Ile Ser Ile Gly Pro Val Ile Phe  
 1 5 10 15

Asn Leu Thr Met Leu Ala Met Thr Leu Leu Ile Val Gly Val Ile Phe  
 20 25 30

Val Phe Ile Tyr Trp Ala Ser Arg Asn Met Thr Leu Lys Pro Lys Gly  
 35 40 45

Lys Gln Asn Val Leu Glu Tyr Val Tyr Asp Phe Val Ile Gly Phe Thr  
 50 55 60

Glu Pro Asn Ile Gly Ser Arg Tyr Met Lys Asp Tyr Ser Leu Phe Phe  
 65 70 75 80

Leu Cys Leu Phe Leu Phe Met Val Ile Ala Asn Asn Leu Gly Leu Met  
 85 90 95

Thr Lys Leu Gln Thr Ile Asp Gly Thr Asn Trp Trp Ser Ser Pro Thr  
 100 105 110

Ala Asn Leu Gln Tyr Asp Leu Thr Leu Ser Phe Leu Val Ile Leu Leu  
 115 120 125

Thr His Ile Glu Ser Val Arg Arg Arg Gly Phe Lys Lys Ser Ile Lys  
 130 135 140

Ser Phe Met Ser Pro Val Phe Val Ile Pro Met Asn Ile Leu Glu Glu  
 145 150 155 160

Phe Thr Asn Phe Leu Ser Leu Ala Leu Arg Ile Phe Gly Asn Ile Phe  
 165 170 175

Ala Gly Glu Val Met Thr Ser Leu Leu Leu Leu Leu Ser His Gln Ala  
 180 185 190

Ile Tyr Trp Tyr Pro Val Ala Phe Gly Ala Asn Leu Ala Trp Thr Ala  
 195 200 205

Phe Ser Val Phe Ile Ser Cys Ile Gln Ala Tyr Val Phe Thr Leu Leu  
 210 215 220

Thr Ser Val Tyr Leu Gly Asn Lys Ile Asn Ile Glu Glu Glu  
 225 230 235

<210> 346  
 <211> 551  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 346

Met Ser Glu Lys Ser Arg Glu Glu Glu Lys Leu Ser Phe Lys Glu Gln  
 1 5 10 15

Ile Leu Arg Asp Leu Glu Lys Val Lys Gly Tyr Asp Glu Val Leu Lys  
 20 25 30

Glu Asp Glu Ala Val Val Arg Thr Pro Ala Asn Glu Pro Ser Thr Glu  
 35 40 45

Glu Leu Met Ala Asp Ser Leu Ser Thr Val Glu Glu Ile Met Arg Lys  
 50 55 60

Ala Pro Thr Val Pro Thr His Pro Ser Gln Gly Val Pro Ala Ser Pro  
 65 70 75 80

Ala Asp Glu Ile Gln Arg Glu Thr Pro Gly Val Pro Ser His Pro Ser  
 85 90 95

Gln Asp Val Pro Ser Ser Pro Ala Glu Glu Ser Gly Ser Arg Pro Gly  
 100 105 110

Pro Gly Pro Val Arg Pro Lys Lys Leu Glu Arg Glu Tyr Asn Glu Thr  
 115 120 125

Pro Thr Arg Val Ala Val Ser Tyr Thr Thr Ala Glu Lys Lys Ala Glu  
 130 135 140

Gln Ala Gly Pro Glu Thr Pro Thr Pro Ala Thr Glu Thr Val Asp Ile  
 145 150 155 160

Ile Arg Asp Thr Ser Arg Arg Ser Arg Arg Glu Gly Ala Lys Pro Val  
 165 170 175

Lys Pro Lys Lys Glu Lys Lys Ser His Val Lys Ala Phe Val Ile Ser  
 180 185 190

Phe Leu Val Phe Leu Ala Leu Leu Ser Ala Gly Gly Tyr Phe Gly Tyr  
 195 200 205

Gln Tyr Val Leu Asp Ser Leu Leu Pro Ile Asp Ala Asn Ser Lys Lys  
 210 215 220

Tyr Val Thr Val Gly Ile Pro Glu Gly Ser Asn Val Gln Glu Ile Gly  
 225 230 235 240

Thr Thr Leu Glu Lys Ala Gly Leu Val Lys His Gly Leu Ile Phe Ser  
 245 250 255

Phe Tyr Ala Lys Tyr Lys Asn Tyr Thr Asp Leu Lys Ala Gly Tyr Tyr  
 260 265 270

Asn Leu Gln Lys Ser Met Ser Thr Glu Asp Leu Leu Lys Glu Leu Gln  
 275 280 285

Lys Gly Gly Thr Asp Glu Pro Gln Glu Pro Val Leu Ala Thr Leu Thr  
 290 295 300

Ile Pro Glu Gly Tyr Thr Leu Asp Gln Ile Ala Gln Ala Val Gly Gln  
 305 310 315 320

Leu Gln Gly Asp Phe Lys Glu Ser Leu Thr Ala Glu Ala Phe Leu Ala  
 325 330 335

Lys Val Gln Asp Glu Thr Phe Ile Ser Gln Ala Val Ala Lys Tyr Pro  
 340 345 350

Thr Leu Leu Glu Ser Leu Pro Val Lys Asp Ser Gly Ala Arg Tyr Arg  
 355 360 365

Leu Glu Gly Tyr Leu Phe Pro Ala Thr Tyr Ser Ile Lys Glu Ser Thr  
 370 375 380

Thr Ile Glu Ser Leu Ile Asp Glu Met Leu Ala Ala Met Asp Lys Asn  
 385 390 395 400

Leu Ser Pro Tyr Tyr Ser Thr Ile Lys Ser Lys Asn Leu Thr Val Asn  
 405 410 415

Glu Leu Leu Thr Ile Ala Ser Leu Val Glu Lys Glu Gly Ala Lys Thr  
 420 425 430

Glu Asp Arg Lys Leu Ile Ala Gly Val Phe Tyr Asn Arg Leu Asn Arg  
 435 440 445

Asp Met Pro Leu Gln Ser Asn Ile Ala Ile Leu Tyr Ala Gln Gly Lys  
 450 455 460

Leu Gly Gln Asn Ile Ser Leu Ala Glu Asp Val Ala Ile Asp Thr Asn  
 465 470 475 480

Ile Asp Ser Pro Tyr Asn Val Tyr Lys Asn Val Gly Leu Met Pro Gly  
 485 490 495

Pro Val Asp Ser Pro Ser Leu Asp Ala Ile Glu Ser Ser Ile Asn Gln

500                                      505                                      510  
 Thr Lys Ser Asp Asn Leu Tyr Phe Val Ala Asp Val Thr Glu Gly Lys  
    515                                      520                                      525  
 Val Tyr Tyr Ala Asn Asn Gln Glu Asp His Asp Arg Asn Val Ala Glu  
    530                                      535                                      540  
 His Val Asn Ser Lys Leu Asn  
    545                                      550  
  
 <210> 347  
 <211> 222  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 347  
 Met Leu Thr Tyr Gly Gly Tyr Arg Val Ser Ala Gly Tyr Ile Ser Val  
   1                                      5                                      10                                      15  
  
 Gly Thr Leu Val Ser Phe Leu Ile Tyr Leu Phe Gln Leu Leu Asn Pro  
    20                                      25                                      30  
  
 Ile Ser Asn Ile Ala Asn Phe Val Thr Val Tyr Ser Arg Ser Lys Gly  
    35                                      40                                      45  
  
 Ser Ser Val Ala Leu Glu Asn Leu Leu Ala Val Pro Lys Glu Lys Phe  
    50                                      55                                      60  
  
 Glu Gly Gly Lys Ser Val Ser Gly Arg Gly Leu Asn Phe Asn His Val  
   65                                      70                                      75                                      80  
  
 Tyr Phe Gly Tyr Asp Glu Asn Arg Pro Val Leu Lys Asp Ile Thr Cys  
    85                                      90                                      95  
  
 Ser Ile Phe Lys Gly Gln Lys Ile Ala Phe Val Gly Pro Ser Gly Ser  
    100                                      105                                      110  
  
 Gly Lys Ser Thr Ile Val Arg Leu Leu Glu Arg Phe Tyr Lys Pro Leu  
    115                                      120                                      125  
  
 Ser Gly Asp Ile Leu Met Glu Gln Ser Ser Ile Tyr Asp Phe Asn Leu



130                      135                      140  
 Lys Glu Trp Arg Ser Lys Ile Ala Trp Val Ser Gln Asn Asn Ala Val  
 145                      150                      155                      160  
 Leu Ser Gly Ser Ile Arg Asp Asn Leu Cys Leu Gly Leu Asn Arg Leu  
 165                      170                      175  
 Val Thr Asp Asp Glu Leu Met Lys Val Leu Asp Leu Val Ser Leu Gly  
 180                      185                      190  
 Asp Glu Ile Arg Ser Met Lys Glu Gly Leu Asp Thr Glu Val Gly Glu  
 195                      200                      205  
 Arg Gly Arg Leu Leu Ser Gly Gly Arg Thr Lys Asp Phe Lys  
 210                      215                      220  
 <210> 348  
 <211> 181  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 348  
 Met Lys Leu Lys Leu Leu Arg Val Asp Thr Lys Val Ile Met Gly Ser  
 1                      5                      10                      15  
 Phe Leu Leu Val Leu Ser Ser Leu Leu Ala Leu Leu Leu Pro Leu Ile  
 20                      25                      30  
 Leu Lys Asp Leu Ile Asp Gly Ser Ser Ile Glu Asn Ile Gly Ser Lys  
 35                      40                      45  
 Val Phe Gln Ser Phe Leu Ile Phe Ile Gly Gln Ala Leu Phe Ser Ser  
 50                      55                      60  
 Ile Gly Tyr Tyr Leu Phe Ser Gln Ser Gly Glu Lys Lys Ile Ala Lys  
 65                      70                      75                      80  
 Ile Arg Lys Lys Val Ile Glu Gly Leu Ile Tyr Val Glu Lys Ser Phe  
 85                      90                      95  
 Phe Asp Lys Ser Gln Ser Gly Glu Leu Thr Ser Ala Ile Val Asn Asp

100 105 110  
 Thr Ser Val Ile Arg Glu Phe Leu Ile Thr Thr Phe Pro Asn Ile Ile  
 115 120 125  
 Leu Ser Leu Val Met Val Leu Gly Ser Ile Val Val Leu Phe Ser Leu  
 130 135 140  
 Asp Trp Asn Leu Ser Leu Leu Leu Phe Ile Thr Leu Pro Cys Met Met  
 145 150 155 160  
 Phe Ile Ile Leu Pro Leu Ser Asn Ile Ser Glu Lys Tyr Ser Arg Arg  
 165 170 175  
 Leu Gln Glu Glu Ile  
 180  
 <210> 349  
 <211> 652  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 349  
 Met Lys Lys Ser Lys Ser Lys Tyr Leu Thr Leu Ala Gly Leu Val Leu  
 1 5 10 15  
 Gly Thr Gly Val Leu Leu Ser Ala Cys Gly Asn Ser Ser Thr Ala Ser  
 20 25 30  
 Lys Thr Tyr Asn Tyr Val Tyr Ser Ser Asp Pro Ser Ser Leu Asn Tyr  
 35 40 45  
 Leu Ala Glu Asn Arg Ala Ala Thr Ser Asp Ile Val Ala Asn Leu Val  
 50 55 60  
 Asp Gly Leu Leu Glu Asn Asp Gln Tyr Gly Asn Ile Ile Pro Ser Leu  
 65 70 75 80  
 Ala Glu Asp Trp Thr Val Ser Gln Asp Gly Leu Thr Tyr Thr Tyr Lys  
 85 90 95  
 Leu Arg Lys Asp Ala Lys Trp Phe Thr Ser Glu Gly Glu Glu Tyr Ala

100	105	110
Pro Val Thr Ala Gln Asp Phe	Val Thr Gly Leu Gln Tyr Ala Ala Asp	
115	120	125
Lys Lys Ser Glu Ala Leu Tyr	Leu Val Gln Asp Ser Val Ala Gly Leu	
130	135	140
Asp Asp Tyr Ile Thr Gly Lys Thr Ser Asp Phe Ser Thr Val Gly Val		
145	150	155 160
Lys Ala Leu Asp Asp Gln Thr Val Gln Tyr Thr Leu Val Lys Pro Glu		
165	170	175
Leu Tyr Trp Asn Ser Lys Thr Leu Ala Thr Ile Leu Phe Pro Val Asn		
180	185	190
Ala Asp Phe Leu Lys Ser Lys Gly Asp Asp Phe Gly Lys Ala Asp Pro		
195	200	205
Ser Ser Ile Leu Tyr Asn Gly Pro Phe Leu Met Lys Ala Leu Val Ser		
210	215	220
Lys Ser Ala Ile Glu Tyr Lys Lys Asn Pro Asn Tyr Trp Asp Ala Lys		
225	230	235 240
Asn Val Phe Val Asp Asp Val Lys Leu Thr Tyr Tyr Asp Gly Ser Asp		
245	250	255
Gln Glu Ser Leu Glu Arg Asn Phe Thr Ala Gly Ala Tyr Thr Thr Ala		
260	265	270
Arg Leu Phe Pro Asn Ser Ser Ser Tyr Glu Gly Ile Lys Glu Lys Tyr		
275	280	285
Lys Asn Asn Ile Ile Tyr Ser Met Gln Asn Ser Thr Ser Tyr Phe Phe		
290	295	300
Asn Phe Asn Leu Asp Arg Lys Ser Tyr Asn Tyr Thr Ser Lys Thr Ser		
305	310	315 320

Asp Ile Glu Lys Lys Ser Thr Gln Glu Ala Val Leu Asn Lys Asn Phe  
 325 330 335

Arg Gln Ala Ile Asn Phe Ala Phe Asp Arg Thr Ser Tyr Gly Ala Gln  
 340 345 350

Ser Glu Gly Lys Glu Gly Ala Thr Lys Ile Leu Arg Asn Leu Val Val  
 355 360 365

Pro Pro Asn Phe Val Ser Ile Lys Gly Lys Asp Phe Gly Glu Val Val  
 370 375 380

Ala Ser Lys Met Val Asn Tyr Gly Lys Glu Trp Gln Gly Ile Asn Phe  
 385 390 395 400

Ala Asp Gly Gln Asp Pro Tyr Tyr Asn Pro Glu Lys Ala Lys Ala Lys  
 405 410 415

Phe Ala Glu Ala Lys Lys Glu Leu Glu Ala Lys Gly Val Gln Phe Pro  
 420 425 430

Ile His Leu Asp Lys Thr Val Glu Val Thr Asp Lys Val Gly Ile Gln  
 435 440 445

Gly Val Ser Ser Ile Lys Gln Ser Ile Glu Ser Val Leu Gly Ser Asp  
 450 455 460

Asn Val Val Ile Asp Ile Gln Gln Leu Thr Ser Asp Glu Phe Asp Ser  
 465 470 475 480

Ser Gly Tyr Phe Ala Gln Thr Ala Ala Gln Lys Asp Tyr Asp Leu Tyr  
 485 490 495

His Gly Gly Trp Gly Pro Asp Tyr Gln Asp Pro Ser Thr Tyr Leu Asp  
 500 505 510

Ile Phe Asn Thr Asn Ser Gly Gly Phe Leu Gln Asn Leu Gly Leu Glu  
 515 520 525

Pro Gly Glu Ala Asn Asp Lys Ala Lys Ala Val Gly Leu Asp Val Tyr  
 530 535 540

Thr Gln Met Leu Glu Glu Ala Asn Lys Glu Gln Asp Pro Ala Lys Arg  
545 550 555 560

Tyr Glu Lys Tyr Ala Asp Ile Gln Ala Trp Leu Ile Asp Ser Ser Leu  
565 570 575

Val Leu Pro Ser Val Ser Arg Gly Gly Thr Pro Ser Leu Arg Arg Thr  
580 585 590

Val Pro Phe Ala Ala Ala Tyr Gly Leu Thr Gly Thr Lys Gly Val Glu  
595 600 605

Ser Tyr Lys Tyr Leu Lys Val Gln Asp Lys Ile Val Thr Thr Asp Glu  
610 615 620

Tyr Ala Lys Ala Arg Glu Lys Trp Leu Lys Glu Lys Glu Glu Ser Asn  
625 630 635 640

Lys Lys Ala Gln Glu Glu Leu Ala Lys His Val Lys  
645 650

<210> 350

<211> 545

<212> PRT

<213> Streptococcus pneumoniae

<400> 350

Met Asn Glu Glu Ser Met Ser His Glu Asn Asn His Gln Gln Ala Gln  
1 5 10 15

Met Leu Arg Gly Thr Ala Trp Leu Thr Ala Ser Asn Phe Ile Ser Arg  
20 25 30

Leu Leu Gly Ala Val Tyr Ile Ile Pro Trp Tyr Ile Trp Met Gly Ala  
35 40 45

Tyr Ala Ala Lys Ala Asn Gly Leu Phe Thr Met Gly Tyr Asn Ile Tyr  
50 55 60

Ala Trp Phe Leu Leu Val Ser Thr Ala Gly Ile Pro Val Ala Val Ala  
65 70 75 80

Lys Gln Val Ala Lys Tyr Asn Thr Met Arg Glu Glu Glu His Ser Phe  
                             85                            90                            95

Ala Leu Ile Arg Ser Phe Leu Gly Phe Met Thr Gly Leu Gly Leu Val  
                             100                            105                            110

Phe Ala Leu Val Leu Tyr Val Phe Ala Pro Trp Leu Ala Asp Leu Ser  
                             115                            120                            125

Gly Val Gly Lys Asp Leu Ile Pro Ile Met Gln Ser Leu Ala Trp Gly  
                             130                            135                            140

Val Leu Ile Phe Pro Ser Met Ser Val Ile Arg Gly Phe Phe Gln Gly  
                             145                            150                            155                            160

Met Asn Asn Leu Lys Pro Tyr Ala Met Ser Gln Ile Ala Glu Gln Val  
                             165                            170                            175

Ile Arg Val Ile Trp Met Leu Leu Ala Thr Phe Ile Ile Met Lys Leu  
                             180                            185                            190

Gly Ser Gly Asp Tyr Leu Ala Ala Val Thr Gln Ser Thr Phe Ala Ala  
                             195                            200                            205

Phe Val Gly Met Val Ala Ser Phe Ala Val Leu Ile Tyr Phe Leu Ala  
                             210                            215                            220

Gln Glu Gly Ser Leu Lys Arg Ile Phe Glu Thr Gly Asp Lys Ile Asn  
                             225                            230                            235                            240

Ser Lys Arg Leu Leu Val Asp Thr Ile Lys Glu Ala Ile Pro Phe Ile  
                             245                            250                            255

Leu Thr Gly Ser Ala Ile Gln Leu Phe Gln Ile Leu Asp Gln Leu Thr  
                             260                            265                            270

Phe Ile Asn Ser Met Ser Trp Phe Thr Asn Tyr Ser Asn Glu Asp Leu  
                             275                            280                            285

Val Val Met Phe Ser Tyr Phe Ser Ala Asn Pro Asn Lys Ile Thr Met  
                             290                            295                            300

Ile Leu Ile Ser Val Gly Val Ser Ile Gly Ser Val Gly Leu Pro Leu  
305 310 315 320

Leu Thr Glu Asn Tyr Val Lys Gly Asp Leu Lys Ala Ala Ser Arg Leu  
325 330 335

Val Gln Asp Ser Leu Thr Leu Leu Phe Met Phe Leu Leu Pro Ala Thr  
340 345 350

Val Gly Val Val Met Val Gly Glu Pro Leu Tyr Thr Val Phe Tyr Gly  
355 360 365

Lys Pro Asp Ser Leu Ala Leu Gly Leu Phe Val Phe Ala Val Leu Gln  
370 375 380

Ser Ile Ile Leu Gly Leu Tyr Met Val Leu Ser Pro Met Leu Gln Ala  
385 390 395 400

Met Phe Arg Asn Arg Lys Ala Val Leu Tyr Phe Ile Tyr Gly Ser Ile  
405 410 415

Ala Lys Leu Val Leu Gln Leu Pro Thr Ile Ala Leu Phe His Ser Tyr  
420 425 430

Gly Pro Leu Ile Ser Thr Thr Ile Ala Leu Ile Ile Pro Asn Val Leu  
435 440 445

Met Tyr Arg Asp Ile Cys Lys Val Thr Gly Val Lys Arg Lys Val Ile  
450 455 460

Leu Lys Arg Thr Ile Leu Ile Ser Leu Leu Thr Leu Val Met Phe Leu  
465 470 475 480

Leu Ile Gly Thr Ile Gln Trp Leu Leu Gly Phe Phe Phe Gln Pro Ser  
485 490 495

Gly Arg Leu Trp Ser Phe Phe Tyr Val Ala Leu Val Gly Ala Met Gly  
500 505 510

Gly Gly Leu Tyr Met Val Met Ser Leu Arg Thr Tyr Leu Leu Asp Lys

515

520

525

Val Ile Gly Lys Ala Gln Ala Asp Arg Leu Arg Ala Lys Phe Lys Leu  
 530 535 540

Ser  
 545

<210> 351  
 <211> 209  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 351

Met Gln Val Leu Leu Phe Cys Cys Asn Ile Phe Tyr Asn Asn Glu Arg  
 1 5 10 15

Val Leu Glu Ile Leu Arg Lys Arg Arg His Ile Met Ser Lys Lys Val  
 20 25 30

Leu Phe Ile Val Gly Ser Leu Arg Gln Gly Ser Phe Asn His Gln Met  
 35 40 45

Ala Leu Glu Ala Glu Lys Ala Leu Ala Gly Lys Ala Glu Val Ser Tyr  
 50 55 60

Leu Asp Tyr Ser Ala Leu Pro Leu Phe Ser Gln Asp Leu Glu Val Pro  
 65 70 75 80

Thr His Pro Ala Val Ala Ala Ala Arg Glu Ala Val Leu Val Ala Asp  
 85 90 95

Ala Ile Trp Ile Phe Ser Pro Val Tyr Asn Phe Ser Ile Pro Gly Thr  
 100 105 110

Val Lys Asn Leu Leu Asp Trp Leu Ser Arg Ala Leu Asp Leu Ser Asp  
 115 120 125

Thr Arg Gly Val Ser Ala Leu Gln Asp Lys Phe Val Thr Val Ser Ser  
 130 135 140

Val Ala Asn Ala Gly His Asp Gln Leu Phe Ala Ile Tyr Lys Asp Leu



145                                      150                                      155                                      160

Leu Pro Phe Ile Arg Thr Gln Gly Val Gly Asp Phe Thr Ala Ala Arg  
165                                      170                                      175

Val Asn Asp Ser Ala Trp Ala Asp Gly Lys Leu Val Leu Glu Glu Thr  
180                                      185                                      190

Val Leu Asn Ser Leu Glu Lys Gln Ala Gln Asp Leu Val Glu Ala Ile  
195                                      200                                      205

Lys

<210> 352  
<211> 623  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 352

Met Ser Asp Phe Ile Val Glu Lys Leu Ser Lys Ser Val Gly Asp Lys  
1                                      5                                      10                                      15

Thr Val Phe Arg Asp Ile Ser Phe Ile Ile His Asp Leu Asp Arg Ile  
20                                      25                                      30

Gly Leu Ile Gly Val Asn Gly Thr Gly Lys Thr Thr Leu Leu Asp Val  
35                                      40                                      45

Leu Ser Gly Val Ser Gly Phe Asp Gly Asp Val Ser Pro Phe Ser Ala  
50                                      55                                      60

Lys Asn Asp Tyr Gln Ile Gly Tyr Leu Thr Gln Asp Pro Asp Phe Asp  
65                                      70                                      75                                      80

Asp Arg Lys Thr Val Leu Asp Thr Val Leu Ser Ser Glu Leu Lys Glu  
85                                      90                                      95

Ile Gln Leu Ile Arg Glu Tyr Glu Leu Ile Met Leu Asp Tyr Ser Glu  
100                                      105                                      110

Asp Lys Gln Ala Arg Leu Glu Arg Val Met Ala Glu Met Asp Ser Leu

-402-

Leu Leu Val Gln Ala Lys Asp Arg Ile Gly Ile Val Gly Asp Asn Gly  
 340 345 350

Val Gly Lys Ser Thr Leu Leu Asn Leu Ile Ala Gly Ser Leu Glu Pro  
 355 360 365

Thr Ala Gly Gln Val Val Ile Gly Glu Thr Val Arg Ile Ala Tyr Phe  
 370 375 380

Ser Gln Gln Ile Glu Gly Leu Asp Glu Ser Lys Arg Val Ile Asn Tyr  
 385 390 395 400

Leu Gln Glu Val Ala Glu Glu Val Lys Thr Ser Gly Gly Ser Thr Thr  
 405 410 415

Ser Ile Ala Glu Leu Leu Glu Gln Phe Leu Phe Pro Arg Ser Thr His  
 420 425 430

Gly Thr Leu Ile Glu Lys Leu Ser Gly Gly Glu Lys Lys Arg Leu Tyr  
 435 440 445

Leu Leu Lys Leu Leu Leu Glu Lys Pro Asn Val Leu Leu Leu Asp Glu  
 450 455 460

Pro Thr Asn Asp Leu Asp Ile Ala Thr Leu Thr Val Leu Glu Asn Phe  
 465 470 475 480

Leu Gln Gly Phe Ala Gly Pro Val Leu Thr Val Ser His Asp Arg Tyr  
 485 490 495

Phe Leu Asp Lys Val Ala Thr Lys Ile Leu Ala Phe Glu Asp Gly Lys  
 500 505 510

Ile Arg Pro Phe Phe Gly His Tyr Thr Asp Tyr Leu Asp Glu Lys Ala  
 515 520 525

Phe Glu Thr Asp Met Ala Asn Gln Val Gln Lys Ala Glu Lys Glu Lys  
 530 535 540

Val Val Lys Val Arg Glu Asp Lys Lys Arg Met Thr Tyr Gln Glu Lys  
 545 550 555 560

Glu Tyr Arg Asn Val Glu Glu Ser Leu Glu Arg Val Leu Val Ile Tyr  
115 120 125

Arg Tyr Leu Ser Glu Leu Phe Gln Lys Gly Leu Asp Val Thr Asp Glu  
130 135 140

Glu Gly Asp Asp Val Thr Asn Gly Ile Phe Ala Gly Ala Lys Thr Glu  
145 150 155 160

Thr Asp Lys Thr Ile Trp Met Leu Ala Ala Glu Leu Gly Gln Ala Pro  
165 170 175

Gly Leu

<210> 354  
<211> 356  
<212> PRT  
<213> Streptococcus pneumoniae  
  
<400> 354

Met Phe Gly Leu Ile Gly Cys Ile Tyr Gly Ala Phe Gly Arg Lys Ile  
1 5 10 15

Trp Ser Glu Ser His Gly Lys Ser Ile Cys Phe Ser Ile Arg Arg Trp  
20 25 30

Lys Tyr Leu Asn Arg Ile Cys Asn Arg Pro Ser Glu Leu Trp Leu Leu  
35 40 45

Tyr Leu Ala Tyr Gly Ile Leu Gly Gly Leu Gly Leu Gly Ala Gly Tyr  
50 55 60

Ile Thr Pro Val Ser Thr Ile Ile Lys Trp Phe Pro Asp Lys Arg Gly  
65 70 75 80

Leu Ala Thr Gly Leu Ala Ile Met Gly Phe Gly Phe Ala Ser Leu Leu  
85 90 95

Thr Ser Pro Ile Ala Gln His Leu Ile Ala Gly Val Gly Leu Val Glu  
100 105 110

Thr Phe Tyr Ile Leu Gly Ala Ser Tyr Phe Ile Ile Met Leu Leu Ala  
115 120 125

Ser Gln Phe Ile Lys Arg Pro Asn Glu Gln Glu Leu Ala Ile Leu Ser  
 130 135 140

Ser Ser Gly Lys Glu Lys Thr Ala Ser Leu Thr Gln Gly Met Ala Ala  
 145 150 155 160

Asn Gln Ala Leu Lys Ser Asn Arg Phe Tyr Met Leu Trp Ile Ile Phe  
 165 170 175

Phe Ile Asn Ile Ala Cys Gly Leu Gly Leu Ile Ser Ala Ala Ser Pro  
 180 185 190

Met Ala Gln Glu Met Ala Gly Leu Ser Thr Ser His Ala Ala Val Met  
 195 200 205

Val Gly Val Leu Gly Ile Phe Asn Gly Phe Gly Arg Leu Leu Trp Ala  
 210 215 220

Ser Leu Ser Asp Tyr Ile Gly Arg Pro Leu Thr Phe Ser Ile Leu Leu  
 225 230 235 240

Leu Val Asn Leu Phe Phe Ser Leu Ser Leu Trp Leu Phe Thr Asp Ser  
 245 250 255

Val Leu Phe Val Val Ala Met Ser Ile Leu Met Thr Cys Tyr Gly Ala  
 260 265 270

Gly Phe Ser Leu Ile Pro Ala Tyr Leu Ser Asp Ile Phe Gly Thr Lys  
 275 280 285

Glu Leu Ala Ala Leu His Gly Tyr Ile Leu Thr Ala Trp Ala Met Ala  
 290 295 300

Gly Leu Ala Gly Pro Ile Leu Leu Ala Glu Thr Tyr Lys Met Ala His  
 305 310 315 320

Ser Tyr Thr Gln Thr Leu Phe Val Phe Leu Ile Leu Tyr Ser Ile Ala  
 325 330 335

Leu Ala Leu Ser Tyr Tyr Leu Gly Arg Ser Ile Lys Lys Glu Ser Gln  
 340 345 350

Lys Ala Leu Thr  
355

<210> 355  
<211> 153  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 355

Met Lys Gln Thr Lys Thr Thr Lys Ile Ala Leu Val Ser Leu Leu Thr  
1 5 10 15

Ala Leu Ser Val Val Leu Gly Tyr Phe Leu Lys Ile Pro Thr Pro Thr  
20 25 30

Gly Ile Leu Thr Leu Leu Asp Ala Gly Val Phe Phe Ala Ala Phe Tyr  
35 40 45

Phe Gly Ser Arg Glu Gly Ala Val Val Gly Gly Leu Ala Ser Phe Leu  
50 55 60

Ile Asp Leu Leu Ser Gly Tyr Pro Gln Trp Met Phe Phe Ser Leu Val  
65 70 75 80

Asn His Gly Leu Gln Gly Phe Phe Ala Gly Phe Lys Gly Lys Ser Gln  
85 90 95

Trp Leu Gly Leu Ile Leu Ala Thr Ile Ala Met Val Gly Gly Tyr Ala  
100 105 110

Leu Gly Ser Ala Leu Met Asn Gly Trp Ala Ala Ala Leu Pro Glu Ile  
115 120 125

Leu Pro Asn Phe Met Gln Asn Met Val Gly Met Ile Val Gly Phe Ile  
130 135 140

Leu Ser Gln Ser Ile Lys Lys Ile Lys  
145 150

<210> 356  
<211> 225

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 356

Met Ile Ser Lys Arg Leu Glu Leu Val Ala Ser Phe Val Ser Gln Gly  
 1 5 10 15

Ala Ile Leu Leu Asp Val Gly Ser Asp His Ala Tyr Leu Pro Ile Glu  
 20 25 30

Leu Val Glu Arg Gly Gln Ile Lys Ser Ala Ile Ala Gly Glu Val Val  
 35 40 45

Glu Gly Pro Tyr Gln Ser Ala Val Lys Asn Val Glu Ala His Gly Leu  
 50 55 60

Lys Glu Lys Ile Gln Val Arg Leu Ala Asn Gly Leu Ala Ala Phe Glu  
 65 70 75 80

Glu Thr Asp Gln Val Ser Val Ile Thr Ile Ala Gly Met Gly Gly Arg  
 85 90 95

Leu Ile Ala Arg Ile Leu Glu Glu Gly Leu Gly Lys Leu Ala Asn Val  
 100 105 110

Glu Arg Leu Ile Leu Gln Pro Asn Asn Arg Glu Asp Asp Leu Arg Ile  
 115 120 125

Trp Leu Gln Asp His Gly Phe Gln Ile Val Ala Glu Ser Ile Leu Glu  
 130 135 140

Glu Ala Gly Lys Phe Tyr Glu Ile Leu Val Val Glu Ala Gly Gln Met  
 145 150 155 160

Lys Leu Ser Ala Ser Asp Val Arg Phe Gly Pro Phe Leu Ser Lys Glu  
 165 170 175

Val Ser Pro Val Phe Val Gln Lys Trp Gln Lys Glu Ala Glu Lys Leu  
 180 185 190

Glu Phe Ala Leu Gly Gln Ile Pro Glu Lys Asn Leu Glu Glu Arg Gln  
 195 200 205



Val Leu Val Asp Lys Ile Gln Ala Ile Lys Glu Val Leu His Val Ser  
 210 215 220

Lys  
 225

<210> 357  
 <211> 108  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 357

Met Glu Gly Ile Arg Met Lys Ile Val Gly Val Ala Ala Cys Thr Val  
 1 5 10 15

Gly Ile Ala His Thr Tyr Ile Ala Gln Glu Lys Leu Glu Asn Ala Ala  
 20 25 30

Lys Val Ala Gly His Val Ile His Val Glu Thr Gln Gly Thr Ile Gly  
 35 40 45

Val Glu Asn Glu Leu Ser Gln Glu Gln Ile Asp Ala Ala Asp Val Val  
 50 55 60

Ile Leu Ala Val Asp Val Lys Ile Ser Gly Met Glu Arg Phe Glu Gly  
 65 70 75 80

Lys Lys Ile Ile Lys Val Pro Thr Glu Val Ala Val Lys Ser Pro Asn  
 85 90 95

Lys Leu Ile Ala Lys Ala Val Glu Ile Val Thr Lys  
 100 105

<210> 358  
 <211> 240  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 358

Met Ile Arg Ile Glu Asn Leu Ser Val Ser Tyr Lys Glu Thr Leu Ala  
 1 5 10 15

Leu Lys Asp Ile Ser Leu Val Leu His Gly Pro Thr Ile Thr Gly Ile  
 20 25 30  
 Ile Gly Pro Asn Gly Ala Gly Lys Ser Thr Leu Leu Lys Gly Met Leu  
 35 40 45  
 Gly Ile Ile Pro His Gln Gly Gln Ala Phe Leu Asp Asp Lys Glu Val  
 50 55 60  
 Lys Lys Ser Leu His Arg Ile Ala Tyr Val Glu Gln Lys Ile Asn Ile  
 65 70 75 80  
 Asp Tyr Asn Phe Pro Ile Lys Val Lys Glu Cys Val Ser Leu Gly Leu  
 85 90 95  
 Phe Pro Ser Ile Pro Leu Phe Arg Ser Leu Lys Ala Lys His Trp Lys  
 100 105 110  
 Lys Val Gln Glu Ala Leu Glu Ile Val Gly Leu Ala Asp Tyr Ala Glu  
 115 120 125  
 Arg Gln Ile Ser Gln Leu Ser Gly Gly Gln Phe Gln Arg Val Leu Ile  
 130 135 140  
 Ala Arg Cys Leu Val Gln Glu Ala Asp Tyr Ile Leu Leu Asp Glu Pro  
 145 150 155 160  
 Phe Ala Gly Ile Asp Ser Val Ser Glu Glu Ile Ile Met Asn Thr Leu  
 165 170 175  
 Arg Asp Leu Lys Lys Ala Gly Lys Thr Val Leu Ile Val His His Asp  
 180 185 190  
 Leu Ser Lys Ile Pro His Tyr Phe Asp Gln Val Leu Leu Val Asn Arg  
 195 200 205  
 Glu Val Ile Ala Phe Gly Pro Thr Lys Glu Thr Phe Thr Glu Thr Asn  
 210 215 220  
 Leu Lys Glu Ala Tyr Gly Asn Gln Leu Phe Phe Asn Gly Gly Asp Leu  
 225 230 235 240

<210> 359  
 <211> 294  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 359

Met Thr Tyr Tyr Val Ala Ile Asp Ile Gly Gly Thr Asn Ile Lys Tyr  
 1 5 10 15

Gly Leu Val Asp Gln Glu Gly Gln Leu Leu Glu Ser His Glu Met Pro  
 20 25 30

Thr Glu Ala His Lys Gly Gly Pro His Ile Leu Gln Lys Thr Lys Asp  
 35 40 45

Ile Val Ala Ser Tyr Leu Glu Lys Gly Pro Val Ala Gly Val Ala Ile  
 50 55 60

Ser Ser Ala Gly Met Val Asp Pro Asp Lys Gly Glu Ile Phe Tyr Ala  
 65 70 75 80

Gly Pro Gln Ile Pro Asn Tyr Ala Gly Thr Gln Phe Lys Lys Glu Ile  
 85 90 95

Glu Glu Ser Phe Thr Ile Pro Cys Glu Ile Glu Asn Asp Val Asn Cys  
 100 105 110

Ala Gly Leu Ala Glu Ala Val Ser Gly Ser Gly Lys Gly Ala Ser Val  
 115 120 125

Thr Leu Cys Leu Thr Ile Gly Thr Gly Ile Gly Gly Cys Leu Ile Met  
 130 135 140

Asp Arg Lys Val Phe His Gly Phe Ser Asn Ser Ala Cys Glu Val Gly  
 145 150 155 160

Tyr Met His Met Gln Asp Gly Ala Phe Gln Asp Leu Ala Ser Thr Thr  
 165 170 175

Ala Leu Val Lys Tyr Val Ala Glu Ala His Gly Glu Asp Val Asp Gln  
 180 185 190

Trp Asn Gly Arg Arg Ile Phe Lys Glu Ala Thr Glu Gly Asn Lys Ile  
195 200 205

Cys Met Glu Gly Ile Asp Arg Met Val Asp Tyr Leu Gly Lys Gly Leu  
210 215 220

Ala Asn Ile Cys Tyr Val Ala Asn Pro Glu Val Val Ile Leu Gly Gly  
225 230 235 240

Gly Ile Met Gly Gln Glu Ala Ile Leu Lys Pro Lys Ile Arg Thr Ala  
245 250 255

Leu Lys Glu Ala Leu Val Pro Ser Leu Ala Glu Lys Thr Arg Leu Glu  
260 265 270

Phe Ala His His Gln Asn Thr Ala Gly Met Leu Gly Ala Tyr Tyr His  
275 280 285

Phe Lys Thr Lys Gln Ser  
290

<210> 360  
<211> 214  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 360

Met Ala Gln Lys Gly Val Ser Leu Ile Lys Ala Ala Phe Asp Thr Asp  
1 5 10 15

Asn Phe Leu Met Arg Phe Ser Glu Lys Val Leu Asp Ile Val Thr Ala  
20 25 30

Asn Leu Leu Phe Val Val Ser Cys Leu Pro Ile Val Thr Ile Gly Val  
35 40 45

Ala Lys Ile Ser Leu Tyr Glu Thr Met Phe Glu Val Lys Lys Ser Arg  
50 55 60

Arg Val Pro Val Phe Lys Ile Tyr Leu Arg Ser Phe Lys Gln Asn Leu  
65 70 75 80

Lys Leu Gly Leu Gln Leu Gly Leu Met Glu Leu Gly Ile Val Phe Leu  
85 90 95

Thr Leu Ser Asp Leu Tyr Leu Phe Trp Gly Gln Thr Ala Leu Pro Phe  
100 105 110

Gln Leu Leu Lys Ala Ile Cys Leu Gly Ile Leu Ile Phe Leu Thr Ile  
115 120 125

Val Met Leu Ala Ser Tyr Pro Ile Ala Ala Arg Tyr Asp Leu Ser Trp  
130 135 140

Lys Glu Ile Leu Gln Lys Gly Leu Met Leu Ala Ser Phe Asn Phe Pro  
145 150 155 160

Trp Phe Phe Leu Met Leu Ala Ile Leu Val Leu Ile Val Met Val Leu  
165 170 175

Tyr Leu Ser Ala Phe Ser Leu Leu Leu Gly Gly Ser Val Phe Leu Leu  
180 185 190

Phe Gly Phe Gly Leu Leu Val Phe Ile Gln Thr Gly Leu Met Glu Lys  
195 200 205

Ile Phe Ala Lys Tyr Gln  
210

<210> 361

<211> 294

<212> PRT

<213> Streptococcus pneumoniae

<400> 361

Met Val Lys Glu Arg Asn Leu Thr Arg Trp Ile Phe Val Leu Pro Ala  
1 5 10 15

Met Ile Ile Val Gly Leu Leu Phe Val Tyr Pro Phe Phe Ser Ser Ile  
20 25 30

Phe Tyr Ser Phe Thr Asn Lys His Leu Ile Met Pro Asn Tyr Lys Phe  
35 40 45

Val Gly Leu Ala Asn Tyr Lys Ala Val Leu Ser Asp Pro Asn Phe Phe  
 50 55 60  
 Asn Ala Phe Phe Asn Ser Ile Lys Trp Thr Val Phe Ser Leu Val Gly  
 65 70 75 80  
 Gln Val Leu Val Gly Phe Val Leu Ala Leu Ala Leu His Arg Val Arg  
 85 90 95  
 His Phe Lys Lys Leu Tyr Arg Thr Leu Leu Ile Val Pro Trp Ala Phe  
 100 105 110  
 Pro Thr Ile Val Ile Ala Phe Ser Trp Gln Trp Ile Leu Asn Gly Val  
 115 120 125  
 Tyr Gly Tyr Leu Pro Asn Leu Ile Val Lys Leu Gly Leu Met Glu His  
 130 135 140  
 Thr Pro Ala Phe Leu Thr Asp Ser Thr Trp Ala Phe Leu Cys Leu Val  
 145 150 155 160  
 Phe Ile Asn Ile Trp Phe Gly Ala Pro Met Ile Met Val Asn Val Leu  
 165 170 175  
 Ser Ala Leu Gln Thr Val Pro Glu Glu Gln Phe Glu Ala Ala Lys Ile  
 180 185 190  
 Asp Gly Ala Ser Ser Trp Gln Val Phe Lys Phe Ile Val Phe Pro His  
 195 200 205  
 Ile Lys Val Val Val Gly Leu Leu Val Val Leu Arg Thr Val Trp Ile  
 210 215 220  
 Phe Asn Asn Phe Asp Ile Ile Tyr Leu Ile Thr Gly Gly Gly Pro Ala  
 225 230 235 240  
 Asn Ala Thr Thr Thr Leu Pro Ile Phe Ala Tyr Asn Leu Gly Trp Gly  
 245 250 255  
 Thr Lys Leu Leu Gly Arg Ala Ser Ala Val Thr Val Leu Leu Phe Ile

260                                      265                                      270  
 Phe Leu Val Ala Ile Cys Phe Ile Tyr Phe Ala Ile Ile Ser Lys Trp  
                  275                                      280                                      285  
  
 Glu Lys Glu Gly Arg Lys  
                  290  
  
 <210> 362  
 <211> 445  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 362  
  
 Met Lys Lys Met Arg Lys Phe Leu Cys Leu Ala Gly Ile Ala Leu Ala  
   1                                      5                                      10                                      15  
  
 Ala Val Ala Leu Val Ala Cys Ser Gly Lys Lys Glu Ala Thr Thr Ser  
                  20                                      25                                      30  
  
 Thr Glu Pro Pro Thr Glu Leu Ser Gly Glu Ile Thr Met Trp His Ser  
                  35                                      40                                      45  
  
 Phe Thr Gln Gly Pro Arg Leu Glu Ser Ile Gln Lys Ser Ala Asp Ala  
   50                                      55                                      60  
  
 Phe Met Gln Lys His Pro Lys Thr Lys Ile Lys Ile Glu Thr Phe Ser  
   65                                      70                                      75                                      80  
  
 Trp Asn Asp Phe Tyr Thr Lys Trp Thr Thr Gly Leu Ala Asn Gly Asn  
                  85                                      90                                      95  
  
 Val Pro Asp Ile Ser Thr Ala Leu Pro Asn Gln Val Met Glu Met Val  
                  100                                      105                                      110  
  
 Asn Ser Asp Ala Leu Val Pro Leu Asn Asp Ser Ile Lys Arg Ile Gly  
                  115                                      120                                      125  
  
 Gln Asp Lys Phe Asn Glu Thr Ala Leu Asn Glu Ala Lys Ile Gly Asp  
   130                                      135                                      140  
  
 Asp Tyr Tyr Ser Val Pro Leu Tyr Ser His Ala Gln Val Met Trp Val

145                      150                      155                      160  
 Arg Thr Asp Leu Leu Lys Glu His Asn Ile Glu Val Pro Lys Thr Trp  
                                  165                                   170                                   175  
 Asp Gln Leu Tyr Glu Ala Ser Lys Lys Leu Lys Glu Ala Gly Val Tyr  
                                  180                                   185                                   190  
 Gly Leu Ser Val Pro Phe Gly Thr Asn Asp Leu Met Ala Thr Arg Phe  
                                  195                                   200                                   205  
 Leu Asn Phe Tyr Val Arg Ser Gly Gly Gly Ser Leu Leu Thr Lys Asp  
                                  210                                   215                                   220  
 Leu Lys Ala Asp Leu Thr Ser Gln Leu Ala Gln Asp Gly Ile Lys Tyr  
                                  225                                   230                                   235                                   240  
 Trp Val Lys Leu Tyr Lys Glu Ile Ser Pro Gln Asp Ser Leu Asn Phe  
                                  245                                   250                                   255  
 Asn Val Leu Gln Gln Ala Thr Leu Phe Tyr Gln Gly Lys Thr Ala Phe  
                                  260                                   265                                   270  
 Asp Phe Asn Ser Gly Phe His Ile Gly Gly Ile Asn Ala Asn Ser Pro  
                                  275                                   280                                   285  
 Gln Leu Ile Asp Ser Ile Asp Ala Tyr Pro Ile Pro Lys Ile Lys Glu  
                                  290                                   295                                   300  
 Ser Asp Lys Asp Gln Gly Ile Glu Thr Ser Asn Ile Pro Met Val Val  
                                  305                                   310                                   315                                   320  
 Trp Lys Asn Ser Lys His Pro Glu Val Ala Lys Ala Phe Leu Glu Ala  
                                  325                                   330                                   335  
 Leu Tyr Asn Glu Glu Asp Tyr Val Lys Phe Leu Asp Ser Thr Pro Val  
                                  340                                   345                                   350  
 Gly Met Leu Pro Thr Ile Lys Gly Ile Ser Asp Ser Ala Ala Tyr Lys  
                                  355                                   360                                   365



Glu Asn Glu Thr Arg Lys Lys Phe Lys His Ala Glu Glu Val Ile Thr  
 370 375 380

Glu Ala Val Lys Lys Gly Thr Ala Ile Gly Tyr Glu Asn Gly Pro Ser  
 385 390 395 400

Val Gln Ala Gly Met Leu Thr Asn Gln His Ile Ile Glu Gln Met Phe  
 405 410 415

Gln Asp Ile Ile Thr Asn Gly Thr Asp Pro Met Lys Ala Ala Lys Glu  
 420 425 430

Ala Glu Lys Gln Leu Asn Asp Leu Phe Glu Ala Val Gln  
 435 440 445

<210> 363

<211> 800

<212> PRT

<213> Streptococcus pneumoniae

<400> 363

Met Ser Tyr Phe Arg Asn Arg Asp Ile Asp Ile Glu Arg Ile Ser Met  
 1 5 10 15

Asn Arg. Ser Val Gln Glu Arg Lys Cys Arg Tyr Ser Ile Arg Lys Leu  
 20 25 30

Ser Val Gly Ala Val Ser Met Ile Val Gly Ala Val Val Phe Gly Thr  
 35 40 45

Ser Pro Val Leu Ala Gln Glu Gly Ala Ser Glu Gln Pro Leu Ala Asn  
 50 55 60

Glu Thr Gln Leu Ser Gly Glu Ser Ser Thr Leu Thr Asp Thr Glu Lys  
 65 70 75 80

Ser Gln Pro Ser Ser Glu Thr Glu Leu Ser Gly Asn Lys Gln Glu Gln  
 85 90 95

Glu Arg Lys Asp Lys Gln Glu Glu Lys Ile Pro Arg Asp Tyr Tyr Ala  
 100 105 110

Arg Asp Leu Glu Asn Val Glu Thr Val Ile Glu Lys Glu Asp Val Glu  
 115 120 125

Thr Asn Ala Ser Asn Gly Gln Arg Val Asp Leu Ser Ser Glu Leu Asp  
 130 135 140

Lys Leu Lys Lys Leu Glu Asn Ala Thr Val His Met Glu Phe Lys Pro  
 145 150 155 160

Asp Ala Lys Ala Pro Ala Phe Tyr Asn Leu Phe Ser Val Ser Ser Ala  
 165 170 175

Thr Lys Lys Asp Glu Tyr Phe Thr Met Ala Val Tyr Asn Asn Thr Ala  
 180 185 190

Thr Leu Glu Gly Arg Gly Ser Asp Gly Lys Gln Phe Tyr Asn Asn Tyr  
 195 200 205

Asn Asp Ala Pro Leu Lys Val Lys Pro Gly Gln Trp Asn Ser Val Thr  
 210 215 220

Phe Thr Val Glu Lys Pro Thr Ala Glu Leu Pro Lys Gly Arg Val Arg  
 225 230 235 240

Leu Tyr Val Asn Gly Val Leu Ser Arg Thr Ser Leu Arg Ser Gly Asn  
 245 250 255

Phe Ile Lys Asp Met Pro Asp Val Thr His Val Gln Ile Gly Ala Thr  
 260 265 270

Lys Arg Ala Asn Asn Thr Val Trp Gly Ser Asn Leu Gln Ile Arg Asn  
 275 280 285

Leu Thr Val Tyr Asn Arg Ala Leu Thr Pro Glu Glu Val Gln Lys Arg  
 290 295 300

Ser Gln Leu Phe Lys Arg Ser Asp Leu Glu Lys Lys Leu Pro Glu Gly  
 305 310 315 320

Ala Ala Leu Thr Glu Lys Thr Asp Ile Phe Glu Ser Gly Arg Asn Gly  
 325 330 335

Asn Pro Asn Lys Asp Gly Ile Lys Ser Tyr Arg Ile Pro Ala Leu Leu  
 340 345 350

Lys Thr Asp Lys Gly Thr Leu Ile Ala Gly Ala Asp Glu Arg Arg Leu  
 355 360 365

His Ser Ser Asp Trp Gly Asp Ile Gly Met Val Ile Arg Arg Ser Glu  
 370 375 380

Asp Asn Gly Lys Thr Trp Gly Asp Arg Val Thr Ile Thr Asn Leu Arg  
 385 390 395 400

Asp Asn Pro Lys Ala Ser Asp Pro Ser Ile Gly Ser Pro Val Asn Ile  
 405 410 415

Asp Met Val Leu Val Gln Asp Pro Glu Thr Lys Arg Ile Phe Ser Ile  
 420 425 430

Tyr Asp Met Phe Pro Glu Gly Lys Gly Ile Phe Gly Met Ser Ser Gln  
 435 440 445

Lys Glu Glu Ala Tyr Lys Lys Ile Asp Gly Lys Thr Tyr Gln Ile Leu  
 450 455 460

Tyr Arg Glu Gly Glu Lys Gly Ala Tyr Thr Ile Arg Glu Asn Gly Thr  
 465 470 475 480

Val Tyr Thr Pro Asp Gly Lys Ala Thr Asp Tyr Arg Val Val Val Asp  
 485 490 495

Pro Val Lys Pro Ala Tyr Ser Asp Lys Gly Asp Leu Tyr Lys Gly Asp  
 500 505 510

Gln Leu Leu Gly Asn Ile Tyr Phe Thr Thr Asn Lys Thr Ser Pro Phe  
 515 520 525

Arg Ile Ala Lys Asp Ser Tyr Leu Trp Met Ser Tyr Ser Asp Asp Asp  
 530 535 540

Gly Lys Thr Trp Ser Ala Pro Gln Asp Ile Thr Pro Met Val Lys Ala  
 545 550 555 560

Asp Trp Met Lys Phe Leu Gly Val Gly Pro Gly Thr Gly Ile Val Leu  
 565 570 575

Arg Asn Gly Pro His Lys Gly Arg Ile Leu Ile Pro Val Tyr Thr Thr  
 580 585 590

Asn Asn Val Ser His Leu Asp Gly Ser Gln Ser Ser Arg Val Ile Tyr  
 595 600 605

Ser Asp Asp His Gly Lys Thr Trp His Ala Gly Glu Ala Val Asn Asp  
 610 615 620

Asn Arg Gln Val Asp Gly Gln Lys Ile His Ser Ser Thr Met Asn Asn  
 625 630 635 640

Arg Arg Ala Gln Asn Thr Glu Ser Thr Val Val Gln Leu Asn Asn Gly  
 645 650 655

Asp Val Lys Leu Phe Met Arg Gly Leu Thr Gly Asp Leu Gln Val Ala  
 660 665 670

Thr Ser Lys Asp Gly Gly Val Thr Trp Glu Lys Asp Ile Lys Arg Tyr  
 675 680 685

Pro Gln Val Lys Asp Val Tyr Val Gln Met Ser Ala Ile His Thr Met  
 690 695 700

His Glu Gly Lys Glu Tyr Ile Ile Leu Ser Asn Ala Gly Gly Pro Lys  
 705 710 715 720

Arg Glu Asn Gly Met Val His Leu Ala Arg Val Glu Glu Asn Gly Glu  
 725 730 735

Leu Thr Trp Leu Lys His Asn Pro Ile Gln Lys Gly Glu Phe Ala Tyr  
 740 745 750

Asn Ser Leu Gln Glu Leu Gly Asn Gly Glu Tyr Gly Ile Leu Tyr Glu  
 755 760 765

His Thr Glu Lys Gly Gln Asn Ala Tyr Thr Leu Ser Phe Arg Lys Phe

770

775

780

Asn Trp Glu Phe Leu Ser Lys Asn Leu Ile Ser Pro Thr Glu Ala Asn  
 785 790 795 800

&lt;210&gt; 364

&lt;211&gt; 210

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 364

Met Arg Leu Glu Ile Ile Asn Gly Gln Lys Ile Tyr Gly Lys Arg Pro  
 1 5 10 15

Ile Leu Asn Gln Leu Asn Leu Val Phe Gln Ser Gly Lys Ile Tyr Gly  
 20 25 30

Leu Lys Gly Asp Asn Gly Ser Gly Lys Thr Val Leu Leu Lys Ile Leu  
 35 40 45

Ala Gly Tyr Ile Lys Leu Asp Lys Gly Lys Val Leu Gln Asp Gly Lys  
 50 55 60

Val Tyr Gly Val Lys Asn His Tyr Ile Gln Asp Ala Gly Ile Leu Ile  
 65 70 75 80

Glu Lys Val Glu Phe Leu Ser His Leu Ser Leu Arg Glu Asn Leu Glu  
 85 90 95

Leu Leu Arg Tyr Phe Ser Ser Lys Val Thr Glu Lys Arg Ile Ala Tyr  
 100 105 110

Trp Ile Gln Tyr Tyr Asp Leu Gln Glu Phe Glu Asp Ile Glu Tyr Arg  
 115 120 125

His Leu Ser Leu Gly Thr Lys Gln Lys Met Ala Leu Ile Gln Ala Phe  
 130 135 140

Ile Ser Ser Pro Ser Ile Leu Phe Leu Asp Glu Pro Met Asn Ala Leu  
 145 150 155 160

Asp Glu Lys Ser Val Arg Leu Thr Lys Gln Val Ile Leu Ser Tyr Leu

<210>	366
<211>	501
<212>	PRT
<213>	Streptococcus pneumoniae

&lt;400&gt; 366

Met Ile Ile Leu Lys Glu Phe Lys Pro Met Ser Leu Leu Val Phe Glu  
 1 5 10 15

Asn Val Ser Lys Ser Tyr Gly Ala Thr Pro Ala Leu Glu Asn Val Ser  
 20 25 30

Leu Asp Ile Pro Ala Gly Lys Ile Val Gly Leu Leu Gly Pro Asn Gly  
 35 40 45

Ser Gly Lys Thr Thr Leu Ile Lys Leu Ile Asn Gly Leu Leu Gln Pro  
 50 55 60

Asp Gln Gly Arg Val Leu Ile Asn Asp Met Asp Pro Ser Pro Ala Thr  
 65 70 75 80

Lys Ala Val Val Ala Tyr Leu Pro Asp Thr Thr Tyr Leu Asn Glu Gln  
 85 90 95

Met Lys Val Lys Glu Ala Leu Thr Tyr Phe Lys Thr Phe Tyr Lys Asp  
 100 105 110

Phe Asn Leu Glu Arg Ala His His Leu Leu Ala Asp Leu Gly Ile Asp  
 115 120 125

Glu Asn Ser Arg Leu Lys Lys Leu Ser Lys Glu Asn Lys Glu Lys Val  
 130 135 140

Gln Leu Ile Leu Val Met Ser Arg Asp Ala Arg Leu Tyr Val Leu Asp  
 145 150 155 160

Glu Pro Ile Gly Gly Val Asp Pro Ala Ala Arg Ala Tyr Ile Leu Asn  
 165 170 175

Thr Ile Ile Asn Asn Tyr Ser Pro Thr Ser Thr Val Leu Ile Ser Thr  
 180 185 190

His Leu Ile Ser Asp Ile Glu Pro Ile Leu Asp Glu Ile Val Phe Leu  
 195 200 205

Lys Asp Gly Lys Val Val Arg Gln Gly Asn Val Asp Asp Ile Arg Tyr

-424-



Val Ala Val Tyr Ile Gly Ile Gln Ile Val Ile Gly Phe Ile Glu Leu  
435 440 445

Phe Phe Asn Leu Ser Ser Asn Phe Tyr Val Asn Ser Leu Val Gly Leu  
450 455 460

Asn Asp His Phe Tyr Met Gly Ala Gly Ile Ala Ile Val Glu Glu Leu  
465 470 475 480

Ile Phe Ile Ala Ile Phe Tyr Leu Gly Thr Tyr Tyr Ile Leu Arg Asn  
485 490 495

Lys Val Asn Leu Leu  
500

<210> 367

<211> 381

<212> PRT

<213> Streptococcus pneumoniae

<400> 367

Met Val Thr Pro Phe Val Thr Leu Leu Val Met Ser Ile Leu Gly Leu  
1 5 10 15

Phe Val Ile Gly Pro Val Phe His Val Val Glu Asn Tyr Ile Leu Ile  
20 25 30

Ala Thr Lys Ala Ile Leu Ser Met Pro Phe Gly Leu Gly Gly Phe Leu  
35 40 45

Ile Gly Gly Val His Gln Leu Ile Val Val Ser Gly Val His His Ile  
50 55 60

Phe Asn Leu Leu Glu Val Gln Leu Leu Ala Ala Asp His Ala Asn Pro  
65 70 75 80

Phe Asn Ala Ile Ile Thr Ala Ala Met Thr Ala Gln Gly Ala Ala Thr  
85 90 95

Val Ala Val Gly Val Lys Thr Lys Asn Pro Lys Leu Lys Thr Leu Ala  
100 105 110

Phe Pro Ala Ala Leu Ser Ala Phe Leu Gly Ile Thr Glu Pro Ala Ile  
 115 120 125

Phe Gly Val Asn Leu Arg Phe Arg Lys Pro Phe Phe Leu Ser Leu Ile  
 130 135 140

Ala Gly Ala Ile Gly Gly Gly Leu Ala Ser Ile Leu Gly Leu Ala Gly  
 145 150 155 160

Thr Gly Asn Gly Ile Thr Ile Ile Pro Gly Thr Met Leu Tyr Val Gly  
 165 170 175

Asn Gly Gln Leu Pro Gln Tyr Leu Leu Met Val Ala Val Ser Phe Ala  
 180 185 190

Leu Gly Phe Ala Leu Thr Tyr Met Phe Gly Tyr Glu Asp Glu Val Asp  
 195 200 205

Ala Thr Ala Ala Ala Lys Arg Ala Glu Val Ala Glu Glu Lys Glu Glu  
 210 215 220

Val Ala Pro Ala Ala Leu Gln Asn Glu Thr Leu Val Thr Pro Ile Val  
 225 230 235 240

Gly Asp Val Val Ala Leu Ala Asp Val Asn Asp Pro Val Phe Ser Ser  
 245 250 255

Gly Ala Met Gly Gln Gly Ile Val Val Lys Pro Ser Gln Gly Val Val  
 260 265 270

Tyr Ala Pro Ala Asp Ala Glu Val Ser Ile Ala Phe Pro Thr Gly His  
 275 280 285

Ala Phe Gly Leu Lys Thr Arg Asn Gly Ala Glu Val Leu Ile His Val  
 290 295 300

Gly Ile Asp Thr Val Ser Met Asn Gly Asp Gly Phe Glu Thr Lys Val  
 305 310 315 320

Ala Gln Gly Asn Lys Val Lys Ala Gly Asp Val Leu Gly Thr Phe Asp  
 325 330 335

Ser Asn Lys Ile Ala Ala Ala Gly Leu Asp Asp Thr Thr Met Val Ile  
                   340                  345                  350

Val Thr Asn Thr Gly Asp Tyr Ala Ser Val Ala Pro Val Ala Thr Gly  
                   355                  360                  365

Ser Val Ala Lys Gly Asp Ala Val Ile Glu Val Lys Ile  
                   370                  375                  380

<210> 368

<211> 249

<212> PRT

<213> Streptococcus pneumoniae

<400> 368

Met Gln Met Asn Asn Gln Glu Ile Ala Lys Lys Val Ile Asp Ala Leu  
   1                  5                  10                  15

Gly Gly Arg Glu Asn Val Asn Ser Val Ala His Cys Ala Thr Arg Leu  
                   20                  25                  30

Arg Val Met Val Lys Asp Glu Glu Lys Ile Asn Lys Glu Val Ile Glu  
                   35                  40                  45

Asn Leu Glu Lys Val Gln Gly Ala Phe Phe Asn Ser Gly Gln Tyr Gln  
                   50                  55                  60

Ile Ile Phe Gly Thr Gly Thr Val Asn Lys Met Tyr Asp Glu Val Val  
   65                  70                  75                  80

Val Leu Gly Leu Pro Thr Ser Ser Lys Asp Asp Met Lys Ala Glu Val  
                   85                  90                  95

Ala Lys Gln Gly Asn Trp Phe Gln Arg Ala Ile Arg Thr Phe Gly Asp  
                   100                  105                  110

Val Phe Val Pro Ile Ile Pro Val Ile Val Ala Thr Gly Leu Phe Met  
                   115                  120                  125

Gly Val Arg Gly Leu Phe Asn Ala Leu Glu Met Pro Leu Pro Gly Asp  
                   130                  135                  140

Phe Ala Thr Tyr Thr Gln Ile Leu Thr Asp Thr Ala Phe Ile Ile Leu  
145 150 155 160

Pro Gly Leu Val Val Trp Ser Thr Phe Arg Val Phe Gly Gly Asn Pro  
165 170 175

Ala Val Gly Ile Val Leu Gly Met Met Leu Val Ser Gly Ser Leu Pro  
180 185 190

Asn Ala Trp Ala Val Ala Gln Gly Gly Glu Val Thr Ala Met Asn Phe  
195 200 205

Phe Gly Phe Ile Pro Val Val Gly Leu Gln Gly Ser Val Leu Pro Ala  
210 215 220

Phe Ile Ile Gly Val Val Gly Ala Lys Phe Glu Lys Ala Val Arg Lys  
225 230 235 240

Leu Phe Gln Met Ser Leu Thr Ser Trp  
245

<210> 369  
<211> 201  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 369

Met Arg Leu Met Lys Ile Trp Tyr Asn Glu Ile Lys Glu Phe Tyr Met  
1 5 10 15

Gln Lys Phe Ile Gln Ala Tyr Ile Glu Lys Leu Asp Val Thr Thr Ile  
20 25 30

Ile Glu Asn Ile Leu Thr Lys Val Ile Ser Leu Leu Leu Leu Ile  
35 40 45

Val Phe Tyr Ile Ala Lys Lys Met Leu His Thr Met Val Gln Arg Ile  
50 55 60

Val Lys Pro Ser Leu Lys Met Ser Arg His Asp Val Gly Arg Gln Lys  
65 70 75 80

Thr Ile Ser Arg Leu Leu Glu Asn Val Phe Asn Tyr Thr Leu Tyr Phe  
85 90 95

Phe Leu Leu Tyr Cys Ile Leu Ser Ile Leu Gly Leu Pro Val Ser Ser  
100 105 110

Leu Leu Ala Gly Ala Gly Ile Ala Gly Val Ala Ile Gly Met Gly Ala  
115 120 125

Gln Gly Phe Leu Ser Asp Val Ile Asn Gly Phe Phe Ile Leu Phe Glu  
130 135 140

Arg Gln Leu Asp Val Gly Asp Glu Val Val Leu Thr Asn Gly Pro Ile  
145 150 155 160

Thr Val Ser Gly Lys Val Val Ser Val Gly Ile Arg Thr Thr Gln Leu  
165 170 175

Arg Ser Glu Glu Gln Ala Leu His Phe Val Pro Asn Arg Asn Ile Thr  
180 185 190

Val Val Ser Asn Phe Ser Arg Thr Asp  
195 200

<210> 370

<211> 598

<212> PRT

<213> Streptococcus pneumoniae

<400> 370

Met Glu Gln Lys His Arg Ser Glu Phe Pro Glu Lys Glu Leu Trp Asp  
1 5 10 15

Leu Thr Ala Leu Tyr Gln Asp Arg Glu Asp Phe Leu Arg Ala Ile Glu  
20 25 30

Lys Ala Arg Glu Asp Ile Asn Gln Phe Ser Arg Asp Tyr Lys Gly Asn  
35 40 45

Leu His Thr Phe Glu Asp Phe Glu Lys Ala Phe Ala Glu Leu Glu Gln  
50 55 60

Ile Tyr Ile Gln Met Ser His Ile Gly Asn Tyr Gly Phe Met Pro Gln  
 65 70 75 80

Thr Thr Asp Tyr Ser Asn Asp Glu Phe Ala Asn Ile Ala Gln Ala Gly  
 85 90 95

Met Glu Phe Glu Thr Asp Ala Ser Val Ala Leu Thr Phe Phe Asp Asp  
 100 105 110

Ala Leu Val Ala Ala Asp Glu Glu Val Leu Asp Arg Leu Gly Lys Leu  
 115 120 125

Pro His Leu Thr Ala Ala Ile Arg Gln Ala Lys Ile Lys Lys Ala His  
 130 135 140

Tyr Leu Gly Ala Asp Val Glu Lys Ala Leu Thr Asn Leu Gly Glu Val  
 145 150 155 160

Phe Tyr Ser Pro Gln Asp Ile Tyr Thr Lys Met Arg Ala Gly Asp Phe  
 165 170 175

Glu Met Ala Asp Phe Glu Ala His Gly Lys Thr Tyr Lys Asn Ser Phe  
 180 185 190

Val Thr Tyr Glu Asn Phe Tyr Gln Asn His Glu Asp Ala Glu Val Arg  
 195 200 205

Glu Lys Ser Phe Arg Ser Phe Ser Glu Gly Leu Arg Lys His Gln Asn  
 210 215 220

Thr Ala Ala Ala Ala Tyr Leu Ala Gln Val Lys Ser Glu Lys Leu Leu  
 225 230 235 240

Ala Asp Met Lys Gly Tyr Asp Ser Val Phe Asp Tyr Leu Leu Ala Glu  
 245 250 255

Gln Glu Val Asp Arg Val Met Phe Asp Arg Gln Ile Asp Leu Ile Met  
 260 265 270

Lys Asp Phe Ala Pro Val Ala Gln Arg Tyr Leu Lys His Val Ala Lys  
 275 280 285

Val Asn Gly Leu Glu Lys Met Thr Phe Ala Asp Trp Lys Leu Asp Leu  
 290 295 300

Asp Ser Ala Leu Asn Pro Glu Val Thr Ile Asp Asp Ala Tyr Asp Leu  
 305 310 315 320

Val Met Lys Ser Val Glu Pro Leu Gly Gln Glu Tyr Cys Gln Glu Val  
 325 330 335

Ala Arg Tyr Gln Glu Glu Arg Trp Val Asp Phe Ala Ala Asn Ser Gly  
 340 345 350

Lys Asp Ser Gly Gly Tyr Ala Ala Asp Pro Tyr Arg Val His Pro Tyr  
 355 360 365

Val Leu Met Ser Trp Thr Gly Arg Leu Ser Asp Val Tyr Thr Leu Ile  
 370 375 380

His Glu Ile Gly His Ser Gly Gln Phe Ile Phe Ser Asp Asn His Gln  
 385 390 395 400

Ser Tyr Phe Asn Ala His Met Ser Thr Tyr Tyr Val Glu Ala Pro Ser  
 405 410 415

Thr Phe Asn Glu Leu Leu Leu Ser Asp Tyr Leu Glu Asn Gln Ser Asn  
 420 425 430

Asp Pro Arg Gln Lys Arg Phe Ala Leu Ala His Arg Leu Thr Asp Thr  
 435 440 445

Tyr Phe His Asn Phe Ile Thr His Leu Leu Glu Ala Ala Phe Gln Arg  
 450 455 460

Lys Val Tyr Thr Leu Ile Glu Glu Gly Glu Thr Phe Gly Ala Ser Lys  
 465 470 475 480

Leu Asn Ser Ile Met Lys Glu Val Leu Thr Asp Phe Trp Gly Asp Ala  
 485 490 495

Ile Glu Ile Asp Asp Asp Ala Thr Leu Thr Trp Met Arg Gln Ala His

-432-



-433-

85 90 95  
 Val Leu Ile Thr Ala Gly Leu Thr Leu Gly Ile Tyr Asp Phe His His  
 100 105 110  
 Gln Glu Tyr Pro Leu Leu Val Trp Met Thr Phe Gln Leu Ile Leu Ile  
 115 120 125  
 Ala Ser Ser Gly Trp Asn Leu Val Met Val Ser Phe Leu Ile Leu Gly  
 130 135 140  
 Ile Leu Ala His Phe Ile Asp Ile Arg Met Gly Ala Gly Asp Phe Leu  
 145 150 155 160  
 Phe Leu Ala Ser Cys Ala Leu Val Phe Ser Val Thr Glu Leu Leu Ile  
 165 170 175  
 Leu Ile Gln Phe Ala Ser Ala Thr Gly Ile Leu Ala Phe Leu Leu Gln  
 180 185 190  
 Lys Lys Lys Glu Arg Leu Pro Phe Val Pro Phe Leu Leu Leu Ala Thr  
 195 200 205  
 Cys Leu Ile Ile Phe Gly Lys Leu Leu Leu Val  
 210 215  
 <210> 373  
 <211> 383  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 373  
 Met Phe Asn Gly Arg Val Leu Lys Glu Leu Arg Leu Leu Asn Gly Leu  
 1 5 10 15  
 Ser Arg Ala Glu Leu Ala Gln Arg Ile Asn Leu Thr Glu Gln Ala Ile  
 20 25 30  
 Trp Gln Phe Glu Ser Asn Glu Thr Lys Pro Lys Leu Ser Thr Lys Met  
 35 40 45  
 His Leu Ala Asn Gln Phe His Val Asp Leu Thr Tyr Phe Glu Gln Glu

50	55	60
Glu Glu Ser Ile Arg Phe Asp Ser Ser Val Ile Ala Phe Arg Asn Ala		
65	70	75 80
Asp Leu Ala Thr Arg Lys Thr Ile Asp Ile Gln Thr Met Tyr Leu His		
	85	90 95
Lys Val Asp Ser Leu Ile Asp Tyr Phe Glu Ser Phe Val Ile Ile Pro		
	100	105 110
Asn Ile Ile Ile His Asp Leu Ser Asn Val Val Ser Glu Ser Tyr His		
	115	120 125
Lys Gly Glu Ser Ile Glu Glu Leu Ala Leu Tyr Ala Arg Glu Lys Leu		
	130	135 140
Gly Ile Ser Lys Asp Asn His Asp Leu Leu Tyr Lys Leu Glu Arg Ser		
	145	150 155 160
Gly Ile Tyr Ile Val Glu Arg Leu Ile Asn Gly Gln Ala Asp Ala Tyr		
	165	170 175
Ser Ala Trp Ser Lys Leu Gly Arg Pro Tyr Ile Val Leu Gly Thr Asn		
	180	185 190
Lys Ser Ser Val Arg Arg Asn Phe Asp Leu Ala His Glu Leu Gly His		
	195	200 205
Ile Leu Leu His Lys Tyr Lys Asp Met Asn Glu Asp Gly Asp Arg Leu		
	210	215 220
Glu Gln Glu Ala Asn Tyr Phe Ala Ser Cys Phe Leu Leu Pro Lys Glu		
	225	230 235 240
Glu Phe Leu Val Lys Phe Glu Glu Arg Val Gly Lys Arg Val Ser Asn		
	245	250 255
Pro Asp Ser Tyr Ile Leu Leu Lys Ser Asp Leu Asn Val Ser Ile Gln		
	260	265 270

Ala Leu Glu Tyr Arg Ala Phe Lys Leu Gly Leu Leu Thr Pro Lys Gln  
 275 280 285

His Ser Tyr Phe Tyr Arg Gln Ile Ala Gln Lys Gly Tyr Lys Met Ile  
 290 295 300

Glu Pro Leu Asp Asp Gln Ile Phe Val Lys Lys Pro Ser Lys Val Lys  
 305 310 315 320

Ser Ile Leu Asp Val Val Leu Ser Asn His Leu Val Ser Leu Ala Thr  
 325 330 335

Ile Met Ser Lys Gln Ser Ile Arg Leu Gln Phe Ile Ser Glu Ile Phe  
 340 345 350

Ser Val Glu Met Lys Phe Phe Asp Gln Tyr Gln Glu Asp Arg Arg Thr  
 355 360 365

Asp Arg Phe Asp Asn Ile Ile Pro Leu Tyr Lys Arg Asn Asn Leu  
 370 375 380

<210> 374

<211> 594

<212> PRT

<213> Streptococcus pneumoniae

<400> 374

Met Ala Ser Gly Phe His Leu Gln Ser Glu Arg Asp Phe Met Ser Ile  
 1 5 10 15

Ile Gln Lys Leu Trp Trp Phe Phe Lys Leu Glu Lys Arg Arg Tyr Leu  
 20 25 30

Val Gly Ile Val Ala Leu Ile Leu Val Ser Val Leu Asn Leu Ile Pro  
 35 40 45

Pro Met Val Met Gly Arg Val Ile Asp Ala Ile Thr Ser Gly Gln Leu  
 50 55 60

Thr Gln Gln Asp Leu Leu Leu Ser Leu Phe Tyr Leu Leu Leu Ala Ala  
 65 70 75 80

Phe Gly Met Tyr Tyr Leu Arg Tyr Val Trp Arg Met Tyr Ile Leu Gly  
 85 90 95

Thr Ser Tyr Cys Leu Gly Gln Ile Met Arg Ser Arg Leu Phe Lys His  
 100 105 110

Phe Thr Lys Met Ser Ser Ala Phe Tyr Gln Thr Tyr Arg Thr Gly Asp  
 115 120 125

Leu Met Ala His Ala Thr Asn Asp Ile Asn Ala Leu Thr Arg Leu Ala  
 130 135 140

Gly Gly Gly Val Met Ser Ala Val Asp Ala Ser Ile Thr Ala Leu Val  
 145 150 155 160

Thr Leu Leu Thr Met Leu Phe Ser Ile Ser Trp Gln Met Thr Leu Val  
 165 170 175

Ala Ile Leu Pro Leu Pro Phe Met Ala Tyr Thr Thr Ser Arg Leu Gly  
 180 185 190

Arg Lys Thr His Lys Ala Phe Gly Glu Ser Gln Ala Ala Phe Ser Glu  
 195 200 205

Leu Asn Asn Lys Val Gln Glu Ser Val Ser Gly Ile Lys Val Thr Lys  
 210 215 220

Ser Phe Gly Tyr Gln Ala Asp Glu Leu Lys Ser Phe Gln Ala Val Asn  
 225 230 235 240

Glu Leu Thr Phe Gln Lys Asn Leu Gln Thr Met Lys Tyr Asp Ser Leu  
 245 250 255

Phe Asp Pro Met Val Leu Leu Phe Val Gly Ser Ser Tyr Val Leu Thr  
 260 265 270

Leu Leu Val Gly Ser Leu Met Val Gln Glu Gly Gln Ile Thr Val Gly  
 275 280 285

Asn Leu Val Thr Phe Ile Ser Tyr Leu Asp Met Leu Val Trp Pro Leu  
 290 295 300

Leu Ala Ile Gly Phe Leu Phe Asn Thr Thr Gln Arg Gly Lys Val Ser  
 305 310 315 320  
 Tyr Gln Arg Ile Glu Asn Leu Leu Ser Gln Glu Ser Pro Val Gln Asp  
 325 330 335  
 Pro Glu Phe Pro Leu Asp Gly Ile Glu Asn Gly Arg Leu Glu Tyr Ala  
 340 345 350  
 Ile Asp Ser Phe Ala Phe Glu Asn Glu Glu Thr Leu Thr Asp Ile His  
 355 360 365  
 Phe Ser Leu Ala Lys Gly Gln Thr Leu Gly Leu Val Gly Gln Thr Gly  
 370 375 380  
 Ser Gly Lys Thr Ser Leu Ile Lys Leu Leu Leu Arg Glu Tyr Asp Val  
 385 390 395 400  
 Asp Lys Gly Ala Ile Tyr Leu Asn Gly His Asp Ile Arg Asp Tyr Arg  
 405 410 415  
 Leu Thr Asp Leu Arg Ser Leu Met Gly Tyr Val Pro Gln Asp Gln Phe  
 420 425 430  
 Leu Phe Ala Thr Ser Ile Leu Asp Asn Ile Arg Phe Gly Asn Pro Asn  
 435 440 445  
 Leu Pro Leu Ser Ala Val Glu Glu Ala Thr Lys Leu Ala Arg Val Tyr  
 450 455 460  
 Gln Asp Ile Val Asp Met Pro Gln Gly Phe Asp Thr Leu Ile Gly Glu  
 465 470 475 480  
 Lys Gly Val Ser Leu Ser Gly Gly Gln Lys Gln Arg Leu Ala Met Ser  
 485 490 495  
 Arg Ala Met Ile Leu Asp Pro Asp Ile Leu Ile Leu Asp Asp Ser Leu  
 500 505 510  
 Ser Ala Val Asp Ala Lys Thr Glu Tyr Ala Ile Ile Asp Asn Leu Lys  
 515 520 525

Glu Met Arg Lys Asp Lys Thr Thr Ile Ile Thr Ala His Arg Leu Ser  
 530 535 540

Ala Val Val His Ala Asp Phe Ile Leu Val Leu Gln Asn Gly Gln Ile  
 545 550 555 560

Ile Glu Arg Gly Thr His Glu Asp Leu Leu Ala Leu Asp Gly Trp Tyr  
 565 570 575

Ala Gln Thr Tyr Gln Ser Gln Gln Leu Glu Met Lys Gly Glu Glu Asp  
 580 585 590

Ala Glu

<210> 375  
 <211> 655  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 375

Met Gly Lys Phe Glu Gln Glu Ala Lys Asp Leu Leu Gln Ala Ile Gly  
 1 5 10 15

Gly Lys Glu Asn Val Thr Ala Val Thr His Cys Ala Thr Arg Met Arg  
 20 25 30

Phe Val Leu Gly Asp Asp Lys Lys Ala Asn Val Lys Ala Ile Glu Ser  
 35 40 45

Ile Pro Ala Val Lys Gly Thr Phe Thr Asn Ala Gly Gln Phe Gln Val  
 50 55 60

Ile Ile Gly Asn Asp Val Pro Ile Phe Tyr Asn Asp Phe Thr Ala Val  
 65 70 75 80

Ser Gly Ile Glu Gly Val Ser Lys Glu Ala Ala Lys Ser Ala Ala Lys  
 85 90 95

Ser Asn Gln Asn Val Val Gln Gly Val Met Thr Thr Leu Ala Glu Ile  
 100 105 110

Phe Thr Pro Ile Ile Pro Ala Leu Ile Val Gly Gly Leu Ile Leu Gly  
 115 120 125

Phe Arg Asn Val Leu Glu Gly Val His Trp Ser Met Leu Asp Gly Lys  
 130 135 140

Thr Ile Thr Glu Ser Ser Gln Phe Trp Ala Gly Val Asn His Phe Leu  
 145 150 155 160

Trp Leu Pro Gly Glu Ala Ile Phe Gln Phe Leu Pro Val Gly Ile Thr  
 165 170 175

Trp Ser Val Ser Arg Lys Met Gly Thr Ser Gln Ile Leu Gly Ile Val  
 180 185 190

Leu Gly Ile Cys Leu Val Ser Pro Gln Leu Leu Asn Ala Tyr Ala Val  
 195 200 205

Ala Ser Thr Pro Ala Ala Asp Ile Ala Ala Asn Trp Val Trp Asn Phe  
 210 215 220

Gly Tyr Phe Thr Val Asn Arg Ile Gly Tyr Gln Ala Gln Val Ile Pro  
 225 230 235 240

Ala Leu Leu Ala Gly Leu Ser Leu Ser Tyr Leu Glu Ile Phe Trp His  
 245 250 255

Lys His Ile Pro Glu Val Ile Ser Met Ile Phe Val Pro Phe Leu Ser  
 260 265 270

Leu Ile Pro Ala Leu Ile Leu Ala His Thr Val Leu Gly Pro Ile Gly  
 275 280 285

Trp Thr Ile Gly Gln Gly Leu Ser Ser Val Val Leu Ala Gly Leu Thr  
 290 295 300

Gly Pro Val Lys Trp Leu Phe Gly Ala Ile Phe Gly Ala Leu Tyr Ala  
 305 310 315 320

Pro Phe Val Ile Thr Gly Leu His His Met Thr Asn Ala Ile Asp Thr



	325		330		335
Gln Leu Ile Ala Asp Ala Gly Gly Thr Ala Leu Trp Pro Met Ile Ala	340		345		350
Leu Ser Asn Ile Ala Gln Gly Ser Ala Val Phe Ala Tyr Tyr Phe Met	355		360		365
His Arg His Asp Glu Arg Glu Ala Gln Val Ser Leu Pro Ala Thr Ile	370		375		380
Ser Ala Tyr Leu Gly Val Thr Glu Pro Ala Leu Phe Gly Val Asn Val	385		390		395 400
Lys Tyr Ile Tyr Pro Phe Val Ala Gly Met Thr Gly Ser Ala Leu Ala	405		410		415
Gly Met Leu Ser Val Thr Phe Asn Val Thr Ala Ala Ser Ile Gly Ile	420		425		430
Gly Gly Leu Pro Gly Ile Leu Ser Ile Gln Pro Gln Tyr Met Leu Pro	435		440		445
Phe Ala Gly Thr Met Leu Val Ala Ile Val Val Pro Met Leu Leu Thr	450		455		460
Phe Phe Phe Arg Lys Ala Gly Leu Phe Thr Lys Thr Glu Gly Asp Thr	465		470		475 480
Asn Leu Gln Ala Glu Phe Val Ala Gln Glu Glu Ala Glu Phe Val Asn	485		490		495
His Glu Pro Val Glu Leu Thr Ser Val Glu Ile Ile Ser Pro Leu Thr	500		505		510
Gly Gln Val Lys Glu Leu Ser Gln Ala Thr Asp Pro Ile Phe Ala Ser	515		520		525
Gly Val Met Gly Gln Gly Leu Val Ile Glu Pro Ser Gln Gly Glu Leu	530		535		540

Thr Ser Pro Val Asn Gly Thr Val Thr Val Leu Phe Pro Thr Lys His  
545 550 555 560

Ala Ile Gly Ile Val Ser Asp Glu Gly Val Glu Leu Leu Ile His Ile  
565 570 575

Gly Met Asp Thr Val Gly Leu Asp Gly Lys Gly Phe Glu Ser Leu Val  
580 585 590

Val Gln Gly Asp His Val Thr Val Gly Gln Gln Leu Ile Arg Phe Asp  
595 600 605

Met Asp Val Ile Lys Ala Ala Gly Leu Val Thr Glu Thr Pro Val Ile  
610 615 620

Ile Thr Asn Gln Asp Ala Tyr Thr Ala Thr Ile Pro Gly Thr Tyr Pro  
625 630 635 640

Thr Thr Ile Gln Ala Gly Ala Ser Leu Met Val Ala Thr Arg Ile  
645 650 655

<210> 376

<211> 175

<212> PRT

<213> Streptococcus pneumoniae

<400> 376

Met Ser Arg Val His Val Gln Ile Met Asn Gln Phe His Arg Lys Ser  
1 5 10 15

His Glu Tyr Lys Ala Ile Lys Arg Tyr Trp Lys Leu Ile Gln Gln Asp  
20 25 30

Ser Arg Lys Leu Ser Asp Lys Arg Phe Tyr Arg Pro Thr Phe Arg Met  
35 40 45

His Leu Thr Asn Lys Glu Ile Leu Asp Lys Ile Leu Ser Tyr Ser Glu  
50 55 60

Asp Leu Lys His His Tyr Gln Ile Tyr Gln Leu Leu Leu Phe His Phe  
65 70 75 80

Gln Asn Lys Asp Pro Glu Lys Phe Phe Gly Leu Ile Glu Asp Asn Leu  
85 90 95

Lys Gln Val His Pro Leu Phe Gln Thr Val Phe Lys Thr Phe Leu Lys  
100 105 110

Asp Lys Glu Lys Ile Ile Asn Ala Leu Gln Leu His Tyr Ser Asn Ala  
115 120 125

Lys Leu Glu Ala Thr Asn Asn Leu Ile Lys Leu Ile Lys Arg Asn Ala  
130 135 140

Phe Gly Phe Arg Asn Phe Glu Asn Phe Lys Lys Arg Ile Phe Ile Ala  
145 150 155 160

Leu Asn Ile Lys Lys Glu Arg Thr Lys Phe Val Leu Ser Arg Ala  
165 170 175

<210> 377  
<211> 355  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 377

Met Thr Lys Glu Lys Asn Val Ile Leu Thr Ala Arg Asp Ile Val Val  
1 5 10 15

Glu Phe Asp Val Arg Asp Lys Val Leu Thr Ala Ile Arg Gly Val Ser  
20 25 30

Leu Glu Leu Val Glu Gly Glu Val Leu Ala Leu Val Gly Glu Ser Gly  
35 40 45

Ser Gly Lys Ser Val Leu Thr Lys Thr Phe Thr Gly Met Leu Glu Glu  
50 55 60

Asn Gly Arg Ile Ala Gln Gly Ser Ile Asp Tyr Arg Gly Gln Asp Leu  
65 70 75 80

Thr Ala Leu Ser Ser His Lys Asp Trp Glu Gln Ile Arg Gly Ala Lys  
85 90 95

Ile Ala Thr Ile Phe Gln Asp Pro Met Thr Ser Leu Asp Pro Ile Lys  
 100 105 110  
 Thr Ile Gly Ser Gln Ile Thr Glu Val Ile Val Lys His Gln Gly Lys  
 115 120 125  
 Thr Ala Lys Glu Ala Lys Glu Leu Ala Ile Asp Tyr Met Asn Lys Val  
 130 135 140  
 Gly Ile Pro Asp Ala Asp Arg Arg Phe Asn Glu Tyr Pro Phe Gln Tyr  
 145 150 155 160  
 Ser Gly Gly Met Arg Gln Arg Ile Val Ile Ala Ile Ala Leu Ala Cys  
 165 170 175  
 Arg Pro Asp Val Leu Ile Cys Asp Glu Pro Thr Thr Ala Leu Asp Val  
 180 185 190  
 Thr Ile Gln Ala Gln Ile Ile Asp Leu Leu Lys Ser Leu Gln Asn Glu  
 195 200 205  
 Tyr His Phe Thr Thr Ile Phe Ile Thr His Asp Leu Gly Val Val Ala  
 210 215 220  
 Ser Ile Ala Asp Lys Val Ala Val Met Tyr Ala Gly Glu Ile Val Glu  
 225 230 235 240  
 Tyr Gly Thr Val Glu Glu Val Phe Tyr Asp Pro Arg His Pro Tyr Thr  
 245 250 255  
 Trp Ser Leu Leu Ser Ser Leu Pro Gln Leu Ala Asp Asp Lys Gly Asp  
 260 265 270  
 Leu Tyr Ser Ile Pro Gly Thr Pro Pro Ser Leu Tyr Thr Asp Leu Lys  
 275 280 285  
 Gly Asp Ala Phe Ala Leu Arg Ser Asp Tyr Ala Met Gln Ile Asp Phe  
 290 295 300  
 Glu Gln Lys Ala Pro Gln Phe Ser Val Ser Glu Thr His Trp Ala Lys  
 305 310 315 320

Thr Trp Leu Leu His Glu Asp Ala Pro Lys Val Glu Lys Pro Ala Val  
 325 330 335

Ile Ala Asn Leu His Asp Lys Ile Arg Glu Lys Met Gly Phe Ala His  
 340 345 350

Leu Ala Asp  
 355

<210> 378  
 <211> 308  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 378

Met Ser Thr Ile Asp Lys Glu Lys Phe Gln Phe Val Lys Arg Asp Asp  
 1 5 10 15

Phe Ala Ser Glu Thr Ile Asp Ala Pro Ala Tyr Ser Tyr Trp Lys Ser  
 20 25 30

Val Phe Lys Gln Phe Met Lys Lys Lys Ser Thr Val Val Met Leu Gly  
 35 40 45

Ile Leu Val Ala Ile Ile Leu Ile Ser Phe Ile Tyr Pro Met Phe Ser  
 50 55 60

Lys Phe Asp Phe Asn Asp Val Ser Lys Val Asn Asp Phe Ser Val Arg  
 65 70 75 80

Tyr Ile Lys Pro Asn Ala Glu His Trp Phe Gly Thr Asp Ser Asn Gly  
 85 90 95

Lys Ser Leu Phe Asp Gly Val Trp Phe Gly Ala Arg Asn Ser Ile Leu  
 100 105 110

Ile Ser Val Ile Ala Thr Val Ile Asn Leu Val Ile Gly Val Phe Val  
 115 120 125

Gly Gly Ile Trp Gly Ile Ser Lys Ser Val Asp Arg Val Met Met Glu  
 130 135 140

Val Tyr Asn Val Ile Ser Asn Ile Pro Pro Leu Leu Ile Val Ile Val  
145 150 155 160

Leu Thr Tyr Ser Ile Gly Ala Gly Phe Trp Asn Leu Ile Phe Ala Met  
165 170 175

Ser Val Thr Thr Trp Ile Gly Ile Ala Phe Met Ile Arg Val Gln Ile  
180 185 190

Leu Arg Tyr Arg Asp Leu Glu Tyr Asn Leu Ala Ser Arg Thr Leu Gly  
195 200 205

Thr Pro Thr Leu Lys Ile Val Ala Lys Asn Ile Met Pro Gln Leu Val  
210 215 220

Ser Val Ile Val Thr Thr Met Thr Gln Met Leu Pro Ser Phe Ile Ser  
225 230 235 240

Tyr Glu Ala Phe Leu Ser Phe Phe Gly Leu Gly Leu Pro Ile Thr Val  
245 250 255

Pro Ser Leu Gly Arg Leu Ile Ser Asp Tyr Ser Gln Asn Val Thr Thr  
260 265 270

Asn Ala Tyr Leu Phe Trp Ile Pro Leu Thr Thr Leu Val Leu Val Ser  
275 280 285

Leu Ser Leu Phe Val Val Gly Gln Asn Leu Ala Asp Ala Ser Asp Pro  
290 295 300

Arg Thr His Arg  
305

<210> 379  
<211> 498  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 379

Met Lys Lys Tyr Ile Phe Met Arg Val Leu Arg Ser Leu Val Ser Ile  
1 5 10 15

Phe Leu Val Thr Thr Leu Thr Tyr Thr Ile Ile Tyr Thr Leu Val Pro  
 20 25 30

Arg Lys Leu Ile Phe Lys Gln Asp Pro Asn Tyr Asn Lys Ile Ala Thr  
 35 40 45

Thr Ala Asp Lys Arg Asp Asn Tyr Glu Asn Thr Val Phe Glu Arg Met  
 50 55 60

Gly Tyr Ile Glu Tyr Tyr Asp Thr Lys Glu Leu Gln Glu Lys Ala Ser  
 65 70 75 80

Ser Met Asp Ser Ser Val Thr Val Glu Ala Asn Ala Thr Asn Lys Ala  
 85 90 95

Ile Tyr Glu Lys Tyr Ile Asn Gln Leu Gly His Gly Trp Thr Leu Gly  
 100 105 110

Glu Phe Thr Glu Ser Gly Gln Phe Tyr Ala Thr Arg Glu Ile Pro Ile  
 115 120 125

Phe Glu Arg Val Phe His Phe Tyr Ala Asn Leu Ile Asp Ile Asp His  
 130 135 140

Thr Asn Lys Ile Gln Asp Pro Glu Asn Pro Asp Leu Lys Arg Tyr Leu  
 145 150 155 160

Arg Phe Glu Asn Asp Pro Ala Ile Gly Trp Ser Leu Val Gly Ser Gly  
 165 170 175

Thr Lys His Lys Tyr Leu Leu Tyr Phe Asn Ser Gln Phe Pro Phe Val  
 180 185 190

His Gln Asn Phe Val Asn Leu Asn Leu Gly Asp Ser Tyr Pro Thr Tyr  
 195 200 205

Ala Asn Thr Pro Val Leu Gln Val Ile Thr Gln Gly Gln Gly Gln Thr  
 210 215 220

Lys Thr Ala Gln Val Gln Phe Pro Thr Gly Lys Lys Thr Ser Ser Val  
 225 230 235 240

Asn	Ile	Tyr	Ser	Arg	Thr	Tyr	Lys	Ser	Pro	Ser	Gln	Ala	Asp	Ser	Arg	
				245					250						255	
Glu	Val	Ala	Ser	Tyr	Gly	Lys	Asp	Asp	Pro	Tyr	Thr	Ala	Thr	Glu	Ser	
			260					265					270			
Asn	Tyr	Gln	Tyr	Pro	Ser	Met	Ile	Val	Ser	Ser	Ala	Ile	Thr	Gly	Leu	
		275					280					285				
Ile	Gly	Leu	Val	Leu	Ala	Tyr	Ala	Leu	Ala	Val	Pro	Leu	Gly	Ser	Ala	
	290					295					300					
Met	Ala	Arg	Phe	Lys	Asn	Thr	Trp	Ile	Asp	Ser	Leu	Ser	Thr	Gly	Ala	
305					310					315					320	
Leu	Thr	Phe	Leu	Leu	Ala	Leu	Pro	Thr	Ile	Ala	Leu	Val	Tyr	Ile	Val	
			325						330					335		
Arg	Leu	Ile	Gly	Ser	Ser	Ile	Ala	Leu	Pro	Asp	Ser	Phe	Pro	Ile	Leu	
			340					345					350			
Gly	Ala	Gly	Asp	Trp	Arg	Ser	Tyr	Val	Leu	Pro	Ala	Val	Ile	Leu	Gly	
		355					360					365				
Leu	Leu	Gly	Ala	Pro	Gly	Thr	Ala	Ile	Trp	Ile	Arg	Arg	Tyr	Met	Ile	
	370					375					380					
Asp	Leu	Gln	Ser	Gln	Asp	Phe	Val	Arg	Phe	Ala	Arg	Ala	Lys	Gly	Leu	
385					390					395					400	
Ser	Glu	Lys	Glu	Ile	Ser	Asn	Lys	His	Ile	Phe	Lys	Asn	Ala	Met	Val	
			405						410					415		
Pro	Leu	Val	Ser	Gly	Ile	Pro	Ala	Ala	Ile	Ile	Gly	Val	Ile	Gly	Gly	
			420					425					430			
Ala	Thr	Leu	Thr	Glu	Thr	Val	Phe	Ala	Phe	Pro	Gly	Met	Gly	Lys	Met	
		435					440					445				
Leu	Ile	Asp	Ser	Val	Lys	Ala	Ser	Asn	Asn	Ser	Met	Val	Val	Gly	Leu	



450

455

460

Val Phe Ile Phe Thr Cys Ile Ser Ile Phe Ser Arg Leu Leu Gly Asp  
 465 470 475 480

Ile Trp Met Thr Ile Ile Asp Pro Arg Ile Lys Leu Thr Glu Lys Gly  
 485 490 495

Gly Lys

&lt;210&gt; 380

&lt;211&gt; 343

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 380

Met Gly Phe Leu Leu Met Gly Ala Leu Phe Ile Val Leu Pro Arg Thr  
 1 5 10 15

Met Val Ser Ala Lys Arg Ile Asn Gln Val Leu Asp Leu His Ser Ser  
 20 25 30

Ile Gln Asn Pro Val Gln Val Gln Leu Thr Asp Glu Asn Phe Lys Gly  
 35 40 45

Gln Val Glu Phe Lys Asp Val Thr Phe Arg Tyr Ala Ala Asn Ser Glu  
 50 55 60

Ala Val Ile Glu His Val Ser Phe Lys Ala Glu Thr Gly Gln Thr Val  
 65 70 75 80

Ala Phe Ile Gly Ser Thr Gly Ser Gly Lys Ser Thr Leu Val Asn Leu  
 85 90 95

Ile Pro Arg Phe Tyr Asp Val Ser Ala Gly Glu Ile Leu Val Asp Gly  
 100 105 110

Val Asn Val Gln Asp Tyr Asp Phe Ser Ala Thr Ala His Ala Gly Gln  
 115 120 125

Lys Val Ala Ile Val Gly Pro Thr Gly Ala Gly Lys Thr Thr Ile Val

130	135	140
Asn Leu Leu Met Lys Phe Tyr Glu Ile Asp Lys Gly Ser Ile Arg Ile		
145	150	155 160
Asp Gly Val Asp Thr Lys Ala Met Thr Arg Ser Glu Val His Asp Ala		
	165	170 175
Phe Ser Met Val Leu Gln Asp Thr Trp Leu Phe Glu Gly Thr Ile Arg		
	180	185 190
Asp Asn Leu Ile Tyr Asn Gln Ile Gly Ile Ser Asp Glu Arg Met Met		
	195	200 205
Glu Ala Ser Lys Ala Val Gly Ile His His Phe Ile Met Thr Leu Pro		
	210	215 220
Asp Gly Tyr Asp Thr Ile Leu Asp Asp Thr Val Thr Leu Ser Val Arg		
	225	230 235 240
Gln Lys Gln Leu Leu Thr Ile Ala Arg Ala Leu Leu Lys Asp Ala Pro		
	245	250 255
Leu Leu Ile Leu Asp Glu Ala Thr Ser Ser Val Asp Thr Arg Thr Glu		
	260	265 270
Glu Leu Ile Gln Lys Ala Met Asp Arg Leu Met Glu Gly Arg Thr Ser		
	275	280 285
Phe Val Ile Ala His Arg Leu Ser Thr Ile Arg Asn Ala Asp Leu Ile		
	290	295 300
Leu Val Met Lys Asp Gly Asn Ile Ile Glu Gln Gly Asn Tyr Glu Glu		
	305	310 315 320
Leu Met Ala Gln Gly Gly Phe Tyr Ala Asp Leu Tyr Asn Ser Gln Phe		
	325	330 335
Thr Glu Asp Glu Ala Glu Glu		
	340	

<210> 381  
 <211> 273  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 381

Met Ile Leu Leu Ala Ile Leu Phe Thr Cys Phe Ser Val Tyr Leu Glu  
 1 5 10 15

Leu Glu Val Pro Thr Tyr Ile Ser Lys Ile Thr Asp Leu Leu Gly Ser  
 20 25 30

Gln Glu Thr Asn Leu Asp Glu Leu Trp Gln Ser Ala Ser Met Met Met  
 35 40 45

Gly Met Ser Phe Leu Ala Phe Leu Ser Val Val Ala Val Gly Phe Phe  
 50 55 60

Ala Ser Arg Val Ala Ala Ser Tyr Thr Ser Arg Leu Arg Ser Asp Ile  
 65 70 75 80

Phe Asn Arg Val Leu Asp Tyr Ser Gln Thr Glu Ile Lys Lys Phe Ser  
 85 90 95

Ile Pro Ser Leu Leu Thr Arg Thr Thr Asn Asp Ile Thr Gln Val Gln  
 100 105 110

Met Leu Ile Thr Met Gly Leu Gln Val Val Thr Arg Gly Ser Ile Met  
 115 120 125

Ala Ile Trp Ala Ile Gly Lys Ile Leu Gly His Ser Glu Tyr Trp Leu  
 130 135 140

Trp Ala Val Leu Val Ala Val Ile Ile Asn Val Leu Met Thr Thr Val  
 145 150 155 160

Leu Met Thr Leu Ala Phe Pro Lys Gln Ser Leu Ile Gln Gly Leu Thr  
 165 170 175

Asp Lys Leu Asn Ser Ile Thr Arg Glu Ser Leu Thr Gly Ile Arg Val  
 180 185 190

Val Arg Ala Tyr Asn Ala Glu Asp Tyr Gln Asn Glu Lys Phe Ala Ala  
195 200 205

Val Asn Asp Glu Leu Thr Arg Leu Asn Leu Phe Val Asn Arg Leu Met  
210 215 220

Ala Ile Leu Asn Pro Ile Met Met Gly Ile Ser Ser Gly Leu Ser Val  
225 230 235 240

Ala Ile Tyr Trp Ile Gly Ala Tyr Val Ile Asn Asp Ala Ala Pro Ile  
245 250 255

Ala Arg Leu Pro Leu Phe Ser Asp Met Ile Val Phe Met Ser Tyr Ala  
260 265 270

Met

<210> 382

<211> 456

<212> PRT

<213> Streptococcus pneumoniae

<400> 382

Met Asn Lys Lys Arg Thr Val Asp Leu Ile His Gly Pro Ile Leu Pro  
1 5 10 15

Ser Leu Leu Ser Phe Thr Phe Pro Ile Leu Leu Ser Asn Ile Phe Gln  
20 25 30

Gln Leu Tyr Asn Thr Ala Asp Val Leu Ile Val Gly Arg Phe Leu Gly  
35 40 45

Gln Glu Ser Leu Ala Ala Val Gly Ala Thr Thr Ala Ile Phe Asp Leu  
50 55 60

Ile Val Gly Phe Thr Leu Gly Val Gly Asn Gly Met Gly Ile Val Ile  
65 70 75 80

Ala Arg Tyr Tyr Gly Ala Arg Asn Phe Thr Lys Ile Lys Glu Ala Val  
85 90 95

Ala Ala Thr Trp Ile Leu Gly Ala Leu Leu Ser Ile Leu Val Met Leu  
 100 105 110

Leu Gly Phe Leu Gly Leu Tyr Pro Leu Leu Gln Tyr Leu Asp Thr Pro  
 115 120 125

Ala Glu Ile Leu Pro Gln Ser Tyr Gln Tyr Ile Ser Met Ile Val Thr  
 130 135 140

Cys Val Gly Val Ser Phe Ala Tyr Asn Leu Phe Ala Gly Leu Leu Arg  
 145 150 155 160

Ser Ile Gly Asp Ser Leu Ala Ala Leu Gly Phe Leu Ile Phe Ser Ala  
 165 170 175

Leu Val Asn Val Val Leu Asp Leu Tyr Phe Ile Thr Gln Leu His Leu  
 180 185 190

Gly Val Gln Ser Ala Gly Leu Ala Thr Ile Ile Ser Gln Gly Leu Ser  
 195 200 205

Ala Val Leu Cys Phe Tyr Tyr Ile Arg Lys Ser Val Pro Glu Leu Leu  
 210 215 220

Pro Gln Phe Lys His Phe Lys Trp Asp Lys Ser Leu Tyr Ala Asp Leu  
 225 230 235 240

Leu Glu Gln Gly Leu Ala Met Gly Leu Met Ser Ser Ile Val Ser Ile  
 245 250 255

Gly Ser Val Ile Leu Gln Phe Ser Val Asn Thr Phe Gly Ala Val Ile  
 260 265 270

Ile Ser Ala Gln Thr Ala Ala Arg Arg Ile Met Thr Phe Ala Leu Leu  
 275 280 285

Pro Met Thr Ala Ile Ser Ala Ser Met Thr Thr Phe Ala Ser Gln Asn  
 290 295 300

Leu Gly Ala Lys Arg Pro Asp Arg Ile Val Gln Gly Leu Arg Ile Gly  
 305 310 315 320

Ser Thr Ala Phe Phe Ile Gly Ser Met Val Phe Val Ser Gly Ile Cys  
35 40 45

Ala Gly Val Asn Tyr Leu Tyr Thr Arg Lys Gln Glu Val His Ser Val  
50 55 60

Leu Ala Ser Lys Lys Ser Val Lys Leu Phe Tyr Ser Met Leu Leu Leu  
65 70 75 80

Ile Asn Leu Leu Gly Ala Val Leu Val Leu Ser Asp Asn Leu Phe Ile  
85 90 95

Lys Asn Thr Leu Gln Gln Glu Leu Val Asp Phe Leu Leu Pro Ser Phe  
100 105 110

Phe Phe Leu Phe Gly Leu Asp Leu Leu Ile Phe Leu Pro Leu Lys Lys  
115 120 125

Tyr Val Arg Asp Phe Leu Ala Met Leu Asp Arg Lys Lys Thr Val Leu  
130 135 140

Val Thr Ile Leu Ala Thr Leu Leu Phe Leu Arg Asn Pro Met Thr Ile  
145 150 155 160

Val Ser Leu Leu Ile Tyr Ile Gly Leu Gly Leu Phe Phe Ala Ala Tyr  
165 170 175

Leu Val Pro Asn Ser Val Lys Lys Glu Val Ser Phe Tyr Gly His Ile  
180 185 190

Phe Arg Asp Leu Val Leu Val Ile Val Thr Leu Ile Phe Phe  
195 200 205

<210> 384

<211> 702

<212> PRT

<213> Streptococcus pneumoniae

<400> 384

Met Lys Ile Pro Met Ile Tyr Gln Met Glu Asn Ser Glu Cys Gly Leu  
1 5 10 15

Ala Cys Cys Ala Met Ile Leu Asn Tyr Phe Lys Tyr Glu Ile Ser Leu  
20 25 30

Asn Glu Leu Arg Glu Ile Tyr Pro Ser Ser Arg Ser Gly Tyr Ser Leu  
 35 40 45

Leu Ser Ile Ser Lys Val Leu Gly Asp Phe Asn Ile Ser Ser His Ala  
 50 55 60

Phe Lys Ala Ser Val Arg Asp Leu Lys Pro Leu Ser Phe Pro Leu Ile  
 65 70 75 80

Cys Phe Trp Glu Ser Ser His Phe Ile Ile Leu Glu Lys Ile Ser Lys  
 85 90 95

Asn Lys Phe Tyr Ile Leu Asp Pro Ala Lys Gly Arg Gln Arg Met Ser  
 100 105 110

Ile Ser Glu Phe Glu Arg His Tyr Ser Asn Ile Ile Leu Thr Phe Lys  
 115 120 125

Lys Leu Asp Ser Phe Met Ser Arg Lys Asp Asn Lys Lys Ser Pro Val  
 130 135 140

Leu Lys Tyr Phe Phe Lys Tyr Arg Asn Lys Leu Gly Ile Leu Phe Phe  
 145 150 155 160

Val Thr Ala Leu Leu Tyr Val Ile Gln Ser Leu Val Pro Ile Ala Asn  
 165 170 175

Arg Tyr Ile Ile Asp Thr Asn Phe Lys Asp Asp Ser Tyr Ser Ser Arg  
 180 185 190

Met Leu Phe Thr Ile Leu Phe Ile Phe Thr Val Ser Phe Ser Leu Met  
 195 200 205

Tyr Leu Leu Arg Gln Ile Tyr Val Ala Ser Leu Lys Tyr Ile Met Asp  
 210 215 220

Lys Glu Ile Ser Tyr Asp Phe Met Lys His Leu Ile Tyr Leu Pro Tyr  
 225 230 235 240

Ser Phe Tyr Glu Lys Arg Thr Leu Gly Asp Ile Leu Phe Arg Ala Asn  
 245 250 255



Ser Ile Val Tyr Ile Arg Glu Ile Leu Ser Asn Asn Phe Ile Ala Ala  
 260 265 270  
 Ile Leu Asp Leu Leu Met Ile Val Val Tyr Ala Val Val Leu Phe Ser  
 275 280 285  
 Phe Ser Lys Tyr Met Val Ile Phe Leu Ile Ser Leu Ser Leu Ala Leu  
 290 295 300  
 Ser Ile Val Met Tyr Pro Ile Ile Lys Ile Ser Lys Asn Leu Ile Asp  
 305 310 315 320  
 Lys Asn Ile Lys Glu Lys Val Asn Val Gln Asn Ile Thr Ser Glu Val  
 325 330 335  
 Ile Ser Lys Asn Ser Asp Ile Lys Leu Thr Gly Glu Glu Glu Phe Trp  
 340 345 350  
 Ile Asn Lys Trp Asp Asn Phe Asn Thr Lys Gln Leu Ile Ile Gly Arg  
 355 360 365  
 Lys Leu Asp Ile His Leu Ser Ile Val Ser Ser Ile Thr Asn Val Leu  
 370 375 380  
 Gln Ile Ile Leu Pro Val Leu Thr Leu Ile Val Gly Val Asn Ile Lys  
 385 390 395 400  
 Thr Phe Glu Gln Leu Thr Leu Gly Gln Ile Val Ala Ile Ser Thr Val  
 405 410 415  
 Ser Pro Tyr Phe Ile Ser Pro Ile Ile Ser Leu Ser Asp Asn Tyr Ile  
 420 425 430  
 Gln Leu Met Leu Leu Lys Gly Tyr Phe Leu Arg Ile Glu Asp Val Phe  
 435 440 445  
 Asn Thr Lys Ser Glu Leu Ile Pro Glu Arg Val Ser Gln Asp Ile Lys  
 450 455 460  
 Phe Asp Lys Lys Ile Glu Leu Lys Asp Ile Trp Tyr Lys Tyr Gly Leu

465		470		475		480									
Phe	Asp	Asp	Tyr	Val	Leu	Lys	Gly	Ile	Asn	Val	Thr	Ile	Lys	Lys	Gly
				485					490					495	
Glu	Thr	Val	Ala	Ile	Val	Gly	Glu	Ser	Gly	Ser	Gly	Lys	Ser	Thr	Leu
			500					505					510		
Ala	Lys	Ile	Leu	Leu	Gly	Leu	Leu	Glu	Pro	Asn	Ile	Gly	Ser	Ile	Glu
		515						520				525			
Val	Asp	Gly	Val	Glu	Lys	Glu	Glu	Ile	Gly	Gln	Thr	Leu	Tyr	Arg	Lys
	530					535					540				
Ile	Phe	Gly	Ala	Val	Leu	Gln	Asn	Ser	Thr	Leu	Ser	Tyr	Gly	Thr	Leu
545					550					555					560
Arg	Glu	Asn	Leu	Thr	Phe	Gly	His	Phe	Val	Ser	Asp	Glu	Glu	Leu	Met
				565					570						575
Thr	Asn	Leu	Asn	Ser	Ile	Gly	Leu	Ser	Asn	Val	Val	Lys	Ser	Leu	Pro
			580					585					590		
Leu	Gly	Leu	Glu	Thr	Ile	Ile	Ala	Glu	Glu	Gly	Asn	Asn	Phe	Ser	Gly
		595					600					605			
Gly	Gln	Gln	Gln	Met	Ile	Leu	Leu	Ala	Arg	Cys	Leu	Leu	Ser	Lys	Pro
	610					615					620				
Ser	Val	Val	Val	Leu	Asp	Glu	Ala	Thr	Ser	Ser	Leu	Asp	Asn	Leu	Ser
625					630					635					640
Gln	Gln	Ile	Thr	Thr	Ser	Tyr	Leu	Ser	Glu	Ile	Gly	Thr	Thr	Lys	Ile
				645					650					655	
Leu	Ile	Ala	His	Arg	Leu	Asp	Thr	Ile	Lys	Ser	Ala	Asp	Lys	Ile	Leu
			660					665					670		
Val	Met	His	Asn	Gly	Glu	Ile	Val	Glu	Ile	Gly	Thr	His	Arg	Glu	Leu
			675				680					685			

Leu Glu Leu Gly Gly Ile Tyr Lys Gln Leu Tyr Ser Asn Asn  
 690 695 700

<210> 385  
 <211> 103  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 385

Met Leu Asn Ile Pro Asn Val Leu Arg Tyr Asp Leu Asn Met Leu Gln  
 1 5 10 15

Leu Glu Tyr Lys Asn Glu Gln Ser Trp Asp Ser Phe Ile Asp Asn Val  
 20 25 30

Asn Leu Ile Glu Leu Glu Glu Arg Ile Gln Thr Thr Ile Gly Ile Lys  
 35 40 45

Gln Ile Asn Thr His Asn Ile Ile Thr Ile Ala Arg Glu Gly Tyr Ser  
 50 55 60

Gln Asn Tyr Leu Pro Asn Thr Ser Glu Asn Thr Tyr Asn Ser Leu Gln  
 65 70 75 80

Val Ser Leu Val Gly Val Leu Leu Leu Phe Ile Ser Met Val Asn Ile  
 85 90 95

Leu Trp Ala Lys Lys Ser Lys  
 100

<210> 386  
 <211> 210  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 386

Met Ile Glu Leu Lys Gln Val Ser Lys Ser Phe Gly Glu Arg Glu Leu  
 1 5 10 15

Phe Ser Asn Leu Ser Met Thr Phe Glu Ala Gly Lys Val Tyr Ala Leu  
 20 25 30

Ile Gly Ser Ser Gly Ser Gly Lys Thr Thr Leu Met Asn Met Ile Gly

35                                      40                                      45  
 Lys Leu Glu Pro Tyr Asp Gly Thr Ile Phe Tyr Arg Gly Lys Asp Leu  
     50                                      55                                      60  
 Ala Asn Tyr Lys Ser Ser Asp Phe Phe Arg His Glu Leu Gly Tyr Leu  
     65                                      70                                      75                                      80  
 Phe Gln Asn Phe Gly Leu Ile Glu Asn Gln Ser Ile Glu Glu Asn Leu  
                                     85                                      90                                      95  
 Lys Leu Gly Leu Ile Gly Gln Lys Leu Ser Arg Ser Glu Gln Arg Leu  
                                     100                                      105                                      110  
 Arg Gln Lys Gln Ala Leu Glu Gln Val Gly Leu Val Tyr Leu Asp Leu  
                                     115                                      120                                      125  
 Asp Lys Arg Ile Phe Glu Leu Ser Gly Gly Glu Ser Gln Arg Val Ala  
     130                                      135                                      140  
 Leu Ala Lys Ile Ile Leu Lys Asn Pro Pro Phe Ile Leu Ala Asp Glu  
     145                                      150                                      155                                      160  
 Pro Thr Ala Ser Ile Asp Pro Ala Thr Ser Gln Leu Ile Met Glu Ile  
                                     165                                      170                                      175  
 Leu Leu Ser Leu Arg Asp Asp Asn Arg Leu Ile Ile Ile Ala Thr His  
                                     180                                      185                                      190  
 Asn Pro Ala Ile Trp Glu Met Ala Asp Glu Val Phe Thr Met Asp His  
                                     195                                      200                                      205  
 Leu Lys  
     210  
 <210> 387  
 <211> 345  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 387  
 Met Lys Lys Lys Ile Arg Trp Pro Leu Tyr Val Ile Ala Ala Leu Ile

1	5	10	15
Val Thr Phe Leu Ala Phe Val Val Pro Leu Pro Tyr Tyr Ile Glu Val	20	25	30
Pro Gly Gly Ser Glu Asp Ile Arg Gln Val Leu Lys Val Asn Asp Thr	35	40	45
Glu Asp Lys Glu Ala Gly Ala Tyr Gln Phe Val Thr Val Gly Val Gln	50	55	60
His Ala Thr Leu Ala His Met Ile Tyr Ala Trp Leu Thr Pro Phe Thr	65	70	75
Asp Ile Arg Ser Ala Gln Glu Thr Thr Gly Gly Ser Ser Asp Val Glu	85	90	95
Phe Met Arg Ile Asn Gln Phe Tyr Met Gln Thr Ser Gln Asn Met Ala	100	105	110
Lys Tyr Gln Gly Leu Lys Thr Ala Gly Lys Asp Ile Glu Leu Lys Tyr	115	120	125
Phe Gly Val Tyr Val Leu Asn Val Thr Asp Asn Ser Thr Phe Lys Gly	130	135	140
Ile Leu Asn Ile Ser Asp Thr Val Thr Ala Val Asn Asp Gln Thr Phe	145	150	155
Asp Ser Ser Lys Asp Leu Ile Asp Tyr Val Ser Ser Gln Lys Leu Gly	165	170	175
Asp Ser Val Lys Val Thr Tyr Glu Glu Asp Gly Gln Thr Lys Ser Ala	180	185	190
Glu Gly Lys Ile Ile Thr Leu Glu Asn Gly Lys Asn Gly Ile Gly Ile	195	200	205
Gly Leu Ile Asp Arg Thr Glu Val Ile Ser Asn Val Pro Ile Ser Phe	210	215	220

Ser Thr Ala Gly Ile Gly Gly Pro Ser Ala Gly Leu Met Phe Ser Leu  
225 230 235 240

Ala Ile Tyr Thr Gln Ile Ala His Pro Asp Leu Arg Asn Gly Arg Ile  
245 250 255

Val Ala Gly Thr Gly Thr Ile Asp Arg Asp Gly Asn Val Gly Asp Ile  
260 265 270

Gly Gly Ile Asp Lys Lys Val Val Ala Ser Ala Arg Ala Gly Ala Ala  
275 280 285

Ile Phe Phe Ala Pro Asp Asn Pro Val Ser Glu Glu Glu Gln Lys Ala  
290 295 300

His Pro Asp Ala Lys Asn Asn Tyr Gln Thr Ala Leu Glu Ala Ala Lys  
305 310 315 320

Thr Ile Lys Thr Asp Met Lys Ile Val Pro Val Lys Thr Leu Gln Asp  
325 330 335

Ala Ile Asp Tyr Leu Lys Asn Asn Pro  
340 345

<210> 388

<211> 308

<212> PRT

<213> Streptococcus pneumoniae

<400> 388

Met Lys Ser Ile Lys Arg Phe Ala Leu Ser Ala Met Gly Val Ala Met  
1 5 10 15

Leu Leu Val Leu Thr Gly Cys Val Asn Val Asp Lys Thr Thr Gly Gln  
20 25 30

Pro Thr Gly Phe Ile Trp Asn Thr Ile Gly Ala Pro Met Ala Glu Ala  
35 40 45

Ile Lys Tyr Phe Ala Thr Asp Lys Gly Leu Gly Phe Gly Val Ala Ile  
50 55 60

Ile Ile Val Thr Ile Ile Val Arg Leu Ile Ile Leu Pro Leu Gly Ile  
 65 70 75 80

Tyr Gln Ser Trp Lys Ala Thr Leu His Ser Glu Lys Met Asn Ala Leu  
 85 90 95

Lys His Val Leu Glu Pro His Gln Thr Arg Leu Lys Glu Ala Thr Thr  
 100 105 110

Gln Glu Glu Lys Leu Glu Ala Gln Gln Ala Leu Phe Ala Ala Gln Lys  
 115 120 125

Glu His Gly Ile Ser Met Phe Gly Gly Val Gly Cys Phe Pro Ile Leu  
 130 135 140

Leu Gln Met Pro Phe Phe Ser Ala Ile Tyr Phe Ala Ala Gln His Thr  
 145 150 155 160

Glu Gly Val Ala Gln Ala Ser Tyr Leu Gly Ile Pro Leu Gly Ser Pro  
 165 170 175

Ser Met Ile Leu Val Ala Cys Ala Gly Val Leu Tyr Tyr Leu Gln Ser  
 180 185 190

Leu Leu Ser Leu His Gly Val Glu Asp Glu Met Gln Arg Glu Gln Ile  
 195 200 205

Lys Lys Met Ile Tyr Met Ser Pro Leu Met Ile Val Val Phe Ser Leu  
 210 215 220

Phe Ser Pro Ala Ser Val Thr Leu Tyr Trp Val Val Gly Gly Phe Met  
 225 230 235 240

Met Ile Leu Gln Gln Phe Ile Val Asn Tyr Ile Val Arg Pro Lys Leu  
 245 250 255

Arg Lys Lys Val Arg Glu Glu Leu Ala Lys Asn Pro Pro Lys Ala Ser  
 260 265 270

Ala Phe Ser Lys Pro Ser Gly Arg Lys Asp Val Thr Pro Glu Gln Pro  
 275 280 285

Thr Ala Ile Thr Ser Lys Lys Lys His Lys Asn Arg Asn Ala Gly Lys  
 290 295 300

Gln Arg Ser Arg  
 305

<210> 389  
 <211> 213  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 389

Met Ile Asp Ile Gln Gly Leu Glu Lys Lys Phe Asn Asp Arg Ala Ile  
 1 5 10 15

Phe Ser Gly Leu Asn Leu Lys Leu Glu Lys Gly Lys Val Tyr Ala Leu  
 20 25 30

Ile Gly Lys Ser Gly Ser Gly Lys Thr Thr Leu Leu Asn Ile Leu Gly  
 35 40 45

Lys Leu Glu Lys Ile Asp Gly Gly Arg Val Leu Tyr Gln Gly Lys Asp  
 50 55 60

Leu Lys Thr Ile Pro Thr Arg Glu Tyr Phe Arg Asp Gln Met Gly Tyr  
 65 70 75 80

Leu Phe Gln Asn Phe Gly Leu Leu Glu Asn Gln Ser Ile Lys Glu Asn  
 85 90 95

Leu Asp Leu Gly Phe Val Gly Gln Lys Ile Ser Lys Val Glu Arg Leu  
 100 105 110

Glu Arg Gln Val Gly Ala Leu Glu Lys Val Asn Leu Gly Tyr Leu Asp  
 115 120 125

Leu Glu Gln Lys Ile Tyr Thr Leu Ser Gly Gly Glu Ala Gln Arg Val  
 130 135 140

Ala Leu Ala Lys Thr Ile Leu Lys Asn Pro Pro Leu Ile Leu Ala Asp  
 145 150 155 160



Glu Pro Thr Ala Ala Leu Asp Pro Glu Asn Ser Glu Glu Val Met Asn  
165 170 175

Leu Leu Val Asp Leu Lys Asp Glu Asn Arg Ile Ile Ile Ile Ala Thr  
180 185 190

His Asn Pro Leu Val Trp Asn Lys Ala Asp Glu Ile Ile Asp Met Arg  
195 200 205

Lys Leu Ala His Val  
210

<210> 390

<211> 680

<212> PRT

<213> Streptococcus pneumoniae

<400> 390

Met Glu Glu Met Met Lys Arg Leu Phe Ile Leu Ile Ser Met Val Leu  
1 5 10 15

Val Ser Leu Tyr Met Val Ile Thr Ser Val Asp His Arg Glu Glu Ile  
20 25 30

Leu Phe Gly Asn Tyr Pro Ser Val Asp Val Thr Gly Met Met Ile Asn  
35 40 45

Gln Pro Val Ala Ser Arg Glu Glu Val Thr Glu Ala Leu Ser His Leu  
50 55 60

Ala Val Glu His Asn Ser Leu Ile Ala Arg Arg Ile Val Glu Pro Asn  
65 70 75 80

Glu Ala Gly Glu Thr Arg Phe Thr Tyr Ala Thr Tyr Gly Glu Gly Lys  
85 90 95

Leu Pro Glu Gly Leu Thr Ile Ser Ser Lys Glu Ser Ala Glu Thr Ser  
100 105 110

Asp Leu Leu Gly Ser Tyr Leu Ile Val Ser Gly Ser Leu Asp Gly Val  
115 120 125

Ser Leu Gln Thr Thr Leu Lys Glu Leu Gly Tyr Gln Gly Phe Val Ser  
 130 135 140

Asn Gly Glu Asp Pro Phe Ser Ile Val Leu Leu Leu Thr Ala Thr Pro  
 145 150 155 160

Met Val Leu Leu Ser Leu Ala Ile Phe Leu Leu Thr Phe Met Ser Leu  
 165 170 175

Thr Leu Ile Tyr Arg Ile Lys Ser Leu Arg Gln Ala Gly Ile Arg Leu  
 180 185 190

Ile Ala Gly Glu Ser Leu Phe Gly Val Ala Leu Arg Pro Val Leu Glu  
 195 200 205

Asp Val Arg Gln Leu Ile Cys Ser Val Leu Val Ser Ser Leu Leu Gly  
 210 215 220

Leu Gly Ile Leu Trp Tyr Gln Gly Ala Leu Phe Met Ala Thr Val Gln  
 225 230 235 240

Leu Val Ile Ile Ala Leu Leu Leu Tyr Gly Leu Thr Leu Ala Gly Ile  
 245 250 255

Ser Thr Leu Leu Ser Val Val Tyr Leu Leu Gly Leu Gln Glu Asn Ser  
 260 265 270

Leu Val Asp Leu Leu Lys Gly Lys Leu Pro Leu Lys Arg Met Met Thr  
 275 280 285

Leu Met Met Val Gly Gln Leu Leu Ala Val Leu Val Val Gly Ser Ser  
 290 295 300

Ala Thr Ala Leu Leu Pro His Tyr Arg Glu Met Gln Glu Met Glu Arg  
 305 310 315 320

Ala Ser Asn Lys Trp Ser Gln Ser Ser Asp Arg Tyr Arg Leu Ser Phe  
 325 330 335

Gly Trp Ser Ser Ala Phe Ala Asp Glu Glu Gly Thr Arg Lys Asp Asn  
 340 345 350

Arg Glu Trp Gln Thr Phe Thr Glu Glu Arg Leu Ala Asn Thr Asp Ser  
 355 360 365

Phe Tyr Ile Met Ser Asn Val Asp Asn Phe Ser Asp Gly Ala Glu Val  
 370 375 380

Asp Leu Asp Gly Asn Arg Leu Ser Asp Tyr Thr Pro Ser Gly Asn Val  
 385 390 395 400

Ile Tyr Val Ser Pro Arg Tyr Leu Ile Glu Glu Lys Ile Thr Val Ser  
 405 410 415

Ser Glu Phe Met Asp Lys Met Gln Asn Leu Ser Glu Gly Glu Phe Gly  
 420 425 430

Leu Ile Leu Pro Glu Ser Leu Arg Glu Gln Ser Val Tyr Tyr Gln Gly  
 435 440 445

Leu Phe Thr Asp Tyr Leu Gln Asn Phe Ser Ser Glu Ser Val Glu Val  
 450 455 460

Thr Ser Gln Lys His Tyr Leu Pro Gln Val Arg Leu Ala Phe Thr Glu  
 465 470 475 480

Thr Gly Gln Glu Arg Phe Leu Tyr Asn Asp Gly Tyr Lys Thr Thr Arg  
 485 490 495

Gln Tyr Leu Lys Asp Pro Ile Ile Val Val Leu Thr Pro Gln Ala Thr  
 500 505 510

Gly Thr Arg Pro Val Ala Gly Met Leu Trp Gly Thr Thr Ala Asn Ser  
 515 520 525

Ala Leu Lys Leu Asp Arg Tyr Gly Asp Ser Ile Thr Ala Leu Lys Glu  
 530 535 540

Lys Gly Leu Tyr His Lys Val Ser Tyr Leu Val Lys Ser Gln Leu Phe  
 545 550 555 560

Phe Ala Lys Val Leu Asn Asp Lys Arg Val Glu Phe Tyr Ser Leu Leu

-468-

65		70		75		80									
Gln	Glu	Asn	Val	Ile	Val	Gln	Lys	Leu	Lys	Val	Lys	Glu	Leu	Ile	Ala
				85					90					95	
Phe	Phe	Gln	Arg	Ile	Tyr	Pro	Asn	Ser	Leu	Ser	Asp	Gln	Glu	Ile	Asp
			100					105					110		
Gln	Leu	Leu	Gln	Phe	Asp	Gln	Gln	Gln	Lys	Glu	Gln	Phe	Ala	Glu	Lys
		115					120					125			
Leu	Ser	Gly	Gly	Gln	Lys	Arg	Leu	Phe	Ser	Phe	Val	Leu	Thr	Leu	Ile
	130					135					140				
Gly	Arg	Pro	Lys	Leu	Val	Phe	Leu	Asp	Glu	Pro	Thr	Ala	Ala	Met	Asp
145					150					155					160
Thr	Ser	Thr	Arg	Gln	Arg	Phe	Trp	Glu	Ile	Val	Arg	Asp	Leu	Lys	Ala
				165					170					175	
Gln	Gly	Val	Thr	Ile	Leu	Tyr	Ser	Ser	His	Tyr	Ile	Glu	Glu	Val	Glu
			180					185					190		
His	Thr	Ala	Asp	Arg	Ile	Leu	Val	Leu	Asn	Lys	Gly	Glu	Leu	Ile	Arg
		195					200					205			
Asp	Thr	Thr	Pro	Leu	Ala	Met	Arg	Ser	Glu	Gly	Ile	Glu	Lys	His	Phe
	210					215					220				
Ile	Leu	Pro	Leu	Ala	Tyr	Lys	Glu	Val	Ile	Glu	Gln	Ser	Asn	Leu	Val
225					230					235				240	
Glu	Asn	Trp	Ser	Gln	Lys	Gln	Asp	Ala	Leu	Gln	Val	Val	Thr	Arg	Glu
				245					250					255	
Ala	Asp	Ala	Phe	Trp	Glu	Leu	Leu	Val	Gln	Ala	Gly	Cys	Gly	Ile	Gln
			260					265					270		
Glu	Ile	Glu	Val	Asn	Asn	Arg	Ser	Leu	Leu	Asp	Thr	Ile	Phe	Glu	Glu
		275					280					285			

Thr Gln Lys Gly Asp Asn  
290

<210> 392  
<211> 431  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 392

Met Lys Asn Ser Lys Phe Ile Asp Gln Phe Ala Thr Phe Ala Gly Lys  
1 5 10 15

Leu Gly Asn Gln Ile His Leu Lys Thr Leu Arg Asp Ala Phe Val Thr  
20 25 30

Val Met Pro Leu Tyr Ile Leu Ala Gly Leu Ile Val Leu Leu Asn Asn  
35 40 45

Thr Val Phe Lys Trp Ile Phe Gln Gly Asp Thr Leu Thr Arg Phe Gln  
50 55 60

Tyr Trp Gly Ile Thr Ile Ala Asn Gly Thr Leu Ser Ile Ser Gly Met  
65 70 75 80

Ile Ile Ala Val Met Val Gly Tyr Phe Leu Ala Lys Asn Arg Asp Phe  
85 90 95

Glu Asn Pro Leu Ala Ala Ser Met Leu Ser Leu Val Ser Leu Ile Val  
100 105 110

Met Met Pro Asn Thr Val Ser Val Val Pro Asp Gly Ala Lys Asp Ala  
115 120 125

Val Asn Ile Ser Gly Val Leu Ser Phe Asn Asn Thr Gly Thr Gly Ala  
130 135 140

Met Phe Ala Gly Val Ile Val Ala Ile Ile Ala Thr Glu Leu Phe Ile  
145 150 155 160

Glu Leu Ser Asn Val Lys Ala Leu Gln Met Asn Leu Gly Glu Asn Ile  
165 170 175

Pro Pro Ala Val Ser Arg Ser Phe Ser Val Leu Leu Pro Val Met Thr  
 180 185 190

Val Ile Ser Leu Phe Gly Val Val Ser Ala Leu Leu Phe Asn Ile Thr  
 195 200 205

Gly Met Asn Leu Ile Ser Ile Ile Thr Ile Phe Ile Gln Glu Pro Ile  
 210 215 220

Arg His Ile Gly Thr Ser Leu Ile Gly Val Ile Ile Ile Tyr Ser Leu  
 225 230 235 240

Gly Asn Met Leu Trp Leu Phe Gly Ile His Gln Ala Val Ile Tyr Ser  
 245 250 255

Ala Ile Leu Glu Pro Leu Leu Leu Ile Asn Ile Thr Glu Asn Ile Thr  
 260 265 270

Ala Ala Asn Asn Gly Gln Ala Ile Pro His Ile Ile Asn Leu Ser Gln  
 275 280 285

Ile Gln Thr Phe Ala Leu Met Gly Gly Ser Gly Ser Thr Leu Cys Leu  
 290 295 300

Leu Ile Ala Thr Phe Leu Val Ser Arg Asn Ala Val Ser Lys Asn Val  
 305 310 315 320

Ala Lys Leu Ser Phe Gly Pro Gly Ile Phe Asn Ile Asn Glu Pro Val  
 325 330 335

Leu Phe Gly Tyr Pro Ile Val Tyr Asn Ile Ser Leu Ala Ile Pro Phe  
 340 345 350

Ile Thr Val Pro Val Leu Gly Ile Leu Ile Ser Tyr Leu Ala Thr Val  
 355 360 365

Thr Glu Phe Met Ser Pro Ala Phe Ile Gln Val Pro Trp Thr Thr Pro  
 370 375 380

Val Phe Leu Asn Ala Trp Leu Ala Thr Ala Gly Asp Val Arg Ala Val  
 385 390 395 400

Leu Val Gln Phe Ile Ile Phe Ala Leu Gly Val Leu Leu Tyr Ile Pro  
 405 410 415

Phe Ile Lys Val Asn Asp Lys Val Val Glu Gln Glu Met Glu Gly  
 420 425 430

<210> 393  
 <211> 890  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 393

Met Lys Ala Met Glu Glu Asn Met Ala Asp Lys Lys Thr Val Thr Pro  
 1 5 10 15

Glu Glu Lys Lys Leu Val Ala Glu Lys His Val Asp Glu Leu Val Gln  
 20 25 30

Lys Ala Leu Val Ala Leu Glu Glu Met Arg Lys Leu Asp Gln Glu Gln  
 35 40 45

Val Asp Tyr Ile Val Ala Lys Ala Ser Val Ala Ala Leu Asp Ala His  
 50 55 60

Gly Glu Leu Ala Leu His Ala Phe Glu Glu Thr Gly Arg Gly Val Phe  
 65 70 75 80

Glu Asp Lys Ala Thr Lys Asn Leu Phe Ala Cys Glu His Val Val Asn  
 85 90 95

Asn Met Arg His Thr Lys Thr Val Gly Val Ile Glu Glu Asp Asp Val  
 100 105 110

Thr Gly Leu Thr Leu Ile Ala Glu Pro Val Gly Val Val Cys Gly Ile  
 115 120 125

Thr Pro Thr Thr Asn Pro Thr Ser Thr Ala Ile Phe Lys Ser Leu Ile  
 130 135 140

Ser Leu Lys Thr Arg Asn Pro Ile Val Phe Ala Phe His Pro Ser Ala  
 145 150 155 160



Gln Glu Ser Ser Ala His Ala Ala Arg Ile Val Arg Asp Ala Ala Ile  
 165 170 175

Ala Ala Gly Ala Pro Glu Asn Cys Val Gln Trp Ile Thr Gln Pro Ser  
 180 185 190

Met Glu Ala Thr Ser Ala Leu Met Asn His Glu Gly Val Ala Thr Ile  
 195 200 205

Leu Ala Thr Gly Gly Asn Ala Met Val Lys Ala Ala Tyr Ser Cys Gly  
 210 215 220

Lys Pro Ala Leu Gly Val Gly Ala Gly Asn Val Pro Ala Tyr Val Glu  
 225 230 235 240

Lys Ser Ala Asn Ile Arg Gln Ala Ala His Asp Ile Val Met Ser Lys  
 245 250 255

Ser Phe Asp Asn Gly Met Val Cys Ala Ser Glu Gln Ala Val Ile Ile  
 260 265 270

Asp Lys Glu Ile Tyr Asp Glu Phe Val Ala Glu Phe Lys Ser Tyr His  
 275 280 285

Thr Tyr Phe Val Asn Lys Lys Glu Lys Ala Leu Leu Glu Glu Phe Cys  
 290 295 300

Phe Gly Val Lys Ala Asn Ser Lys Asn Cys Ala Gly Ala Lys Leu Asn  
 305 310 315 320

Ala Asp Ile Val Gly Lys Pro Ala Thr Trp Ile Ala Glu Gln Ala Gly  
 325 330 335

Phe Thr Val Pro Glu Gly Thr Asn Ile Leu Ala Ala Glu Cys Lys Glu  
 340 345 350

Val Gly Glu Asn Glu Pro Leu Thr Arg Glu Lys Leu Ser Pro Val Ile  
 355 360 365

Ala Val Leu Lys Ser Glu Ser Arg Glu Asp Gly Ile Thr Lys Ala Arg  
 370 375 380

Gln Met Val Glu Phe Asn Gly Leu Gly His Ser Ala Ala Ile His Thr  
 385 390 395 400

Ala Asp Glu Glu Leu Thr Lys Glu Phe Gly Lys Ala Val Lys Ala Ile  
 405 410 415

Arg Val Ile Cys Asn Ser Pro Ser Thr Phe Gly Gly Ile Gly Asp Val  
 420 425 430

Tyr Asn Ala Phe Leu Pro Ser Leu Thr Leu Gly Cys Gly Ser Tyr Gly  
 435 440 445

Arg Asn Ser Val Gly Asp Asn Val Ser Ala Ile Asn Leu Leu Asn Ile  
 450 455 460

Lys Lys Val Gly Arg Arg Arg Asn Asn Met Gln Trp Met Lys Leu Pro  
 465 470 475 480

Ser Lys Thr Tyr Phe Glu Arg Asp Ser Ile Gln Tyr Leu Gln Lys Cys  
 485 490 495

Arg Asp Val Glu Arg Val Met Ile Val Thr Asp His Ala Met Val Glu  
 500 505 510

Leu Gly Phe Leu Asp Arg Ile Ile Glu Gln Leu Asp Leu Arg Arg Asn  
 515 520 525

Lys Val Val Tyr Gln Ile Phe Ala Asp Val Glu Pro Asp Pro Asp Ile  
 530 535 540

Thr Thr Val Asn Arg Gly Thr Glu Ile Met Arg Ala Phe Lys Pro Asp  
 545 550 555 560

Thr Ile Ile Ala Leu Gly Gly Gly Ser Pro Met Asp Ala Ala Lys Val  
 565 570 575

Met Trp Leu Phe Tyr Glu Gln Pro Glu Val Asp Phe Arg Asp Leu Val  
 580 585 590

Gln Lys Phe Met Asp Ile Arg Lys Arg Ala Phe Lys Phe Pro Leu Leu

595	600	605
Gly Lys Lys Thr Lys Phe Ile Ala Ile Pro Thr Thr Ser Gly Thr Gly		
610	615	620
Ser Glu Val Thr Pro Phe Ala Val Ile Ser Asp Lys Ala Asn Asn Arg		
625	630	635 640
Lys Tyr Pro Ile Ala Asp Tyr Ser Leu Thr Pro Thr Val Ala Ile Val		
	645	650 655
Asp Pro Ala Leu Val Leu Thr Val Pro Gly Phe Val Ala Ala Asp Thr		
	660	665 670
Gly Met Asp Val Leu Thr His Ala Thr Glu Ala Tyr Val Ser Gln Met		
	675	680 685
Ala Ser Asp Tyr Thr Asp Gly Leu Ala Leu Gln Ala Ile Lys Leu Val		
	690	695 700
Phe Glu Asn Leu Glu Ser Ser Val Lys Asn Ala Asp Phe His Ser Arg		
705	710	715 720
Glu Lys Met His Asn Ala Ser Thr Ile Ala Gly Met Ala Phe Ala Asn		
	725	730 735
Ala Phe Leu Gly Ile Ser His Ser Met Ala His Lys Ile Gly Ala Gln		
	740	745 750
Phe His Thr Ile His Gly Arg Thr Asn Ala Ile Leu Leu Pro Tyr Val		
	755	760 765
Ile Arg Tyr Asn Gly Thr Arg Pro Ala Lys Thr Ala Thr Trp Pro Lys		
	770	775 780
Tyr Asn Tyr Tyr Arg Ala Asp Glu Lys Tyr Gln Asp Ile Ala Arg Met		
785	790	795 800
Leu Gly Leu Pro Ala Ser Thr Pro Glu Glu Gly Val Glu Ser Tyr Ala		
	805	810 815

Lys Ala Val Tyr Glu Leu Gly Glu Arg Ile Gly Ile Gln Met Asn Phe  
820 825 830

Arg Asp Gln Gly Ile Asp Glu Lys Glu Trp Lys Glu His Ser Arg Lys  
835 840 845

Leu Ala Phe Leu Ala Tyr Glu Asp Gln Cys Ser Pro Ala Asn Pro Arg  
850 855 860

Leu Pro Met Val Asp His Met Gln Glu Ile Ile Glu Asp Ala Tyr Tyr  
865 870 875 880

Gly Tyr Lys Glu Arg Pro Gly Arg Arg Lys  
885 890

<210> 394

<211> 99

<212> PRT

<213> Streptococcus pneumoniae

<400> 394

Met Asn Pro Asn Ile Thr Phe Leu Ile Met Leu Val Gly Met Met Ala  
1 5 10 15

Leu Met Phe Phe Met Gln Arg Ser Gln Lys Lys Gln Ala Gln Lys Arg  
20 25 30

Met Glu Ser Leu Asn Lys Leu Gln Lys Gly Tyr Glu Val Ile Thr Ile  
35 40 45

Gly Gly Leu Tyr Gly Thr Val Asp Glu Val Asp Thr Glu Lys Gly Thr  
50 55 60

Ile Val Leu Asp Val Asp Gly Val Tyr Leu Thr Phe Glu Leu Ala Ala  
65 70 75 80

Ile Lys Thr Val Leu Pro Leu Lys Glu Thr Ala Ser Leu Glu Gly Ala  
85 90 95

Ile Glu Lys

<210> 395  
 <211> 605  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 395

Met Arg Ile Lys Trp Phe Ser Leu Ile Arg Ile Ile Gly Leu Leu Leu  
 1 5 10 15

Val Leu Leu Tyr His Phe Phe Gln Thr Ile Phe Pro Gly Gly Phe Phe  
 20 25 30

Gly Val Asp Val Phe Phe Thr Phe Ser Gly Phe Leu Ile Thr Ala Leu  
 35 40 45

Leu Ile Glu Glu Phe Ser Lys Asn Asn Glu Ile Asp Leu Ile Gly Phe  
 50 55 60

Phe Arg Arg Arg Phe Tyr Arg Ile Val Pro Pro Val Val Leu Met Val  
 65 70 75 80

Leu Val Thr Met Pro Phe Thr Phe Leu Val Arg Gln Asp Tyr Val Ala  
 85 90 95

Gly Ile Gly Gly Gln Ile Ala Gly Val Leu Gly Phe Met Thr Asn Phe  
 100 105 110

Tyr Glu Leu Leu Thr Gly Gly Ser Tyr Glu Ser Gln Phe Ile Pro His  
 115 120 125

Leu Phe Val His Asn Trp Ser Leu Ala Val Glu Val His Tyr Tyr Ile  
 130 135 140

Leu Trp Gly Leu Ala Val Trp Phe Leu Ser Lys Gln Ala Lys Ser Asn  
 145 150 155 160

Gly Gln Leu Lys Gly Met Val Phe Leu Leu Ser Ala Val Ala Phe Leu  
 165 170 175

Ile Ser Phe Phe Ser Met Phe Ile Gly Ser Phe Leu Val Thr Ser Tyr  
 180 185 190

Ser Ser Val Tyr Phe Ser Ser Leu Thr His Val Tyr Pro Phe Phe Leu  
 195 200 205

Gly Ser Met Leu Ala Thr Ile Val Gly Val Arg Gln Thr Thr Ser Leu  
 210 215 220

Val Lys Gln Leu Asp Lys Ile Trp Asp Leu Arg Lys Thr Leu Val Val  
 225 230 235 240

Phe Gly Gly Gly Phe Gly Phe Leu Val Leu Leu Thr Phe Phe Val Lys  
 245 250 255

Phe Thr Tyr Leu Phe Ala Tyr Leu Ile Gly Phe Leu Leu Ala Ser Leu  
 260 265 270

Ala Ala Leu Ala Met Ile Leu Ala Ala Arg Val Leu His Glu Lys Thr  
 275 280 285

His His Ile Gln Glu Ser Lys Ile Ile Ser Phe Leu Ala Asp Thr Ser  
 290 295 300

Tyr Ala Val Tyr Leu Phe His Trp Pro Phe Tyr Ile Ile Phe Ser Gln  
 305 310 315 320

Leu Thr Ser Asn Leu Leu Ala Val Leu Leu Thr Leu Ile Cys Ser Tyr  
 325 330 335

Gly Phe Ala Ser Leu Ser Phe Tyr Val Leu Glu Pro Trp Ile Ala Gly  
 340 345 350

Lys Asn Thr Pro Ile Val Gln Thr Leu Arg Pro Leu Pro Tyr Ile His  
 355 360 365

Ala Ile Leu Ala Ala Gly Thr Gly Ile Leu Thr Ile Ile Val Cys Thr  
 370 375 380

Val Thr Leu Leu Ala Pro Gln Val Gly Ala Phe Glu Thr Asp Leu Thr  
 385 390 395 400

Val Asn Gly Leu Lys Gln Ala Ala Thr Asn Ile Gly Gln Thr Lys Val  
 405 410 415

Met Ala Glu Arg Ala Asp Ala Asn Ser Leu Gly Ile Ala Asp Gly Thr  
420 425 430

Met Leu Ile Gly Asp Ser Val Ala Leu Arg Ala Asn Thr Ala Leu Gln  
435 440 445

Thr Ala Leu Pro Gly Ala Gln Ile Asn Ala Gln Val Ser Val Thr Thr  
450 455 460

Lys Thr Ala Asn Glu Ile Met Leu Asn Asn Ser Gln Asn Lys Phe Leu  
465 470 475 480

Pro Lys Thr Val Val Ile Ala Thr Gly Val Asn Asn Pro Glu Asn Tyr  
485 490 495

Lys Asp Asp Trp Asp Ser Ile Val Lys Asn Leu Pro Lys Gly His His  
500 505 510

Met Ile Leu Val Thr Pro Tyr Glu Gly Asp Lys Thr Lys Glu Thr Tyr  
515 520 525

Ala Ile Val Glu Lys Ala Ala Ala Tyr Met Arg Glu Leu Ala Glu Lys  
530 535 540

Thr Pro Tyr Ile Thr Ile Ala Asp Trp Asn Gln Val Ala Lys Glu His  
545 550 555 560

Pro Glu Ile Trp Ala Gly Thr Asp Gln Val His Phe Gly Ser Glu Ser  
565 570 575

Ser Thr Ile Glu Ala Gly Ala Lys Leu Tyr Ala Asp Thr Ile Ala Thr  
580 585 590

Ala Leu Gln Thr Ala Gln Asp Lys Pro Val Lys Ser Lys  
595 600 605

<210> 396

<211> 119

<212> PRT

<213> Streptococcus pneumoniae

<400> 396

Met Ser Ile Ile Leu Thr Thr Ile Val Ala Leu Glu His Phe Tyr Ile  
1 5 10 15

Phe Tyr Leu Glu Ser Ile Ala Thr Gln Ser Asp Ala Thr Ser Arg Val  
20 25 30

Phe Asn Met Glu Lys Glu Glu Leu Ala His Pro Ser Val Ser Ser Leu  
35 40 45

Phe Lys Asn Gln Gly Ile Tyr Lys Ala Leu Leu Gly Val Phe Leu Leu  
50 55 60

Tyr Val Ile Tyr Phe Ser Gln Asn Leu Glu Ile Val Thr Ile Phe Val  
65 70 75 80

Leu Phe Val Ile Gly Ala Ala Thr Tyr Gly Ser Leu Thr Ala Asp Lys  
85 90 95

Lys Ile Ile Leu Lys Gln Gly Gly Ser Ala Ile Leu Ala Leu Ile Ser  
100 105 110

Ile Leu Leu Phe Lys Tyr Thr  
115

<210> 397  
<211> 603  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 397

Met Ala Val Ala Asn Cys Ala Lys Tyr Asn Ile Arg Arg Ser Lys Met  
1 5 10 15

Lys Thr Val Gln Phe Phe Trp His Tyr Phe Lys Val Tyr Lys Phe Ser  
20 25 30

Phe Val Val Val Ile Leu Met Ile Val Leu Ala Thr Phe Ala Gln Ala  
35 40 45

Leu Phe Pro Val Phe Ser Gly Gln Ala Val Thr Gln Leu Ala Asn Leu  
50 55 60



Val Gln Ala Tyr Gln Asn Gly Asn Pro Glu Leu Val Trp Gln Ser Leu  
 65 70 75 80

Ser Gly Ile Met Val Asn Leu Gly Leu Leu Val Leu Val Leu Phe Ile  
 85 90 95

Ser Ser Val Ile Tyr Met Cys Leu Met Thr Arg Val Ile Ala Glu Ser  
 100 105 110

Thr Asn Glu Met Arg Lys Gly Leu Phe Gly Lys Leu Ala Gln Leu Thr  
 115 120 125

Val Ser Phe Phe Asp Arg Arg Gln Asp Gly Asp Ile Leu Ser His Phe  
 130 135 140

Thr Ser Asp Leu Asp Asn Ile Leu Gln Ala Phe Asn Glu Ser Leu Ile  
 145 150 155 160

Gln Val Met Ser Asn Ile Val Leu Tyr Ile Gly Leu Ile Leu Val Met  
 165 170 175

Phe Ser Arg Asn Val Thr Leu Ala Leu Ile Thr Ile Ala Ser Thr Pro  
 180 185 190

Leu Ala Phe Leu Met Leu Ile Phe Ile Val Lys Met Ala Arg Lys Tyr  
 195 200 205

Thr Asn Leu Gln Gln Lys Glu Val Gly Lys Leu Asn Ala Tyr Met Asp  
 210 215 220

Glu Ser Ile Ser Gly Gln Lys Ala Val Ile Val Gln Gly Ile Gln Glu  
 225 230 235 240

Asp Met Met Ala Gly Phe Leu Glu Gln Asn Glu Arg Val Arg Lys Ala  
 245 250 255

Thr Phe Lys Gly Arg Met Phe Ser Gly Ile Leu Phe Pro Val Met Asn  
 260 265 270

Gly Met Ser Leu Ile Asn Thr Ala Ile Val Ile Phe Ala Gly Ser Ala  
 275 280 285

Val Leu Leu Asn Asp Lys Ser Ile Glu Thr Ser Thr Ala Leu Gly Leu  
 290 295 300

Ile Val Met Phe Ala Gln Phe Ser Gln Gln Tyr Tyr Gln Pro Ile Ile  
 305 310 315 320

Gln Val Ala Ala Ser Trp Gly Ser Leu Gln Leu Ala Phe Thr Gly Ala  
 325 330 335

Glu Arg Ile Gln Glu Met Phe Asp Ala Glu Glu Glu Ile Arg Pro Glu  
 340 345 350

Lys Ala Pro Thr Phe Thr Lys Leu Gln Glu Ser Val Glu Ile Ser His  
 355 360 365

Ile Val Phe Ser Tyr Leu Pro Asp Lys Pro Ile Leu Lys Asp Val Ser  
 370 375 380

Ile Ser Ala Pro Lys Gly Gln Met Thr Ala Val Val Gly Pro Thr Gly  
 385 390 395 400

Ser Gly Lys Thr Thr Ile Met Asn Leu Ile Asn Arg Phe Tyr Asp Val  
 405 410 415

Asp Ala Gly Gly Ile Tyr Phe Asp Gly Lys Asp Ile Arg Gly Tyr Asp  
 420 425 430

Leu Asp Ser Leu Arg Ser Lys Val Gly Ile Val Leu Gln Asp Ser Val  
 435 440 445

Leu Phe Ser Gly Thr Ile Arg Asp Asn Ile Arg Phe Gly Val Pro Asp  
 450 455 460

Ala Ser Gln Glu Met Val Glu Val Ala Ala Lys Ala Thr His Ile His  
 465 470 475 480

Asp Tyr Ile Glu Ser Leu Pro Asp Lys Tyr Asp Thr Leu Ile Asp Asp  
 485 490 495

Asp Gln Ser Ile Phe Ser Thr Gly Gln Lys Gln Leu Ile Ser Ile Ala

-483-

-484-

20	25	30
Gly Asn Phe Asp Arg Ala Asp Thr Leu Phe Arg Phe Gly Ala Met Tyr		
35	40	45
Gly Pro Ala Ile Arg Leu Phe Pro Glu Gln Val Trp Arg Leu Leu Ser		
50	55	60
Ala Ile Phe Val His Ile Gly Trp Glu His Phe Ile Val Asn Met Leu		
65	70	75
Ser Leu Tyr Tyr Leu Gly Arg Gln Val Glu Glu Ile Phe Gly Ser Lys		
85	90	95
Gln Phe Phe Phe Leu Tyr Leu Leu Ser Gly Met Met Gly Asn Leu Phe		
100	105	110
Val Phe Val Phe Ser Pro Lys Ser Leu Ala Ala Gly Ala Ser Thr Ser		
115	120	125
Leu Tyr Gly Leu Phe Ala Ala Ile Ile Val Leu Arg Tyr Ala Thr Arg		
130	135	140
Asn Pro Tyr Ile Gln Gln Leu Gly Gln Ser Tyr Leu Thr Leu Phe Val		
145	150	155
Val Asn Ile Ile Gly Ser Val Leu Ile Pro Gly Ile Ser Leu Ala Gly		
165	170	175
His Ile Gly Gly Ala Val Gly Gly Ala Phe Leu Ala Val Ile Phe Pro		
180	185	190
Val Arg Gly Glu Lys Arg Met Tyr Asn Thr Ser Gln Arg Leu Gly Ala		
195	200	205
Val Val Leu Phe Val Gly Leu Ala Ile Leu Leu Phe Tyr Lys Gly Met		
210	215	220
Gly Leu		
225		

<210> 400  
 <211> 232  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 400

Met Thr Ala Thr Lys Met Asn Ala Gln Glu Ile Ile Gln Phe Ile Ala  
 1 5 10 15

Asn Ala Glu Lys Lys Thr Ser Val Lys Val Thr Phe Glu Gly Gln Leu  
 20 25 30

Ala Thr Ala Val Pro Ser Ser Val Val Lys Leu Gly Asn Val Leu Phe  
 35 40 45

Gly Asp Trp Lys Asp Val Ala Pro Leu Leu Glu Gly Leu Val Glu Asn  
 50 55 60

Gln Asp Tyr Val Val Glu Gln Asp Ala Arg Asn Ser Ala Val Pro Leu  
 65 70 75 80

Leu Asp Lys Arg Ala Ile Asn Ala Arg Ile Glu Pro Gly Ala Ile Ile  
 85 90 95

Arg Asp Gln Val Glu Ile Gly Asp Asn Ala Val Ile Met Met Gly Ser  
 100 105 110

Val Ile Asn Ile Gly Ala Glu Ile Gly Ala Gly Thr Met Ile Asp Met  
 115 120 125

Gly Ala Ile Leu Gly Gly Arg Ala Ile Val Gly Lys Asn Ser His Val  
 130 135 140

Gly Ala Gly Ala Val Leu Ala Gly Val Ile Glu Pro Ala Ser Ala Glu  
 145 150 155 160

Pro Val Arg Val Gly Asp Asn Val Leu Ile Gly Ala Asn Ala Val Val  
 165 170 175

Ile Glu Gly Val Gln Ile Gly Ser Gly Ser Val Val Ala Ala Gly Ala  
 180 185 190

Ile Val Thr Gln Asp Val Pro Glu Asn Val Val Val Ala Gly Val Pro  
 195 200 205

Ala Arg Ile Ile Lys Glu Ile Asp Ala Gln Thr Gln Gln Lys Thr Ala  
 210 215 220

Leu Glu Asp Ala Leu Arg Thr Leu  
 225 230

<210> 401  
 <211> 361  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 401

Met Trp Gly Val Tyr Gln Leu His Pro Ala Pro Ala Val Gln Val Val  
 1 5 10 15

Val Leu Ala Ile Ala Val Thr Gln Val Leu His Asp Leu Leu Leu Gln  
 20 25 30

Gly Arg Asp Asp Asn Ser Leu Asn Glu Val Ala Asn Gln Trp Ile Ala  
 35 40 45

Thr Phe Phe Leu Ser Cys Tyr Asn Lys Gly Met Asn Gln Tyr Gln Lys  
 50 55 60

Lys Ile Val Asn Gly Lys Ile Tyr Ser Leu Leu Ser Gly Leu Ile Trp  
 65 70 75 80

Gly Ile Cys Gly Ile Leu Gly Glu Tyr Phe Phe Thr His Tyr Gln Val  
 85 90 95

Ser Ser Gly Trp Ile Thr Ser Met Arg Leu Thr Leu Ala Gly Ser Leu  
 100 105 110

Val Leu Ile Trp Ser Ala Ile Gln Leu Lys Ser Gln Val Leu Asp Ile  
 115 120 125

Trp Arg Asp Lys Lys Asn Tyr Leu Pro Phe Leu Ala Tyr Ala Ile Leu  
 130 135 140

Gly Ile Phe Ser Val Gln Tyr Phe Phe Tyr Leu Cys Val Glu Tyr Ser  
 145 150 155 160

Asn Ala Thr Thr Ala Thr Ile Leu Gln Phe Ile Ser Pro Val Phe Ile  
 165 170 175

Leu Phe Tyr Asn Arg Leu Val Tyr Gln Lys Arg Ala Ser Lys Ser Ala  
 180 185 190

Val Phe Tyr Val Leu Val Ala Met Leu Gly Val Cys Leu Met Ala Thr  
 195 200 205

Lys Gly Asp Leu Ser Gln Leu Ser Met Thr Pro Leu Ala Leu Ile Thr  
 210 215 220

Gly Leu Leu Ser Ala Met Gly Val Met Phe Asn Val Ile Leu Pro Gln  
 225 230 235 240

Pro Phe Ala Lys Arg Tyr Gly Phe Val Pro Thr Val Gly Trp Gly Met  
 245 250 255

Ile Leu Ala Gly Leu Phe Ser Asn Val Leu Ser Pro Val Tyr Gln Leu  
 260 265 270

Ser Phe Thr Leu Asp Ile Trp Ser Ile Leu Ile Cys Leu Ile Ile Ala  
 275 280 285

Phe Phe Gly Thr Ala Phe Ala Phe Phe Ile Ser Met Lys Ala Val Ser  
 290 295 300

Leu Val Ser Pro Leu Val Val Ala Val Ile Ser Ala Ser Glu Pro Leu  
 305 310 315 320

Ser Ser Ala Leu Leu Ser Val Leu Phe Leu Gly Leu Val Val Asp Trp  
 325 330 335

Ser Leu Leu Leu Ala Ile Ala Leu Ile Ile Leu Pro Met Ile Phe Leu  
 340 345 350

Ser Ile Glu Glu Ala Lys Glu Ser Arg  
 355 360



<210> 402  
 <211> 190  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 402

Met Asn Lys Leu Met Lys Phe Ile Ser Val Phe Leu Thr Ser Ile Val  
 1 5 10 15

Leu Ile Val Ser Ala Ile Pro Ser Val Ser Ala Val Tyr Ala Ser Glu  
 20 25 30

Gln Val Ser Gln Ile Glu Thr Asn Met Glu Leu Gln Pro Val Thr Ser  
 35 40 45

Leu Thr Glu Glu Gln Ile Asn Thr Leu Ala Asn Glu Ile Gln Ser Phe  
 50 55 60

His Pro Asp Val Ser Gln Gln Trp Ile Lys Glu Val Ile Asn Arg Gln  
 65 70 75 80

Leu Gln Gly Asp Tyr Thr Ile Pro Pro Thr Tyr Ser Pro Phe Arg Ala  
 85 90 95

Val Trp Gln Gly Ile Thr Val Asn Gln Met Gly Ala Leu Leu Asp Thr  
 100 105 110

Ala Ile Ala Leu Ala Leu Gly Gly Thr Thr Ala Gly Leu Ala Asn Leu  
 115 120 125

Ile Lys Val Lys Gly Lys His Ala Ala Lys Ser Ala Ile Arg Ser Ala  
 130 135 140

Ile Ser Arg Tyr Leu Gly Ser Trp Phe Val Asn Asp Val Ala Leu Glu  
 145 150 155 160

Phe Ala Met Asn Leu Leu Ser Pro Gly Thr Tyr Leu Ala Gln Leu Trp  
 165 170 175

Asp Lys Asn Asp Ala Ile Pro Asn Asn Gly Arg Ile Asn Phe  
 180 185 190

<210> 403  
 <211> 435  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 403

Met Lys Gly Val Asn Met Glu Lys Gln Gln Pro Ser Lys Ala Ala Leu  
 1 5 10 15

Leu Ser Ile Ile Pro Gly Leu Gly Gln Ile Tyr Asn Lys Gln Lys Ala  
 20 25 30

Lys Gly Phe Ile Phe Leu Gly Val Thr Ile Val Phe Val Leu Tyr Phe  
 35 40 45

Leu Ala Leu Ala Thr Pro Glu Leu Ser Asn Leu Ile Thr Leu Gly Asp  
 50 55 60

Lys Pro Gly Arg Asp Asn Ser Leu Phe Met Leu Ile Arg Gly Ala Phe  
 65 70 75 80

His Leu Ile Phe Val Ile Val Tyr Val Leu Phe Tyr Phe Ser Asn Ile  
 85 90 95

Lys Asp Ala His Thr Ile Ala Lys Arg Ile Asn Asn Gly Ile Pro Val  
 100 105 110

Pro Arg Thr Leu Lys Asp Met Ile Lys Gly Ile Tyr Glu Asn Gly Phe  
 115 120 125

Pro Tyr Leu Leu Ile Ile Pro Ser Tyr Val Ala Met Thr Phe Ala Ile  
 130 135 140

Ile Phe Pro Val Ile Val Thr Leu Met Ile Ala Phe Thr Asn Tyr Asp  
 145 150 155 160

Phe Gln His Leu Pro Pro Asn Lys Leu Leu Asp Trp Val Gly Leu Thr  
 165 170 175

Asn Phe Thr Asn Ile Trp Ser Leu Ser Thr Phe Arg Ser Ala Phe Gly  
 180 185 190

Ser Val Leu Ser Trp Thr Ile Ile Trp Ala Leu Ala Ala Ser Thr Leu  
 195 200 205

Gln Ile Val Ile Gly Ile Phe Thr Ala Ile Ile Ala Asn Gln Pro Phe  
 210 215 220

Ile Lys Gly Lys Arg Ile Phe Gly Val Ile Phe Leu Leu Pro Trp Ala  
 225 230 235 240

Val Pro Ala Phe Ile Thr Ile Leu Thr Phe Ser Asn Met Phe Asn Asp  
 245 250 255

Ser Val Gly Ala Ile Asn Thr Gln Val Leu Pro Ile Leu Ala Lys Phe  
 260 265 270

Leu Pro Phe Leu Asp Gly Ala Leu Ile Pro Trp Lys Thr Asp Pro Thr  
 275 280 285

Trp Thr Lys Ile Ala Leu Ile Met Met Gln Gly Trp Leu Gly Phe Pro  
 290 295 300

Tyr Ile Tyr Val Leu Thr Leu Gly Ile Leu Gln Ser Ile Pro Asn Asp  
 305 310 315 320

Leu Tyr Glu Ala Ala Tyr Ile Asp Gly Ala Asn Ala Trp Gln Lys Phe  
 325 330 335

Arg Asn Ile Thr Phe Pro Met Ile Leu Ala Val Ala Ala Pro Thr Leu  
 340 345 350

Ile Ser Gln Tyr Thr Phe Asn Phe Asn Asn Phe Ser Ile Met Tyr Leu  
 355 360 365

Phe Asn Gly Gly Gly Pro Gly Ser Val Gly Gly Gly Ala Gly Ser Thr  
 370 375 380

Asp Ile Leu Ile Ser Trp Ile Tyr Arg Leu Thr Thr Gly Thr Ser Pro  
 385 390 395 400

Gln Tyr Ser Met Ala Ala Ala Val Thr Leu Ile Ile Ser Ile Ile Val  
 405 410 415

Ile Ser Ile Ser Met Ile Ala Phe Lys Lys Leu His Ala Phe Asp Met  
                   420                                  425                                  430

Glu Asp Val  
                   435

<210> 404  
 <211> 287  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 404

Met Ile Trp Arg Thr Ser Lys Met Asn Asn Ser Ile Lys Leu Lys Arg  
   1                                  5                                  10                                  15

Arg Leu Thr Gln Ser Leu Thr Tyr Leu Tyr Leu Ile Gly Leu Ser Ile  
                   20                                  25                                  30

Val Ile Ile Tyr Pro Leu Leu Ile Thr Ile Met Ser Ala Phe Lys Ala  
                   35                                  40                                  45

Gly Asn Val Ser Ala Phe Lys Leu Asp Thr Asn Ile Asp Leu Asn Phe  
                   50                                  55                                  60

Asp Asn Phe Lys Gly Leu Phe Thr Glu Thr Leu Tyr Gly Thr Trp Tyr  
   65                                  70                                  75                                  80

Leu Asn Thr Leu Ile Ile Ala Leu Ile Thr Met Ala Val Gln Thr Ser  
                   85                                  90                                  95

Ile Ile Val Leu Ala Gly Tyr Ala Tyr Ser Arg Tyr Asn Phe Leu Ala  
                   100                                  105                                  110

Arg Lys Gln Ser Leu Val Phe Phe Leu Ile Ile Gln Met Val Pro Thr  
                   115                                  120                                  125

Met Ala Ala Leu Thr Ala Phe Phe Val Met Ala Leu Met Leu Asn Ala  
                   130                                  135                                  140

Leu Asn His Asn Trp Phe Leu Ile Phe Leu Tyr Val Gly Gly Gly Ile  
   145                                  150                                  155                                  160

Pro Met Asn Ala Trp Leu Met Lys Gly Tyr Phe Asp Thr Val Pro Met  
 165 170 175

Ser Leu Asp Glu Ser Ala Lys Leu Asp Gly Ala Gly His Phe Arg Arg  
 180 185 190

Phe Trp Gln Ile Val Leu Pro Leu Val Arg Pro Met Val Ala Val Gln  
 195 200 205

Ala Leu Trp Ala Phe Met Gly Pro Phe Gly Asp Tyr Ile Leu Ser Ser  
 210 215 220

Phe Leu Leu Arg Glu Lys Glu Tyr Phe Thr Val Ala Val Gly Leu Gln  
 225 230 235 240

Thr Phe Val Asn Asn Ala Lys Asn Leu Lys Ile Ala Tyr Phe Ser Ala  
 245 250 255

Gly Ala Ile Leu Ile Ala Leu Pro Ile Cys Ile Leu Phe Phe Phe Leu  
 260 265 270

Gln Lys Asn Phe Val Ser Gly Leu Thr Ser Gly Gly Asp Lys Gly  
 275 280 285

<210> 405  
 <211> 266  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 405

Met Leu Pro Tyr Pro Phe Ser Tyr Phe Ser Ser Ile Trp Gly Val Arg  
 1 5 10 15

Lys Pro Leu Ser Lys Arg Phe Glu Leu Asn Trp Phe Gln Leu Leu Phe  
 20 25 30

Thr Ser Ile Phe Leu Ile Ser Leu Ser Met Val Pro Ile Ala Ile Gln  
 35 40 45

Asn Ser Ser Gln Glu Thr Tyr Pro Leu Glu Thr Phe Ile Asp Asn Val  
 50 55 60

Tyr Glu Pro Leu Thr Asp Lys Val Val Gln Asp Leu Ser Glu His Ala  
65 70 75 80

Thr Ile Val Asp Gly Thr Leu Thr Tyr Thr Gly Thr Ala Ser Gln Ala  
85 90 95

Pro Ser Val Val Ile Gly Pro Ser Gln Ile Lys Glu Leu Pro Lys Asp  
100 105 110

Leu Gln Leu His Phe Asp Thr Asn Glu Leu Val Ile Ser Lys Glu Ser  
115 120 125

Lys Glu Leu Thr Arg Ile Ser Tyr Arg Ala Ile Gln Thr Glu Ser Phe  
130 135 140

Lys Ser Lys Asp Ser Leu Thr Gln Ala Ile Ser Lys Asp Trp Tyr Gln  
145 150 155 160

Gln Asn Arg Val Tyr Ile Ser Leu Phe Leu Val Leu Gly Ala Ser Phe  
165 170 175

Leu Phe Gly Leu Asn Phe Phe Ile Val Ser Leu Gly Ala Ser Phe Leu  
180 185 190

Leu Tyr Ile Thr Lys Arg Ser Arg Leu Phe Ser Phe Asn Thr Phe Lys  
195 200 205

Glu Cys Tyr His Phe Ile Leu Asn Cys Leu Gly Leu Pro Thr Leu Ile  
210 215 220

Thr Leu Ile Leu Gly Leu Phe Gly Gln Asn Met Thr Thr Leu Ile Thr  
225 230 235 240

Val Gln Asn Ile Leu Phe Val Leu Tyr Leu Val Thr Ile Phe Tyr Lys  
245 250 255

Thr His Phe Arg Asp Pro Asn Tyr His Lys  
260 265

<210> 406

<211> 313  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 406

Met Lys Gln Thr Lys Arg Ile Lys Arg Trp Arg Tyr Tyr Leu Arg Arg  
 1 5 10 15

Phe Ala Tyr Gln Ile Lys Ile Leu Arg Val Leu Gln Ser Ile Ser Arg  
 20 25 30

Glu Lys Tyr Asp Glu Lys Ile Ser Ala Ser Leu Val Tyr Gly Phe Leu  
 35 40 45

Ser Ala Val Ala Val Asn Phe Phe Gln Pro Gly His Val Tyr Ser  
 50 55 60

Ser Gly Ala Thr Gly Leu Ala Gln Ile Ile Ser Ala Leu Ser Asn His  
 65 70 75 80

Trp Phe Gly Phe His Ile Pro Ile Ser Leu Ser Phe Tyr Ala Ile Asn  
 85 90 95

Phe Pro Leu Met Val Leu Ala Trp Tyr Gln Ile Gly His Lys Phe Thr  
 100 105 110

Val Phe Thr Phe Ile Thr Val Ser Met Ser Ser Phe Phe Ile Gln Phe  
 115 120 125

Val Pro Val Ala Thr Leu Thr Glu Asp Pro Ile Ile Asn Ser Leu Phe  
 130 135 140

Gly Gly Val Val Met Gly Leu Gly Ile Gly Phe Ala Leu Arg Asn Asn  
 145 150 155 160

Ile Ser Ser Gly Gly Thr Asp Ile Val Ser Leu Thr Ile Arg Lys Lys  
 165 170 175

Thr Gly Lys Asn Val Gly Ser Ile Ser Phe Leu Val Asn Gly Thr Ile  
 180 185 190

Met Leu Ile Ala Gly Leu Thr Phe Gly Trp Lys Tyr Ala Leu Tyr Ser

195                                      200                                      205  
 Met Ile Thr Ile Phe Val Ser Ser Arg Val Thr Asp Ala Val Phe Thr  
 210                                      215                                      220  
 Lys Gln Lys Arg Met Gln Ala Met Ile Val Thr Asn His Pro Glu Lys  
 225                                      230                                      235                                      240  
 Val Ile Glu Lys Ile His Lys Lys Leu His Arg Gly Ala Thr Met Ile  
 245                                      250                                      255  
 His Asp Ala Glu Gly Thr Tyr Asn His Glu Arg Lys Ala Val Leu Ile  
 260                                      265                                      270  
 Thr Val Ile Thr Arg Ala Glu Phe Asn Glu Phe Lys Gln Ile Met Thr  
 275                                      280                                      285  
 Gln Val Asp Pro Ser Ser Phe Val Ser Val Ser Glu Asn Val His Ile  
 290                                      295                                      300  
 Leu Gly Arg Phe Val Glu Ile Asp Asn  
 305                                      310  
 <210> 407  
 <211> 76  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 407  
 Met Lys Arg Val Ile Leu Leu Ala Val Ile Gln Ala Val Val Leu Phe  
 1                                      5                                      10                                      15  
 Phe Ile Ile Gly Ala Leu Ala Tyr Ala Phe Lys Gly Asp Phe Phe Tyr  
 20                                      25                                      30  
 Asn Tyr Leu Ala Val Val Phe Ala Pro Ile Ala Gly Val Leu Arg Phe  
 35                                      40                                      45  
 Gly Thr Ala Tyr Ile Thr Glu Ile Val Leu Pro Arg Lys Ala Ala Glu  
 50                                      55                                      60  
 Ile Ala Glu Lys Arg Lys Ala Gly Lys Asn Ser Lys



65

70

75

&lt;210&gt; 408

&lt;211&gt; 213

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 408

Met Lys Leu Leu Lys Asn Leu Gly Trp Ile Leu Leu Ala Leu Leu Ser  
 1 5 10 15

Phe Leu Phe Ile Tyr Gly Phe Ile Gln Gly Leu Ala Thr Ala Ser Leu  
 20 25 30

Ala Leu Gly Ala Ser Pro Tyr Ala Val Thr Leu Leu Tyr Val Ala Leu  
 35 40 45

Ala Gly Val Tyr Val Tyr Gly Ile Tyr Lys Trp Tyr Gln Lys Ala Pro  
 50 55 60

Val His Ile Glu Lys Ser Gly Phe Asn Arg Phe Ile Trp Leu Pro Val  
 65 70 75 80

Leu Val Trp Phe Leu Ser Leu Val Val Gln Phe Phe Leu Pro Asp Asp  
 85 90 95

Pro Ser Val Asn Gln Gln Ile Ala Thr Asp Leu Thr Leu Ser Gln Pro  
 100 105 110

Leu Phe Ser Phe Phe Ala Val Val Ile Phe Ala Pro Leu Thr Glu Glu  
 115 120 125

Ile Val Phe Arg Gly Met Leu Ala Arg Tyr Leu Phe Pro Lys Gln Asp  
 130 135 140

Asn Ser Lys Arg Thr Leu Ile Phe Leu Leu Val Ser Ser Leu Leu Phe  
 145 150 155 160

Ala Leu Ile His Phe Pro Gly Asp Val Gln Gln Phe Phe Val Tyr Phe  
 165 170 175

Ser Leu Gly Phe Ser Leu Gly Leu Ala Tyr Ile Ser Arg Lys Gly Leu

180 185 190  
 Val Tyr Ser Ile Ser Leu His Ala Leu Asn Asn Leu Val Gly Phe Leu  
 195 200 205  
 Met Ile Leu Met Leu  
 210  
 <210> 409  
 <211> 226  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 409  
 Met Gly Met Phe Val Gly Met Phe Lys Ala Arg Val Glu Ser His Glu  
 1 5 10 15  
 Ile Ile Leu Asp Val Lys Ala Leu Met Pro Trp Ile Ser Ala Ile Cys  
 20 25 30  
 Leu Leu Ile Gly Phe Ile Ser Met Phe Leu Thr Phe Asn Phe Leu Lys  
 35 40 45  
 Lys Ser Arg Lys Phe His Ser Leu Tyr Gln Glu Glu Met Asp Asp Asp  
 50 55 60  
 Leu Asn Glu Thr Tyr Tyr Val Gln Met Tyr Arg Asn Leu Glu Phe Gly  
 65 70 75 80  
 Thr Ile Ala Phe Asn Ile Thr Gly Val Ala Ile Pro Leu Ala Ile Phe  
 85 90 95  
 Ile Ser Leu Ser Glu Val Ile Ile Leu His Thr Asn Pro Gln Thr Phe  
 100 105 110  
 Phe Leu Ser Phe Leu Leu Phe Val Val Phe Leu Val Ala Gln Lys Ser  
 115 120 125  
 Leu Phe Lys Thr Ile Ala Ile Val Arg Gln Phe Asp Leu Glu Phe Phe  
 130 135 140  
 Ala Thr Pro Lys Asp Val Leu Asn Tyr Ile Asn Ser Tyr Asp Glu Gly

Thr Val Thr Glu Val Ala Ser Gln Ala Phe Ser Tyr Tyr Pro Asp Glu

100	105	110
Thr Gly Arg Ile Val Tyr Tyr Pro Ser Ser Ile Thr Ile Pro Ser Ser		
115	120	125
Ile Lys Lys Ile Gln Lys Lys Gly Phe His Gly Ser Lys Ala Lys Thr		
130	135	140
Ile Ile Phe Asp Lys Gly Ser Gln Leu Glu Lys Ile Glu Asp Arg Ala		
145	150	155
Phe Asp Phe Ser Glu Leu Glu Glu Ile Glu Leu Pro Ala Ser Leu Glu		
165	170	175
Tyr Ile Gly Thr Ser Ala Phe Ser Phe Ser Gln Lys Leu Lys Lys Leu		
180	185	190
Thr Phe Ser Ser Ser Ser Lys Leu Glu Leu Ile Ser His Glu Ala Phe		
195	200	205
Ala Asn Leu Ser Asn Leu Glu Lys Leu Thr Leu Pro Lys Ser Val Lys		
210	215	220
Thr Leu Gly Ser Asn Leu Phe Arg Leu Thr Thr Ser Leu Lys His Val		
225	230	235
Asp Val Glu Glu Gly Asn Glu Ser Phe Ala Ser Val Asp Gly Val Leu		
245	250	255
Phe Ser Lys Asp Lys Thr Gln Leu Ile Tyr Tyr Pro Ser Gln Lys Asn		
260	265	270
Asp Glu Ser Tyr Lys Thr Pro Lys Glu Thr Lys Glu Leu Ala Ser Tyr		
275	280	285
Ser Phe Asn Lys Asn Ser Tyr Leu Lys Lys Leu Glu Leu Asn Glu Gly		
290	295	300
Leu Glu Lys Ile Gly Thr Phe Ala Phe Ala Asp Ala Ile Lys Leu Glu		
305	310	315
		320

Glu Ile Ser Leu Pro Asn Ser Leu Glu Thr Ile Glu Arg Leu Ala Phe  
 325 330 335

Tyr Gly Asn Leu Glu Leu Lys Glu Leu Ile Leu Pro Asp Asn Val Lys  
 340 345 350

Asn Phe Gly Lys His Val Met Asn Gly Leu Pro Lys Leu Lys Ser Leu  
 355 360 365

Thr Ile Gly Asn Asn Ile Asn Ser Leu Pro Ser Phe Phe Leu Ser Gly  
 370 375 380

Val Leu Asp Ser Leu Lys Glu Ile His Ile Lys Asn Lys Ser Thr Glu  
 385 390 395 400

Phe Ser Val Lys Lys Asp Thr Phe Ala Ile Pro Glu Thr Val Lys Phe  
 405 410 415

Tyr Val Thr Ser Glu His Ile Lys Asp Val Leu Lys Ser Asn Leu Ser  
 420 425 430

Thr Ser Asn Asp Ile Ile Val Glu Lys Val Asp Asn Ile Lys Gln Glu  
 435 440 445

Thr Asp Val Ala Lys Pro Lys Lys Asn Ser Asn Gln Gly Val Val Gly  
 450 455 460

Trp Val Lys Asp Lys Gly Leu Trp Tyr Tyr Leu Asn Glu Ser Gly Ser  
 465 470 475 480

Met Ala Thr Gly Trp Val Lys Asp Lys Gly Leu Trp Tyr Tyr Leu Asn  
 485 490 495

Glu Ser Gly Ser Met Ala Thr Gly Trp Val Lys Asp Lys Gly Leu Trp  
 500 505 510

Tyr Tyr Leu Asn Glu Ser Gly Ser Met Ala Thr Gly Trp Val Lys Asp  
 515 520 525

Lys Gly Leu Trp Tyr Tyr Leu Asn Glu Ser Gly Ser Met Ala Thr Gly  
 530 535 540

Trp Val Lys Asp Lys Gly Leu Trp Tyr Tyr Leu Asn Glu Ser Gly Ser  
545 550 555 560

Met Ala Thr Gly Trp Val Lys Asp Lys Gly Leu Trp Tyr Tyr Leu Asn  
565 570 575

Glu Ser Gly Ser Met Ala Thr Gly Trp Val Thr Val Ser Gly Lys Trp  
580 585 590

Tyr Tyr Thr Tyr Asn Ser Gly Asp Leu Leu Val Asn Thr Thr Thr Pro  
595 600 605

Asp Gly Tyr Arg Val Asn Ala Asn Gly Glu Trp Val Gly  
610 615 620

<210> 411  
<211> 383  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 411

Met Ala Ile Phe Tyr Val Pro Ala Val Asn Leu Ile Gly Lys Gly Val  
1 5 10 15

Val Asn Glu Val Gly Pro Tyr Ile Lys Glu Leu Gly Tyr Lys Lys Ala  
20 25 30

Leu Leu Val Thr Asp Lys Tyr Ile Glu Gly Ser Asp Ile Leu Pro Lys  
35 40 45

Thr Leu Lys Pro Leu Asp Thr Glu Gly Ile Glu Tyr Val Ile Phe Ser  
50 55 60

Asp Val Glu Pro Asn Pro Thr Cys Lys Asn Val Thr Asp Gly Val Ala  
65 70 75 80

Ala Leu Gln Glu His Gly Cys Asp Phe Ile Ile Ser Leu Gly Gly Gly  
85 90 95

Ser Pro Gln Asp Ala Ala Ser Cys Ile Ser Ile Met Ala Thr Asn Gly  
100 105 110

Gly Lys Pro Gln Asp Tyr Glu Gly Leu His Lys Ser Ala Lys Lys Gly  
 115 120 125

Leu Pro Val Val Ala Ile Asn Thr Thr Ala Gly Thr Ser Ala Glu Ile  
 130 135 140

Thr Ile Asn Tyr Val Ile Thr Asp Glu Glu Arg Lys Val Lys Met Val  
 145 150 155 160

Met Val Asp Lys Asn Ser Leu Ala Leu Ile Ser Val Asn Asp Pro Glu  
 165 170 175

Leu Met Leu Ser Lys Pro Lys Gly Leu Thr Ala Ala Thr Gly Met Asp  
 180 185 190

Ala Leu Thr His Ala Val Glu Ala Leu Val Thr Pro Gly Ala Tyr Asp  
 195 200 205

Val Thr Lys Lys Leu Ser Ile Gly Ala Ile Glu Leu Ile Lys Glu Tyr  
 210 215 220

Leu Pro Arg Ala Val Glu Asn Gly His Asp Ile Glu Ala Arg Glu Gly  
 225 230 235 240

Met Val Asn Ala Ile Phe Leu Gly Gly Met Ser Phe Asn Asn Ala Gly  
 245 250 255

Leu Gly Tyr Val His Ser Met Ala His Gln Leu Gly Ala Val Tyr Asn  
 260 265 270

Leu Pro His Gly Val Cys Cys Ala Met Leu Leu Pro Val Ile Glu Arg  
 275 280 285

Glu Asn Ala Lys Arg Val Pro Glu Ala Phe Arg Asn Val Ala Lys Ala  
 290 295 300

Leu Gly Leu His Val Glu Gly Lys Ser Asp Gln Glu Cys Ala Asp Tyr  
 305 310 315 320

Ala Ile Ala Glu Ile Glu Lys Leu Ser Glu Thr Val Gly Ile Pro Lys  
 325 330 335

Lys Leu Thr Glu Leu Gly Ile Glu Glu Lys Asp Phe Asp Phe Glu Tyr  
 340 345 350

Leu Ser Lys Asn Ala Leu Ile Asp Ala Cys Ala Pro Gly Asn Pro Phe  
 355 360 365

Met Pro Thr Leu Glu Glu Thr Ile Ala Phe Tyr Lys Glu Leu Phe  
 370 375 380

<210> 412  
 <211> 257  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 412

Met Ile Lys Asp Glu Arg Val Leu Glu Leu Ile Glu Ile Ile Lys Lys  
 1 5 10 15

Lys Lys Arg Ile Ala Val Lys Glu Leu Ala Glu Ile Thr Phe Ser Ser  
 20 25 30

Thr Ser Thr Leu Arg Arg Asp Leu Ile Phe Leu Glu Asn Gln Gly Leu  
 35 40 45

Ile Lys Arg Lys His Gly Tyr Val Thr Leu Ser Ser Met Asn Thr Ile  
 50 55 60

Glu Leu Ser His Gln Ile Arg Glu Gly Glu Ser Thr Arg Gln Lys Arg  
 65 70 75 80

Leu Ile Ala Ser Leu Ala Lys Asp Phe Ile Arg Ser Gly Met Cys Ile  
 85 90 95

Tyr Leu Asp Ser Ser Thr Thr Val Tyr Glu Leu Cys Pro Tyr Leu Ser  
 100 105 110

Glu Leu Asp Asn Leu Ile Ile Phe Thr Asn Gly Leu His Thr Ala Gln  
 115 120 125

Thr Leu Ser Glu Thr Val Lys Asp Ser Ser Lys Ile Phe Ile Thr Ser  
 130 135 140



Gly Glu Val Lys His Gln Ser Cys Ser Val Val Asn Tyr Asp Lys Glu  
145 150 155 160

Asn Ser Leu Leu Asp His Phe Asn Ile Asp Leu Ala Phe Cys Ser Ala  
165 170 175

Arg Gly Ile Asp Asp Gln Tyr Val Tyr Glu Ala Ser Leu Ser Gln Ala  
180 185 190

Ile Ser Lys Lys Asn Ile Ile Asp Lys Ala His Glu Thr Ile Leu Leu  
195 200 205

Ile Asp Ser Ser Lys Phe Tyr Lys Thr Gly Phe Phe Lys Ile Asn Pro  
210 215 220

Leu Ser Lys Tyr Thr Thr Phe Ile Ser Asp Thr Val Pro Asp Gln Lys  
225 230 235 240

Leu Leu Asp Ala Val Glu Leu Phe Asp Gly Glu Trp Val Ser Asp Ile  
245 250 255

Gln

<210> 413  
<211> 268  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 413

Met Leu Ser Leu Leu Ser Tyr Asp Phe Ile Gln Arg Ala Phe Leu Ala  
1 5 10 15

Val Ile Ala Met Ser Leu Phe Ser Pro Val Leu Gly Thr Phe Leu Ile  
20 25 30

Leu Arg Arg Gln Ser Leu Met Ser Asp Thr Leu Ser His Val Ser Leu  
35 40 45

Ser Gly Val Ala Phe Gly Leu Val Leu Gly Ile Ser Pro Thr Val Ser  
50 55 60

Thr Ile Ala Ile Val Leu Ile Ala Ala Val Phe Leu Glu Tyr Leu Arg  
65 70 75 80

Thr Val Tyr Lys Ser Phe Met Glu Ile Gly Thr Ala Ile Leu Met Ser  
85 90 95

Thr Gly Leu Ala Val Ser Leu Ile Val Met Ser Lys Gly Lys Ser Ser  
100 105 110

Ser Ser Met Ser Leu Asp Gln Tyr Leu Phe Gly Ser Ile Val Thr Ile  
115 120 125

Ser Glu Glu Gln Val Ile Ser Leu Phe Val Ile Ala Ala Val Val Leu  
130 135 140

Ile Leu Thr Phe Leu Phe Leu Arg Pro Met Tyr Ile Leu Thr Phe Asp  
145 150 155 160

Glu Asp Thr Ala Phe Val Asp Gly Leu Pro Val Arg Thr Met Ser Ile  
165 170 175

Leu Phe Asn Met Val Thr Gly Val Ala Ile Ala Leu Met Ile Pro Ala  
180 185 190

Ala Gly Ala Leu Leu Val Ser Thr Ile Met Val Leu Pro Ala Ser Ile  
195 200 205

Ala Leu Arg Leu Gly Lys Asn Phe Lys Ser Val Met Leu Leu Ala Ser  
210 215 220

Ala Ile Gly Phe Leu Gly Met Val Ala Gly Leu Tyr Ile Ser Tyr Tyr  
225 230 235 240

Ala Glu Thr Pro Ala Ser Ala Ser Ile Thr Ile Ile Phe Val Thr Val  
245 250 255

Phe Ile Leu Ile Ser Leu Val Arg Arg Phe Ile Lys  
260 265

<210> 414

<211> 234  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 414

Met Arg Tyr Ile Thr Val Glu Asp Leu Ser Phe Tyr Tyr Asp Lys Glu  
 1 5 10 15

Pro Val Leu Glu His Ile Asn Tyr Cys Val Asp Ser Gly Glu Phe Val  
 20 25 30

Thr Leu Thr Gly Glu Asn Gly Ala Ala Lys Thr Thr Leu Ile Lys Ala  
 35 40 45

Ser Leu Gly Ile Leu Gln Pro Arg Ile Gly Lys Val Ala Ile Ser Lys  
 50 55 60

Thr Asn Thr Gln Gly Lys Lys Leu Arg Ile Ala Tyr Leu Pro Gln Gln  
 65 70 75 80

Ile Ala Ser Phe Asn Ala Gly Phe Pro Ser Thr Val Tyr Glu Phe Val  
 85 90 95

Lys Ser Gly Arg Tyr Pro Arg Lys Gly Trp Phe Arg Arg Leu Asn Ala  
 100 105 110

His Asp Glu Glu His Ile Lys Ala Ser Leu Asp Ser Val Gly Met Trp  
 115 120 125

Glu His Arg Asp Lys Arg Leu Gly Ser Leu Ser Gly Gly Gln Lys Gln  
 130 135 140

Arg Ala Val Ile Ala Arg Met Phe Ala Ser Asp Pro Asp Val Phe Ile  
 145 150 155 160

Leu Asp Glu Pro Thr Thr Gly Met Asp Ala Gly Ser Lys Asn Glu Phe  
 165 170 175

Tyr Glu Leu Met His His Ser Ala His His His Gly Lys Ala Val Leu  
 180 185 190

Met Ile Thr His Asp Pro Glu Glu Val Lys Asp Tyr Ala Asp Arg Asn

195

200

205

Ile His Leu Val Arg Asn Gln Asp Ser Pro Trp Arg Cys Phe Asn Val  
 210 215 220

His Glu Asn Gly Gln Glu Val Gly His Ala  
 225 230

&lt;210&gt; 415

&lt;211&gt; 516

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 415

Met Ser Asn Lys Pro Ile Ala Asp Met Ile Glu Thr Ile Glu His Phe  
 1 5 10 15

Ala Gln Thr Gln Pro Ser Tyr Pro Val Tyr Asn Val Leu Gly Gln Glu  
 20 25 30

His Thr Tyr Gly Asp Leu Lys Ala Asp Ser Asp Ser Leu Ala Ala Val  
 35 40 45

Ile Asp Gln Leu Gly Leu Pro Glu Lys Ser Pro Val Val Val Phe Gly  
 50 55 60

Gly Gln Glu Tyr Glu Met Leu Ala Thr Phe Val Ala Leu Thr Lys Ser  
 65 70 75 80

Gly His Ala Tyr Ile Pro Ile Asp Ser His Ser Ala Leu Glu Arg Val  
 85 90 95

Ser Ala Ile Leu Glu Val Ala Glu Pro Ser Leu Ile Ile Ala Ile Ser  
 100 105 110

Ala Phe Pro Leu Glu Gln Val Ser Thr Pro Met Ile Asn Leu Ala Gln  
 115 120 125

Val Gln Glu Ala Phe Ala Gln Gly Asn Asn Tyr Glu Ile Thr His Pro  
 130 135 140

Val Lys Gly Asp Asp Asn Tyr Tyr Ile Ile Phe Thr Ser Gly Thr Thr

145                      150                      155                      160  
 Gly Lys Pro Lys Gly Val Gln Ile Ser His Asp Asn Leu Leu Ser Phe  
                                  165                                   170                                   175  
 Thr Asn Trp Met Ile Thr Asp Lys Glu Phe Ala Thr Pro Ser Arg Pro  
                                  180                                   185                                   190  
 Gln Met Leu Ala Gln Pro Pro Tyr Ser Phe Asp Leu Ser Val Met Tyr  
                                  195                                   200                                   205  
 Trp Ala Pro Thr Leu Ala Leu Gly Gly Thr Leu Phe Thr Leu Pro Ser  
                                  210                                   215                                   220  
 Val Ile Thr Gln Asp Phe Lys Gln Leu Phe Ala Ala Ile Phe Ser Leu  
                                  225                                   230                                   235                                   240  
 Pro Ile Ala Ile Trp Thr Ser Thr Pro Ser Phe Ala Asp Met Ala Met  
                                  245                                   250                                   255  
 Leu Ser Glu Tyr Phe Asn Ser Glu Lys Met Pro Gly Ile Thr His Phe  
                                  260                                   265                                   270  
 Tyr Phe Asp Gly Glu Glu Leu Thr Val Lys Thr Ala Gln Lys Leu Arg  
                                  275                                   280                                   285  
 Glu Arg Phe Pro Asn Ala Arg Ile Ile Asn Ala Tyr Gly Pro Thr Glu  
                                  290                                   295                                   300  
 Ala Thr Val Ala Leu Ser Ala Val Ala Val Thr Asp Glu Met Leu Ala  
                                  305                                   310                                   315                                   320  
 Thr Leu Lys Arg Leu Pro Ile Gly Tyr Thr Lys Ala Asp Ser Pro Thr  
                                  325                                   330                                   335  
 Phe Ile Ile Asp Glu Glu Gly Asn Lys Leu Pro Asn Gly Glu Gln Gly  
                                  340                                   345                                   350  
 Glu Ile Ile Val Ser Gly Pro Ala Val Ser Lys Gly Tyr Met Asn Asn  
                                  355                                   360                                   365

Pro Glu Lys Thr Ala Glu Ala Phe Phe Glu Phe Glu Asp Leu Pro Ala  
 370 375 380

Tyr His Thr Gly Asp Val Gly Thr Met Thr Asp Glu Gly Leu Leu Leu  
 385 390 395 400

Tyr Gly Gly Arg Met Asp Phe Gln Ile Lys Phe Asn Gly Tyr Arg Ile  
 405 410 415

Glu Leu Glu Asp Val Ser Gln Asn Leu Asn Lys Ser Arg Phe Ile Glu  
 420 425 430

Ser Ala Val Ala Val Pro Arg Tyr Asn Lys Asp His Lys Val Gln Asn  
 435 440 445

Leu Leu Ala Tyr Val Ile Leu Lys Asp Gly Val Arg Glu Gln Phe Glu  
 450 455 460

Arg Asp Ile Asp Ile Thr Lys Ala Ile Lys Glu Asp Leu Thr Asp Ile  
 465 470 475 480

Met Met Ser Tyr Met Met Pro Ser Lys Phe Leu Tyr Arg Asp Ser Leu  
 485 490 495

Pro Leu Thr Pro Asn Gly Lys Ile Asp Ile Lys Gly Leu Ile Asn Glu  
 500 505 510

Val Asn Lys Arg  
 515

<210> 416  
 <211> 131  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 416

Met Met Ser Leu Val His Asn Ile Ile Glu Asp Gly Asp Thr Glu Ser  
 1 5 10 15

Leu Ile Arg Lys Tyr Leu His Ser Gly Val Ile Ile Asn Gly Gln Arg  
 20 25 30

Tyr Lys Thr Leu Val Gly Thr Pro Gln Gly Gly Asn Leu Ser Pro Leu  
 35 40 45

Leu Ser Asn Ile Met Leu Asn Glu Leu Asp Lys Glu Leu Glu Lys Arg  
 50 55 60

Gly Leu Arg Phe Val Arg Tyr Ala Asp Asp Cys Val Ile Thr Val Gly  
 65 70 75 80

Ser Glu Ala Ala Ser Lys Arg Val Met Tyr Ser Val Ser Arg Phe Ile  
 85 90 95

Glu Lys Arg Leu Gly Leu Lys Val Asn Met Thr Lys Arg Val Glu Ile  
 100 105 110

Ser Arg Phe Trp Val Leu Glu Ile Ile Arg Trp Leu Glu Lys Pro Ser  
 115 120 125

Thr Ser Arg  
 130

<210> 417  
 <211> 137  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 417

Met Ser Lys Leu Leu Asp Lys Ile Leu Ser Arg Glu Asn Met Leu Glu  
 1 5 10 15

Ala Tyr Asn Gln Val Lys Ser Asn Lys Gly Ser Ala Gly Ile Asp Gly  
 20 25 30

Met Thr Ile Glu Glu Met Asp Asn Tyr Leu Arg Gln Asn Trp Arg Leu  
 35 40 45

Thr Lys Glu Leu Ile Lys Gln Arg Lys Tyr Lys Pro Gln Pro Val Leu  
 50 55 60

Arg Val Glu Ile Pro Lys Pro Asp Gly Gly Ile Arg Gln Leu Gly Ile  
 65 70 75 80

Pro Thr Val Met Asp Arg Met Ile Gln Gln Ala Ile Val Gln Val Met  
85 90 95

Ser Pro Ile Cys Glu Pro His Phe Ser Asp Thr Ser Tyr Gly Phe Arg  
100 105 110

Pro Asn Arg Ser Cys Glu Lys Ala Ile Met Lys Leu Leu Glu Tyr Leu  
115 120 125

Asn Asp Gly Tyr Glu Trp Ile Val Asp  
130 135

<210> 418

<211> 164

<212> PRT

<213> Streptococcus pneumoniae

<400> 418

Met Arg Gln Leu Lys Arg Val Gly Val Phe Leu Leu Leu Pro Phe Phe  
1 5 10 15

Val Leu Ile Asp Ala His Ile Ser Gln Leu Leu Gly Ser Phe Phe Pro  
20 25 30

His Val His Leu Ala Ser His Phe Leu Phe Leu Phe Leu Leu Phe Glu  
35 40 45

Thr Ile Glu Val Ser Glu Tyr Leu Tyr Leu Val Tyr Cys Phe Val Ile  
50 55 60

Gly Leu Val Tyr Asp Val Tyr Phe Phe His Leu Ile Gly Ile Thr Thr  
65 70 75 80

Leu Leu Phe Ile Leu Leu Gly Ala Phe Leu His Lys Leu Asn Ser Val  
85 90 95

Ile Leu Leu Asn Arg Trp Thr Arg Met Leu Ala Met Ile Val Leu Thr  
100 105 110

Phe Leu Phe Glu Met Gly Ser Tyr Leu Leu Ala Phe Met Val Gly Leu  
115 120 125



Thr Val Asp Ser Met Ser Ile Phe Ile Val Tyr Ser Leu Val Pro Thr  
 130 135 140

Met Ile Leu Asn Phe Leu Trp Ile Thr Val Phe Gln Phe Ile Phe Glu  
 145 150 155 160

Lys Tyr Tyr Leu

<210> 419

<211> 427

<212> PRT

<213> Streptococcus pneumoniae

<400> 419

Met Thr Lys Val Val Phe Glu Glu Lys Tyr Tyr Pro Ala Val Lys Glu  
 1 5 10 15

Met Val Tyr Arg Thr Arg Leu Ala Asn Gly Leu Thr Val Ala Leu Leu  
 20 25 30

Pro Lys Lys Glu Phe Lys Glu Val Tyr Gly Ser Val Thr Val Gln Phe  
 35 40 45

Gly Ser Val Asp Thr Phe Val Thr Glu Val Asp Gly Asp Val Lys Gln  
 50 55 60

Tyr Pro Gly Gly Ile Ala His Phe Leu Glu His Lys Leu Phe Glu Arg  
 65 70 75 80

Glu Asp Ser Ser Asp Leu Met Ser Ala Phe Thr Ser Leu Gly Ala Asp  
 85 90 95

Ser Asn Ala Phe Thr Ser Phe Thr Lys Thr Asn Tyr Leu Phe Ser Ala  
 100 105 110

Thr Asp Tyr Phe Leu Glu Asn Leu Asp Leu Leu Asp Glu Leu Val Thr  
 115 120 125

Ser Ala His Phe Thr Glu Ala Ser Ile Leu Thr Glu Gln Asp Ile Ile  
 130 135 140

Gln Gln Glu Arg Glu Met Tyr Gln Asp Asp Pro Asp Ser Cys Leu Phe  
145 150 155 160

Phe Ser Thr Leu Ala Asn Leu Tyr Pro Gly Thr Pro Leu Ala Thr Asp  
165 170 175

Ile Val Gly Ser Glu Glu Ser Ile Ser Gln Ile Asn Leu Thr Asn Leu  
180 185 190

Gln Glu Asn Phe Thr Lys Phe Tyr Lys Pro Val Asn Met Ser Leu Phe  
195 200 205

Leu Val Gly Asn Phe Asp Val Glu Arg Val Gln Asp Tyr Phe Glu Ser  
210 215 220

Lys Glu Leu Lys Asp Ser Asp Phe Gln Glu Val Ala Arg Glu Lys Leu  
225 230 235 240

Phe Leu Gln Pro Val Lys Pro Thr Asp Ser Met Arg Met Glu Val Ser  
245 250 255

Ser Pro Lys Leu Ala Ile Gly Val Arg Gly Lys Arg Glu Val Ser Glu  
260 265 270

Ala Asp Cys Tyr Arg His His Ile Leu Leu Lys Leu Leu Phe Ala Met  
275 280 285

Met Phe Gly Trp Thr Ser Asp Arg Phe Gln Lys Cys Tyr Glu Ser Gly  
290 295 300

Lys Ile Asp Ala Ser Leu Ser Leu Glu Val Glu Ile Thr Ser Arg Phe  
305 310 315 320

His Phe Val Met Leu Thr Met Asp Thr Lys Glu Pro Val Ala Leu Ser  
325 330 335

His Gln Phe Arg Lys Ala Ile Arg Asn Phe Thr Lys Asp Leu Asp Ile  
340 345 350

Thr Glu Glu His Leu Asp Ile Ile Lys Arg Glu Met Phe Gly Glu Phe  
355 360 365

Phe Ser Ser Met Asn Ser Leu Glu Phe Ile Ala Thr Gln Tyr Asp Ala  
 370 375 380

Phe Glu Asn Gly Glu Ile Ile Phe Asp Leu Pro Lys Ile Leu Gln Glu  
 385 390 395 400

Ile Thr Leu Glu Asp Val Leu Asp Ala Gly His His Leu Ile Asp Asp  
 405 410 415

Gly Asp Ile Val Asp Phe Thr Ile Phe Pro Ser  
 420 425

<210> 420

<211> 540

<212> PRT

<213> Streptococcus pneumoniae

<400> 420

Met Leu Thr Val Ser Asp Val Ser Leu Arg Phe Ser Asp Arg Lys Leu  
 1 5 10 15

Phe Asp Asp Val Asn Ile Lys Phe Thr Glu Gly Asn Thr Tyr Gly Leu  
 20 25 30

Ile Gly Ala Asn Gly Ala Gly Lys Ser Thr Phe Leu Lys Ile Leu Ala  
 35 40 45

Gly Asp Ile Glu Pro Thr Thr Gly His Ile Ser Leu Gly Pro Asp Glu  
 50 55 60

Arg Leu Ser Val Leu Arg Gln Asn His Phe Asp Tyr Glu Asp Glu Arg  
 65 70 75 80

Ala Ile Asp Val Val Ile Met Gly Asn Glu Lys Leu Tyr Ser Ile Met  
 85 90 95

Lys Glu Lys Asp Ala Ile Tyr Met Lys Glu Asp Phe Ser Asp Glu Asp  
 100 105 110

Gly Val Arg Ala Ala Glu Leu Glu Gly Glu Phe Ala Glu Leu Gly Gly  
 115 120 125

Trp Glu Ala Glu Ser Glu Ala Ser Gln Leu Leu Gln Asn Leu Asn Ile  
 130 135 140

Pro Glu Glu Leu His Tyr Gln Asn Met Ser Glu Leu Ala Asn Gly Glu  
 145 150 155 160

Lys Val Lys Val Leu Leu Ala Lys Ala Leu Phe Gly Lys Pro Asp Val  
 165 170 175

Leu Leu Leu Asp Glu Pro Thr Asn Gly Leu Asp Ile Gln Ser Ile Thr  
 180 185 190

Trp Leu Glu Asp Phe Leu Ile Asp Phe Asp Asn Thr Val Ile Val Val  
 195 200 205

Ser His Asp Arg His Phe Leu Asn Lys Val Cys Thr His Met Ala Asp  
 210 215 220

Leu Asp Phe Gly Lys Ile Lys Leu Tyr Val Gly Asn Tyr Asp Phe Trp  
 225 230 235 240

Lys Glu Ser Ser Glu Leu Ala Ala Lys Leu Leu Ala Asp Arg Asn Ala  
 245 250 255

Lys Ala Glu Glu Lys Ile Lys Gln Leu Gln Glu Phe Val Ala Arg Phe  
 260 265 270

Ser Ala Asn Ala Ser Lys Ser Arg Gln Ala Thr Ser Arg Lys Lys Met  
 275 280 285

Leu Asp Lys Ile Glu Leu Glu Glu Ile Val Pro Ser Ser Arg Lys Tyr  
 290 295 300

Pro Phe Ile Asn Phe Lys Ala Glu Arg Glu Ile Gly Asn Asp Leu Leu  
 305 310 315 320

Thr Val Glu Asn Leu Thr Val Lys Ile Asp Gly Glu Thr Ile Leu Asp  
 325 330 335

Asn Ile Ser Phe Ile Leu Arg Pro Asp Asp Lys Thr Ala Leu Ile Gly  
 340 345 350

Gln Asn Asp Ile Gln Thr Thr Ala Leu Ile Arg Ala Ile Met Gly Asp  
 355 360 365

Ile Asp Tyr Glu Gly Thr Val Lys Trp Gly Val Thr Thr Ser Gln Ser  
 370 375 380

Tyr Leu Pro Lys Asp Asn Ser Ala Asp Phe Ala Gly Gly Glu Ser Ile  
 385 390 395 400

Leu Asp Trp Leu Arg Gln Phe Ala Ser Lys Glu Glu Asp Asp Asn Thr  
 405 410 415

Phe Leu Arg Gly Phe Leu Gly Arg Met Leu Phe Ser Gly Asp Glu Val  
 420 425 430

Asn Lys Pro Val Asn Val Leu Ser Gly Gly Glu Lys Val Arg Val Met  
 435 440 445

Leu Ser Lys Leu Met Leu Leu Lys Ser Asn Val Leu Val Leu Asp Asp  
 450 455 460

Pro Thr Asn His Leu Asp Leu Glu Ser Ile Ser Ser Leu Asn Asp Gly  
 465 470 475 480

Leu Lys Asn Phe Lys Glu Ser Ile Ile Phe Ala Ser His Asp His Glu  
 485 490 495

Phe Ile Gln Thr Leu Ala Asn His Ile Ile Val Leu Ser Lys Asn Gly  
 500 505 510

Val Ile Asp Arg Ile Asp Glu Thr Tyr Asp Glu Phe Leu Glu Asn Ala  
 515 520 525

Glu Val Gln Ala Lys Val Lys Glu Leu Trp Lys Asp  
 530 535 540

<210> 421

<211> 850

<212> PRT

<213> Streptococcus pneumoniae

&lt;400&gt; 421

Met Lys Ser Phe Leu Lys Thr Tyr Arg Thr Tyr Phe Ile Ser Phe Ile  
 1 5 10 15

Ile Pro Val Val Ile Met Ser Gly Val Tyr Leu Ser Gln Ser Ile Tyr  
 20 25 30

Trp Asn Ser Asp Asn Ser Pro Leu Leu Gly Asp Gly Phe His Gln Tyr  
 35 40 45

Val Ile Phe Asp Val Ala Leu Arg Asn Ile Leu His Gly Asn Ser Asn  
 50 55 60

Leu Phe Tyr Thr Phe Thr Ser Gly Leu Gly Leu Asn Phe Tyr Ala Leu  
 65 70 75 80

Ser Ser Tyr Tyr Leu Gly Ser Phe Leu Ala Pro Leu Val Tyr Phe Phe  
 85 90 95

Asp Leu Thr Asn Met Pro Asp Ala Ile Tyr Leu Thr Thr Leu Leu Lys  
 100 105 110

Phe Gly Leu Ile Gly Leu Ser Thr Phe Phe Ser Leu Asn Lys Leu Phe  
 115 120 125

Gln Ser Ile Pro Gln Ile Leu Lys Leu Ala Leu Ser Thr Ser Tyr Ala  
 130 135 140

Leu Met Ser Phe Thr Val Ser Gln Leu Glu Ile Lys Thr Trp Leu Asp  
 145 150 155 160

Val Phe Ile Leu Ile Pro Leu Ile Ile Thr Gly Leu His Leu Leu Ile  
 165 170 175

Thr Glu Lys Lys Leu Leu Leu Tyr Phe Thr Ser Leu Ser Ile Leu Phe  
 180 185 190

Ile Gln Asn Tyr Tyr Phe Gly Tyr Met Thr Val Leu Phe Leu Ile Phe  
 195 200 205

Trp Tyr Leu Cys Gln Ile Ser Trp Asp Phe Lys Thr Arg Lys Ser Ser

210	215	220
Val Leu Asp Phe Ile	Val Ile Ser Phe Leu Ala Gly Met Ala Ser Leu	
225	230	235 240
Ile Met Thr Leu Pro Thr Leu Phe Asp Leu Gln Thr His Gly Glu Lys		
	245	250 255
Leu Thr Glu Val Thr Lys Phe Gln Thr Glu Ser Ser Trp Tyr Leu Asp		
	260	265 270
Leu Phe Ala Lys Gln Phe Ile Gly Ser Phe Asp Thr Thr Lys Tyr Gly		
	275	280 285
Ala Ile Pro Met Ile Phe Val Gly Leu Phe Pro Phe Ile Leu Thr Ile		
	290	295 300
Leu Phe Phe Thr Leu Lys Ser Ile Lys Phe His Val Lys Leu Ile Tyr		
	305	310 315 320
Val Ile Phe Phe Ala Phe Leu Ile Ala Ser Phe Tyr Ile Glu Ala Leu		
	325	330 335
Asp Leu Phe Trp Gln Gly Met His Thr Pro Asn Met Phe Leu His Arg		
	340	345 350
Tyr Ala Trp Ile Phe Ser Thr Leu Leu Ile Tyr Thr Ala Ala Glu Val		
	355	360 365
Leu Lys Arg Leu Lys Glu Leu Lys Val Trp Asn Phe Leu Val Ser Leu		
	370	375 380
Phe Leu Val Val Ala Gly Phe Leu Ala Thr Ile Tyr Leu Lys Ser His		
	385	390 395 400
Tyr Ser Phe Leu Thr Asp Leu Asn Ile Leu Leu Thr Leu Glu Phe Leu		
	405	410 415
Val Val Tyr Ser Leu Leu Leu Leu Ala Val Ile Lys Lys Phe Ile Ser		
	420	425 430

Val Asn Leu Phe Ala Ile Leu Ile Ser Leu Phe Ile Leu Val Glu Met  
 435 440 445

Ser Leu Asn Ala Ser Ser Gln Met Asp Gly Ile Ala Lys Glu Trp Gly  
 450 455 460

Phe Ala Ser Arg Ser Ala Tyr Ser Arg Asp Ile Pro Ala Met Glu Ser  
 465 470 475 480

Phe Ser Thr Tyr Ile Gly Asn Gln Phe Thr Arg Thr Glu Lys Leu Gln  
 485 490 495

Thr Gln Thr Gly Asn Asp Ser Met Lys Phe Asn Tyr Asn Gly Ile Ser  
 500 505 510

Gln Phe Ser Ser Val Arg Asn Arg Ser Ser Ser Ser Thr Leu Asp Lys  
 515 520 525

Leu Gly Phe Lys Ser Ser Gly Thr Asn Leu Asn Leu Arg Tyr Ala Asn  
 530 535 540

Asn Ser Ile Leu Ala Asp Ser Leu Phe Gly Ile Gln Tyr Asn Ile Ser  
 545 550 555 560

Asp Ser Pro Ile Asp Lys Tyr Gly Phe Lys Asp Ile Tyr Gln Lys Asp  
 565 570 575

Asn Leu Thr Leu Tyr Glu Asn Gln Tyr Ser Leu Pro Ile Ala Val Ala  
 580 585 590

Ser Gln Ser Val Tyr Asn Asp Val Lys Phe Asn Glu His Thr Leu Asp  
 595 600 605

Asn Gln Ala Ser Phe Leu Asn Gln Leu Ala Asn Val Asn Phe Asp Tyr  
 610 615 620

Phe Ser Pro Ile Pro Tyr Glu Lys Thr Glu Lys Ile Glu Asn Thr Asn  
 625 630 635 640

Asp Leu Ile Ser Val Thr Ser Ser Ser Asn Glu Asp Ala Ala Ile Gln  
 645 650 655



Tyr Gln Ile Glu Val Pro Glu Asn Ser Gln Val Tyr Leu Ser Phe Ile  
660 665 670

Asn Leu His Phe Ser Asn Asp Lys Gln Lys Lys Val Asp Ile Leu Val  
675 680 685

Asn Gly Glu Lys Lys Thr Phe Thr Thr Asp Asn Val Phe Ser Phe Phe  
690 695 700

Asn Leu Gly Tyr Thr Lys Glu Lys Lys Thr Phe Asn Ile Asn Val Ser  
705 710 715 720

Phe Pro Gly Asn Ser Gln Val Ser Phe Glu Ser Pro Thr Phe Tyr Arg  
725 730 735

Leu Asp Thr Lys Thr Phe Thr Glu Ala Ile Gln Lys Ile Lys Glu Gln  
740 745 750

Pro Val Thr Val Ser Thr Ser Lys Asn Lys Val Phe Ala Thr Tyr Asp  
755 760 765

Val Gln Gln Asp Thr Ser Ile Phe Phe Thr Ile Pro Tyr Asp Lys Gly  
770 775 780

Trp Ser Ala Tyr Gln Asp Gly Lys Lys Ile Glu Ile Lys Gln Ala Gln  
785 790 795 800

Thr Gly Phe Met Lys Val Asp Ile Pro Lys Gly Lys Gly Thr Ile Thr  
805 810 815

Leu Ser Phe Ile Pro Asn Gly Phe Ile Thr Gly Ala Ile Cys Ser Phe  
820 825 830

Thr Ser Leu Leu Leu Phe Gly Ile Tyr Asn His Arg Arg Lys Ser Ser  
835 840 845

Lys Ala  
850

<210> 422

<211> 250

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 422

Met Lys Val Leu Ile Leu Glu Asp Val Ile Glu His Gln Val Arg Leu  
 1 5 10 15

Glu Arg Ile Leu Asp Glu Ile Ser Lys Glu Ser Asn Ile Pro Ile Ser  
 20 25 30

Tyr Lys Thr Thr Gly Lys Val Arg Glu Phe Glu Glu Tyr Ile Glu Asn  
 35 40 45

Asp Glu Val Asn Gln Leu Tyr Phe Leu Asp Ile Asp Ile His Gly Ile  
 50 55 60

Glu Lys Lys Gly Phe Glu Val Ala Gln Leu Ile Arg His Tyr Asn Pro  
 65 70 75 80

Tyr Ala Ile Ile Val Phe Ile Thr Ser Arg Ser Glu Phe Ala Thr Leu  
 85 90 95

Thr Tyr Lys Tyr Gln Val Ser Ala Leu Asp Phe Val Asp Lys Asp Ile  
 100 105 110

Asn Asp Glu Met Phe Lys Lys Arg Ile Glu Gln Asn Ile Phe Tyr Thr  
 115 120 125

Lys Ser Met Leu Leu Glu Asn Glu Asp Val Val Asp Tyr Phe Asp Tyr  
 130 135 140

Asn Tyr Lys Gly Asn Asp Leu Lys Ile Pro Tyr His Asp Ile Leu Tyr  
 145 150 155 160

Ile Glu Thr Thr Gly Val Ser His Lys Leu Arg Ile Ile Gly Lys Asn  
 165 170 175

Phe Ala Lys Glu Phe Tyr Gly Thr Met Thr Asp Ile Gln Glu Lys Asp  
 180 185 190

Lys His Thr Gln Arg Phe Tyr Ser Pro His Lys Ser Phe Leu Val Asn  
 195 200 205

Ile Gly Asn Ile Arg Glu Ile Asp Arg Lys Asn Leu Glu Ile Val Phe  
 210 215 220

Tyr Glu Asp His Arg Cys Pro Ile Ser Arg Leu Lys Ile Arg Lys Leu  
 225 230 235 240

Lys Asp Ile Leu Glu Lys Lys Ser Gln Lys  
 245 250

<210> 423  
 <211> 441  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 423

Met Asp Leu Leu Gly Phe Gly Thr Val Ile Val His Phe Leu Ile Ile  
 1 5 10 15

Ser His Ser Tyr Arg Leu Ile Cys Lys Gly Arg Ile Asn Arg Lys Glu  
 20 25 30

Leu Tyr Val Phe Gly Ala Tyr Thr Leu Leu Thr Glu Ile Val Leu Glu  
 35 40 45

Phe Ser Phe Tyr Leu Leu Tyr Leu Asp Lys Ile Gly Ile Glu Arg Phe  
 50 55 60

Leu Phe Pro Leu Gly Leu Tyr Ser Tyr Phe Arg Trp Met Lys Gln Tyr  
 65 70 75 80

Glu Arg Asp Arg Gly Leu Phe Leu Ser Leu Leu Leu Ser Leu Leu Tyr  
 85 90 95

Glu Ser Thr His Asn Phe Leu Ser Val Ile Phe Ser Ser Ile Thr Gly  
 100 105 110

Asp Asn Phe Val Leu Gln Tyr His Phe Pro Phe Phe Phe Val Val Thr  
 115 120 125

Val Leu Thr Tyr Phe Val Thr Leu Lys Ile Ile Tyr Tyr Phe His Leu  
 130 135 140

Glu Leu Ala Tyr Phe Asp Lys Asp Tyr Leu Tyr Pro Phe Leu Lys Lys  
 145 150 155 160

Val Phe Phe Ala Leu Leu Leu Leu His Ile Val Ser Phe Val Ser Asp  
 165 170 175

Met Val Ser Thr Ile Lys His Leu Asn Ser Phe Gly Ser Ile Leu Ser  
 180 185 190

Ser Ile Val Phe Ile Ser Leu Leu Leu Thr Phe Phe Ala Met Asn Ser  
 195 200 205

His Lys Val Gln Met Glu Lys Glu Ile Ala Leu Lys Gln Lys Lys Phe  
 210 215 220

Glu Gln Lys His Leu Gln Asn Tyr Thr Asp Glu Ile Val Gly Leu Tyr  
 225 230 235 240

Asn Glu Ile Arg Gly Phe Arg His Asp Tyr Ala Gly Met Leu Val Ser  
 245 250 255

Met Gln Met Ala Ile Asp Ser Gly Asn Leu Gln Glu Ile Asp Arg Ile  
 260 265 270

Tyr Asn Glu Val Leu Val Lys Ala Asn His Lys Leu Arg Ser Asp Lys  
 275 280 285

Tyr Thr Tyr Phe Asp Leu Asn Asn Ile Glu Asp Ser Ala Leu Arg Ser  
 290 295 300

Leu Val Ala Gln Ser Ile Val Tyr Ala Arg Asn Asn Gly Val Glu Phe  
 305 310 315 320

Thr Leu Glu Val Lys Asp Thr Ile Thr Lys Leu Pro Ile Glu Leu Leu  
 325 330 335

Asp Leu Val Arg Ile Met Ser Val Leu Leu Asn Asn Ala Val Glu Gly  
 340 345 350

Ser Ala Asp Ser Tyr Lys Lys Gln Met Glu Val Ala Val Ile Lys Met

355                      360                      365  
 Glu Thr Glu Thr Val Ile Val Ile Gln Asn Ser Cys Lys Met Thr Met  
 370                      375                      380  
 Thr Pro Ser Gly Asp Leu Phe Ala Leu Gly Phe Ser Thr Lys Gly Arg  
 385                      390                      395                      400  
 Asn Arg Gly Val Gly Leu Asn Asn Val Lys Glu Leu Leu Asp Lys Tyr  
 405                      410                      415  
 Asn Asn Ile Ile Leu Glu Thr Glu Met Glu Gly Ser Thr Phe Arg Gln  
 420                      425                      430  
 Ile Ile Arg Phe Lys Arg Glu Phe Glu  
 435                      440  
 <210> 424  
 <211> 122  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 424  
 Met Ser Lys Asn Ile Val Gln Leu Asn Asn Ser Phe Ile Gln Asn Glu  
 1                      5                      10                      15  
 Tyr Gln Arg Arg Arg Tyr Leu Met Lys Glu Arg Gln Lys Arg Asn Arg  
 20                      25                      30  
 Phe Met Gly Gly Val Leu Ile Leu Ile Met Leu Leu Phe Ile Leu Pro  
 35                      40                      45  
 Thr Phe Asn Leu Ala Gln Ser Tyr Gln Gln Leu Leu Gln Arg Arg Gln  
 50                      55                      60  
 Gln Leu Ala Asp Leu Gln Thr Gln Tyr Gln Thr Leu Ser Asp Glu Lys  
 65                      70                      75                      80  
 Asp Lys Glu Thr Ala Phe Ala Thr Lys Leu Lys Asp Glu Asp Tyr Ala  
 85                      90                      95  
 Ala Lys Tyr Thr Arg Ala Lys Tyr Tyr Tyr Ser Lys Ser Arg Glu Lys

100 105 110  
 Val Tyr Thr Ile Pro Asp Leu Leu Gln Arg  
 115 120  
  
 <210> 425  
 <211> 420  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 425  
  
 Met Glu Glu Val Glu Val Ala Glu Val Lys Asn Ala Arg Val Ser Leu  
 1 5 10 15  
  
 Thr Gly Glu Lys Thr Lys Pro Met Lys Leu Ala Glu Val Thr Ser Ile  
 20 25 30  
  
 Asn Val Asn Arg Thr Lys Thr Glu Met Glu Glu Phe Asn Arg Val Leu  
 35 40 45  
  
 Gly Gly Gly Val Val Pro Gly Ser Leu Val Leu Ile Gly Gly Asp Pro  
 50 55 60  
  
 Gly Ile Gly Lys Ser Thr Leu Leu Leu Gln Val Ser Thr Gln Leu Ser  
 65 70 75 80  
  
 Gln Val Gly Thr Val Leu Tyr Val Ser Gly Glu Glu Ser Ala Gln Gln  
 85 90 95  
  
 Ile Lys Leu Arg Ala Glu Arg Leu Gly Asp Ile Asp Ser Glu Phe Tyr  
 100 105 110  
  
 Leu Tyr Ala Glu Thr Asn Met Gln Ser Val Arg Ala Glu Val Glu Arg  
 115 120 125  
  
 Ile Gln Pro Asp Phe Leu Ile Ile Asp Ser Ile Gln Thr Ile Met Ser  
 130 135 140  
  
 Pro Glu Ile Ser Gly Val Gln Gly Ser Val Ser Gln Val Arg Glu Val  
 145 150 155 160  
  
 Thr Ala Glu Leu Met Gln Leu Ala Lys Thr Asn Asn Ile Ala Ile Phe

-527-

Thr Lys Ile Tyr Val Pro Lys Asn Ser Leu Thr Gly Ile Thr Leu Pro  
 385 390 395 400

Lys Glu Ile Gln Val Ile Gly Val Thr Thr Ile Gln Glu Val Leu Lys  
 405 410 415

Lys Val Phe Ala  
 420

<210> 426  
 <211> 207  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 426

Met Pro Lys Lys Val Leu Ile Leu Ser Leu Leu Gly Gly Met Phe Leu  
 1 5 10 15

Ser Gly Trp Leu Ser Ser Phe Ala Asn Thr Tyr Ile His Asp Leu Leu  
 20 25 30

Gly Val Leu Phe Pro Asp Ser Pro Phe Leu Asn Ala Phe Glu Ser Ala  
 35 40 45

Ile Ala Ala Pro Leu Val Glu Glu Pro Leu Lys Leu Leu Ser Leu Val  
 50 55 60

Phe Val Leu Ala Leu Ile Pro Val Arg Lys Leu Lys Ser Leu Phe Leu  
 65 70 75 80

Leu Gly Ile Ala Ser Gly Leu Gly Phe Gln Met Ile Lys Asp Ile Gly  
 85 90 95

Tyr Ile Arg Thr Asp Leu Pro Glu Gly Phe Asp Phe Thr Ile Ser Arg  
 100 105 110

Ile Leu Glu Arg Ile Ile Ser Gly Ile Ala Ser His Trp Thr Phe Ser  
 115 120 125

Gly Leu Ala Val Val Gly Val Tyr Leu Leu Tyr Arg Ala Tyr Lys Gly  
 130 135 140



Gln Lys Val Gly Lys Lys Gln Gly Leu Ile Phe Leu Gly Leu Ala Leu  
145 150 155 160

Gly Thr His Phe Leu Phe Asn Ser Pro Phe Val Glu Leu Glu Thr Glu  
165 170 175

Leu Pro Leu Ala Ile Pro Val Val Thr Ala Ile Ala Leu Tyr Gly Phe  
180 185 190

Tyr His Ala Tyr Cys Phe Val Glu Lys His Asn Glu Leu Met Thr  
195 200 205

<210> 427

<211> 717

<212> PRT

<213> Streptococcus pneumoniae

<400> 427

Met Lys Phe Gly Lys Arg His Tyr Arg Pro Gln Val Asp Gln Met Asp  
1 5 10 15

Cys Gly Val Ala Ser Leu Ala Met Val Phe Gly Tyr Tyr Gly Ser Tyr  
20 25 30

Tyr Phe Leu Ala His Leu Arg Glu Leu Ala Lys Thr Thr Met Asp Gly  
35 40 45

Thr Thr Ala Leu Gly Leu Val Lys Val Ala Glu Glu Ile Gly Phe Glu  
50 55 60

Thr Arg Ala Ile Lys Ala Asp Met Thr Leu Phe Asp Leu Pro Asp Leu  
65 70 75 80

Thr Phe Pro Phe Val Ala His Val Leu Lys Glu Gly Lys Leu Leu His  
85 90 95

Tyr Tyr Val Val Thr Gly Gln Asp Lys Asp Ser Ile His Ile Ala Asp  
100 105 110

Pro Asp Pro Gly Val Lys Leu Thr Lys Leu Pro Arg Glu Arg Phe Glu  
115 120 125

Glu Glu Trp Thr Gly Val Thr Leu Phe Met Ala Pro Ser Pro Asp Tyr  
 130 135 140

Lys Pro His Lys Glu Gln Lys Asn Gly Leu Leu Ser Phe Ile Pro Ile  
 145 150 155 160

Leu Val Lys Gln Arg Gly Leu Ile Ala Asn Ile Val Leu Ala Thr Leu  
 165 170 175

Leu Val Thr Val Ile Asn Ile Val Gly Ser Tyr Tyr Leu Gln Ser Ile  
 180 185 190

Ile Asp Thr Tyr Val Pro Asp Gln Met Arg Ser Thr Leu Gly Ile Ile  
 195 200 205

Ser Ile Gly Leu Val Ile Val Tyr Ile Phe Gln Gln Ile Leu Ser Tyr  
 210 215 220

Ala Gln Glu Tyr Leu Leu Leu Val Leu Gly Gln Arg Leu Ser Ile Asp  
 225 230 235 240

Val Ile Leu Ser Tyr Ile Lys His Val Phe His Leu Pro Met Ser Phe  
 245 250 255

Phe Ala Thr Arg Arg Thr Gly Glu Ile Val Ser Arg Phe Thr Asp Ala  
 260 265 270

Asn Ser Ile Ile Asp Ala Leu Ala Ser Thr Ile Leu Ser Ile Phe Leu  
 275 280 285

Asp Val Ser Thr Val Val Ile Ile Ser Leu Val Leu Phe Ser Gln Asn  
 290 295 300

Thr Asn Leu Phe Phe Met Thr Leu Leu Ala Leu Pro Ile Tyr Thr Val  
 305 310 315 320

Ile Ile Phe Ala Phe Met Lys Pro Phe Glu Lys Met Asn Arg Asp Thr  
 325 330 335

Met Glu Ala Asn Ala Val Leu Ser Ser Ser Ile Ile Glu Asp Ile Asn  
 340 345 350

Gly Ile Glu Thr Ile Lys Ser Leu Thr Ser Glu Ser Gln Arg Tyr Gln  
 355 360 365

Lys Ile Asp Lys Glu Phe Val Asp Tyr Leu Lys Lys Ser Phe Thr Tyr  
 370 375 380

Ser Arg Ala Glu Ser Gln Gln Lys Ala Leu Lys Lys Val Ala His Leu  
 385 390 395 400

Leu Leu Asn Val Gly Ile Leu Trp Met Gly Ala Val Leu Val Met Asp  
 405 410 415

Gly Lys Met Ser Leu Gly Gln Leu Ile Thr Tyr Asn Thr Leu Leu Val  
 420 425 430

Tyr Phe Thr Asn Pro Leu Glu Asn Ile Ile Asn Leu Gln Thr Lys Leu  
 435 440 445

Gln Thr Ala Gln Val Ala Asn Asn Arg Leu Asn Glu Val Tyr Leu Val  
 450 455 460

Ala Ser Glu Phe Glu Glu Lys Lys Thr Val Glu Asp Leu Ser Leu Met  
 465 470 475 480

Lys Gly Asp Met Thr Phe Lys Gln Val His Tyr Lys Tyr Gly Tyr Gly  
 485 490 495

Arg Asp Val Leu Ser Asp Ile Asn Leu Thr Val Pro Gln Gly Ser Lys  
 500 505 510

Val Ala Phe Val Gly Ile Ser Gly Ser Gly Lys Thr Thr Leu Ala Lys  
 515 520 525

Met Met Val Asn Phe Tyr Asp Pro Ser Gln Gly Glu Ile Ser Leu Gly  
 530 535 540

Ser Val Asn Leu Asn Gln Ile Asp Lys Lys Ala Leu Arg Gln Tyr Ile  
 545 550 555 560

Asn Tyr Leu Ser Gln Gln Pro Tyr Val Phe Asn Gly Thr Ile Leu Glu  
 565 570 575

Asn Leu Leu Leu Gly Ala Lys Glu Gly Thr Thr Gln Glu Asp Ile Leu  
580 585 590

Arg Ala Val Glu Leu Ala Glu Ile Arg Glu Asp Ile Glu Arg Met Pro  
595 600 605

Leu Asn Tyr Gln Thr Glu Leu Thr Ser Asp Gly Ala Gly Ile Ser Gly  
610 615 620

Gly Gln Arg Gln Arg Ile Ala Leu Ala Arg Ala Leu Leu Thr Asp Ala  
625 630 635 640

Pro Val Leu Ile Leu Asp Glu Ala Thr Ser Ser Leu Asp Ile Leu Thr  
645 650 655

Glu Lys Arg Ile Val Asp Asn Leu Ile Ala Leu Asp Lys Thr Leu Ile  
660 665 670

Phe Ile Ala His Arg Leu Thr Ile Ala Glu Arg Thr Glu Lys Val Val  
675 680 685

Val Leu Asp Gln Gly Lys Ile Val Glu Glu Gly Lys His Ala Asp Leu  
690 695 700

Leu Ala Gln Gly Gly Phe Tyr Ala His Leu Val Asn Ser  
705 710 715

<210> 428

<211> 319

<212> PRT

<213> Streptococcus pneumoniae

<400> 428

Met Asp Ile Lys Ile Lys Arg Glu Glu Ile Met Lys Lys Phe Ser Lys  
1 5 10 15

Thr Leu Arg Asp Asn Trp Ile Phe Leu Leu Met Val Leu Pro Gly Ala  
20 25 30

Leu Trp Leu Ile Leu Phe Phe Tyr Ile Pro Val Phe Gly Asn Val Val  
35 40 45

Ala Phe Lys Asp Tyr His Met Thr Ser Asn Gly Phe Ile Asp Ser Ile  
 50 55 60

Ile Asn Ser Lys Trp Val Gly Leu Asp Asn Phe Arg Phe Leu Phe Ser  
 65 70 75 80

Ser Arg Asp Ala Phe Ile Ile Thr Arg Asn Thr Val Leu Tyr Asn Leu  
 85 90 95

Gly Phe Ile Phe Leu Gly Leu Val Val Ser Val Gly Ile Ala Ile Ile  
 100 105 110

Leu Ser Glu Leu Arg Ser Lys Arg Met Val Lys Ile Phe Gln Thr Ser  
 115 120 125

Met Leu Phe Pro Tyr Phe Leu Ser Trp Val Ile Ile Ser Phe Phe Thr  
 130 135 140

Asp Ala Phe Leu Asn Ile Asp Lys Gly Val Phe Asn His Leu Leu Glu  
 145 150 155 160

Ser Leu Gly Leu Lys Glu Val Asn Phe Tyr Ala Asp Leu Gly Ile Trp  
 165 170 175

Pro Tyr Leu Leu Leu Phe Leu Gly Ile Trp Lys Gly Phe Gly Tyr Ser  
 180 185 190

Ser Val Met Tyr Tyr Ala Thr Ile Met Gly Ile Asp Pro Thr Tyr Tyr  
 195 200 205

Glu Ala Ala Thr Val Asp Gly Ala Ser Lys Trp Gln Arg Ile Arg Asn  
 210 215 220

Val Thr Ile Pro Gln Leu Thr Pro Leu Val Thr Val Leu Thr Ile Leu  
 225 230 235 240

Ala Val Gly Asn Ile Phe Arg Ala Asp Phe Gly Leu Phe Tyr Gln Ile  
 245 250 255

Pro His Asn Ala Gly Gln Leu Tyr Asn Val Thr Asn Val Leu Asp Val

260                                      265                                      270  
 Tyr Val Phe Asn Gly Leu Thr Gln Thr Ala Asp Ile Gly Met Ala Ala  
           275                                      280                                      285  
 Ala Ala Gly Leu Tyr Gln Ser Val Val Gly Leu Ile Leu Val Ile Leu  
           290                                      295                                      300  
 Ser Asn Leu Leu Ala Arg Arg Val Asp Pro Asn Ser Ala Leu Phe  
           305                                      310                                      315  
 <210> 429  
 <211> 388  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 429  
 Met Lys Lys Gln Ser Leu Phe Phe Val Pro Gly Ile Ile Leu Ile Gly  
   1                                      5                                      10                                      15  
 Val Ser Leu Arg Thr Pro Phe Thr Val Leu Pro Ile Ile Leu Gly Asn  
           20                                      25                                      30  
 Ile Ser Gln Gly Leu Glu Val Glu Val Ser Ser Leu Gly Val Leu Thr  
           35                                      40                                      45  
 Ser Leu Pro Leu Leu Met Phe Thr Leu Phe Ser Pro Phe Ser Thr Gln  
           50                                      55                                      60  
 Leu Ala Gln Lys Ile Gly Leu Glu His Leu Phe Thr Tyr Ser Leu Phe  
   65                                      70                                      75                                      80  
 Phe Leu Thr Ile Gly Ser Leu Ile Arg Leu Ile Asn Leu Pro Leu Leu  
           85                                      90                                      95  
 Tyr Leu Gly Thr Leu Met Val Gly Ala Ser Val Ala Val Ile Asn Val  
           100                                      105                                      110  
 Leu Leu Pro Ser Leu Ile Gln Ala Asn Gln Pro Lys Lys Ile Gly Phe  
           115                                      120                                      125  
 Leu Thr Thr Leu Tyr Val Thr Ser Met Gly Ile Ala Thr Ala Leu Ala

130	135	140
Ser Tyr Leu Ala Val	Pro Ile Thr Gln Ala	Ser Ser Trp Lys Gly Leu
145	150	155 160
Ile Leu Leu Leu Thr	Leu Leu Cys Leu Ala Thr	Phe Leu Val Trp Leu
	165	170 175
Pro Asn His Arg Tyr	Asn His Arg Leu Ala Pro	Gln Thr Lys Gln Lys
	180	185 190
Ser Gln Ile Lys Val	Met Arg Asn Lys Gln Val	Trp Ala Ile Ile Ile
	195	200 205
Phe Ser Gly Phe Gln	Ser Leu Ile Phe Tyr Thr	Val Met Thr Trp Leu
	210	215 220
Pro Thr Met Ser Ile	His Ala Gly Leu Ser Ser	His Glu Ala Gly Leu
	225	230 235 240
Leu Thr Ser Ile Leu	Ser Leu Ile Ser Ile Pro	Phe Ser Met Thr Ile
	245	250 255
Pro Ser Leu Thr Thr	Ser Leu Ser Thr Arg Asn	Arg Gln Leu Met Leu
	260	265 270
Thr Leu Val Ser Leu	Ala Gly Val Val Gly Ile	Ser Met Leu Phe Phe
	275	280 285
Pro Ile Asn Asn Phe	Ile Tyr Trp Leu Ala Ile	His Leu Leu Ile Gly
	290	295 300
Thr Ala Thr Ser Ala	Leu Phe Pro Tyr Leu Met	Val Asn Phe Ser Leu
	305	310 315 320
Lys Thr Ser Ala Pro	Glu Lys Thr Ala Gln Leu	Ser Gly Leu Ser Gln
	325	330 335
Thr Gly Gly Tyr Ile	Leu Ala Ala Phe Gly Pro	Thr Leu Phe Gly Tyr
	340	345 350

Ser Phe Asp Leu Phe His Ser Trp Val Pro Ser Val Ala Ala Leu Leu  
 355 360 365

Leu Ile Asp Ile Leu Met Thr Val Ala Leu Phe Thr Val Asp Arg Ala  
 370 375 380

Asp Lys Ile Leu  
 385

<210> 430  
 <211> 150  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 430

Met Asp Phe Leu Phe Ala Ala Gly Ala Phe Gly Leu Val Ile Ala Asn  
 1 5 10 15

Asn Ala Ser Ile Ser Gly Ala Glu Gly Gly Cys Gln Ala Glu Val Gly  
 20 25 30

Ser Ala Ser Ala Met Ser Ala Ala Ala Leu Thr Leu Ala Ala Gly Gly  
 35 40 45

Thr Pro Tyr Gln Ala Ser Gln Ala Ile Ala Phe Val Ile Lys Asn Met  
 50 55 60

Leu Gly Leu Ile Cys Asp Pro Val Ala Gly Leu Val Glu Val Pro Cys  
 65 70 75 80

Val Lys Arg Asn Ala Met Gly Ala Ser Phe Ala Phe Ile Ala Ala Asp  
 85 90 95

Met Ala Leu Ala Gly Ile Glu Ser Lys Ile Pro Val Asp Glu Val Ile  
 100 105 110

Asp Ala Met Tyr Gln Val Gly Ala Ser Met Pro Thr Ala Phe Arg Glu  
 115 120 125

Thr Ala Glu Gly Gly Leu Ala Thr Thr Pro Thr Gly Arg Arg Leu Gln  
 130 135 140



Lys Glu Ile Phe Gly Glu  
145 150

<210> 431  
<211> 663  
<212> DNA  
<213> *Streptococcus pneumoniae*

<400> 431  
ggaagtagtt ttatgaatat agcagtaatt ggtttggggc atgttgggct ggcctacgcg 60  
ttactatttg catctaaata taaagttggt gcatatgata tagattctgt aaaaataaat 120  
aatttaaaaa agggcattct tccatctaaa aatgaagagc ttatgaagtt tttttgcgag 180  
aataacttaa atattacttt ttttgatata ttttctgaaa ttaaaaataa tattgattat 240  
tatattattg cgcttcgcag agattatgat gagaaaattg gtagttttaa tacatatgaa 300  
atcgaacaaa cggatcgcag gattctgagg gtaaaccta atggaaagat tatttttaaag 360  
tcaacagttc cgatcggctt ttcaaacaaa ttaaaaaggc tgtttgatac aaaaaatata 420  
atTTTTgtcc ctgaattttt gagagaaggt tgttctatat atgataattt atatccaagt 480  
cgcatagttg ttggagatga gacagttgaa ggaagaaaaa ttgcagagtt gttcctttcg 540  
attagtactc atagtactgc caatattaaa aatgttatgt tagtttctcc tactgaagca 600  
gaagcaatta agcttttttc taacacattc ttagctctcc gtgttgcttt tttaatgaac 660  
tag 663

<210> 432  
<211> 708  
<212> DNA  
<213> *Streptococcus pneumoniae*

<400> 432  
aaaatgggtc taagaggagt tcctatgtct caaattgatc tacaaaaatt aactaagaaa 60  
aaccaagagt ttgtccacat tgctacccaa caattcatca aagatgggaa aacagacgct 120  
gaaatccaga ctatttttga ggaagtcatt ccccaaatcc ttgaggagca atctaaaggt 180  
acaactgccc gttccctata cggcgcacca actcattggg ctcatagctt cactgtcaaa 240  
gagcagtacg aaaaagagca tccaaaagaa aatgatgacc caaaactgat gattatggac 300  
tcagctcttt tcatcactag cctcttttgc cttgtcagcg ccctcacaac cttctttgcg 360  
gcagaccaag ctttcggcta tggattgatt actcttctat tagttggact ggttggtgga 420

tttgccttct acttgatgta ctactttgtt taccaatact atggaccaga tatggatcgc 480  
 agtcaacgtc cacctttctg gaaatctgta ctagttatcc tagcttctat gttcctttgg 540  
 ttgcttgtct tctttgcaac aagcttccta ccagctagcc ttaacccagt actggatcca 600  
 ttgccactag ctattattgg agcagccctc ctagcccttc gcttctatct caagaaacgc 660  
 ttgaatatcc gtagtgcaag tgcaggacca acacgctatc aagaataa 708

<210> 433  
 <211> 960  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 433  
 gaaaggataa gggatatgaa acaagttttt ctctctacaa caactgaatt taaagagatc 60  
 gatacgcttg aaccgggtac ttggatcaat ctcgtcaatc cgactcaaaa tgaatcactc 120  
 gaaatcgcca acaccttcga tattgatatt gctgaccttc gagcaccgct cgatgcggaa 180  
 gaaatgtctc gtattaccat tgaagacgag tataccctga ttatcgtaga cgtgccggtc 240  
 acggaggaaa gaaataaccg cacctactac gtaaccatcc cgcttggtat tatcatcact 300  
 gaggaaacca ttatcactac gtgtttggaa ccaactacctg tccttgatgt ctttatcaac 360  
 cgtcgattgc gtaatttcta taccttcatg cgttcacgtt ttatctttca aattctttat 420  
 cgcaatgcag agctttacct aacagccctt cgttcaatcg accgcaagag tgaacaaatc 480  
 gaaagtcaac tgcataatc aactcgtaat gaagaattga ttgagctcat ggaattggaa 540  
 aaaactatcg tctatttcaa ggcctccctc aaaacaaatg agcgcgatgat taagaaattg 600  
 accagttcaa ccagcaatat caagaaatac cttgaggacg aagacctgct tgaagacacc 660  
 ctgattgaaa cccaacaggc catcgagatg gcagatattt atggaaacgt cttgcattct 720  
 atgacagaga cttttgcctc tatcatttct aacaaccaga acaacatcat gaaaaccttg 780  
 gcccttgtga ccatcgatc gtccatccca accatggtct tttctgccta cgggatgaac 840  
 ttttaaggata atgaaatccc cctaaacgga gagccaaatg ccttctggtt aatcgctttt 900  
 atcgcccttg ctatgagtgt ctcgctcact ctctatctca tccataaaaa atggttctaa 960

<210> 434  
 <211> 330  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 434  
 atagacgaaa aggagaaaaa gatggcaaac aaaaaaatcc gtatccgttt gaaagcttac 60  
 gaacaccgta cgcttgacac agcggctgca aaaatcgtag aatcagctac tcgtacaggt 120  
 gcacaagttg cgggtccaat cccacttcca actgaacgta gcctctacac aatcattcgt 180  
 gcgactcaca aatacaaaga ctctcgcgaa caatttgaaa tgcgtacaca caaacgtttg 240  
 atcgatatcg ttaacccaac tcaaaaaaca gttgatgcct tgatgaaatt ggatcttcca 300  
 agtgggtgtaa acgtagaaat caaactttaa 330

<210> 435  
 <211> 645  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 435  
 aaaaggaact attttctcat gacaaaagga atcttaggga aaaaagtggg aatgactcaa 60  
 atcttcactg aagctggcga attgatccct gtaacagtta ttgaagcaac tccaaacgtt 120  
 gttcttcaag ttaaaactgt tgaaacagac ggatacaacg ctatccaagt tggtttcgat 180  
 gacaaacgcg aagtattgag caacaaacct gctaaaggac atgtagcgaa agctaacacg 240  
 gctcctaagc gcttcattcg tgaattcaaa aacggtgaag gcttggaagt tgggtctgaa 300  
 attacagttg aaacattcgc agctggagac gttggtgacg taacgggtac ttctaaaggt 360  
 aaagggttcc aagggtgttat caaacgccac ggacaatcac gtggaccaat ggctcacggt 420  
 tctcgttacc accgtcgtcc aggttctatg gggcctgttg cacctaaccg cgtattcaaa 480  
 ggtaaaaacc ttgcaggacg tatgggtggc gaccgcgtaa caattcaaaa ccttgaagtt 540  
 gtacaagttg ttccagaaaa gaacgttatc cttatcaaag gtaacgtacc aggtgctaag 600  
 aaatctctta tcactatcaa atcagcagtt aaagctggta aataa 645

<210> 436  
 <211> 645  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 436  
 agaaagggga aatcagtcac aatggcaaac gtaacattat ttgaccaaac tggtaaagaa 60  
 gctggccaag ttgttcttag cgatgcagta tttgggtatcg aaccaaatga atcagttgtg 120  
 tttgatgtaa tcatcagcca acgcgcaagc cttcgtcaag gaacacacgc tgtaaaaaac 180

cgctctgcag tatcaggtgg tggacgcaaa ccatggcgtc aaaaaggaac tggacgtgct 240  
 cgtcaagggtt ctatccgctc accacaatgg cgtggtggtg gtgttgtctt cggaccaact 300  
 ccacgttcat acggctacaa acttccacaa aaagttcgtc gcctagctct taaatcagtt 360  
 tactctgaaa aagttgctga aaacaaattc gtagctgtag acgctctttc atttacagct 420  
 ccaaaaaactg ctgaatttgc aaaagttctt gcagcattga gcacgattc taaagttctt 480  
 gttatccttg aagaaggaaa tgaattcgca gctctttcag ctgtaacct tccaaacgtg 540  
 aaagttgcaa ctgctacaac tgcaagtgtt cttgacatcg caaatagcga caaacttctt 600  
 gtcacacaag cagctatctc taaaatcgag gaggttcttg cataa 645

<210> 437  
 <211> 318  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 437  
 aatcgaggag gttcttgcat aatgaatttg tatgatgtta tcaaaaaacc tgtcatcact 60  
 gaaagctcaa tggctcaact tgaagcagga aaatatgtat ttgaagttga cactcgtgca 120  
 cacaaacttt tgatcaagca agctgttgaa gctgctttcg aaggtgttaa agttgccaat 180  
 gttaacacaa tcaacgtaaa accaaaagct aaacgtgttg gacgttacac tggttttact 240  
 aacaaaacta aaaaagctat catcacactt acagctgatt ctaaagcaat cgagttgttt 300  
 gctgctgaag ctgaataa 318

<210> 438  
 <211> 846  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 438  
 ggaggaaata tcgtgggaat tcgtgtttat aaaccaacaa caaacggtcg ccgtaatatg 60  
 acttcttttg atttcgctga aatcacacaa agcactcctg aaaaatcatt gcttggtgca 120  
 ttgaagagca aggctggtcg taacaacaac ggctcgatca cagttcgtca ccaaggtggt 180  
 ggacacaaac gtttctaccg tttggttgac ttcaaacgta ataaagacaa cgttgaagca 240  
 gttgttaaaa caatcgagta cgatccaaac cgttctgcaa acatcgctct tgtacactac 300  
 actgacggtg tgaaagcata catcatcgct ccaaaaggte ttgaagtagg tcaacgtatc 360  
 gtttcaggte cagaagcaga tatcaaagte ggaaacgctc ttccacttgc taacatccca 420

gttggtactt tgattcacia catcgagttg aaaccaggtc gtggtggtga attggtacgt 480  
 gctgctggtg catctgctca agtattgggt tctgaaggta aatatgttct tgttcgtctt 540  
 caatcagggtg aagttcgtat gattcttgga acttgccgtg ctacagttgg tgttgctcga 600  
 aacgaacaac atggacttgt aaaccttggg aaagcaggac gtagccgttg gaaaggtatc 660  
 cgcccaacag ttcgtggttc tgtaatgaac cctaacgata acccacacgg tgggtggtgaa 720  
 ggtaaagcac cagttggtcg taaagcacca tctactccat ggggcaaacc tgctcttggt 780  
 cttaaaactc gtaacaagaa agcgaaatct gacaaactta tcgttcgtcg tcgcaacgag 840  
 aaataa 846

<210> 439  
 <211> 366  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 439  
 gcaactagta aatccgccag ctcggtagcg ctccatagga gtgcaagccg ctgtggtaca 60  
 acatttaaag gagaaaatat aaaaatggga cgcagtctta aaaaaggacc tttcgtcgat 120  
 gagcatttga tgaaaaaagt tgaagctcaa gctaacgacg aaaagaaaaa agttattaaa 180  
 acttggtcac gtcgttcaac gatcttccca agtttcattg gttacactat tgcagtttat 240  
 gacggacgta aacacgtacc tgtttacatc caagaagaca tggtaggcca caaacttggt 300  
 gaatttgac caactcgtac ttacaaaggt cacgctgcag acgacaagaa aacacgtaga 360  
 aaataa 366

<210> 440  
 <211> 345  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 440  
 atggcagaaa ttacttcagc taaagcaatg gctcgtacag tacgtgtttc acctcgtaaa 60  
 tcacgtcttg ttcttgataa catccgtggg aaaagcgtag ccgatgcaat cgcaatcttg 120  
 acattcactc caaacaagc tgctgaaatc atcttgaaag ttttgaactc agctgtagct 180  
 aacgctgaaa acaactttgg tttggataaa gctaacttgg tagtatctga agcattcgca 240  
 aacgaaggac caactatgaa acgtttccgt ccacgtgcga aaggttcagc ttcaccaatc 300

aacaaacgta cagctcacat cactgtagct gttgcagaaa aataa 345

<210> 441

<211> 666

<212> DNA

<213> Streptococcus pneumoniae

<400> 441

ggaggtaaaa tcgtgggtca aaaagtacat ccaattggta tgcgtgtcgg catcatccgt 60  
gattgggatg ccaaatggta tgctgaaaaa gaatacgcgg attaccttca tgaagatctt 120  
gcaatccgta aattcgttca aaaagaactt gctgacgcag cagtttcaac tattgaaatc 180  
gaacgcgcag taaacaaagt taacgtttca cttcacactg ctaaaccagg tatggttatc 240  
ggtaaagggtg gtgctaacgt tgatgcactc cgtgcaaaac ttaacaaatt gactggaaaa 300  
caagtacaca tcaacatcat cgaaatcaaa caacctgatt tggatgctca cctttagagt 360  
gaaggaattg ctcgtcaatt ggagcaacgt gttgctttcc gtcgtgcaca aaaacaagca 420  
atccaacgtg caatgcgtgc tggagctaaa ggaatcaaaa ctcaagtatc aggtcgtttg 480  
aacggtgcag atatcgcccg tgctgaagga tactctgaag gaactgttcc gcttcacaca 540  
cttcgtgcag atatcgatta cgcttgggaa gaagcagata ctacatacgg taaacttggt 600  
gttaaagtat ggatctaccg tggatgaagt cttccagctc gtaaaaacac taaaggaggt 660  
aataa 666

<210> 442

<211> 384

<212> DNA

<213> Streptococcus pneumoniae

<400> 442

aaggagaaaa ctgaaatgat tcaaacagaa actcgtttga aagtcgcaga caacagcgg 60  
gctcgcgaaa tcttgactat caaagttctt ggtgggttcag gacgtaaatt tgcaaacatc 120  
ggtgatgtta tcgtggcatc tgtaaaacaa gctactcctg gtgggtgcgg taaaaaagg 180  
gacgttggtta aagcagttat cgttcgtact aaatcagggt ctcgtcgtgc tgatggttca 240  
tacatcaa at ttgacgaaaa cgcagcagtt atcatccgtg aagacaaaac tcctcgcgga 300  
acacgtatct ttggcccagt tgcacgtgaa ttgcgtgaag gtggcttcat gaagatcgtg 360  
tcacttgctc cagaagtact ttaa 384

<210> 443  
 <211> 327  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 443  
 gaaaaatcaa ggagaaacct aatgtttgta aaaaaaggcg acaaagttcg cgtaatcgct 60  
 ggtaaagata agggaaacaga agctgttgct cttactgccc ttccaaaagt aaacaaagtt 120  
 atcgttgaag gtgttaacat tgttaagaaa caccaacgtc caactaacga gcttcctcaa 180  
 ggtggtatca tcgagaaaga agcagctatc cacgtatcaa acgttcaagt tttggacaaa 240  
 aatggtgtag ctggctgtgt tggatacaaa tttgtagacg gtaaaaaagt tcgctacaac 300  
 aaaaaatcag gcgaagtgtc tgattaa 327

<210> 444  
 <211> 570  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 444  
 ttaatcacga aggaaaggag aagtataatg gcaaatcggt taaaagaaaa atatcttaat 60  
 gaagtagttc ctgctttgac agaacaattc aactactcat cagtgatggc tgtgcctaaa 120  
 gtagataaga ttgttttgaa catgggtgtt ggtgaagctg tatcaaacgc taaaagcctt 180  
 gaaaaagctg ctgaagaatt ggcacttatc tcagggtcaaa aaccacttat cactaaagct 240  
 aaaaaatcaa tcgccggctt ccgtcttcgt gaagggtgtt cgatcgggtc aaaagttacc 300  
 cttcgtgggtg aacgtatgta cgaattcttg gataaattgg tatcagtttc acttccacgt 360  
 gtacgtgact tccacgggtg cccaacaaaa tcatttgatg gacgcgggaa ctacacactt 420  
 ggtgtgaaag aacaattaat cttcccagaa atcaacttcg atgacgttga caaaactcgt 480  
 ggtcttgaca tcgttatcgt aacaactgct aacactgacg aagagtcacg tgcattgctt 540  
 acaggccttg gaatgccttt tgcaaaaataa 570

<210> 445  
 <211> 414  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 445  
 gaggagaaaa acaaaatggt tatgactgac ccaatcgacg acttcctaac tcgtattcgt 60  
 aatgctaacc aagctaaaca cgaagtactt gaagtacctg catcaaacat caaaaaaggg 120

attgctgaaa tccttaaacg cgaagggtttt gtaaaaaacg ttgaaatcat tgaagatgac 180  
 aaacaaggcg tcatccgtgt atttcttaaa tacggaccaaa atggtgagaa agttatcact 240  
 aacttgaaac gtgtttctaa accaggactt cgtgtctaca aaaaacgtga agaccttcca 300  
 aaagttctta acggacttgg aattgccatc ctttcaactt ctgaagggtt gcttactgat 360  
 aaagaagcac gccaaaagaa tgttggtggt gaggttatcg cttacgtttg gtaa 414

<210> 446  
 <211> 552  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 446  
 caggagaaaa taaacatgtc acgtattggt aataaagtta tcgtgttgcc tgctggtggt 60  
 gaactcgcta acaatgacaa cggtgtaact gtaaaaggat ctaaaggaga acttactcgt 120  
 gagttctcaa aagatattga aatccgtgtg gaagggtactg aaataactct tcaccgtcca 180  
 aacgattcaa aagaaatgaa aactatccac ggaactactc gtgccctttt gaacaacatg 240  
 gttgttggtg tatcagaagg attcaagaaa gaacttgaaa tgcgtggggg tggttaccgt 300  
 gcacagcttc aaggatctaa acttgttttg .gctgttggtg aatctcatcc agacgaagtt 360  
 gaagctccag aaggaattac ttttgaactt ccaaacccaa caacaatcgt tggttagcgga 420  
 atttcaaaag aagtagttgg tcaaacagct gcttacgtac gtagccttcg ttcaccagaa 480  
 ccatataaag gtaaaggat ccgttacgtt ggtgaattcg ttcgccgtaa agaaggtaaa 540  
 acaggtaaat aa 552

<210> 447  
 <211> 426  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 447  
 tcatcaacca ccaacctatt ttccaacttt gtgcatagca cacgatttaa aactaaagag 60  
 gtgaaaactg tgatttcaaa accagataaa aacaaactcc gccaaaaacg ccaccgtcgc 120  
 gttcgcggaa aactctctgg aactgctgat cgccacgtt tgaacgtatt ccgttctaata 180  
 acaggcatct acgtcaagt gattgatgac gtagcgggtg taacgctcgc aagtgttca 240  
 actcttgata aagaagtttc aaaaggaact aaaactgaac aagccgttgc tgctcggtaaa 300



ctcgttgacag aacgtgcaaa cgctaaaggt atttcagaag tgggtgttcga ccgcggtgga 360  
 tatctatatc acggacgtgt gaaagctttg gctgatgcag ctcgtgaaaa cggattgaaa 420  
 ttctaa 426

<210> 448  
 <211> 498  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 448  
 aaaatggcat ttaaagacaa tgcagttgaa ttagaagaac gcgtagttgc tgtcaaccgt 60  
 gttacaaaag ttgttaaagg tggacgtcgt cttcgtttcg cagctcttgt tgttgttggt 120  
 gaccacaatg gtcgcgtagg atttggtact ggtaaagctc aagaagttcc agaagcaatc 180  
 cgtaaagcag tagatgatgc taagaaaaac ttgatcgaag ttcctatggt tggacaaca 240  
 atccacacag aagttctttc agaattcggg ggagctaaag tattgttgaa acctgctgta 300  
 gaaggttctg gagttgccgc tgggtggtgca gttcgtgccg ttgtggaatt ggcaggtgtg 360  
 gcagatatta catctaaatc acttggttct aacactccaa tcaacattgt tcgtgcaact 420  
 gttgaagggt tgaaacaatt gaaacgcgct gaagaaattg ctgcccttcg tggatatttca 480  
 gtttctgatt tggcataa 498

<210> 449  
 <211> 468  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 449  
 cattttacaa aagaggagaa aataaaaatg aaacttcatg aattgaaacc tgcagaaggt 60  
 tctcgtaaag tacgtaaccg cgttggtcgt ggtacttcat caggtaacgg taaaacatct 120  
 ggtcgtggtc aaaaagggtca aaaagctcgt agcgggtggcg gagttcgcct tggttttgaa 180  
 ggtggacaaa ctccattggt ccgtcgtcct ccaaaacgtg gattcactaa catcaacgct 240  
 aaagaatacg caattgtgaa ccttgaccaa ttgaacgtct ttgaagatgg tgctgaagta 300  
 actccagttg ttcttatcga agcaggaatt gttaaagctg aaaagtcagg tattaaaatt 360  
 cttggtaacg gtgagttgac taagaaattg actgtgaaag cagctaaatt ctctaaatca 420  
 gctgaagaag ctatcactgc taaaggtggt tcagtagaag tcatctaa 468

<210> 450  
<211> 1314  
<212> DNA  
<213> *Streptococcus pneumoniae*

<400> 450  
cctatgtttt ttaaattatt aagagaagct cttaaagtca agcagggttcg atcaaaaatt 60  
ttattttacaa tttttatcgt tttgggtcttt cgtatcgga ctagcattac agttcctggg 120  
gtgaatgcc aatagcttgaa tgctttaagt ggattatcct tcttaaacad gttgagcttg 180  
gtgtcgggga atgccctaaa aaacttttcg atttttgccc taggagttag tccctatata 240  
accgcttcta ttgttggtcca actcttgcaa atggatattt taccacaggt tgtagagtgg 300  
ggtaacaag gggaagtagg tcgaagaaaa ttgaatcaag ctactcgtta tattgctcta 360  
gttctcgttt ttgtgcaatc tatcgggatt acagctgggt ttaatacctt ggctggagct 420  
caattgatta aaactgcttt aactccacaa gtttttctga cgattgggtat catcttaaca 480  
gctggtagta tgattgtcac ttgggtgggt gagcaaatta cagataaggg atacggaaac 540  
gggttttcca tgattatctt tgccgggatt gtttctccta ttccagagat gattcagggc 600  
atctatgtgg actactttgt gaacgtccca agtagccgta tcaattcatc tatcattttc 660  
gtaatcattt tgattattac tgtattgttg attatttact ttacaactta tgttcaacaa 720  
gcagaatata aaattccaat ccaatatact aagggtgcac aagggtgctc atctagctct 780  
taccttccgt taaaagtaaa ccctgctgga gttatccctg ttatctttgc cagttcgatt 840  
actgcagcgc ctgcggctat tcttcagttt ttgagtgcc caggtcatga ttgggcttgg 900  
gtaagggtag cacaagagat gttggcaact acttctccaa ctggtattgc catgtatgct 960  
ttgttgatta ttctctttac attcttctat acgtttgtac agattaatcc tgaaaaagca 1020  
gcagagagcc tacaaaagag tgggtgcctat atccatggag ttcgtcctgg taaaggta 1080  
gaagaatata tgtctaaact tcttcgtcgt cttgcaactg ttggttccct cttccttgg 1140  
gtgatttcca ttttaccgat tgcagctaaa gatgtatttg gtctttctga tgttgttgcc 1200  
tttggtggaa caagtctctt gatcattatc tctacaggta tcgaaggaat caagcaattg 1260  
gaaggttacc tattgaaacg taagtatgtt ggtttcatgg acagaacaga ataa 1314

<210> 451  
<211> 651  
<212> DNA  
<213> *Streptococcus pneumoniae*

<400> 451  
 ggagatcaaa tcatgaatct tttgattatg ggcttacctg gtgcaggtaa gggaactcaa 60  
 gcagcaaaaa tcgtagaaca attccatggt gcacatatct caacagggtga tatgttccgc 120  
 gctgcaatgg caaatcaaac tgaaatgggt gttcttgcta agtcatatat tgacaaggggt 180  
 gaattgggtc ctgacgaagt tacaaatgga atcgtaaaag aacgcctttc acaagatgat 240  
 attaaagaaa caggattcctt attggatgggt taccacgta caattgaaca agctcatgcc 300  
 ttggacaaaa cattggctga acttggcatt gaactagaag gtgttatcaa tattgaagtg 360  
 aaccctgacā gccttttggga acgtttgagt gggcgatca tccaccgcgt aactggagaa 420  
 actttccaca aggtctttta cccaccagtt gactataaag aagaagatta ctaccaacgt 480  
 gaagatgata agcctgagac agtaaaacgt cgtttggatg ttaatattgc tcaaggagaa 540  
 ccaatcattg ctactaccg tgccaaaggt ttggttcattg acatcgaagg taatcaagat 600  
 atcaatgatg tcttctcaga tattgaaaaa gtattgacaa atttgaaata a 651

<210> 452  
 <211> 378  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 452  
 aaaggagaaa acatggctcg tattgctgga gttgatattc caaatgacaa acgcgtagta 60  
 atctcattga cttatgttta tggatcggga cttgcaacat ctaagaaaat tttggctgct 120  
 gctggaatct cagaagatgt tcgtgtacgt gatcttacat cagatcaaga agatgctatc 180  
 cgtcgtgaag tggatgcaat caaagttgaa ggtgaccttc gtcgtgaagt aaacttgaac 240  
 atcaaacggt tgatggaaat cggttcatal cgtggtatcc gtcaccgctg tggacttcct 300  
 gtccgtggac aaaacactaa aaacaacgcc cgactcgtg aaggtaaagc tgttgcgatt 360  
 gctggtgaaga aaaaataa 378

<210> 453  
 <211> 396  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 453  
 gaggtaaaag tcttggctaa accaacacgt aaacgtcgtg tgaaaaagaa tatcgaatct 60  
 ggtattgctc atattcacgc tacatttaat aacactattg ttatgattac tgatgtgcat 120

ggtaatgcaa ttgcttggtc atcagctggt gctcttggtt tcaaagggtc tcgtaaactct 180  
 acaccattcg ctgctcaaat ggcttctgaa gctgctgcta aatctgcaca agaacacggt 240  
 cttaaatacag ttgaagttac tgtaaaagggt ccaggttctg gtcgtgagtc agctattcgt 300  
 gcgcttgctg ccgctgggtc tgaagtaaca gcaattcgtg atgtgactcc agtgccacac 360  
 aatgggtgctc gtcttccaaa acgtcgccgt gtataa 396

<210> 454  
 <211> 402  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 454  
 ataaaggagg aatacatggc ttaccgtaaa ctaggacgca ctagctcaca acgtaaagca 60  
 atgcttcgcg atttgacaac tgaccttttg atcaacgaat caatcgtgac aactgaagct 120  
 cgtgctaaag aaatccgtaa aactgttgaa aaaatgatta ctctaggtaa acgtgggtgat 180  
 ttgcatgcac gtcgtcaagc agtgcttttc gtacgtaatg aaatcgcac tgaaaactat 240  
 gatgaagcaa ctgataagta cacttctact acagcacttc aaaaattggt ctcagaaatc 300  
 gcacctcggt atgctgaacg taacgggtgga tacactcgta tccttaaaac tgaatcacgt 360  
 cgtgggtgatg cagcgccaat ggcgatcatc gaattagtat aa 402

<210> 455  
 <211> 414  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 455  
 atgcctacaa ttaaccaatt ggttcgcaaa ccgcgtaaat caaaagtaga aaaatctaaa 60  
 tcaccagctt tgaacgttgg ttacaatagt cataaaaaag ttcaaacaaa cgtttcttca 120  
 ccacaaaaac gtggtgttgc aactcgtggt ggaacaatga cacctaaaaa acctaactca 180  
 gcccttcgta aattcgctcg tgtacgtttg agcaacctta tcgaagttac tgcctacatc 240  
 ccaggatatcg gacacaactt gcaagagcac agcgtggtgc ttcttcgcgg tggacgtgta 300  
 aaagaccttc caggggtacg ttaccatata gtccgtggtg cacttgatac tgcagggtgtt 360  
 aacgatcgta aacaaggccg ttctaaatac ggtactaaac gtccaaaagc ataa 414

<210> 456

&lt;211&gt; 477

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 456

```

agagaaatga gtcgtaaaaa tagagctcca aaacgtgacg tattgccaga tccgctatac      60
aattcacaac tagttactcg tcttatcaac cgcgttatgc ttgatggtaa acgtgggtact      120
gctgcttcaa tcgtttacgg tgcttttgag caaatcaaag aagctactgg caacgatgca      180
cttgaagtat ttgaaacagc tatggaaaac atcatgcctg tacttgaagt acgtgcacgt      240
cgtgttggtg gttctaacta ccaagtccca gttaaagttc gtccagaacg tcgtacaaca      300
cttggacttc gttgggttgg aacaatcgct cgtcttcgtg gtgaacacac aatgcaagac      360
cgtcttgcaa aagaaatctt ggatgctgct aacaacactg gtgcagcagt taagaaacgt      420
gaagatactc accgtatggc tgaagctaac cgtgcattcg cacacttccg ttggtaa      477

```

&lt;210&gt; 457

&lt;211&gt; 930

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 457

```

gaaaggactg aaaacatcat gactgaaaaa cttcaattaa ctaaatacaga tcgtaaaaaa      60
gtttggtggc gttcaacctt cttacaaggg tcttggaaact ttgaacggat gcaaaacttg      120
ggctgggctt atacactcat tccagctatc aaaaaactct ataataaaaa agaagatcaa      180
atcgctgctc ttgagcgtea ccttgagttc ttcaaacctc atccatacgt agctgctcca      240
gtcatggggg ttactcttgc gcttgaagaa gaacgtgcta acggtgtgga aatcgatgac      300
gctgctatcc aaggggttaa aatcggtatg atgggacctc ttgctgggat cggtgaccca      360
gtattctggg ttacagtacg cccaatcctt ggatctctcg gtgcttcaact tgcccttact      420
ggcaatatct tggggccact cctcttcttt gttgcatgga acttgattcg tatgtcattc      480
ttgtggatatg ttcaagagat tggatacaag gctggatcag aaatcactaa agatatgtct      540
ggtggatatcc ttcaagatat cactaaagga gcttctatcc ttgggatggt cattcttgcg      600
gtccttggtc aacgctgggt aaatattaaa tttgctttcg atgtttctaa agttcaacta      660
gatgaaaagg cttatatcca ttgggataaa ttgccagaag ggtctaaagg tatccaagaa      720
gcattcgcac aagtaggaca aggattgtct caaactcctg aaaaagttac tactttccaa      780
caaaacttgg atatgttgat tcctggatta tcaggactac tccttacttt actttgcatg      840

```

tacttactta agaaaaaagt atctccaatc actattatcc ttgccctctt cgcagtggtt 900  
attgtggcac atgttcttca catcatgtaa 930

<210> 458  
<211> 831  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 458  
gccattattt atgaaaggat tttaaacaatg tctattatct ctatgggttt agtagtcgtt 60  
gtagccttct ttgcaggctc tgaaggcatc ctcgaccagt tccaatttca ccaaccactt 120  
gtagcctgta cccttattgg gcttgtaaca ggtcacttgg aagcagggat tatcctcggt 180  
ggatcgcttc aaatgattgc ccttggttgg tcaaataatcg gtgctgctat cgctcctgat 240  
gctgcacttg cttctgtcgc tgctgccatt atcatgggtc ttggtggtga ctttaccag 300  
actggtatcg gtgttgccca agcggttgct atccctcttg ctgtagctgg acttttcttg 360  
acaatgattg ttcgtacaat ttcagttggt ttggttcata ctgcagatgc tgccgctaaa 420  
aaaggtgact tcggcgctgt ggagcgtgcg catttcatcg cgctactttt ccaaggactt 480  
cgtatcgcg c ttcctgcagc tcttctcctt atggtaccaa ctgaaactgt acaaagtatc 540  
cttagtgcca tgccagactg gctcaaagat ggtatggcta tcgggtggtg tatggtcgtt 600  
gccgttggtt acgccatggt tatcaaatg atggcaactc gtgaagtatg gccattcttc 660  
gctcttggtt tcgttctcgc tgctgtgtca gatattactc taatcggatt cgggtgctatc 720  
ggcgttgcta tcgctcttat ctaccttcac ctttctaaaa ctggtggaaa tgggtggcgga 780  
ggagccgcaa cttctaacga cccaatcggc gatatcctag aagactacta a 831

<210> 459  
<211> 1014  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 459  
aacaaaaaag gaggaatgac aataatgagt atcggaatca ttattgcgag ccacggcgaa 60  
tttctgctgg gtattcatca gtcaggatct atgatctttg gtgaacaaga aaaggttcaa 120  
gttggtgacct ttatgcaaaa tgaaggctct gatgatctat acgctaagtt taataacgct 180  
gttgctgcat ttgacgcaga agatgaggtt ctagtttttg ctgacctttg gagtgggtct 240

```

ccatttaacc aagctagtcg cgtgatggga gaaaatcctg agcgttaagtt tgccatcatc 300
acaggactta acttaccgat gttgattcaa gcctacacag agcgcctcat ggacgctgct 360
gcagggtgtag aaaaagtcgc tgctaatatc attaaagaag ccaaagatgg catcaaagct 420
cttccagaag agctaaatcc agtcgaagaa gttgcaagcg ctgcagctgc tccagttgcc 480
caaactgcta tcccagaagg aactgttata ggagacggta aattgaaaat caatcttgcc 540
cgtcttgaca caggtctact tcacggtcag gttgcaactg cttggactcc agattcaaaa 600
gcaaactgta tcatcggtgc ttcagataac gtggctaaag acgaccttcg taaagaattg 660
attaaacaag cagctccagg taatgtcaag gctaacgtgg ttccaattca aaaactgatt 720
gagatttcaa aagaccacg ttttgagaa acacatgccc ttatcttggt tgaaacacct 780
caagatgccc ttcgtgccat cgaaggcggc gtgccaatca agactcttaa tgttggttct 840
atggctcact caacaggtaa aacattggtc aataccgttt tgtctatgga caaagaagac 900
gttgctacat ttgaaaaaat gcgtgacttg ggtgttgaat ttgatgtccg taaagtacca 960
aatgattcta aaaaagattt gtttgacttg attaacaaag ccaatgtcaa ataa 1014

```

<210> 460

<211> 1128

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 460

```

tatacttcac atataaatac aagagagctc gtcacactcg actctgttga caaaaaatca 60
atccagtccc gttgtccctg ttctcggta atatcaagga ggatagctat gaaagctggt 120
gttgtaaate cagaaagcac tgggtgttgc attgaagaaa aagtactccg tccacttgaa 180
actggggaag cacttgtaga agttgaatac tgtggcgttt gccacaccga cctccacgtt 240
gctcatggtg actttggta agtcccagga cgtgttcttg ggcacgaagg tatcggatc 300
gttaaagaga ttgctccaga tgtgaaaagc cttaaagtcg gtgaccgcgt cagcgttgct 360
tggttctttg aaggatgtgg cacttgcaaa tactgtacaa ctggctcgga aaccctttgc 420
cgtacagtga aaaatgctgg ctactcagta gacggtggta tggctgaaca atgtatcgta 480
actgctgact atgctgtcaa agttcctgac ggacttgatc cagcccaagc ttcttctatc 540
acatgtgctg gagtaacaac ctataaagct atcaaagaag caaaagttga accaggccaa 600
tggtgtgttc ttacgggtgc tgggtgactt ggtaacctcg ctgttcaata cgctaaaaaa 660

```

```

gtattcaatg ctcatgttat cgcagtcgat atcaacaatg acaaacttgc ccttgcaaaa 720
gaagtaggcg ctgacattgt gattaacggc ctogaagttg aagatgtagc tggactcatt 780
aaagaaaaaa ctgatggagg agctcattca gctgtcgtaa ctgctgtgtc taaagttgcc 840
ttcaaccagg ctgttgactc cattcgtgct ggtggtcgcg tcgtcgtgtg tggctcttct 900
tctgaaatga tggaactcag catcgttaaa acagtctctg atggaatcca agtcacgcgt 960
tctcttgctg gaactcgtaa agacttagaa gaagccttcc aatttggtgc agaaggtctg 1020
gtagtcccag ttgttcaaaa acgtccagta gaagatgctg ttgccatttt cgacgaaatg 1080
gaaaaaggcc aaatccaagg acgtatggta ctcgacttca cccactaa 1128

```

```

<210> 461
<211> 477
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 461
acaaaaatcg aactatatat aggagaaatc atgaacaaaa caacatttat ggctaaacca 60
ggccaagttg aacgtaaattg gtacgtagtt gacgcaactg atgtaccact tggacgtctt 120
tctgcagtag ttgctagcgt acttcgcgga aaaaacaaac caacatttac accacacact 180
gatacaggtg acttcgtgat tggtatcaat gctgaaaaag ttaaattgac tggtaaaaaa 240
gcaactgata aaatctacta cactcactca aaccaccag gtggattgaa acaaatctct 300
gcaggtgaac ttcgttctaa aaatgcagta cgtttgattg agaaatcagt taaaggatatg 360
cttcacaca atacacttgg acgcgctcaa ggtatgaagt tgaaagtatt tgttggagct 420
gagcacactc acgctgcaca acaaccagaa gttcttgaca tttcaggact tatctaa 477

```

```

<210> 462
<211> 396
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 462
agtatgtcac aagcacaata tgcaggtact ggacgtcgta aaaacgctgt tgcacgcgtt 60
cgccttgttc caggaactgg taaaatcact gttaacaaaa aagatgttga agagtacatc 120
ccacacgctg accttcgtct tgatcatcac caaccattcg cagtacttc aactgtaggt 180
tcatacgacg ttttcgttaa cgttataggt ggtggatagc ctggtcaatc aggagctatc 240
cgtcacggtg tcgtcgtgc ccttcttcaa gtagaccag acttcgcgca ttcattgaaa 300

```



cgcgaggac ttcttacacg tgactcacgt aaagttgaac gtaagaaacc aggtcttaag 360  
 aaagctcgta aagcatcaca atttagtaaa cgtaa 396

<210> 463  
 <211> 834  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 463  
 aggaggaagc acacgatgac tggatctaac aaattaacaa aacgtgatta tcttaaaacg 60  
 tctttgcggg cattcttttg tcaaaatgga tttaactata gtaactatca agggttggga 120  
 tatgccaatg tgatgtatcc tgctttgaaa aaacactatg gagaggatca ggaagggttc 180  
 taccaagcct tggaagaaaa ctgtgaattc tataatacca acccacactt cctgcctttt 240  
 attaccagct tgcactctgt aatgttgga aatggccgctc cggcaaaaga aacacgtagc 300  
 atcaagatgg ccttgatggg accattggca ggtattgggg attctctttc tcaattctgt 360  
 ttagctccat tgttctcaac catcgagct tcgtttgctc aagaaggctt ggttgctcgg 420  
 ccaatcttgt tcttccttgc gatgaatacg attttaacag cgattaaatt gtcaactgg 480  
 ctgtatggat acaaactagg acaactgtg attgataaac taagcgaaca gatggcaacg 540  
 atttctcgta ttgccaatat tatcggtgta accgtaattg ctggtttggc agcgacatct 600  
 gttaagatta tgggtgccgat tacctttgct gcaggggaag ttaaagcaga cgctaaacaa 660  
 agtatcgtaa gtattcaggg aatgcttgat aaggttgctc cagctcttct accagcccta 720  
 tttaacttt tagtttacta cttgatcaaa gaaaagaaat ggacaacata taaactcgtt 780  
 attttaacag ttatcatcgg aattatcgga agctggctta agattatagc ttaa 834

<210> 464  
 <211> 1533  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 464  
 tttcctaact tccaattttt tattataata gagtccagag gtaaaaaaat gaaaaaacia 60  
 gcttttagtt ctgaacaata tttgaattta caacgcgacc atattttgga gcgcattaac 120  
 caatttgacg gcaagctcta cttagagttt ggcggtaaaa tgttagaaga tttccacgct 180  
 gctcgtgtcc ttctggtta tgaacctgac acaaaaatca agctcttgca agaattgaaa 240

gagcaggttg aggttgtgat tgccattaat gctagcaaca ttgaacattc caaagcacgt 300  
 ggcgacttag gcatttctta tgaccaagaa gttcttcggt tgattgataa attcaatgaa 360  
 ttagggattt ttgttggttc cgttgtcatt acacaatacg ctggccaacc cgctgcagat 420  
 gccttccgca atcaacttga gaaaaacgga attgattctt atcttcatta tccaatcaaa 480  
 ggatatccga cggatatgga tcacatcatt tccccagaag gcatgggcaa aaacgactac 540  
 atcaaaacca gtcgcaactt gattgtcgta accgctcctg gacctgggtc tggaaaattg 600  
 gcaacgtgta tgtccaatat gtaccacgac caaatcaatg gcatcaaate tggctacgct 660  
 aaatttgaaa ctttccctgt ttggaatctt ccccttcata atccagttaa cttggcttat 720  
 gaagctgcca cagctgacct tgatgatgtc aacatgattg accccttcca tcttcaaacc 780  
 tatggagaaa cactgtcaa ctacaaccgt gatatcgaaa tcttccagct gctcaaaccg 840  
 atgttggaac gtattctcgg aaaatcacca tacgcttcac cgacagatat ggggtgcaac 900  
 atggttgggt tcgctattac agatgacgag gccgctgtcg aagcttctaa acaagaaatc 960  
 atccgccgtt actatcaaac agttcttgac ttcaaagctg aaaaagttgg cgaagctgcc 1020  
 gtcaagaaaa ttgagttgct catgaacgac ctcggtatca cacctgcaga ccgtaagggt 1080  
 gctgtcgttg cgcgccaaaa agcagaagaa actggtggac cagccctagc ctttgaattg 1140  
 ccaaattggg aaatcatcac tggtaagaac tcagaactct ttggctctac agccgctgcc 1200  
 ttgatcaacg ccatcaaaaa atcagctgac atcgctaaag aagtataaact aatcgagcct 1260  
 gaagttgtta agccaatcca aggtcttaaa atcgatcac tcggtagccg caatccacgc 1320  
 cttcattcaa atgaaatcct gattgcactt gctatcacag ctacagaaaa tcctgatgct 1380  
 gccgcgcta tggaagaact cggcaacctc aaaggaagcg aagccactc aaccatcatc 1440  
 ttgactgatg aagacaagaa tgccttcgt aaactgggta tcaacgtaac ctttgaccca 1500  
 tactaccaat acgaccgctt atatcgtaag taa 1533

<210> 465  
 <211> 2166  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 465  
 aacaagatga acaaaccaac gattctgcgc ctaatcaagt atctgagcat tagcttctta 60  
 agcttggtta tcgcagccat tgtcttaggc ggaggagttt ttttctacta cgtttagcaag 120

gctcctagcc tatccgagag taaactagtt gcaacaactt ctagtaaaat ctacgacaat	180
aaaaatcaac tcattgctga cttgggttct gaacgccgcg tcaatgccca agctaagat	240
attcccacag atttggttaa ggcaatcggt tctatcgaag accatcgctt cttcgaccac	300
agggggattg ataccatccg tatcctggga gctttcttgc gcaatctgca aagcaattcc	360
ctccaagggtg gatcaactct cacccaacag ttgattaagt tgacttactt ttcaacttcg	420
acttccgacc agactatttc tcgtaagggt caggaagctt ggtagcgat tcagttagaa	480
caaaaagcaa ccaagcaaga aatcttgacc tactatataa ataaggctca catgtcta	540
gggaactatg gaatgcagac agcagctcaa aactactatg gtaaagacct caataattta	600
agtttacctc agttagcctt gctggctgga atgcctcagg caccaaacca atatgacccc	660
tattcacatc cagaagcagc ccaagaccgc cgaaacttgg tcttatctga aatgaaaaat	720
caaggctaca tctctgctga acagtatgag aaagcagtca atacaccaat tactgatgga	780
ctacaaagtc tcaaatcagc aagtaattac cctgcttaca tggataatta cctcaaggaa	840
gtcatcaatc aagttgaaga agaaacaggc tataacctac tcacaactgg gatggatgtc	900
tacacaaatg tagaccaaga agctcaaaaa catctgtggg atatttaciaa tacagacgaa	960
tacgttgctt atccagacga tgaattgcaa gtcgcttcta ccattgttga tgtttctaac	1020
ggtaaagtca ttgcccagct aggagcacgc catcagtcaa gtaatgtttc cttcggaatt	1080
aaccaagcag tagaaacaaa ccgcgactgg ggatcaacta tgaaaccgat cacagactat	1140
gctcctgcct tggagtacgg tgtctacgat tcaactgcta ctatcgttca cgatgagccc	1200
tataactacc ctgggacaaa tactcctgtt tataactggg ataggggcta ctttggcaac	1260
atcaccttgc aatacgccct gcaacaatcg cgaaacgtcc cagccgtgga aactctaac	1320
aaggtcggac tcaaccgcgc caagactttc ctaaagtgtc taggaatcga ctaccaagt	1380
attcactact caaatgccat ttcaagtaac acaaccgaat cagacaaaaa atatggagca	1440
agtagtgaaa agatggctgc tgcttacgct gcctttgcaa atggtggaac ttactataaa	1500
ccaatgtata tccataaagt cgtctttagt gatgggagtg aaaaagagtt ctctaagtgc	1560
ggaactcgtg ccatgaagga aacgacagcc tatatgatga ccgacatgat gaaaacagtc	1620
ttgacttatg gaactggacg aaatgcctat cttgcttggc tccctcaggc tggtaaaaca	1680
ggaacctcta actatacaga cgaggaaatt gaaaaccaca tcaagacctc tcaatttgta	1740
gcacctgatg aactatttgc tggctatacg cgtaaataat caatggctgt atggacaggc	1800

tattctaacc gtctgacacc acttgtaggc aatggcctta cggtcgctgc caaagtttac 1860  
 cgctctatga tgacctacct gtctgaagga agcaatccag aagattggaa tataccagag 1920  
 gggctctaca gaaatggaga attcgtattht aaaaatgggtg ctggttctac gtggaactca 1980  
 cctgctccac aacaaccccc atcaactgaa agttcaagct catcatcaga tagttcaact 2040  
 tcacagtcta gctcaaccac tccaagcaca aataatagta cgactaccaa tcctaacaat 2100  
 aatacgcaac aatcaaatac aaccctgat caacaaaatc agaatcctca accagcacia 2160  
 ccataa 2166

<210> 466  
 <211> 351  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 466  
 caagcgagaa tggagagaga catggcaagt attatthttt cagcgaaaga tatttttgaa 60  
 caagagtttg gacgtgaggt ccgtggctat aataaagtag aagttgacga gtttttagac 120  
 gatgtcatca aggactatga aacctatgct gccttgggtca agtcacttcg tcaggaaatt 180  
 gcggatttga aggaagaatt aactcgtaaa ccgaaacctt caccagttca agcagaacct 240  
 cttgaagcgg caattacaag ttctatgacg aattttgata ttttgaaacg cctgaataga 300  
 ttggaaaaag aagtttttgg taaacaaatt ttagataact cagattttta a 351

<210> 467  
 <211> 1407  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 467  
 aaagggatac tcatgagtaa aaaaagacga aatcgtcata aaaaagaagg tcaagaacct 60  
 caatttgatt ttgatgaagc aaaagagcta acagttgggtc aagctatttcg taaaaatgaa 120  
 gaagtggaaat caggagtctt gcctgaggat tccattttgg acaagtatgt taagcaacac 180  
 agagatgaaa ttgaggcgga taagtttgcg actcgtcaat acaaaaaaga ggagttcgtt 240  
 gaaactcaga gtctggatga ttttaattcaa gagatgcgtg aggctgtaga gaagtcagaa 300  
 gcttcttcgg aggaagttcc atcttctgaa gacatcttac tacccttgcc tctggacgat 360  
 gaggagcaag gcttggatcc tctattgcta gatgatgaaa atccaacaga aatgactgaa 420

gaagtggaag aggagcaaaa cctttctcgt ctggatcaag aggactcaga aaagaaaagt 480  
 aaaaaaggct ttattttgac cgttttggcg cttgtatcag taattatttg tgtcagtgtg 540  
 tattatgtct accgtcaagt ggctcgttcg actaaggaaa ttgaaacttc tcaatcaact 600  
 acagccaatc aatcggatgt ggatgatttt aatacacttt atgacgcctt ttacacagat 660  
 agcaataaaa cggctttgaa aaatagccag tttgataaac tgagtcaact caagacttta 720  
 cttgataagc tggaaggtag tcgtgaacat acgcttgcca aatctaaata tgatagtcta 780  
 gcaacgcaaa tcaaggctat tcaagatgtc aatgctcaat ttgagaaacc agctattgtg 840  
 gatggtgtgt tggataccaa tgccaaagcc aaatcggatg ctaaatttac ggatattaaa 900  
 actggaaata cggagcttga taaagtgtc gataaggcta tcagtcttgg taagagccag 960  
 caaacaagta cttctagctc aagttcaagt caaactagca gctcaagtcc aagtcaagca 1020  
 agttcaaata cgactagtga gccaaaacca agtagttcaa atgagactag aagttagtgc 1080  
 agtgaagtca atatgggtct ctcgagtgtc ggggttgctg ttcaaagaag tgccagtcgt 1140  
 gttgcctata atcagtctgc tattgatgat agtaataact ctgcctggga ttttgcggat 1200  
 ggtgtcttgg aacaaattct agcgacttca cgttcacgtg gctatatcac tggagaccaa 1260  
 tatatccttg aacgtgtcaa tatcgttaac ggcaatggtt attacaacct ctacaagcca 1320  
 gatggaacct atctctttac ccttaactgt aagacaggct actttgtcgg aaatggcgct. 1380  
 ggtcatgcgg atgacttaga ttactaa 1407

<210> 468

<211> 1500

<212> DNA

<213> Streptococcus pneumoniae

<400> 468

gcagtcgtta caaaattctt tcttttcaaa agtaaaaatg ataaaataaa acaaatgaaa 60  
 caagaggagt gtcaaatgac aaaagctaac tttggtgtcg taggtatggc cgtaatgggt 120  
 cgtaaccttg cccttaatat tgaatctcgt gggttacacag ttgctatcta caaccgtagt 180  
 aaagaaaaaa cggaagatgt gattgcttgc catcctgaaa agaactttgt accaagctat 240  
 gacgttgaaa gttttgtaaa ctcaatcgaa aaacctcgtc gtatcatgct gatggttcaa 300  
 gctggacctg gtacagatgc tactatccaa gcccttcttc cacaccttga caaggggtgat 360  
 atcttgattg acggaggaaa tactttctac aaagatacca tccgtcgtaa tgaagaattg 420

gcaaaactctg gtatcaactt tatcgggtact ggggtttctg gtggtgaaaa aggtgccctt 480  
 gaaggctcctt ctatcatgcc tgggtggacaa aaagaagcct acgaattggg tgcggatggt 540  
 cttgaagaaa tctcagctaa agcaccagaa gatggcaaac catgtgtgac ttacatcggt 600  
 cctgatggag ctggtcacta tgtgaaaatg gttcacaatg gtattgagta cgggtgatatg 660  
 caattgatcg cagaaagcta tgacttgatg caacacttgc taggcctttc tgcagaagat 720  
 atgggtgaaa tctttactga gtggaacaag ggtgaattag acagctactt gattgaaatc 780  
 acagctgata tcttgagccg taaagacgat gaaggccaaag atggaccaat cgtagactac 840  
 atccttgatg ctgcaggtaa caagggaact ggtaaattga ctagccaatc atctcttgac 900  
 cttgggtgtac cattgtcact gattactgag tcagtgtttg cagctacat ttcaacttac 960  
 aaagaagaac gtgtacatgc tagcaagggtg cttccaaaac cagctgcctt caactttgaa 1020  
 ggagacaagg ctgaattgat tgaaaagatc cgtcaagccc tttacttctc aaaaatcatt 1080  
 tcatacgcac aaggatttgc tcaattgctg gtagcctcta aagaaaacaa ctggaacttg 1140  
 ccatttgcag atatcgcatc tatctggcgt gatggctgta tcatccgttc tcgtttcttg 1200  
 caaaagatta cagatgctta caaccgcat gcagatcttg ccaaccttct tttggacgag 1260  
 tacttcttgg atgttactgc taagtaccaa caagcagtac gtgatatcgt agctcttgcg 1320  
 gttcaagcag gtgtgccagt gccaaactttc tcagcagcta ttacttactt tgatagctac 1380  
 cgttcagctg acctccagc taacttgatc caagcacaac gtgactactt tgggtgctcac 1440  
 acttaccaac gtaaagacaa agaaggaacc ttccactact cttggtatga cgaaaaataa 1500

<210> 469

<211> 438

<212> DNA

<213> Streptococcus pneumoniae

<400> 469

aaaatggact accaacgaat caatgaatat ttaacatcta tatttaacaa tgtccttgta 60  
 attgaggaag tgaacttgag aggtagtcgt tttaaggata tctccatcaa agaaatgcat 120  
 acgattgatg tcatcggtaa ggctccagac gtgactccaa gtcaagtgtc aaaagagttg 180  
 atggtaactc ttggaactgt tacgacaagt ttgaacaatt tagagcgtaa gggctacatt 240  
 gagcgagttc ggtcagaaca ggatcgctgt gtggtgcatc tgcatttgac aaagaagggg 300  
 cgcttgattc atagactgca taaacgcttc cacaaggcca tggtagaaaa aattattgat 360

ggcatgagcg aggaagaaat tgctgtcatg ggtaaagggt tgactaatct ttaccaattt 420

ttggaggatt tgaaataa 438

<210> 470

<211> 237

<212> DNA

<213> Streptococcus pneumoniae

<400> 470

aggagtccta tcatggcagt atttgaaaaa gtacaagaaa ttatcggtga agaacttgga 60

aaagacgcat cagaagtaac acttgaatca acttttgatg atttggacgc agattcattg 120

gacttgttcc aagtaatctc agaaatcgaa gatgcttttg atatccaaat cgaagcagaa 180

aatgacttga aaacagttgg tgacttggtt gcttacgttg aagagcaagc aaaataa 237

<210> 471

<211> 2343

<212> DNA

<213> Streptococcus pneumoniae

<400> 471

aaaaaagagg acattaatat gggtgttaag acagttgttg aagcacaaga tatttttgac 60

aaagcttggg aaggcttcaa aggcgtagat tggaaagaaa aagcaagtgt atcacgattt 120

gtacaagcta actacacacc ttatgatgga gacgaaagct tccttgagg accaacagag 180

cgttcacttc acatcaagaa aattgtagaa gaaactaaag cactactacga agaaactcgt 240

ttcccaatgg aactcgtcc aacatctatc gctgatatcc ctgctggatt tatcgacaaa 300

gaaaatgaag ttatcttcgg tatccaaaac gatgaactct tcaaattgaa cttcatgcca 360

aaaggtggta tccgtatggc tgaaactact ttgaaagaaa atggatacga accagaccca 420

gctgttcacg aaatcttcac taaatatgta acaacagtta acgacggtat tttccgtgcc 480

tacacttcaa atattcgtcg cgctcgtcac gcacacactg taactggtct tccagatgca 540

tactcacgcg gacgtatcat cggtgtttac gcacgtcttg ctctttacgg tgcagactac 600

ttgatgcaag aaaaagtaaa tgactggaat gcaatcaaag aaatcgatga agaaacaatc 660

cgtcttcgtg aagaagtaaa ccttcaatac caagcattgc aacaagttgt tcgcctgggt 720

gacctttacg gggttgatgt tcgcaaacca gcgatgaacg tgaaagaagc aatccaatgg 780

gttaacattg ctttcatggc tgtctgccgt gtgattaacg gtgctgctac atctctaggt 840

cgtgtaccaa tcgtattgga catctttgca gaacgtgacc ttgctcgtgg tacatttact 900

```

gaatcagaaa tccaagaatt cgttgatgat ttcgttatga aacttcgtac agttaaat 960
gctcgtacaa aagcttatga ccaattgtac tcagggtgacc caacctttat cacaacttct 1020
atggctggta tgggtaacga cggtcgtcac cgtgttacta agatggacta ccgtttcttg 1080
aacactcttg acaacatcgg taactcacca gaaccaaact tgacagttct ttggactgac 1140
aaattgccat acaacttccg tcgctactgt atgcacatga gccacaaaca ctcttctatc 1200
caatacgaag gtgtaacaac aatggctaaa gacggatatg gtgaaatgag ctgtatctca 1260
tgctgtgtgt ctccacttga tccagaaaat gaagaacaac gccacaacat ccagtacttc 1320
ggtgctcgtg taaacgttct taaagccctt cttactgggt tgaatgggtg ttacgacgat 1380
gttcacaaag actacaaagt atttgatatc gaaccaatcc gtgacgaagt tcttgaattt 1440
gaatcagtta aagcgaactt tgaaaaatct cttgactggg tgactgacac ttacgtagat 1500
gccttgaaca tcatccacta catgactgat aggtacaact acgaagctgt tcaaattggcc 1560
ttcttgccaa ctaaacaacg tgccaacatg ggattcggta tctgtggatt tgctaacact 1620
gttgatacat tgcagctat caaatagct acagttaaac caatccgtga cgaagatggc 1680
tacatctacg attacgaaac aatcgggtgac taccacgct ggggtgaaga tgacccacgt 1740
tcaaacgaat tggcagaatg gttgatcgaa gcttacacaa ctctctacg tagccacaaa 1800
ctatacaaag acgcagaagc tacagtatca cttttgacaa tcacatctaa cgttgcttac 1860
tctaaacaaa ctggttaactc accagttcac aaaggtgtat acctcaacga agatggttct 1920
gtgaacttgt ctaaacttga attcttctca ccaggtgcta acctatctaa caaagctaaa 1980
ggtggttggt tgcaaaactt gaactcactt tctagccttg actttagtta tgcagctgac 2040
ggtatctcat tgactacaca agtatcacct cgcgctcttg gtaagactcg tgatgaacaa 2100
gttgataact tggtaacaat tcttgatggg tacttcgaaa acggtggaca acacgttaac 2160
ttgaacgtta tggacttgaa cgatgtttac gaaaaaatca tgtcaggcga agacgttatc 2220
gtacgtatct ctggatactg tgtaaacact aaatacctca ctccagaaca aaaaactgaa 2280
ttgacacaac gtgtcttcca cgaagttctt tcaatggatg acgccttggg tgcattgagc 2340
taa 2343

```

<210> 472  
 <211> 1620  
 <212> DNA



<213> *Streptococcus pneumoniae*

&lt;400&gt; 472

```

aaagaggaat ctatgtctac gaaatatatt tttgtaactg gtggtgtggt atcgccatt      60
gggaaaggga ttgtggcagc gagtctaggc cgtctcttga aaaatcgtgg tctcaaagta    120
accattcaaa agtttgaccc ttatatcaat attgatccgg gaaccatgag tccttaccag    180
cacggggaag tttttgtgac agatgacgga gctgagacag atttggactt gggtcactat    240
gaacgtttca tcgatatcaa tctcaacaaa tattccaacg tgacaactgg gaaaatttac    300
agtgaagttc ttcgtaaaga acgccgtgga gaataccttg gggcaactgt tcaagtcatt    360
cctcatatca cagatgcttt gaaagaaaaa atcaagcgtg ccgctctaac gaccgactct    420
gatgtcatta tcacagaggt tgggtggaaca gtaggagata tcgagtcctt gccattccta    480
gaggctcttc gtcagatgaa ggcagatgtg ggtgcggata atgtcatgta tatccataca    540
accttgcttc cttacctcaa ggctgctggg gaaatgaaaa ccaaaccaac ccaacactct    600
gtcaaagaat tgcgtggctt gggaatccaa ccaaatatgt tggttattcg tacagaagag    660
ccagctgggc aaggaattaa aaataaactg gccagttct gtgatgtggc accagaagcc    720
gttatcgaat cgttggatgt tgaacacctt taccaaattc cactgaactt gcaggcacia    780
gggatggacc aaattgtttg tgatcatttg aaattagacg caccagcagc ggatatgaca    840
gaatggtcag ccatgggtgga caaggtcatg aacctcaaga aacaagttaa gatttcctt    900
gttggttaagt atgtggagtt gcaagatgcc tatatctcag tggtcgaagc cttgaaacac   960
tctggctatg tcaatgatgc agaagttaa atcaattggg tcaatgcaa tgatgtgaca   1020
gcagagaatg tagcagaact cttgtctgat gcggacggga tcatcgtagc aggtgggttt   1080
gggtcaacgtg gtacagaagg gaaaatccaa gccatccgct atgcgcgtga aaatgatgtt   1140
ccaatgttgg gagtctgctt gggaatgcag ttgacatgta tcgagtttgc tcgtcacgtt   1200
ttaggtcttg aaggtgcaa ttctgcagag cttgcaccag aaacaaaata ccctatcatt   1260
gatatcatgc gtgatcagat tgatattgag gatatgggtg gaacccttcg tttgggactt   1320
tatccgtcta agttgaaacg tggctctaag gctgctgctg cttatcacia tcaagaagtg   1380
gtgcaacgcc gtcaccgtca ccgttatgag tttaataatg ccttcogtga gcagtttgag   1440
gcagcaggtt ttgtcttttc aggagtttct ccagacaatc gtttggtaga aatcgtggaa   1500
attcctgaaa ataaattctt ttagcttgt cagtatcacc ctgaactgtc aagccgtcca   1560

```

aaccgaccag aagaactcta cactgccttt gttactgcag cagttgagaa cagcaattag 1620

<210> 473

<211> 1140

<212> DNA

<213> Streptococcus pneumoniae

<400> 473

attatgaaca atactgaatt ttatgatcgt ctgggggtat ccaaaaacgc ttcggcagac 60

gaaatcaaaa aggcttatcg taagctttcc aaaaaatata acccagatat caacaaggag 120

cctgggtgctg aggacaagta caaggaagtt caagaagcct atgagacttt gagtgacgac 180

caaaaacgtg ctgcctatga ccagtatggt gctgcaggcg ccaatggtgg ttttgggtgga 240

gctgggtggtt tcggcggttt caatggggca ggtggcttcg gtggttttga ggatattttc 300

tcaagtttct tcggcggtgg cggttcttcg cgcaatccaa acgctcctcg ccaaggagat 360

gatctccagt atcgtgtcaa tttgaccttt gaagaagcta tcttcggaac tgagaaggaa 420

gttaagtata atcgtgaagc tggctgtcgt acatgtaatg gatctggtgc taagccaggg 480

acaagtccag tcacttgtgg acgctgtcat ggcgctgggtg tcattaacgt cgatacgcag 540

actcctcttg gtatgatgcg tcgccaagta acctgtgatg tctgtcacgg tcgaggaaaa 600

gaaatcaaat atccatgtac aacctgtcat ggaacaggtc atgagaaaca agctcatagc 660

gtacatgtga aaatccctgc tgggtgtggaa acagggtcaac aaattcgcct cgctgggtcaa 720

ggtgaagcag gctttaacgg tggaccttat ggtgacttgt atgtagtagt ttctgtggaa 780

gctagcgaca agtttgaacg tgaaggaacg actatcttct acaatctcaa cctcaacttt 840

gtccaagcgg ctcttggtga tacagtagat attccaactg ttcacggtga tgttgaattg 900

gttattccag aggggaactca gactggtaag aagttccgcc tacgtagtaa gggggcaccg 960

agccttcgtg gcggtgcagt tggtgaccaa tacgttactg ttaatgtcgt aacaccgaca 1020

ggcttgaacg accgccaaaa agtagccttg aaagaattcg cggtgctgg tgacttgaaa 1080

gtaaatccaa agaaaaaagg cttctttgac catattaaag atgcctttga tggagaataa 1140

<210> 474

<211> 297

<212> DNA

<213> Streptococcus pneumoniae

<400> 474

ggagttgcta tgaaattatc caacctactg ctatttgcag gagctgcagc cggaagttat 60

ctggttacaa aaaatcgcca aaccatcaca gatgaagtct tgaataccac tgaccgcggt 120  
 caagctatca aggacgatgt ggatattatc caaaacagcc tgcaaatacat taaccagcaa 180  
 aaagaactta tcaaggaata ccaagaagac ttgacttaca agtttaaggt cttggaaaag 240  
 gatatccaga ctagactagc tgtgataaaa gaaatgcagg gaactgaaga taagtaa 297

<210> 475

<211> 1158

<212> DNA

<213> Streptococcus pneumoniae

<400> 475

ggattcaaaa gtgaagaaaa catgagtaaa gaaatgctag aggccttccg cattttggaa 60  
 gaagacaagg gaatcaaaaa agaagatatc atcgacgcag tagtagagtc gcttcggttcc 120  
 gcttatcgca gacgctatgg tcagtcagac agcgtagcta ttgacttcaa cgaaaaaaca 180  
 ggtgacttta cagtttatac tgtccgtgaa gttgttgatg aagtatttga tagccggttg 240  
 gaaatcagct tgaaagatgc tcttgccatt aattcagctt atgaacttgg agacaaaatc 300  
 aagtttgaag aagcaccagc tgagtttggc cgtgtagcag cccaatctgc caaacaacc 360  
 atcatggaaa aaatgcgcaa gcaaacacgt gccatcactt acaatactta caaagaacat 420  
 gagcaagaaa tcatgtctgg tacagtagaa cgctttgaca accgctttat ctatgtcaac 480  
 cttggttagca tcgaagccca attgtcaaaa caagaccaa ttcctggaga agtttttgct 540  
 tctcatgatc gtatcgaagt ttatgtttac aaggttgaag acaaccctcg tgggtgtgaac 600  
 gtctttgtta gccgtagtca tccagaaatg atcaaacggt taatggagca agaaattcca 660  
 gaagtttatg atggaactgt tgaaatcatg agcgtggctc gtgaagcagg tgaccgtacg 720  
 aaggttgctg ttcgtagcca caatccaaac gtggatgcta tcggtacaat cggtggacgt 780  
 ggtggtgcta atatcaagaa gattactagc aaattccacc cagctcgta cgatgctaaa 840  
 aatgaccgca tggtagcaat cgaagaaaat atcgatgtta tcgagtgggt agcagatcca 900  
 gctgaattta tctacaatgc catcgctcct gctgaggttg accaagttat ctttgatgaa 960  
 aacgacagca aacgtgcctt ggtggttgtt ccagataaca agctttctct tgccattggt 1020  
 cgtcgtggac aaaacgtgcg cttggcggct cacttgactg gttaccgtat cgatatcaag 1080  
 tctgctagcg aatttgaagc catggaagac gctgcttcag tagagttgga agtagaaaac 1140  
 gatactgtag aagaataa 1158

<210> 476  
 <211> 2910  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 476  
 ggtctcttat ggaatagaag aggaggacat gatttgtcta agaaaagatt gtacgaaatc 60  
 gcaaaagaac ttggaaaaga aagtaaagaa gttgtagcgc gtgcaaaaga gttgggcttg 120  
 gatgtgaaaa gccactcatc aagtgtggaa gaagctgtcg ctgcaaaaat tgctgccagc 180  
 tttaagcctg cagctgctcc gaaagtagaa gcaaaacctg cagcccaaaa agtaagtgca 240  
 gaaaagaaag ccgaaaaatc tgagccagct aaaccagctg tagctaagga agaggcaaaa 300  
 cctgcagccc caaaagcaag tgcagaaaaa aaagccgaaa agtctgaacc agtaaaacca 360  
 gctgtagcca aggaagaggc aaaaccagct gagccagtca ctccgaaaac agaaaaagta 420  
 gcggtctaaac cgcaaagtcg taatttcaag gctgagcgtg aagcacgtgc taaagagcag 480  
 gcagagcgac gcaagcaaaa taagggcaat aaccgtgacc aacaacaaaa cggaaccgt 540  
 cagaaaaacg acggccgtaa tgggtgaaaa caaggtcaaa gcaaccgcga caatcgctcg 600  
 tttaatgacc aagctaagaa gcagcaaggt cagcaaaaac gtagaaatga gcgccgtcag 660  
 caagaggata aacgttcaaa tcaagcggct ccacgtattg actttaagc ccgtgcagca 720  
 gccctaaaag cagagcaaaa tgcagagtac gctcgttcaa gtgaggaacg cttcaagcag 780  
 tatcaggctg ctaaagaagc cttgggtcaa gctaacaaac gcaaggaacc agaggaaatc 840  
 tttgaagaag cggctaagtt agctgaacaa gcacagcaag ttcaagcagt ggttgaagtc 900  
 gtccctgaga aaaaagaacc tgcagtggat acacgtcgta aaaaacaagc tcgaccagac 960  
 aaaaatcgtg acgattatga tcatgaagaa gatggctcta gaaaacaaca aaagaatcga 1020  
 agtagtcaaa atcaagtgaag aaatcaaaag aatagtaact ggaataacaa caaaaagaac 1080  
 aaaaaggca ataacaagaa caaccgtaat cagactccaa aacctgttac ggagcgtaaa 1140  
 ttccatgaat tgccaacaga atttgaatat acagatggta tgaccgttgc ggaaatcgca 1200  
 aaacgtatca aacgtgaacc agctgaaatt gttaagaaac ttttcatgat ggggtgtcatg 1260  
 gccacacaaa accaatcctt ggatggggaa acaattgaac tcctcatggt ggattacggt 1320  
 atcgaagcca aacaaaaggt tgaagtggat aatgctgaca tcgaacgttt ctttgtcgaa 1380  
 gatggttatc tcaatgaaga tgaattgggt gagcgtccac cagttgttac tatcatggga 1440

cacgttgacc acggtaaaac aacccttttg gatactcttc gtaactcacg tgttgcgaca 1500  
 ggtgaagcag gtggtattac tcagcatatc ggtgcctacc aaatcgtgga aaatggtaag 1560  
 aagattacct tccttgatac accaggacac gcggccttta catcaatgcg tgcgcgtggt 1620  
 gcttctgtta ccgatattac gatcttggtc gtagcggcag atgacggggg tatgcctcag 1680  
 actattgaag ccatcaacca ctcaaaagca gctaacgttc caatcatcgt agctattaac 1740  
 aagattgata aaccagggtgc taaccagaa cgcgttatcg gtgaattggc agagcatggt 1800  
 gtgatgtcaa ctgcttgggg tggagattct gaatttggtg aaatttcggc taaattcaac 1860  
 caaaatatcg aagaattggt ggaaacagtc cttcttggtg ctgaaatcca agaactcaaa 1920  
 gcagacccaa cagttcgtgc gatcggtagc gttatcgaag cgcgcttgga taaaggaaaa 1980  
 ggtgcgggtcg caacccttct tgtacaacaa ggtaccttga atgttcaaga cccaatcgtt 2040  
 gtcggaaata ccttcgggtcg tgtccgtgct atgaccaacg accttggtcg tcgtgttaaa 2100  
 gttgctggac catcaacacc agtctctatc acaggtttga acgaagcacc gatggcgggt 2160  
 gaccactttg ccgtttacga ggatgaaaaa tctgcgcgtg cagcagggtga agagcgtgcc 2220  
 aaacgtgccc tcatgaaaca acgtcaagct acccaacgtg ttagccttga aaacctcttt 2280  
 gataccctta aagctgggga actcaaatct gttaatgtta tcatcaaggc tgatgtacaa 2340  
 ggttctgttg aagccctttc tgccctactt caaaagattg acgtggaagg tgtcaaagtg 2400  
 actatcgtcc actcagcggg cggtgctatc aacgaatcag acgtgacctt tgccgaagct 2460  
 tcaaatgcct ttatcgttgg tttcaacgta cgccctacac cacaagctcg tcaacaagca 2520  
 gaagctgacg atgtggaaat ccgtcttcac agcattatct acaaggttat cgaagagatg 2580  
 gaagaagcta tgaaagggat gcttgatcca gaatttgaag aaaaagttat tggatgaagcg 2640  
 gttatccgtg aaaccttcaa ggtgtctaaa gtgggaacta tcggtggatt tatggttatc 2700  
 aacggtaagg ttgcccgtga ctctaaagtc cgtgttatcc gtgatgggtg cgttatctat 2760  
 gatggtgaac tcgcaagctt gaaacactat aaagacgacg tgaaagaagt gacaaacggt 2820  
 cgtgaagggtg gattgatgat cgacggctac aatgatatta agatggatga tgtgattgag 2880  
 gcgtatgtca tggaagaaat caagagataa 2910

&lt;210&gt; 477

&lt;211&gt; 912

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 477

```

cccataaaaa tatacaggag gcctgataaa atggcaatcg tttcagcaga aaaatttgtc      60
caagcagccc gtgacaacgg ttatgcagtt ggtggattta acacaaacaa ctttgagtgg      120
actcaagcta tcttgcgcg agcagaagct aaaaaagctc cagttttgat ccaaacttca      180
atgggtgctg ctaaatacat ggggtggttac aaagttgctc gcaacttgat cgctaacctt      240
gttgaatcaa tgggtatcac tgtaccagta gctatccacc ttgaccacgg tcactacgaa      300
gatgcacttg agtgtatcga agttggttat acttcaatca tgtttgacgg ttcacacctt      360
ccagttgaag aaaaccttaa attggctaaa gaagttggtg aaaaagcaca cgctaaaggt      420
atctcagtag aagctgaagt tgggtactatc ggtgggtgaag aagatggaat catcggtaaa      480
ggtgaattgg ctccaatcga agacgctaaa gcaatgggtg aaactggtat cgacttcttg      540
gcagctggta tcggtaacat ccacggtcct taccagtaa actgggaagg tcttgacctt      600
gaccacttgc aaaaattgac agaagctctt ccaggattcc caatcgtatt gcacggtgga      660
tcaggtattc ctgatgagca aatccaagca gctatcaaac ttggtggtgc caaagttaac      720
gttaacacag aatgccaaat cgcatctgct aacgcaactc gtaaatttgc tcgtgactac      780
gaagcaaacg aagcagaata cgacaagaaa aaactcttcg acccacgtaa attcttggct      840
gacggtgtaa aagctatcca agcatcggtt gaagaacgta tcgacgtatt cggttcagaa      900
ggtaaagcat aa                                                                912

```

&lt;210&gt; 478

&lt;211&gt; 468

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 478

```

aaatctctaa ttaccgcaa aaccacaaag gaggatttaa aaatggctaa aaaagtcgaa      60
aaacttgtaa aattgcaa atccctgctgg aaagctacac cagctccacc ggttgacact      120
gctcttggtc aagctggtat caacatcatg ggattcacia aagagttcaa cgctcgtaca      180
gctgaccaag ctggtatgat cattccagtt gttatctcag ttacgaaga taaatcattt      240
actttcgtaa cgaaaacacc accagctgct gttcttttga aaaaagctgc aggtgttgaa      300
aaaggatcag gtacacctaa taaaactaaa gttgctacag ttactcgtgc acaagtacaa      360
gaaattgcag aaactaagat gccagatttg aacgcagcaa acgtagagtc tgcaatgcgt      420

```

atgatcgaag gtactgctcg ttctatggga ttcactgttg ttgactaa 468

<210> 479

<211> 693

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 479

aaaatggcta aaaaaagcaa acaacttcgt gctgctcttg agaaaatcga cagcacaaaa 60  
gcatacagtg tagaagaagc ttagcactt gcaaaagaaa ctaactttgc aaaatttgat 120  
gcaactgtag aagttgctta caacttgaa atcgacgtta aaaaagctga ccaacaaatc 180  
cgtggagcaa tggattgcc aaacggtact ggtaaaactt cagctgttct tgttttcgca 240  
cgtggtgcaa aagctgaaga agcaaaaagct gctggtgcag actttgttgg tgaagatgac 300  
cttgttgcta aaatcaacga cgttggttg gacttcgacg tagttatcg tacacctgat 360  
atgatggctc ttgttgacg tcttgacgt gtccttgac cagtaactt gatgccaaac 420  
cctaaaactg gtactgtaac aatggatggt gctaaagcag ttgaagagtc taaaggtggt 480  
aaaatcactt accgtgctga ccgtgcaggt aacgttcaag caatcatcgg taaagtatca 540  
tttgaagctg aaaaattggt tgaaaacttt aaagctttca acgaaacaat ccaaaaagca 600  
aaaccagcta cagctaaagg aacttacgta acaaacttga ctatcacaac tactcaaggt 660  
gttggtatca aagttgacgt aaactcactt taa 693

<210> 480

<211> 1866

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 480

attttgaata ttatagagga aatcatgaca aaattaagag aagatatccg taacattgcg 60  
attatcgccc acgttgacca cggtaaaaca accctgggtg acgaattatt gaaacaatca 120  
gaaacgcttg atgcacggac tgaattggca gagcgtgcta tggactcaaa cgatatcgaa 180  
aaagagcgtg gaattaccat ccttgctaaa aatactgccg ttgcttaca cggaaactcg 240  
atcaacatta tggacacacc aggacacgcg gactttggtg gagaagttga gcgtatcatg 300  
aaaatgggtg acggtgttgt cttggtcgta gatgcctatg aaggaaccat gccacaaact 360  
cgtttcgtat tgaaaaagc cttggaacaa gaccttgtcc caatcggtg tgttaacaaa 420

atcgataagc catcagctcg tccagcagaa gtagtggatg aagtcttggg acttttcatc	480
gagcttggtg cagatgacga ccagcttgat ttcccagtgg tttatgcttc agcgatcaac	540
ggaacttctt cattgtcaga tgatccagct gaccaagaag cgactatggc accaatcttt	600
gacacgatta tcgaccatat cccagctcca gtagataact cagatgagcc tttgcagttc	660
caagtgtcac ttttggacta caatgacttc gttggacgta tcggtatcgg tcgtgtcttc	720
cgtggtacag ttaaggttgg ggaccaagtt accctttcta aacttgacgg tacaactaaa	780
aacttccgtg ttacaaaact cttcggtttc tttggtttgg aacgtcgtga aatccaagaa	840
gccaaagcgg gtgacttgat tgccgtttca ggtatggaag acatctttgt cggtgaaacc	900
atcactccga cagatgcagt agaagctctt ccaatcctac acatcgatga gccaaactctt	960
caaatgactt tcttgggtcaa caactcacca tttgctggta aagaaggtaa atgggtaact	1020
tctcgttaagg tggaagaacg cttgcaggca gaattgcaaa cagacgtttc ccttcgtgtt	1080
gacccaactg attcaccaga taaatggact gtttcaggac gtggagaatt gcacttgtca	1140
atccttatcg aaacaatgcg tcgtgagggc tatgaacttc aagtatctcg tccagaagtt	1200
atcgtaaaag aaatcgacgg tattaatgt gaaccatttg aacgtgtaca aatcgacact	1260
ccagaagaat accaagggtc tgttatccaa agcctttctg aacgtaaagg tgaaatgttg	1320
gatatgattt caactggtaa tgggtcaaact cgtttggtct tccttggtcc agcgcgtggt	1380
ttgattggat actcaactga gttcttatca atgactcgtg gttacggtat catgaaccat	1440
accttcgacc aataacttgc attgattcca ggggaaattg gtggacgtca ccgtggtgcc	1500
cttgtttcta tcgatgctgg taaggctaca acttactcaa tcatgtctat cgaagaacgt	1560
ggtacgatct ttgtcaacc caggactgag gtttatgaag gaatgatcat cggtgaaaac	1620
tctcgtgaaa atgacttgac agttaacatc acgaaggcaa aacaaatgac caacgttcgt	1680
tcagctacta aggaccaaac agctgttatc aagacgcctc gtatcttgac acttgaagag	1740
tctcttgagt tcttgaacga cgatgagtac atggaagtaa cgcctgagtc tatccgtttg	1800
cgtaaacaaa tccttaacaa agcagagcgt gagaaagcta acaagaagaa aaaatcagct	1860
gaataa	1866

<210> 481  
 <211> 1200  
 <212> DNA  
 <213> *Streptococcus pneumoniae*



<400> 481  
 aaaaagagtt attatagttg tatagtaaaa agcaaacgct tacttaatcg aggaggacag 60  
 tttatgtcat acaaaacaag caatgcagaa ggcatgtag acttcatcaa tacctatgat 120  
 ttggagccaa tggcgcaaca agttattcct aaagcagcat ttggctatat cgctagtggg 180  
 gcggaagata ctttcacttt aagagagaat atccgtgcct ttaaccacaa gctcatcggt 240  
 cctcatacac tttgcaatgt agaaaatcca agtacagaga ttgaatttgc aggtgaaaaa 300  
 ctatcttctc caatcattat ggcacctgtt gcggctcata aattggcaaa tgaacagggg 360  
 gaagtggcga ctgcgcgtgg tgtgcatgag tttggttctc tttatacaac cagttcttac 420  
 tctactgttg accttccaga gatttctgaa gccctccaag ggacacctca ttggtttcaa 480  
 ttttacttta gtaaggatga cggtatcaac cgccacatca tggaccgtgt gaaggctgaa 540  
 gggtataaag cgattgtctt gacggcagat gctactgtag gggggaatcg tgaagtggat 600  
 aagcgtaatg gttttgtctt cccagttggc atgccgattg ttgaagaata cctgccagaa 660  
 ggtgctggta aatcaatgga ctttgtttac aaatcagcta aacaacgctt gtctccacgc 720  
 gatgtagaat ttatcgctga atactctggc cttcctgtgt atgtcaaggg accacaatgc 780  
 cgtgaggacg ttgaacgttc gcttgcgtga ggagcttctg gtatctgggt aaccaaccac 840  
 ggtggctcgtc aaatcgacgg tggaccagct gcctttgact cgcttcaaga agtggcagaa 900  
 gcagttgata gacgtgtgcc gattgtcttt gactctgggt ttcgtcgtgg tcaacacgtc 960  
 tttaaagcct tggcatcagg agcagacttg gttgctattg gacgccctgt catctatggc 1020  
 ttggctctcg gtggtagtgt cgggtgtcgt caagtctttg aacacttgaa tgcggaattg 1080  
 aagacagtta tgcaattgtc tggaaactcag accattgaag atgtcaaaca cttcaagctc 1140  
 cgtcacaatc catacaaccc aaccttccca gttgaccctc gtgacttaaa attgtattga 1200

<210> 482  
 <211> 1011  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 482  
 aaaagagttc aattcgaact ctttttttgc tataatgagg ggagaaaaat cagacaggag 60  
 atcgacatgt cagaaccatt atttttacaa tcagttatgc aagaaaaaat ctgggggtgga 120  
 gccaagctac gtgatgagtt tggctacgac atcccaagtg aaaaaatcgg agaattattg 180

gccatctcag cccatccaaa tggagtctct aaagttgcc aatggtcgtta cgagggaaca 240  
 gatcttgcta ctttgtatgc ggaacaccgt gaattatttg gcaatcgccc agaacctgta 300  
 tttccacttt tgaccaagat cctcgatgcc aacgactggc tcagtgtcca agttcaccca 360  
 gacgatgctt atggactcga gcatgaaggc gaactcggaa aacagaaatg ctggtacatt 420  
 atcgcagcgg atgaaggctc agagattatc tacggtcaca atgccaagtc aaaagaagaa 480  
 ctccgccagc aaatcgagga caagaactgg gatgacttgt tgaccaaagt ccctgttaag 540  
 gctggagatt tcttctatgt accaagcggg actatgcacg ctatcggggc gggtatctta 600  
 atccttgaaa cccagcagtc tagcgatacc acctatcgcg tctatgactt tgaccgcaag 660  
 gatgacaaag gcaacttgcg tgaacttcat cttgaaaaat ccatcgatgt cttgaacatt 720  
 ggtgagccag caaatagccg tctgttaact gttaaagcag atgatttgcg ttccactctc 780  
 cttgtatcta atgatttctt cgcagtttac aagtgggaaa ttactggaaa agttgacttt 840  
 gaaaagacag ctgactacag cttattgagt gtcttggtg gtcaaggcca gctaactgtt 900  
 gacgggaaaa attatccaat tcaaaaaggc agccacttta tcctaccaag tgatgttgaa 960  
 gcttggactc tggaaggcca aggtttggaa ttgattgtta gccatccata a 1011

<210> 483

<211> 864

<212> DNA

<213> Streptococcus pneumoniae

<400> 483

caaagatgga gaatttctat gacttggag attattgctg actctggttg tgattatcgt 60  
 caactgccaa caccagctat taacacaacc tttgtaagtg tccccttaac cattcaagta 120  
 gctgatcagg tctttgttga tgacgccagt ctcgatattg accaaatgat ggaaaccatg 180  
 tatgcaactg cagaagcttc aaaatcggct tgtccaagcc cagatgacta tttgcgagca 240  
 tttgaagggtg ccaaaaacat tttcctagta accatcacag gtaccctttc tggcagtcac 300  
 aatagtgtc aactagcaaa gaatatattat ctggaagacc atcctgacac taagattcat 360  
 gtgattgata gtttatctgc tgggtggtgaa gttgacctac tcgtagaaaa attgaatgac 420  
 ttgattgacc agggcttgct ttttgaagaa gtgggtgaag ctatcaccgc ctatcaagaa 480  
 aaaactaagt tgctctttgt cctagccaaa gtcgataact tgggtgaagaa cggccgtttg 540  
 agcaagctta tcggtacggt cgttggcctt ctcaacattc gtatggtcgg aaaagctagt 600

gaaactggga ctctcgaatt gctacaaaaa gcaaggggat caaagaaatc agttcaagct 660  
 gcctatgatg agttagtaaa agctggatat gctgggtggcc gtattgtcat ggcccaacgc 720  
 aataacgaaa aatgttgtca acagctctca gagcgaatcc gtgaaacctt cccacaagcg 780  
 gatattaaaa ttctaccaac ctctgggtctc tgcagtttct atgcagaaga gggcggtttg 840  
 ctgatgggct atgaaattga ttaa 864

<210> 484  
 <211> 681  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 484  
 accgtttttt ggtataataa gaagaataaa ttgaaagaag gaattccaaa aatgggaaaa 60  
 attgaagtta ttaatcacc cactgattcaa cacaattgt caatcttgcg tegtacagat 120  
 acttctacaa aagcttttcg tgagctagta gatgagattg caatgttgat ggggtatgaa 180  
 gtacttcgtg atcttccact agaagatgtg gaaatcgaaa caccaattac aaaaacagtt 240  
 caaaaacaat tggcaggtaa gaaattggcc atcgtcccaa tcttgcgtgc aggtatcggt 300  
 atggttgatg gtctcttgaa cttgggtcca gctgctaaag ttggccacat cggtatgtac 360  
 cgtgatgaag aaacacttca accagttgaa tacttggtga aattgcctga ggacattgac 420  
 caacgtcaaa tttttgtagt agacccaatg ttggcaacag gtggctcagc aatcttggct 480  
 gttgattctc ttaaaaaacg tggcgcacat aatatcaa tttgtctgcct tgtatctgct 540  
 ccagaggggtg taaaagccct tcaagaagct catccagatg tagaaatctt tacagcagcc 600  
 ttggatgaac gtttgaacga acacgggtat atcgttccag gtcttggaga tgctggagac 660  
 cgcttggtcg gtacaaaata a 681

<210> 485  
 <211> 951  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 485  
 aatcaatgcc gcagtggat cgatggaaaa caaatcgaag tagtcgataa agataataag 60  
 tctgaaacag ctgaggctgc ttcagttaca actaaccttg taaccaatc taaagtatca 120  
 gcagtctag gacctgcgac atctgggtgc actgcagctg cggtagcgaa cgctacaaaa 180  
 gcagggtgtc cattgatctc accaagtgcg actcaagatg gattgactaa aggtcaagat 240

tacctcttta ttggaacttt ccaagatagc ttccaaggaa aaattatctc aaactatggt 300  
 tctgaaaaat taaatgctaa gaaagttggt ctttactactg acaatgccag tgactatgct 360  
 aaagggattg caaaatcttt ccgcgagtca tacaaggggtg aaatcggtgc agatgaaact 420  
 ttcgtagcag gtgacacaga cttccaagca gcccttacaa aaatgaaagg gaaagacttt 480  
 gatgctatcg ttgttcctgg ttactataat gaggctggta aaattgtaaa ccaagcgcgt 540  
 ggcattggga ttgacaaacc aatcggttgg ggtgatggat tcaacgggtga ggagtttgta 600  
 caacaagcaa ctgctgaaaa agcatcaaac atctacttta tctcaggctt ctcaactact 660  
 gtagaagttt cagctaaagc taaagccttc cttgacgctt accgtgctaa gtacaatgaa 720  
 gagccttcaa catttgacgc cttggcttat gattcagttc accttgtagc aaacgcagca 780  
 aaaggtgcta aaaattcagg tgaaatcaag aataaccttg ctaaaacaaa agattttgaa 840  
 ggtgtaactg gtcaaacaag cttcgatgca gaccacaaca cagtcaaaac tgcttacatg 900  
 atgaccatga acaatggtaa agttgaagca gcagaagttg taaaaccata a 951

<210> 486

<211> 1218

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 486

caatattttt taagggggga catttttatg tcagagcgta aattattcac gtctgaatct 60  
 gtatctgagg ggcattccga taagattgca gaccaaattt cagatgcgat tttggatgct 120  
 atttttagcaa aggatccaga ggccgacgtt gctgctgaaa cagctgtata tactggttct 180  
 gtccacgttt ttggtgaaat ttctacaaat gcctatgtgg atattaaccg tgtggttcgt 240  
 gataccattg cagagattgg ttataccaat acagaatatg gattttctgc tgagacgggtg 300  
 ggagtacacc catctttggt ggaacaatct cctgacatcg ctcaagggtg taacgaagcc 360  
 ttggagggtt gtggaaatgc tgatcaagat ccactggact tgattggagc aggtgaccaa 420  
 gggctcatgt ttggatttgc agtagatgaa acagaagagc ttatgccatt gccaatgca 480  
 ctcagtcata aattgggttc tgcctctggc gaacttcgta agtctggaga aattagctat 540  
 ctccgtccag atgcaaaatc acaagttaca gttgagtacg atgaaaatga ccgtccggtg 600  
 cgtgtagata cagtcgttat ttctactcag catgatccag aggccactaa tgaacaaatc 660  
 catcaagatg tgattgacaa ggtcatcaaa gaagttattc catcttctta tcttgatgat 720

aagacaaaat tctttatcaa tccgacaggt cgttttgtaa tcggtggtcc tcaaggggac 780  
tcagggttga ctggtcgtaa gattattgta gatacttatg gtggctactc tcgtcatggt 840  
ggtggtgcct tctctggtaa agatgcgact aagggtggatc gttcagcctc ttatgcggct 900  
cgctatatgt ccaagaatat cgttgcagca gaccttgcta agaaggcaga agtgcagttg 960  
gcctatgcta tcggtggtgc gcaacctggt tctgttcgta tcgatacttt cggtacagga 1020  
acagtagctg aaagtcaact tgaaaaagcg gctcgtcaaa tctttgacct tcgccctgca 1080  
gggattatcc aaatgctgga cctcaagcgt ccaatttacc gtcaaacatc ggcttacggt 1140  
cacatgggac gtacagatat tgatcttcca tgggaacggt tggataaggt agatgctttg 1200  
aaagaagcag taaaataa 1218

<210> 487  
<211> 291  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 487  
agaaatgaga ctttaaaaat ggcagttaaa atccgtttga ctcgatatggg ttctaagaaa 60  
aaacctttct accgtatcaa cgtagcagat tcacgttcac cacgtgacgg acgtttcatc 120  
gaaacagttg gaacttacia cccacttggt gctgaaaacc aagtaacttt gaaagaagac 180  
cgcgttcttg catggttggc taatggagct caaccttcag acacagtacg taacatcctt 240  
tcaaaagaag gcgtattgaa aaaattccac gattctaat tttcaaaata a 291

<210> 488  
<211> 414  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 488  
acattatcaa ctgacagtag aagaagaaaa aatgctggca gaaatcaaag aaaacaaaga 60  
ataaaggaga aacctatgca agtaatcaaa cgtaatggcg aaattgctga atttaatacca 120  
gataagattt accaagccat cttgaaggca gcccaaactg tttatgtttt gacagatgat 180  
ttgcgtcaaa atcttgctca agtcactaag aaggtagttt tggatttaca agaagccaag 240  
gtggaacgtg cgactatcag tatgattcaa tctatgggtg aacatcgttt attgggcgca 300  
ggttacatta ccattgcaga aactacatt tcctatcggt tacaacgtga cttggaaaga 360

agtgggttatg gagatcatat cgcagttcat ttacattttg aacaaattcg ctaa 414

<210> 489

<211> 2268

<212> DNA

<213> Streptococcus pneumoniae

<400> 489

ggtagatgta tgctttgtca aaactgtaaa attaacgact caacaattca tctttacacc 60  
aatctcaatg gaaaacaaaa acaaatgac ctctgtcaaa actgctataa gattatcaaa 120  
acagatccta acaatagcct cttcaaaggt atgacggatc tgaacaatcg tgacttcgat 180  
ccctttgggtg atttcttcaa tgatctaaac aatttcagac cttctagcaa tactcctcct 240  
attcccccaa cccaatcagg tggagggttac ggtggaaacg gcggttatgg ttcccaaaat 300  
cgtggatctg ctcaaactcc gccacctagc caagaaaaag gcctgctgga agaatttggt 360  
attaatgtaa ctgaaattgc cgcgcgtgga gacattgacc ccgttattgg gcgcgacgat 420  
gagattatcc gtgtcatcga gattctcaat cgtagaacca agaataatcc tgtccttacc 480  
ggtgaacctg gtgtcggaaa aacggccgtt gtcgaaggtc tagctcagaa aattgtcgat 540  
ggcgatgtgc cacataaact ccaaggtaaa caagtcaccc gtctggatgt ggtagctta 600  
gttcaaggaa cggggattcg aggacaattt gaagaacgca tgcaaaaact catggaagaa 660  
attcgcaaac gtgaagacat catcctcttt atcgatgaaa tccatgaaat tgttggtgct 720  
ggttctgcga gtgatggtaa tatggacgca ggaaatatcc tcaagccagc ccttgctcgt 780  
ggagaactgc aactagtcgg tgctactacc ctcaatgaat accgtatcat tgaaaaggat 840  
gctgccctcg agcgtcgtat gcagcctgtt aaagtcgatg aaccaacggt ggacgaaaca 900  
atcactatcc tcaaagggat tcaaaagaaa tacgaagatt accaccacgt tcaatataca 960  
gatgctgcga ttgaagcagc tgcaactctt tccaatcgct acatccaaga tcgcttcttg 1020  
cctgacaagg ccattgacct cctagatgaa gctgggttcta agatgaactt gaccttgaat 1080  
tttgtggatc ctaaagtaat tgatcagcgc ttgattgagg ctgaaaatct caagtctcaa 1140  
gctacacgag aagaagattt tgagaaggcg gcctacttcc gcgaccagat tgccaagtat 1200  
aaggaaatgc aaaagaaaaa gatcacagac caggatactc ctagcatcag cgagaaaact 1260  
attgagcaca ttatcgagca gaaaaccaat atccctgttg gtgatttgaa agagaaagaa 1320  
caatctcaac tcatccatct agccgaagat ctcaagtctc atgttattgg tcaagatgat 1380

```

gcagtcgata agattgccaa ggctattcgc cgtaatcgtg tcggacttgg taccctaac 1440
cgcccaatcg gaagcttcct cttcgttggg ccaactgggtg tcggtaagac agaactttcc 1500
aaacaactgg ctatcgaact ttttggttct gctgatagta tgattcgctt tgatatgagt 1560
gaatacatgg aaaaacatag tgtggctaag ttggtcggcg ctccctccagg ttatgttggc 1620
tatgatgagg ctggtcaatt aactgaaaaa gttcgccaca atccatattc tctcatcctt 1680
ctcgatgaag tggaaaaagc tcaccagat gttatgcaca tgttttcttca agtcttggac 1740
gatggtcggt tgacagacgg gcaaggacgc accgtagct tcaaggatgc catcattatc 1800
atgacctcaa atgcaggtac aggaaagacc gaagctagcg ttggatttgg tgctgctaga 1860
gaaggacgta ccaattctgt cctcggtgaa ctcggttaact tcttttagccc agagtttatg 1920
aaccgttttg atggcattat cgaatttaag gctctcagca aggataacct ccttcagatt 1980
gtcgagctca tgctagcaga tgtaacaag cgcctctcta gcaacaacat tcgtttggat 2040
gtaactgata aggtcaagga aaagttggtt gacctagggt atgatccaaa aatgggagca 2100
cgcccacttc gtcggactat tcaagactat attgaggaca caatcactga ctactacctt 2160
gaaaatccaa gcgaaaaaga tctcaaagca gttatgacta gcaagggaaa cattcagatt 2220
aatctgccca aaaaagctga agttaaaagt tctgaaaaag aaaaataa 2268

```

&lt;210&gt; 490

&lt;211&gt; 1203

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 490

```

atgaacgaat ttgaagattt gctaaatagc gttagtcaag ttgagactgg tgatgttgtt 60
agtgctgaag tattgacagt tgatgcgact caagctaacg ttgcaatctc tgggaactgg 120
gttgaagggtg tcttgactct tcgcgaattg acaaacgac gtgatgcaga tatcaatgac 180
tttgttaaag taggagaagt attggatgtt cttgtacttc gtcaagtagt tggtaaagat 240
actgatacag ttacatacct tgtatctaaa aaacgccttg aagctcgcaa agcatgggac 300
aaacttggtg gtcgcgaaga agaagttgtt actgttaaag gaacgcgtgc cgttaaaggt 360
ggactttcag tagaatttga aggtgttcgt ggatttatcc cagcttcaat gttggatact 420
cgtttcgtac gtaacgctga gcgttttgta ggtcaagaat ttgatactaa aatcaaagaa 480
gttaacgcta aagaaaaccg cttcatcctt tcacgtcgtg aagttgttga agcagctact 540

```

gcagcagctc gcgctgaagt attcggtaaa ttggctggtg gtgatgttgt aactggtaaa 600  
gttgctcgta tcacaagctt cggcgctttc gtcgaccttg gtgggtgtga cggattgggt 660  
cacttgactg aattgtcaca tgaacgtaat gtatcaccaa aatcagttgt aactgttggt 720  
gaagaaattg aagtgaatat ccttgatctt aacgaagaag aaggacgtgt atcactttca 780  
cttaaagcaa cagtaccagg accatgggat ggcgttgagc aaaaattggc taaaggtgat 840  
gtagtagaag gaacagttaa acgtttgact gacttcgggtg catttggtga agtattgcc 900  
ggtatcgatg gacttggtca cgtatcacaa atttcacaca aacggattga aaatccaaaa 960  
gaagctctta agttgggtca agaagttcaa gttaaagttc ttgaagttaa cgcagatgca 1020  
gaacgcgtgt cactttctat taaagctctt gaagaacgtc cagcccaaga agaaggacaa 1080  
aaagaagaaa aacgtgctgc tcgtccacgt cgtccaagac gtcaagaaaa gcgtgatttc 1140  
gaacttccag aaacacaaac aggattttca atggctgatt tgtttggtga tatcgaactt 1200  
taa 1203

<210> 491  
<211> 1443  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 491  
attattagaa atgaagaaag aaaggatact atggctgaag aaagagtaga accaaaacca 60  
attgaccttg gtgaatataa atttggtttc catgacgatg tagagcctgt cttatcgaca 120  
ggaaaaggac tcaacgaagg tgttattcgt gaattatctg ctgctaaggg tgagcctgag 180  
tggatggttg agttccgttt gaagtcttat gaaaccttca aaaaaatgcc catgcaaact 240  
tggggagcag acttgtcaga gattgacttt gatgacttaa tctactacca aaaccatct 300  
gacaaaccag cccgttcttg ggatgatgta cctgaaaaga ttaaagaaac ctttgaacgt 360  
atcgggattc cagaagctga acgtgcttat ttagcagggg cttctgcca gtacgagtca 420  
gaagtgggtt accacaacat gaaggaagag ttccaaaaat taggtattat ctttacagat 480  
acagattccg cactcaagga ataccagac ttatttaaac aatactttgc gaagttggta 540  
ccgccgacag ataacaagtt ggcagccctc aactcagcag tatggtcggg tggaaacttt 600  
atctacgtgc caaaggtgt caaggtagat attccacttc aaacttattt ccgtatcaat 660  
aacgaaaata taggtcagtt cgaacgtacc ttgattatcg ttgatgaggg agcaagcgtc 720



tactacgtag aaggatgtac agcaccaaca tattcaagca atagcttaca cgctgccatt	780
gtagaaattht ttgctttgga cggagcttat atgcgttata caactatcca aaactgggtct	840
gataacgtct ataacttgggt aacaaagcgt gctaaggctc aaaaggatgc cactgttgag	900
tggattgatg gaaacttggg tgccaaaacg actatgaaat atccatctgt ttacottgat	960
ggagaaggag cgcgtggtac catgctctct atcgctttg ctaatgcagg gcaacaccaa	1020
gacacgggtg ctaagatgat tcacaatgct ccacatacca gctcgtctat tgtgtctaaa	1080
tccatcgcta aagggtggagg aaagggtgac taccgtggac aagtcacctt taacaagaac	1140
tctaagaaat ctgtttccca cattgaatgt gataccatta tcatggatga cttgtcagca	1200
tcagatacta ttccatttaa tgaaattcac aactcgcaag tggctttgga acacgaagcc	1260
aaagtatcta agatttcaga agagcaattg tattatctca tgagccgtgg attgtcagaa	1320
tctgaggcaa ctgaaatgat tgtcatggga tttgtagaac cctttacaaa agaacttcca	1380
atggaatacg cagttgagct gaaccgcttg attagctatg aaatggaggg atcagttgga	1440
taa	1443

<210> 492  
 <211> 1254  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 492	
aataagacta ctatgaaaaa aatattttta actttgttaa ctgtctctct tttaggggggt	60
gcttctactg ctgttgctca agattttacc attgccgcta aacatgcgat tgctgttgag	120
gcaaatactg gtaaaattct ctatgagaag gatgcaacgc aacctgtcga aattgcttcc	180
ataacaaaat tgattactgt ttatctggtc tatgaagctt tggaaaacgg aagtattacc	240
ctctccactc ctgtagatat ttctgattat ccttatcaat tgacgacaaa ttctgaagcc	300
agtaatatte ctatggaggc ccgtaattat actgtcgaag agttgcttga agcaactctg	360
gtatctagtg ccaacagcgc cgtattgcc ctactgaga aaattgctgg ctacagaaaaa	420
gatttcgctg atatgatgcg ggcaaaactc ttggaatggg gaattcagga tgccactgtt	480
gtcaatacga caggtcttaa caatgaaact ctaggggata acatttacc aggttctaaa	540
aaagatgagg aaaataagct tagtgcttat gatgtcgtca tcgttgctcg caacctcatc	600
aaaaaatacc cacaagtctt agaaatcacc aaaaaacctt cttctacttt tgctgggatg	660

```

acaatcactt caaccaacta catgtagaa ggtatgcctg cttaccgtgg tggttttgat 720
gggctaataa caggaacaac agataaggct ggagagtctt ttgttggtac tactgtcgaa 780
aaaggcatga gagtcacac agttgtttta aatgcagatc atcaagacaa taatccttac 840
gctcgattta cagctacatc ttccctaata gattatattt cttctacatt tacacttcgc 900
aaaatcggtc aacaaggcga tgcctatcaa gatagcaaag cccctgtaca agatggaaaa 960
gaagatacag taactgcagt ggctccagag gatattctatc taatcgaacg tgttgggaat 1020
caatcttccc aatctgttca attcacacct gattccaaag caatcccagc accacttgaa 1080
gctggaacag tggttggcca tttgacttat gaagacaagg acttgattgg tcaaggttac 1140
atcaccacag agcgccctag ttctgaaatg gtagcagaca agaaaattga aaaagccttc 1200
ttcttaaaag ttggtggaa tcagtttgtc cgctttgtta acgagaaatt ataa 1254

```

&lt;210&gt; 493

&lt;211&gt; 1074

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 493

```

aagaattttc aacgtaaatg tggataatc agtaagaatg ttaaaagaaa aaggagcata 60
accaatatga aacgtattgc tgttttgact agtggtggag acgcccctgg tatgaacgct 120
gccatccgtg cagttgttcg tcaagcaatt tcagaaggaa tggaagtttt tggatatctat 180
gacggatatg ctggtatggt tgccggtgaa attcatcccc tagatgcagc ttcagtaggg 240
gacatcattt ctcgtggtgg tactttcctt cactcagctc gttaccaga gttcgctcaa 300
cttgaagggc aacttaaagg gattgagcaa ttgaaaaaac acggaattga aggtgtagtt 360
gttatcgggtg gtgacggatc ttaccacggc gctatgcgtt tgactgaaca tggcttccca 420
gctattgggtc ttccaggtag aatcgataac gatatcggtt gtactgactt tacaatcgggt 480
tttgacacag cggttactac tgccatggac gctatcgata agattcgtga tacatcatca 540
agtcaccgtc gtacttttgt aatcgaagtt atgggacgta acgctggtga tatcgctctt 600
tggtgctggtg ttgcaactgg tgctgatgaa atcatcatcc ctgaagcagg cttcaagatg 660
gaagatatcg tagcaagcat caaagctggt tatgaatgtg gtaaaaaaca caatattatc 720
gtcttagctg aagggtgtgat gtcagcgggt gaatttggtc aaaaacttaa agaagctgga 780
gatacaagcg accttcgtgt aacagaactt ggacatattc aacgtggtgg ttctccaact 840

```

atcggcaata tcttggccta tatttccatc ggcgaccgca tccaagacat cgagcgcttg 1140  
 gttggtgctc tggctgatat taagagactc tattcaagag atggaaaaga tttgatagca 1200  
 ggagaatata ttcagcccga gttagtgtg tctccgcaag aagccttcta ttcagaaaga 1260  
 aaaagtttaa ctttggatga ttctgttga caggctctgtg gagaatttgt tatgtgttac 1320  
 cctccaggta ttcctatctt ggctcctggt gaacgcatta cacgagaaat tgtcgactat 1380  
 atccaattcg ccaaggaacg tggttgtccc ctccaaggga cggaagatcc agaggccaat 1440  
 catatcaacg ttattaagag aaagacaaac tataagaaaa gtcaatag 1488

<210> 496  
 <211> 861  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 496  
 atggatttat ggttttctga agttcatact ccagatgtca aattgtctct gagaacagcc 60  
 aagcaacttt acgctggaaa aagtgaatgg caggatatcg aagtcttgga tacgccagct 120  
 tttgggaaaa tactgatttt aaatggccat gtcttgttct cagatgcgga tgatttcgtc 180  
 tacaatgaaa tgaccgttca cgttcccatg gctgtccacc caaatccaaa gaaagtattg 240  
 gttattgggg gtggtgacgg cgggtgtgcc caagtattaa ccctctatcc tgaactggag 300  
 caaattgata ttgtggaacc ggatgagatg ttggtcgagg tctgtcgtga gtatttccca 360  
 gactttgctg cagggctaga tgatcctcgt gttaccattt actacaaaa tgggctacgc 420  
 tttttgcgaa actgcgaaga tgattacgat attatcatca acgatgacgac agatccattt 480  
 ggccatacgg aaggactctt taccaaggaa ttctacggca atagttatcg agctctgaag 540  
 gaagacggca tcatgattta ccagcatggg agtcccttct ttgacgagga tgagtcggcc 600  
 tgccgaagca tgcaccgcaa ggtcaatcaa gcctttccaa tcagtcgggt ttatcaggcc 660  
 catattccaa ctagcccagc tggctatttg ttgtttggat ttgcatcgaa aaaataccac 720  
 cctgtcaaag attttgacaa ggaaggctgg aaaaaacgcc agctttttcac agaatactac 780  
 actgcaaact tacacgtggg agcctttatg ttgcccaggt atgttgagga cattttagaa 840  
 gaagaggaag gaaaaaatg a 861

<210> 497  
 <211> 885  
 <212> DNA

gcgcgtgacc gtgttttggc gtcacgtatg ggtgcacatg ctgttaaact tcttaaagaa 900  
 ggtatcgggtg gtgttgcggt tggatttcgt aacgaaaaaa tggttgaaaa tccaattctt 960  
 ggtactgcag aagaaggggc attgttttagc cttactgcag aaggtaagat tgtggttaac 1020  
 aaccacaca aagccgatat tgagctatct agcttgaata agagcttgct ataa 1074

<210> 494  
 <211> 1545  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 494  
 gacaaaaag gtcatatata taaaggagtc acaaaaatca tgaacaaacg tgtaaaaatc 60  
 gttgcaactt tgggtcctgc ggtagaaatc cgtgggtggtg aaaaattcgg tgaggacgga 120  
 tactggggtg aaaaacttga tgttgaagct tcagctaaaa acattgctaa attgattgaa 180  
 gctgggtgcta acacattccg attcaacttc tcacacggcg accaccaaga acaaggtag 240  
 cgtatggcaa ctgttaaact tgcggaaaaa attgcaggta aaaaagttgg tttccttctt 300  
 gatacaaaag gacctgaaat ccgtacagaa ttgttcgaag gtgaagctaa agaattattca 360  
 tacaaaactg gtgaaaaaat tcgtgttgca actaaacaag gaatcaaata aactcgtgaa 420  
 gtgattgcgt tgaacgttgc tgggtgctctt gatattctatg atgatgttga agttggtcgt 480  
 caagtttttg ttgacgatgg taaacttggg cttcgtgtgg ttgctaaaga tgatgcaact 540  
 cgtgaatttg aagttgaagt tgaaaacgat ggtatcatcg ctaaacaaaa aggtgtgaac 600  
 atccctaaca ctaaaattcc tttcccagct cttgctgaac gcgataacga cgatatccgt 660  
 ttcgggtcttg aacaaggat caacttcata gcaatttcat tcgtacgtac tgcaaaagat 720  
 gtgaacgaag ttcgtgcaat ctgtgaagaa actggaaacg gacatgttca attgttcgct 780  
 aaaatcgaaa accaacaagg tatcgataac ttagatgaaa tcatcgaagc agctgatgg 840  
 attatgattg ctcgtggtga tatgggtatc gaagtaccgt tcgaaatggg tccagtttat 900  
 caaaaaatga ttatcaagaa agtcaatgct gcaggtaaag ttgttatcac tgcaacaaac 960  
 atgcttgaaa caatgactga aaaaccacgt gcaactcgtt cagaagtatc agatgtattc 1020  
 aacgctgtta tcgacggaac tgacgctaca atgttgtcag gcgagtctgc aaacggtaaa 1080  
 taccactcg agtcagtaac tacaatggct acaatcgaca agaacgctca agctcttctt 1140  
 aatgaatacg gacgtcttga ttcagattca tttgagcgta actctaagac agaagtaatg 1200

gcttctgctg ttaaagatgc tactagctca atggatatca aattgggtgt aactcttact 1260  
 aagacaggtc atactgcacg tttgatttct aaataccgtc caaatgctga catcttagca 1320  
 ttgacatttg acgaattgac agaacgtggc ttgatgttga actgggggtgt tatcccaatg 1380  
 ttgacagatg ctccatcttc aactgacgat atgttcgaaa tcgctgaacg taaagcggta 1440  
 gaagcaggtc tcgttgagtc aggcgatgat atcgttatcg ttgctgggtgt gccagtagga 1500  
 gaagctgttc gcacaaacac aatgcgtatc cgcacagtac gttaa 1545

<210> 495

<211> 1488

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 495

aaggagtatg ttttgaaaga gttagatcaa aaccaagccc caatttatga ggccttggtg 60  
 aagttacgca agaaaaggat tgttcccttt gatgttccag gtcacaagcg tggacgggga 120  
 aatccagaac ttgtcgaact cttaggagaa aaatgtgtag gcattgatgt caattcgatg 180  
 aaaccttttg ataatttagg ccatacctatt tcgattatc gtgatgcaga ggagctggct 240  
 gcagatgctt ttggagctag ccataccttt ctaatgattg gtggaacaac ttcatacgtg 300  
 cagactatga ttctggcaac ctgcaaggca ggagataaga ttattctgcc acgaaatgtc 360  
 cataaatctg ctatcaatgc gttgggttcta tgtgggtgcc ttcccatcta tatcgagatg 420  
 agtgtagatc ctaagattgg tatcgcttta ggtcttgaaa atgaccgagt agcacaggcc 480  
 ataaaggacc atccagatgc taaggctatc ctaatcaaca atcctactta ctacggcatc 540  
 tgttcagacc taaaggggtt gacagaaatg gctcatgaag ctggcatgat ggttttagta 600  
 gatgaagccc acggagcgca tttgcatttc actgataaac ttccaatttc tgctatggat 660  
 gcaggggctg atatggcagc agtttccatg cataagtctg gtgggagttt gacccaaagc 720  
 tccattttac ttatcgggga gcagatgaat tctgaatacg ttcgtcagat aattaacctg 780  
 acccagtcta catctgcctc ttacttggtg atggctagtt tggatatttc acgtcgcaac 840  
 ttggcccttc gtggtaaaga gtcgtttgag aaagtcattg agctatctga gtatgccgc 900  
 cgtgaaatca atgctatcgg tggctactat gcctactcaa aagagttaat agacggtgtt 960  
 tcggtttgag attttgacgt aactaagctg tcagtttaca ctcagggtat tggcttaaca 1020  
 ggtatcgagg tttatgacct cttgcgagac gaatacgaca ttcagatcga gtttggtgat 1080

<213> *Streptococcus pneumoniae*

<400> 497

gagaaaaaga tgagaaatgt aagagttgca accattcaga tgcaatgcg taaggatgtg	60
gcaacaaata tccaaaccgc agagcggtta gtacgtcagg ctgctgagca aggagcccaa	120
attattctct tggccgagtt gtttgaacat ccctatttct gtcaggaacg tcagtatgac	180
tactaccagt atgcccaatc tgtagcggaa aatactgcca ttcagcattt taaggatgatt	240
gctaaggaac tacaagttgt tttaccaatc agtttctatg aaaaagatgg taatgtcttg	300
tataactcta ttgccgtcat tgatgcagat ggggaagtgc tgggcgttta tcgaaagacc	360
catataccag atgaccatta ttatcaagaa aaattctatt tcacgcctgg taacactggg	420
ttcaaggtct ggaatactcg ctatgctaag attggtatcg gtatctgttg ggatcaatgg	480
ttccctgaaa cagcgcgctg tcttgcatg aatggtgctg aattgctctt ttatcctaca	540
gctatcggtt cagagccaat tttggataga gatagttgtg gtcactggca acgtactatg	600
caagggcacg cagcagcgaa tattgttcca gtcacgcag ccaatcgta tggtttagag	660
gaggttactc ctagtgagga aaatggcgga cagagctcca gtcttgactt ctacggttcc	720
tcctttatga cggatgaaac aggagctatt ctagaacgag ctgaaagaca agaagaagct	780
gttctgtag ctacttatga cctagacaag ggagcaagtg aacgcctaaa ctggggcttg	840
tttcgagata gaagaccaga aatgtataga caaattacag attag	885

<210> 498

<211> 363

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 498

aacatggcac gtgttaaagg tggcgttgta tcacgcaaac gtcgtaaacg tattcttaaa	60
ttagcaaaag gttactatgg agctaaacac atcttggtcc gtactgcaaa agaacaagta	120
atgaactctt actactatgc ataccgtgac cgctgcaga aaaaacgtga cttccgcaaa	180
ttgtggatta ctcgtatcaa tgcggcagct cgtatgaacg gactttcata ctcaaatg	240
atgcatggtt tgaaattggc tgagatcgaa gttaaccgta aaatgcttgc tgacttggct	300
gttaacgatg cagtagcttt cacagctctt gcagatgcag ctaaagcaaa acttggtaaa	360
taa	363

<210> 499  
 <211> 555  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 499  
 gagcctatca tggagtttga agaaaaaacg cttagccgaa aagaaatcta tcaaggacca 60  
 atattttaa ac tggccaaga tcagggttgaa ttaccagaag gcaagggaaac tgcccaacgg 120  
 gatttgattt tccacaatgg ggctgtctgt gtttttagcag taacggatga acaaaaactt 180  
 atcttggtca agcagtaccg caaagctatc gaggctgtct cttacgaaat tccagccgga 240  
 aaattggaag taggagaaaa cacagccctt gtggcagctg cccttcgtga attagaggaa 300  
 gaaacagcct atacaggga attagaactc ttgtacgatt ttatttcagc tattggcttt 360  
 tgtaatgaga agttaaact atatttagca agcgatttga caaaagtga aaatccgcgt 420  
 ccgcaggatg aggatgaaac cttggaagtc cttgaagtga gcttagaaga agcgaaagaa 480  
 ttaatccaat caggcatat ctgtgatgcc aagacaatta tggctgttca gtattgggag 540  
 ttgcagaaaa aatag 555

<210> 500  
 <211> 585  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 500  
 ctggaatttt tgaataaagg aggacaaatg aaaaaagtaa tgtttgctgg ctttaagtctc 60  
 ttgtcattag ttgtattgat ggctgtggt gaggaagaaa ctaaaaagac tcaagcagca 120  
 caacagccaa aacaacaaac gactgtacaa caaattgctg ttggaaaaga tgctccagac 180  
 ttcacattgc aatccatgga tggcaaagaa gttaagttat ctgattttta gggtaaaaag 240  
 gtttacttga agttttgggc ttcattggtgt ggtccatgca agaaaagtat gccagagttg 300  
 atggaactag cggcgaaacc agatcgtgat ttcgaaattc ttactgtcat tgcaccagga 360  
 attcaagggtg aaaaaactgt tgagcaattc ccacaatggg tccaggaaca aggatataag 420  
 gatatcccag ttctttatga taccaaagca accaccttcc aagcttatca aattcgaagc 480  
 attcctacag aatatttaat tgatagccaa ggaaagattg gaaagattca atttggtgct 540  
 atcagtaatg cggatgcaga agcagcattt aaagaaatga actag 585

<210> 501

&lt;211&gt; 1269

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 501

```

aggagaagac ctatgatttt tgacaaagat gattttaaag catatgatgc tgatctctgg      60
aatgctattg ccaaagaaga agaacgcaa caaataata tcgagttaat tgcttcggaa      120
aacgtagttt ccaaggctgt tatggcagct caaggtcta tcttgacaaa taaatatgcc      180
gagggttacc caggacgccg ttattatggt ggaactgatg tagtagacgt tgtagagact      240
cttgctattg aacgcgcaaa agaaattttc ggtgctaaat ttgccaatgt tcaaccacat      300
tcaggaagcc aagctaactg tgcggcttac atgtccttga ttgagccagg tgatacggtt      360
atgggaatgg atttggcatc aggtgggtcat ttgactcatg gggctcctgt tagcttctct      420
ggtcaaacct acaactttgt ttcttatagt gttgaccta aaacggaact cttagacttt      480
gatgctatct tgaaacaagc ccaagaagta aaacaaaac tgattgtagc tgggtgcttca      540
gcctattctc aaattatcga tttttcaaaa ttccgtgaaa tcgcagatgc tgtcgggtgcg      600
aagctcatgg tggacatggc ccatatcgct ggcttggttg cggctggcct tcatccaagc      660
ccagttccat acgtcatat cacaacaaca acgaccaca aaacccttcg tggacctcgt      720
ggtggtttga ttttgaccaa tgacgaagaa cttgctaaaa aaatcaattc agctattttc      780
ccaggtattc agggcgggtcc tttagagcat gttgtggcgg ctaaggcagt ttccttcaaa      840
gaagttttgg atccagcctt caaggaatat gctgccaatg taattaagaa cagcaaggct      900
atggcagatg tcttcttgca agaccctgat ttccgtatta tttcaggtgg aactgaaaac      960
catctcttcc ttgttgatgt gactaaagtt gtagaaaacg gcaaagttgc tcaaacttg      1020
ttggatgaag tcaatattac cttaaataaa aactcaatcc cttacgaaag cttgtcacca      1080
ttcaagacaa gtgggattcg tatcggagca gcagccatta ctgcacgtgg atttggtgaa      1140
gaagaaagtc gcaaagtggc tgaactcatc attaaaaccc ttaagaattc agaaaatgag      1200
gctgtattag aagaagtgag aagtgcagtc aaagaattga cagatgcctt ccattatac      1260
gaggactaa                                     1269

```

&lt;210&gt; 502

&lt;211&gt; 1035

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae



<400> 502  
 ggagtttttta tgaaaaacaa attttttcta atagctattt tagctatgtg tatagttttt 60  
 agcgcttggt cttctaattc tgttaaaaat gaagaaaata cttctaaaga gcatgcgctt 120  
 gataaaatag ttttagatca tgctttcggt caaactatat tagataaaaa acctgaaaga 180  
 gttgcaacta ttgcttgggg aatcatgat gtagcattag ctttaggaat agttcctgtt 240  
 ggattttcaa aagcaaatta cgggtgtaagt gctgataaag gagttttacc atggacagaa 300  
 gaaaaaatca aagaactaaa tggtaaagct aacctatttg acgatttgga tggacttaac 360  
 tttgaagcaa tatcaaattc taaaccagat gttatcttag cagggtattc tggataaact 420  
 aaagaagatt atgacactct atcaaaaatt gtcctgtag cagcatacaa atctaaacct 480  
 tggcaaactt tatggagaga tatgattaaa attgattcaa aagccttagg tatggaaaaa 540  
 gaaggtgatg agttaatcaa aaatactgaa gtcgtatat ccaaagaatt agaaaaacat 600  
 ccagaaatca aaggaaaaat caaaggaaaa aaagtattat ttactatgat taatgctgca 660  
 gatacatcaa aattctggat ttatactagc aaagatccaa gagcaaatta tttacagat 720  
 ttaggtctag ttttcctga atcattaaaa gaatttgaga gtgaagatag ttttgcaaag 780  
 gaaatttctg cagaagaagc aaataagata aatgatgctg atgtaatcat aacttatggt 840  
 gatgataaaa ctcttgaagc tttacaaaaa gatcctcttt taggtaaaat aaatgcaatt 900  
 aaaaatgggtg ccgttgctgt aattccagat aatacacctg tagcagcctc atgcactcca 960  
 acaccacttt caataaacta tactattgaa gaatacctaa atcttttagg aaatgcatgc 1020  
 aaaaatgcga aataa 1035

<210> 503  
 <211> 2700  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 503  
 tttatgtctc ttcaaaaatt agaaaattat agtaataaaa gtgttggtgca agaagaagtc 60  
 ttgattctaa cagaattact ggaagatatt actaaaaata tgcttgcccc agagaccttt 120  
 gaaaaaataa tacagttgaa agaattatca acgcaggaag attatcaagg tctaaaccgt 180  
 ctagtgacta gcttatcaaa tgatgaaatg gtctatattt cagctattt ctctatcttg 240  
 cctcttttga ttaatatctc agaggatgtg gatttagctt atgaaatcaa tcatcaaaat 300  
 aatattgatc aggactatct aggtaaaatta tctacaacga ttaaattggt agcagaaaag 360

gaaaatgccg ttgagatcct agaacacttg aatgttgtcc ctgttttgac agcccatcca	420
acacaagtgc aacgcaaaag tatgttggat ttaacaaatc atattcatag tcttttgcg	480
aaataccgtg atgttaagtt ggggttgatc aataaagata aatggtacaa tgatttgcg	540
cgttacatcg aaattatcat gcagacagac atgattcgtg agaaaaaatt aaaagtgact	600
aacgaaatca cgaatgctat ggaatattat aacagctcct ttttgaaagc tgtacctcat	660
ttgacgacgg agtataagcg cttagcgcaa gcgcattggtc tgaatttaaa acaggctaaa	720
ccaatcacca tgggtatgtg gataggtggt gaccgtgatg gaaatccatt tgttacagca	780
aagaccttga agcagtctgc actcactcag tgtgaagtca tcatgaacta ctatgataaa	840
aagatttacc aactttatcg tgaattttct ctttcaacta gcattgtcaa cgtcagcaag	900
caagtcagag aaatggctcg tcaatccaag gataactcga tttaccgca aaaagagctt	960
taccgtcgtg ccttgtttga tattcaatca aaaattcagg caactaaaac ctatctgatt	1020
gaggatgaag aagttgggac tcgttatgaa accgccaatg atttctacaa ggatttgatt	1080
gccattcgag attctctact agaaaataag ggcgagtcct tgatttcagg tgattttgtg	1140
gaattattgc aggcagtaga gatatttggt ttttacttag catcaattga tatgcgacaa	1200
gactctagcg tctatgaagc ctgtgtggca gaactcttga aatcagcagg aattcattct	1260
cgttatagcg agttgagcga agaagaaaag tgtgaccttc tcttgaaaga attagaagaa	1320
gatccccgaa ttctttctgc gactcacgca gaaaaatcag aattattagc aaaagaatta	1380
gctattttta agacggctcg tgttttgaaa gataagttgg gagatgatgt catccgtcag	1440
accatcattt cacatgcaac cagcctttct gatatgctag aattagctat tctgttaaaa	1500
gaagtaggac tgggtggatac ggaaagggcg cgtgttcaga ttgttcccct ttttgaaaca	1560
attgaagact tggatcattc agaggaaaca atgagaaaat atctttctct tagccttgcc	1620
aaaaaatgga ttgactcacg aaataactac caagaaatca tgcttggtc ctctgacagt	1680
aataaagatg gcggttactt gtcacatgtt tggaccctct acaaggctca acaacaattg	1740
actgctattg gagatgaatt tggcgtaag gttaccttct tccatggctg tgggtgtact	1800
gtcggctcgtg gtggtgggcc aacctatgaa gccattacat ctcaaccgt caagtctatc	1860
aaggatcgta tccgcttgac ggagcagggg gaagtaattg ggaataaata cggtaacaaa	1920
gacgccgctt actataacct tgaaatgcta gtatcggcag ctattaaccg tatgattact	1980

cagaagaaga gcgataccaa taccccaaat cgttatgaaa ccattatgga tcaagtagtg 2040  
 gaccgtagtt acgatatcta ccgtgatttg gtctttggta atgagcattt ctatgattat 2100  
 ttcttcgagt caagtccaat caaggctatt tcaagtttta atattgggtc tcgtccagcc 2160  
 gctcgtaaga ctattactga aatcgggtgg ttgcgtgcca tcccttgggt attctcatgg 2220  
 tcacagagtc gtgttatgtt ccctggatgg tacgggggtg gttcaagctt caaggaattt 2280  
 atcaataaaa atccagagaa tattgctatc ttacgagata tgtacaaaaa ttggcctttc 2340  
 ttccaatcgc ttctttcaaa tggtgatatg gttttgtcaa aatcaaatat gaattattgct 2400  
 tttgaatatg ctaaactttg tgaagacgag caagttaagg ccatctatga gactatttta 2460  
 aatgaatggc aagttactaa gaacgttatc ttggctattg aaggacatga cgaactctta 2520  
 gctgacaatc catatctaaa agctagtctg gattaccgta tgccttactt taatattctc 2580  
 aactatattc agttggagtt gattaaacgc caacgtcgtg gagaattgtc cagtgatcaa 2640  
 gaacgattga ttcatatcac catcaacgga attgcgacag gattgcgtaa ttcagggtga 2700

<210> 504

<211> 372

<212> DNA

<213> Streptococcus pneumoniae

<400> 504

aagaaattat cggaggttag ccatatggca tttgaaaaaa tcattcagtt aaaaaattgt 60  
 cgttacgatt acactcttag cccttctgtt aaaaaattca ccctcaaaga taacaccttt 120  
 tttgaaacta aggttggttaa ctatgaactg actcgccttt tggaaaaagt gccaaacagc 180  
 ggtgaaggct tccaactcaa aatcatcatt aacaaggaac ttacaggggc taaaatcaat 240  
 atcactgaca agtttggcct tcgtctagtt gatattttca aatcagaaga ccaccatatt 300  
 catcaggaaa aattctactt cctcatggat agcttggttag aacgtgggtg ctttacaaaa 360  
 tcggaaagat ag 372

<210> 505

<211> 1050

<212> DNA

<213> Streptococcus pneumoniae

<400> 505

aatagaaaag ataaaaatac acaaatccca gttcatatat gtaaggtaaa tataactagg 60  
 atttataaag tttacagagg acggtctata atgtcagata gaaaaaacat gaaacttttc 120

gcactcaact ctaaccaaga gattgcacaa aaaattgccc aagctggttg tgtcccactt 180  
 ggaaaaactat catcacgtca attttcagac ggagaaatcc aagtaaatat cgaagaaagt 240  
 gtccgtgggt atgatgttta catcatccaa tcaacaagtt tccctgtcaa caaccaccta 300  
 atggaattgt taatcatggt cgatgcttgt gtgcgtgcaa gtgcccacag tatcaacggt 360  
 gtccttccat attttggcta tgcacgtcaa gaccgcattg cttgtcctcg tgagccactt 420  
 acagcaaaac tagttgccaa tatgctggtt aaggctggag ttgatcgtat cctgactcct 480  
 gatttgcattg ccgttcagggt tcaaggtttc tttgatattc cagtggataa tcttttctact 540  
 gttcccctat tcgcaaaaca ttactgcat aaaggattgc ttggttcaga tgttgttgtc 600  
 gttagcccta aaaattcagg tgtcaaacgt gcgcgtagcc tggctgaata tcttgatgct 660  
 cctatcgcca ttatcgacta ccctcaagac gatgcaactc gtaacgaagg ttatattatt 720  
 ggtgatgttg aaggtaagaa agctatcttg attgatgata ttttaaatac aggacgtacc 780  
 ttctctgaag cttctaaaat cgttgaacgt gaaggagcta cagaaattta tgctgtttct 840  
 agccacggtc tcttcgtcga gggagctgct gagcttcttg acaatactaa tattaagaa 900  
 attcttgtga ctgattcagt agcaacaaaa gaaaaaactc ctaaaaatgt atgctacatc 960  
 actgctagtg agttaattgg tgatgctatc gtccgtattc acgaaagaaa accagtcagc 1020  
 ccactctttg cctacaataa aaagaaataa 1050

<210> 506

<211> 1470

<212> DNA

<213> Streptococcus pneumoniae

<400> 506

aaatttggtg aaatatatct taatcatttt caggaggaca aaaatttgac aagatatcag 60  
 aatttagtaa atggaaaatg gaaatcatct gaacaagaaa ttacgattta ttcaccaatc 120  
 aatcaagaag aattgggtac agttccagcc atgactcaga ctgaagctga tgaggctatg 180  
 caagctgctg gtgcagccct gccagcatgg cgagctttat cagcagttga acgtgctggt 240  
 tatttgcata aaacagcagc tatttttagaa cgcgataagg aagaaattgg tactatcctt 300  
 gccaaagaag tagcaaaagg gattaaagca gcaattggag aagtagtgcg tacagcagac 360  
 ttgattcggt atgctgctga ggaaggctct cgtatcactg gacaagcaat ggaagggtgt 420  
 ggttttgagg caacaagtaa aaacaaactg gctgttgtcc gtcgtgaacc agttggtatc 480

gtgctagcga ttgctccctt taattatcca gttaatttat ctgcttctaa aattgcacct 540  
 gccttgattg cagggaaatgt ggtcatgttt aagccaccaa cacaaggttc cattttctgga 600  
 ctcttggttg ctaaagcatt tgaagaagca gggattccgg cagggtgtttt caacaccatt 660  
 acaggctcgtg gttcagaaat tggggattat atcattgagc acaaagaagt caacttcac 720  
 aactttacag gttcaactcc tattggagaa cgtattggtc gtttagctgg tatgcgtcct 780  
 atcatgttgg aacttggtgg gaaagatgca gctctgtac tagaagatgc agatttgga 840  
 catgctgcca agcaaattgt tgcgggagcc ttagctact caggacaacg ttgcacggcc 900  
 attaaacgtg tcattgttct cgaaagtgtg gcagataaat tagctacttt gcttcaggaa 960  
 gaagtttcta aattaacagt tggatgacca tttgacaatg ctgatattac acctgttatt 1020  
 gacaatgctt cagccgactt catttggggc ttgattgagg atgcacaaga aaaagaagct 1080  
 caggctctta caccaatcaa acgtgagggc aatcttctct ggccagtgtt ttttgaccaa 1140  
 gttacaaaag atatgaaagt ggcattggga gagccatttg gtctgtttt accaatcatt 1200  
 cgtgtggcta gtgtagagga agctattgcc tttgccaacg aatctgaatt cggccttcaa 1260  
 tcatcagtct ttacaaatga tttcaaaaaa gcctttgaaa ttgctgaaaa acttgaagta 1320  
 ggtacagtcc acattaataa taaaaccag cgtgggtccag ataatttccc attccttggt 1380  
 gtcaaagggt ctggagctgg agtgcaagga attaaatata gcattgaagc gatgacaaat 1440  
 gtcaaatcca ttgtttttga tgtgaaataa 1470

&lt;210&gt; 507

&lt;211&gt; 993

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 507

aagagggtata aaatggcttt aacagaacaa aaacgtgtac gcttagaaaa actttctgat 60  
 gaaaatggta tcattctcagc tcttgcatctt gaccaacgtg gtgctttgaa acgcctcatg 120  
 gttaaacacc aaacagaaga accaactgtg gcccacaaatgg aagaacttaa agtcttggtgta 180  
 gcagatgaat tgactaaata tgcttcatct atgcttcttg accctgagta tggacttcca 240  
 gcaactaaag ctcttgatga aaaagctggc cttctccttg cttatgaaaa aacagggttat 300  
 gacacaacaa gcacaaaacg cttgccagac tgcttggtatg tttggtctgc aaaacgtatt 360  
 aaagaagaag gtgcagatgc agttaaatc ttgctttact atgatgtaga tagctcagac 420

gaactcaatc aagaaaaaca agcctacatc gaacgcacgc gttctgagtg tgtggctgaa 480  
 gatatcccat tcttccttga aatccttgct tacgatgaaa aaattgcgga tgcaggttct 540  
 gtagaatacg ctaaagtaaa accacacaaa gttatcggcg ctatgaaagt cttttcagac 600  
 ccacgcttta acattgatgt tttgaaagtt gaagttcctg ttaacattaa atatgttgaa 660  
 ggcttcgctg aaggtgaagt agtttatata cgtgaagaag cagcagcctt cttcaaagcg 720  
 caagatgaag caacgaactt gccatacatc tacttgagtg ctggtgtatc agctaaactc 780  
 ttccaagata ctcttgattt tgctcatgaa tcaggtgcga actttaacgg agttctttgt 840  
 ggccgtgcta catgggcagg atcagttgaa gcttacatca aagatggtga agcagcagct 900  
 cgccaatgcg ttgcacaac tggatttgaa aacattgacg aactcaacaa agttcttcaa 960  
 agaacagcaa cttcatggaa agaacgcgtg taa 993

<210> 508  
 <211> 546  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 508  
 ttagattata gtaagaaagg taagttaaaa atgagaattg caattggatg tgaccacatc 60  
 gtaactgatg aaaaaatggc ggtttcagaa tttttgaaat caaaaggata tgaagtcatt 120  
 gactttggta cctatgacca tacacggact cactaccaa tctttggtaa aaaagtaggg 180  
 gaagctgtaa ctagcggta agctgatctt ggagtatgta tctgtggtac tgggtgttgg 240  
 atcaacaacg ctgtaaataa agttccagggt gttcgttctg ctttggttcg tgatatgaca 300  
 acagcccttt atgctaaaga acaattgaac gctaacgtta ttggtttttg tggtaaaatt 360  
 actggtgaat tgcttatgtg tgatatcatc gaagctttca tccatgctga atacaaacca 420  
 actgaagaaa acaaaaaatt gattgcgaaa attgaacatg ttgaaagtca caatgctcaa 480  
 caaacagacg caaacttctt tacagaattc cttgagaaat gggatcgtgg agaataccac 540  
 gactaa 546

<210> 509  
 <211> 441  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 509

```

aaaggagtat acaatatgtc tattgttatac ggtgcagatg ctgcaggttt gagattgaaa      60
gaagttgtga aagacttctt agaaaaagaa aacttccacc ttgtggatgt tacagctgaa      120
ggtcaagact ttgttgatgt gactctcgct gttgctgcag aagtaaacaa agaagaacaa      180
aaccttggtg tcgtgattga tgcttatgga gctgggccat ttatagttgc aactaagatc      240
aaaggaatgg ttgctgcaga agtatctgac gaacgttcag cttatatgac tcgtggccac      300
aacaactcac gtatgatcac tatgggagca caacttggtg gtgatgaatt ggctaaaaat      360
atcgctaaag gatttggttaa tggtaaatac gacgggtggtc gtcaccaaatt ccggggttgac      420
atgttgaaca aaatgggcta a                                     441

```

<210> 510

<211> 1893

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 510

```

cagggtatgg tcttgtcaaa atatcaaaaa caatttataa taaatagata ccctgaaagg      60
aagagaatca tgaacttaga agaattgaaa aaacgacagg agaagatccg taacttctct      120
attatcgccc atattgacca cggaaaatca actctagcag accgcatttt ggaaaaaaca      180
gagacggttt caagtcgtga aatgcaggcc cagcttttgg atagcatgga gctagagcgg      240
gaacgtggaa ttactattaa gttgaatgcc atcgagttga attacactgc aaaagatggg      300
gaaacttata ttttccactt gattgacaca ccagggcacg ttgactttac ctatgaagtt      360
tcacgttcgc tagctgcctg tgagggtgct attttggtgg tcgatgcggc tcaaggaatt      420
gaggctcaaa ctcttgccaa cgtttatctg gctttggata atgatttggg aatcatgcct      480
atcattaata aaattgacct gccggctgca gatccggagc gcgtgcgtac agagattgaa      540
gatgtgattg gtttggatgc cagtgaagca gttttggctt ctgccaaaggc tggatttggg      600
attgaagaaa tcctcgagca aattgtagaa aaagtaccag caccaacggg tgatgtgacg      660
gcgccactta aggccttgat tttcgactct gtttacgatg cttaccgtgg ggttatcctc      720
caagtgcgtg tcatggacgg agtgggtcaaa cctgggtgata agattcagct catgagcaat      780
agtaagacct ttgatgtggc cgaagtcggt atttttacac caaaagcggg tggtcgtgat      840
ttccttgcca ctggtgatgt tggttacatt gcggcgctcta tcaagacggg tcaggatact      900
cgtgtgggtg ataccgttac cttggcaacc aatcctgcgg cagaaccatt acatgggttat      960

```

```

aagcagatga atcctatggt ctttgcggt ctctacccaa tcgaatcaaa caagtacaat 1020
gacctgcgtg aagcgcttga aaaattgcaa ctgaatgatg ctagtcttca gtttgaacca 1080
gaaacatctc aggcacttgg atttggtttc cgttggtgat ttcttggact tctccatatg 1140
gatgttatcc aggaacgttt agagcgtgag ttcaatattg acctcatcat gacagctccg 1200
tctgttattt acaaagttaa ttgaccgac ggtgagtcta tggatgtgtc taacccatct 1260
gagtttccag acccaactaa gattgcgacc attgaagagc cttatgtcaa ggcgcaaate 1320
atggtaccac aggagttcgt cggagcagta atggagctag ctcagcgtaa gcgtggggac 1380
tttgtagcta tggactatat tgatgataac cgtgtcaatg ttatctatca aattcctctt 1440
gctgaaattg tctttgactt ctttgataaa ctttaagtctt cgacacgtgg ttatgcaagc 1500
tttgactacg aattgtcaga atatcgccca tctaagctgg tgaaaatgga tattcttctc 1560
aatggagata aggtggatgc cctcagcttt atcggtcaca aggactttgc ctacgaacgt 1620
gggaaactca tcgttgataa actcaagaaa atcatccctc gccacaatt tgaagttcca 1680
atccaagcgg ctattggaca caagattgtc gctcgtactg atatcaaggc ccttcgtaag 1740
aacgtacttg ctaaattgta tgggtggtgac gtttctcgta agcgtaaaact ccttgaaaaa 1800
caaaaagctg gtaagaaacg catgaaatcc atcggatcag ttgaagttcc gcaagaagcc 1860
ttctcagcg tcttgagtat ggatgaagaa taa 1893

```

```

<210> 511
<211> 1347
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 511
gtggagatgg aaaagtattt atcggtaaca actttgacca agtatctgaa aatgaaattc 60
gataaagacc catacttgga acgggtctat ttaactggtc aagtttccaa ctttcgtaaa 120
cgacctactc accaatattt ctccctaaag gatgaccatg cagttattca agcgaccatc 180
tggctctggga tttatcagaa attagggttt gacctggaag aaggaatgaa gatcaatgtg 240
attgggcgtg tacaggtcta tgaaccaagt ggtagctact ccatcatcat tgaaaaagct 300
gagcctgatg gggttggggc gcttgcgatt cagtttgaac aacttaagaa aaaattgaca 360
gaagaaggcc tgtttcaaga acgcttcaag caagctctgc cccaattttc taagagaatt 420
ggtgtagtaa ccagccgtag tggagccgtt attcgagata ttatcacgac cgtcagcagg 480

```



cgattcccag gtgttgacat ccttcctttat cggaccaagg ttcaaggtga aggggctgcg 540  
 gaggaatttg ctagaaatat tgcgcgtgct aatcaacggg acgatttgga tttgctcatt 600  
 attggtcgtg gaggtgggtc tattgaggat ctctgggcct ttaacgaaga aattgtggta 660  
 cgagctatct ttgaatctcg tttgccagtt atctctagtg tggggcatga gacggatgtg 720  
 accttggcag attttgtggc agatcgacgc gctgcaacgc caacagcggc ggctgaactg 780  
 gcaacacctg tgaccaagtt ggatgtatta gctcatttgc aaaatcagga aaaacggatg 840  
 gtaacggcag tccgaaatgt tctatctaag aaacaagagg ctttgaaaaa atgcagtcag 900  
 tctgttatct ttagacaacc tgagcgcttg tatgacgggt atttgcaacg cttggaccaa 960  
 ctgcaactgc gtttgaaaca aagtttgcga actcggattt ctgataacaa acaattagtt 1020  
 caagcaagaa ctcatcaatt agtacaatta tcacctgtta ccaaaatcca acgctatcaa 1080  
 gaccgtttag gacagttgga caagctctta ggtagccaaa tggcgtagt ttatgacgcc 1140  
 aaggttgctg aggccaagcg actttcggaa gctttgctca tgttggtac tagccgaatc 1200  
 gtggcgctg gttatgctat tgtcaaaaaa gaagagtccg ttgtagattc gggtgagagt 1260  
 ttgaagaaaa aagaccaagt aacgcttttg atgcgagatg gtcaagtaga attagaggtt 1320  
 aaagatgtca aaacaaaaga aatttga 1347

<210> 512

<211> 750

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 512

agcataatgt ctcaaaaaaa taataaaaag aaaaacaagc gaaaaaatct gctgacaaat 60  
 atcctagcag gatttctgat attactgtca ctggctttga tttttaatac tcaaattcga 120  
 aatattttca tagtctggaa taccaataag tatcaagtta gccaggtatc aaaagaaaaa 180  
 ttagaagaaa atcaggatag agaaggcaat tttgactttg attctgtcaa agctatctct 240  
 tcggaagctg ttctaacttc tcaatgggat gctcaaaaat taccagttat tgggggaatt 300  
 gcaattcctg aattggaaat gaatttgccg atttttaaaag gacttgataa tgtaaatctc 360  
 ttctacggag ctggtacaat gaaacgcgag caagtaatgg gagaaggaaa ttatagtcta 420  
 gctagtcacc atatcttttg tgttgataat gctaataaaa tgttattttc tcctttagat 480  
 aatgctaaaa atggcatgaa gatttatcta accgataaaa ataaagttaa tacttatgaa 540

atacgtgaag tcaaacgtgt gacaccggat cgtgttgatg aagttgatga tagagatggg 600  
 gtcaatgaaa tcacattagt aacctgtgaa gaccttgctg ctacagaacg tattattgtc 660  
 aaaggtgatt tgaaagaaac aaaagattat tcacaaacat ctaatgaaat cctaacagct 720  
 ttcaatcaac catataaaca attttattaa 750

<210> 513  
 <211> 1026  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 513  
 ggaaaatccc ctaataaaat taaggagatg tttaaaacaa tgacttcaac taaacaacac 60  
 aaaaaagtta tccttgctcg tgatggtgct gtaggttcat cttacgcttt tgcacttggt 120  
 aaccaaggaa ttgcacaaga gcttggaatt atcgaaattc cacaattgca tgaaaaagct 180  
 gttggtgatg cgcttgacct tagtcacgcc cttgccttca cttcacctaa aaaaatctat 240  
 gcagctcaat actctgactg tgcagacgct gaccttgttg tgatcactgc aggtgcacct 300  
 caaaaaccag gtgaaactcg tcttgacctt gtaggtaaaa accttgctat caacaaatca 360  
 atcgtaactc aagttggtga atctggtttc aaaggtatct tccttggtgc tgctaacca 420  
 gttgacgttt tgacttactc aacttggaat ttctctggtt tccctaaga acgcgttatc 480  
 gggtcaggta cttcacttga ctcagctcgt ttccgtcaag cacttgctga aaaattggat 540  
 gtggatgctc gttcagtga cgcctacatc atgggtgaac acggtgactc tgagttcgct 600  
 gtttggtcac acgctaactc cgctggtgta aaccttgaag aattccttaa agacactcaa 660  
 aatgttcaag aagctgaatt gattgaattg ttcgaagggtg ttcgtgatgc agcctacaca 720  
 atcatcaaca aaaaagggtgc aacatactac ggtatcgag tagcccttgc tcgtatcact 780  
 aaagcaatcc ttgacgatga aaacgcagta cttccacttt cagtattcca agaagggtcaa 840  
 tacggagttg agaatgtctt tatcggtcaa ccagctggtg ttggtgcaca tgggtatcgtt 900  
 cgtccagtaa atatccatt gaacgacgca gaaactcaaa aaatgcaagc atctgctaaa 960  
 gaattacaag ctatcattga cgaagcatgg aaaaaccag aattccaaga agcttctaaa 1020  
 aactaa 1026

<210> 514  
 <211> 588  
 <212> DNA

<213> *Streptococcus pneumoniae*

<400> 514

```

aaaaattcaa gcctatcatt cttagaaagg aaaactatgg caaacattct cttggctgta      60
acgggttcaa tcgcctctta taagtcggca gatttagtca gttctctaaa aaaacaaggc      120
catcaagtca ctgtcttaat gactcaggct gctacagagt ttatccaacc tttgacacta      180
caggtactct cacagaatcc tgtccacttg gatgtcatga aggaacccta tcctgatcag      240
gtcaatcata tcgaacttgg aaaaaaagca gatttattta tcgtggtacc tgcaactgct      300
aacactattg caaaactagc tcacggattt gcggacaaca tggtaaccag tacagctcta      360
gccctaccaa gtcataattcc caaactaata gtccttgcta tgaatacaaa aatgtatgac      420
catccagtaa ctcagaataa tctgaaaaca ttagaaacct acggctatca gctgattgct      480
cctaaggaat ccctactagc ttgtggagac cacggacgag gagcttttagc tgacctcaca      540
attattttag aaagaataaa ggaaactatc gatgaaaaaa cgctctaa      588

```

<210> 515

<211> 924

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 515

```

acacagcctt taaaacagtg tttaagtggg aagtataagt actggagggt aattgtggag      60
aaaatcatta aagaaaaaat ttcttcctta cttagtcaag aagaggaagt cctcagtgtt      120
gaacaactgg gtggaatgac caatcaaaac tatttgGCCa aaacaacaaa taagcaatac      180
attgttaaatt tctttggtaa agggacagaa aagcttatca atcgacaaga tgaaaagtac      240
aatcttgaac tactaaagga tttaggctta gatgtaaaaa attatctttt tgatattgaa      300
gctgggtatca aagtaaatga gtatatcgaa tctgcgatta cgcttgattc aacgtcaatc      360
aagaccaagt tcgacaaaat tactccaata ttacaaacta ttcatacgtc tgctaaggaa      420
ttaagaggag aatttgctcc ttttgaagaa atcaaaaaat acgaatcctt gattgaagaa      480
caaattcctt atgccaaacta tgaatctggt agaaatgcag tcttctcctt agagaaaaga      540
ctggctgact taggtgttga cagaaaatct tgtcatatcg atttggtgcc tgaaaacttt      600
atcgaatcac ctcaaggacg actttatttg attgactggg aatattcatc aatgaatgat      660
ccaatgtggg atttggtgc cctcttttta gagtctgaat tcacttccca agaggaagaa      720
actttcttat ctactatga gagtgaccaa acaccggttt ctcatgaaaa gattgctatt      780

```

tataaaatTTt tacaagatac tatttggagt ctatggactg tctataagga agagcaaggt 840  
 gaagattttg gtgactatgg tgtgaatcgt taccaaagag ctattaaagg tttggcttct 900  
 tatggagggtt cagatgaaaa gtaa 924

<210> 516  
 <211> 813  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 516  
 gagtTTaaaa tgaacaact aaccgttgaa gatgccaaac aaattgaatt agaaatTTttg 60  
 gattatattg atactctctg taaaaagcac aatatcaact atattattaa ctacgggtact 120  
 ctgattgggg cggttcgaca tgagggcTTt atcccttggg acgacgatat tgatctgtcc 180  
 atgcctagag aagactacca acgatttatt aacattTTttc aaaaggaaaa aagcaagtat 240  
 aagctcctat ccttagaaac tgataagaac tactTTtaaca actTTtatcaa gataaccgac 300  
 agtacgacta aaattattga tactcgaaat acaaaaaacct atgagtctgg tatctTTatc 360  
 gatattTTtc ctatagatcg cTTtgatgat cctaagggtca ttgatacttg ttataaactg 420  
 gaaagcttca aactgctgtc tttcagtaaa cataaaaaata ttgtctataa ggatagcTTt 480  
 ttaaaagatt ggatacgaac agccttctgg ttactccttc gaccggTTtc tcctcgTTat 540  
 tttgcaata aaatcgagaa agaaattcaa aaatatagtc gtgaaaatgg gcaatatatg 600  
 gctTTtatcc cttcaaaatt taaggaaaag gaagtcttcc caagtgggtac cTTtgataaa 660  
 acaatcgatt tacccttTga gaatttaagc cttcctgcac ctgaaaaatt tgatactatt 720  
 ttgacacaat tttatggaga ttatatgacc ctaccaccag aagaaaaacg cttctacagt 780  
 catgaatttc acgcttataa attggaggat tag 813

<210> 517  
 <211> 357  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 517  
 gagaataaaa tgaatccatt aatccaaagc ttgactgaag gtcaacttcg tacagatatc 60  
 ccatcattcc gtcctgggtga cactgttcgt gtacatgcga aagttgtcga aggtaaccgt 120  
 gaacgtatcc agattTTtTga aggtgttggt atcgcacgta aaggtgctgg aatctcagaa 180

aactacacag ttcgtaaaat ctctaacggt gtaggtgttg agcgtatctt cccaatccac 240  
 actccacgtg ttgaaaaaat cgaagttgtt cgttacggta aagtacgtcg tgcgaaattg 300  
 tactacttgc gtgctcttca aggtaaagca gtcgtatca aagaaatccg tcgttaa 357

<210> 518  
 <211> 459  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 518  
 attgaggagg acgatatggc attagcaaaa attgtatttg ccagtatgac cggtaatacc 60  
 gaagaaattg cagatattgt agcagacaaa ttacgtgact tgggcttgga tgttgatgtt 120  
 gatgaatgta caactgttga cgcttcagac ttcttggaag cagacatcgc tatcgttgcg 180  
 acctatactt atgggtgatgg tgaattgcca gatgagatga tggacttcta cgaagaccta 240  
 gcagatctca acttgaatgg caaaatctac ggagtggctg gctcaggaga taccttctac 300  
 gatgaattct gtaaggctgt tgatgacttt gaccgtgtct ttgtgtcaac aggagcagaa 360  
 aaaggttcag agtgtgttaa agttgatctt tctgccgagg aagaagatat tgaacgcttg 420  
 gaacaattcg cagaagaatt ggctgctaaa gtaggataa 459

<210> 519  
 <211> 438  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 519  
 gctacacagc gtagcctagc tacgaaaaaa actattataa aatttaaaac ttatttggag 60  
 gaaataacaa tggcattgaa cattgaaaac attattgctg aaattaaaga agcttcaatc 120  
 cttgaattga acgaccttgt aaaagctatc gaagaagaat ttggtgtaac tgcagctgct 180  
 cctgtagctg ttgctgcagc tgatgcagct gatgctggtg ctgctaaaga ttcattcgac 240  
 gttgaattga catctgcagg cgacaaaaaa gttggcggtta tcaaagttgt acgtgaaatc 300  
 actgggtcttg gtcttaaaga agctaaagaa cttgttgacg gtgcaccagc acttggttaa 360  
 gaaggcggtg caactgcaga agctgaagaa atcaaagcta aattggaaga agctggagct 420  
 tcagttactc ttaaataa 438

<210> 520  
 <211> 627

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 520

```

atatacctacc gaggacaaaa cgtatcatgt aaaaagaagc gtattgtact ttcgtgtcta      60
ggtttgggcg cgtttttctt tttgaaaaat tccccaagca aaataattac ggaggtgaac      120
acactaatga gtgaagcaat tattgctaaa aaagcggaac tagttgacgt agtagctgaa      180
aaaatgaaag ctgctgcac tctcgtcgtt gtagacgctc gtggtttgac agttgagcaa      240
gatacagttc ttcgtcgtga gcttcgtgga agcgaagttg agtataaagt tattaataaac      300
tcaatcttgc gtcgtgcagc tgaaaaagct ggtcttgaag atcttgcac tgtatttgtt      360
ggaccatctg cagtagcatt ttctaataaa gatgttatcg caccagcgaa aatcttgaac      420
gacttttcta aaaacgctga agcacttgaa attaaagggtg gtgcaatcga aggcgctgtc      480
gcatctaaag aagagattct tgcacttgca actcttccaa accgcgaagg acttctttct      540
atgctccttt ctgtacttca agcgccagtg cgcaacggtg ctcttgcagt caaagcggtt      600
gcagaaagca aagaagacgc ggcttaa                                     627

```

&lt;210&gt; 521

&lt;211&gt; 1809

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 521

```

aatccagcca agtctattgt gaaatcaatg catcccaaca tggaaaggag gactagaatg      60
aaacgacaaa ctgtaaacca gacgctcaaa cgttttagccg tagatttagc aagccatcct      120
ttcctccttt tcttagcctt tctaggaact attgcccaag ttggcttacc aatttaccta      180
cctattctga ttgggcaggt cattgaccaa gtcctagtgg ctggttcacc accagttttt      240
tggcagattt ttctccagat gctcttggtg gtaataggaa atactctggt acaatgggcc      300
aatcctctcc tctataatcg tctaattctt tcttatacca gagatttagc ggagcgaatc      360
atccataagc tccatcggtt accgattgcc tttgtagata ggcaaggtag tggagagatg      420
gttagtcgtg taaccacgga catcgaacag ttggcagctg gcttgaccat gatttttaac      480
caatttttca ttggtgtttt gatgattttg gtcagtattc tagccatgct ccaaattcat      540
ctcctcatga ctctcttagt cttgctgttg acgccactgt ccatggtgat ttcacgcttt      600
attgccaaga aatcctatca tctcttccag aagcaaacag agacgagggg aattcagact      660

```

```

cagttgattg aagaatcgct tagtcagcag actataatcc agtccttcaa tgctcaaaca 720
gaatttatcc aaagattgcg tgaggctcat gacaactact caggctattc tcagtcagcc 780
atcttttatt cttcaacggt caatccttcg actcgctttg taaatgcact catttatgcc 840
cttttagctg gagtaggagc ttatcgatc atgatgggtt cagccttgac cgtcggtcgt 900
ttagtgactt ttttgaacta tgttcagcaa tacaccaagc cttttaacga tatttcttca 960
gtgctagctg agttgcaaag tgctctggct tgcgtagagc gtatctatgg agtcttagat 1020
agccctgaag tggctgaaac aggtaaggaa gtcttgacga ccagtgacca agttaaggga 1080
gctatttcct ttaaacatgt ctcttttggc taccatcctg aaaaaatttt gattaaggac 1140
ttgtctatcg atattccagc tggtagtaag gtagccatcg ttggtccgac aggtgctgga 1200
aaatcaactc ttatcaatct ccttatgcgt ttttatccca ttagctcggg agatatcttg 1260
ctggatgggc aatccattta tgattataca cgagtatcat tgagacagca gtttggtatg 1320
gtgcttcaag aaacctggct cacacaaggg accattcatg ataattatgc ctttggcaat 1380
cctgaagcca gtcgagagca agtaattgct gctgccaaag cagctaattgc agactttttc 1440
atccaacagt tgccacaggg atacgatacc aagttggaaa atgctggaga atctctctct 1500
gtcggccaag ctcagctctt gaccatagcc cgagtctttc tggctattcc aaagattctt 1560
atcttagacg aggcaacttc ttccattgat acacggacag aagtgctggt acaggatgcc 1620
tttgcaaaac tcatgaaggg ccgcacaagt ttcattcattg ctcaccgttt gtcaaccatt 1680
caggatgctg atttaattct tgtcttagta gatggtgata ttgttgaata tggtaaccat 1740
caagaactca tggatagaaa gggttaagtat taccaaatgc aaaaagctgc ggcttttagt 1800
tctgaataa 1809

```

&lt;210&gt; 522

&lt;211&gt; 1053

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 522

```

acaaaggaga aaaaaatcat gtttgaacat tattcagtag ctgatttgtt tgcaaâctt 60
tataaaaagc gaaaagcaaa tatttttagct ctcacgctt tatttgctct cattgctgta 120
ccatttacia ttaaagcagt taggaataaa aacactgtca aagatacaac aagtatttca 180
acttatctta tctataaaat cactcctcca aaagagtcgg acaaaacgat tttgaatcat 240

```

```

caaattggtg gttatagtga tttttatggg aaattgattg atggtaattt gaatggagct 300
tatcttttca atgatgtaga acccagttag ttgaaaaaaa ttgccagtga attagacacg 360
acagaaacaa ctttgaaaaa ttcaacgaat gactattggt ggaaaaaatt gaccgtctac 420
tatatgattg acgatgcagg ggttggtgtg aaaatthttga catcaagtaa agatgccaat 480
aacttgttag agaaaaaaat tgatgggttg attgagaaat ttaaacaatgc ctatgcaaat 540
gtgaaaattg aaaaactgga aaccatcaac tctaaagaat tgaacgcaaa tgggtgaaaca 600
gcgcttggtt taaatgtgaa aaatctgatt ctctgttttag ttgttatttg agtggtttgt 660
gtgatttttg ttgtgatggg aaatgtgtta gtttatctct ttaatccaac aatcaataga 720
gtaggtgatt tttctcagta tcaaattgat ttgtaacag agattacaac aattgctaac 780
ctagcagatg ttttgtcata caaaaatact ggacaggaat tgaccatcgt tagctcaaat 840
aaagctatct tagataaatt gaaacagagt caagaagctt taaaaggaat gcattttgta 900
gatttacagg atgtatcatc tcttttgga agagatacag tccttcttgt tgaagagtac 960
ggagtgactc gttataagaa atttgagcaa agtcttcaaa ttctcagaaa cttaaactcg 1020
tctatcctcg gtgtagcaac ctttaaatta taa 1053

```

&lt;210&gt; 523

&lt;211&gt; 1329

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 523

```

aattctgggt gcctatccta tttatccaat atcagaccat ggaaaggaga gaagatgagt 60
aaagaaaatc ccttaagtca tcatgagcag ttgcgttatg attatttgct aaaaaatatt 120
cactatctca atgagagaga aaaaaatgag ttgcctatt tgcaagaaaa gctaactctt 180
gctaggggaa atagtagctc tagcttgga caagaaagag aagagcaggt tgacttacca 240
agctatgcga accggagtcg ctcaaatcc aaatcacaag cactctcttt cctccaaaa 300
aagaaaagac ggaagctccg tcttaaacga atttttatgg tgattttttc acttttggtc 360
tgtgtggctt tggccatggt attcatgttt ttgcgtgggt accaagatgc tagcgcaaag 420
aaaactgctg atgcccgggc agctcaagta gaagtcttta atggtcagga cactagagat 480
ggagttaata ttttaatcat ggttactgat ggtcgaatcg gccagaacag tggtgagaca 540
cgaactgact ctattatggt attaaatgtc gggggctcag ataagaaaat gaagctagtc 600

```



```

agtttcacgc gtgataatct ggtctatata gatgggtata gtcaagtgat taatggtaga      660
aaacagacag ataacaagtt aaacgtagcc tacgagttag gagaacaaga ggggcaaaaa      720
ggggcagaaa tggttcgcca agtcttgaaa gataatcttg acttggacat taagtactac      780
gccttggttg atttccaggg ctttgccaca gcgattgaca cgcttttccc tgatggggtg      840
acgattgatg ctcaatcttc aacattgaat gggcgctccc taacagaagc tacagtcgga      900
gatgatttat acgctaccga gactgagttt ccaacccaaa ccattaaagt cggaataacag      960
cagatgaatg gctcgaccct gctcaattat gctcgtttcc gtgatgatga tgaggcagat     1020
tacggccgta caaaaagaca gcaacaagtt ttaacagcaa ttttagagca aattaaagat     1080
cccactaaac ttttactggt ttctgaagct cttggaaagg tttttgctat gacctcaacc     1140
aacgtaccct atactttcct cctaacaac ggtttatctg ttttggatgg agcaaaaaat     1200
ggattgaaa aattgacgat tccagaactg ggtgactggg tagatgccta tgatgtttat     1260
gggggcttgg gcctgctggt tgatcaaac aaatatcaaa ccaagctcgc tcaaatgggc     1320
ttaagataa                                     1329

```

&lt;210&gt; 524

&lt;211&gt; 825

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 524

```

ccgctgccta aaggagaagc catgtcaaca tataactggg atgagaagca tatccttacc      60
tttctgaag aaaaagtagc cctttctact aaggatgtcc atgtttacta tggtaaaaat     120
gaatccatta aggggattga tatgcaattt gaaagaaata aaattacagc tttgattggc     180
ccgtcgggat cggggaaatc tacctactta cgcagtctca atcgcatgaa tgatactatt     240
gatattgcta aagtaactgg gcagattctc tatcgtggaa ttgatgtcaa ccgtccagaa     300
atcaacgttt atgaaatgcg taaacacatt ggaatggttt ttcaacgtcc caatccattt     360
gctaagtcaa ttaccgtaa tattaccttt gcgcatgaac gtgctggagt taaggataag     420
caagtcctag atgaaatcgt agaaacctcc cttegtcagg ctgccctctg ggatcagggt     480
aaagacgatc tccacaagtc agccttgacc ttatcagggt gtcagcaaca acgtctctgt     540
atcgctcgtg ccatctctgt taagccagat atcctcttaa tggatgagcc agcctcagcc     600
ttggatccga ttgcgaccat gcaactagaa gagaccatgt ttgagctcaa gaaaaacttt     660

```

accatcatca ttgtaacgca taatatgcag caggctgctc gtgcaagtga ctatacaggc 720  
 ttcttttact tgggtgattt gattgagtat gacaagactg caactatttt ccaaaatgcc 780  
 aagctacagt ccaccaatga ctatgtatct ggtcactttg gttag 825

<210> 525

<211> 1395

<212> DNA

<213> Streptococcus pneumoniae

<400> 525

aggcaggaaa tttttatgag taaaatcggt gtagtcggtg ctaaccacgc tggtagacga 60  
 tgtatcaata ccatgttggg taattttgga aatgagaacg aaattgttgt atttgaccaa 120  
 aactctaaca tctctttcct aggatgtgga atggctcttt ggattggtga acaaatggac 180  
 ggtgctgaag gcttgttcta ttctgataaa gaaaaattgg aagctaaagg tgctaaagtt 240  
 tacatgaact cacctgttct ttcaatcgac tatgataaca aagtagttac agcgggaagtt 300  
 gaaggaaaag agcacaaaaga atcatacgaa aaattgattt tcgctacagg ctctacacca 360  
 atcttgccac caatcgaagg tgttgaaatt gttaaaggaa accggaatt taaagcaact 420  
 cttgaaaacg tacaattcgt gaaattgtac caaatgctg aagaagttat caataaactt 480  
 tctgacaaga gccaacacct cgaccgtatc gccgttggtg gtggtggtta catcggtgtt 540  
 gaacttgctg aagcctttga acgtcttgga aaagaagttg tccttggtga tatcggtgat 600  
 actgtcttga acggttacta tgacaaagac ttcacacaaa tgatggcgaa gaacttgga 660  
 gatcacaaca tccgcttggc tctaggtcaa actgttaaag caatcgaagg tgacggtaaa 720  
 gttgaacgct tgattactga caaagaaagc tttagctgg atatggttat ccttgcaagt 780  
 gggttccgct caaacacagc ccttgcaagt ggtaagatcg aactcttccg caacgggtgcc 840  
 ttccttgtag acaagaaaca agaaacatct atcccagacg tttagctgtg tggtagactgt 900  
 gcgactgttt atgacaatgc tcgtaaagat acaagctata tcgctcttgc ttcaaagct 960  
 gttcgactg gtatcggttg tgctacaat gcttggtggac atgaattgga aggaatcggt 1020  
 gttcaagggt caaatggtat ctcaatctac ggtcttcaca tgggttcaac tgggttgact 1080  
 cttgaaaaag cgaaagctgc tgggtacaac gcaactgaaa caggctttaa cgatcttcaa 1140  
 aaaccagaat tcatgaaaca tgacaacct gaagtagcaa ttaagattgt ctttgacaaa 1200  
 gatagccgtg aaattcttgg tgcccaaag gtttcacatg atattgcaat tagcatggga 1260

atccacatgt tctcacttgc tatccaagag catgtgacaa ttgataaatt ggcattgaca 1320  
gacctcttct tcttgccaca cttcaacaaa ccatacaact acatcacaat ggctgccctt 1380  
acggctgaaa aataa 1395

<210> 526

<211> 1263

<212> DNA

<213> Streptococcus pneumoniae

<400> 526

ggaaagtttag actgtattgc ctactgtcta tctataaaat atatatttatt ggaggctttt 60  
actcaaattgg caaaagaaaa atacgatcgt agtaaaccac acgttaacat tgggtactatc 120  
ggacacggtg accacggtaa aactacccta actgcagcta tcacaactgt tttggcacgt 180  
cgcttgccctt catcagttaa ccaacctaaa gactatgcgt ctatcgatgc tgctccagaa 240  
gaacgcgaac gcggtatcac tatcaacact gcgcacggtg agtacgaaac tgaaaaacgt 300  
cactacgctc acatcgacgc tccaggacac gcggactacg ttaaaaacat gatcactggt 360  
gctgctcaaa tggacggagc tatccttgta gtagcttcaa ctgacggacc aatgccacaa 420  
actcgtgagc acatccttct ttcacgtcag gttggtgta aacaccttat cgtcttcatg 480  
aaciaagttg acttggttga cgacgaagaa ttgcttgaat tgggttgaat ggaaatccgt 540  
gacctattgt cagaatacga cttcccaggt gacgatcttc cagttatcca aggttcagca 600  
cttaaagctc ttgaaggtga ctctaaatac gaagacatcg ttatggaatt gatgaacaca 660  
gttgatgagt atatcccaga accagaacgt gacactgaca aaccattgct tcttccagtc 720  
gaggacgtat tctcaatcac tggacgtggt acagttgctt caggacgtat cgaccgtggt 780  
atcgttaaag tcaacgacga aatcgaaatc gttggtatca aagaagaaac tcaaaaagca 840  
gttggttactg gtgttgaaat gttccgtaaa caacttgacg aaggtcttgc tggagataac 900  
gtaggtgtcc ttcttcgtgg tgttcaacgt gatgaaatcg aacgtggaca agttatcgct 960  
aaaccagggtt caatcaaccc acacactaaa ttcaaagggtg aagtctacat ccttactaaa 1020  
gaagaagggtg gacgtcacac tccattcttc aacaactacc gtccacaatt ctacttccgt 1080  
actactgacg ttacaggttc aatcgaactt ccagcaggta ctgaaatggt aatgcctggt 1140  
gataacgtga caatcgacgt tgagttgatt cacccaatcg ccgtagaaca aggtactaca 1200  
ttctctatcc gtgagggtgg acgtactggt ggttcaggta tggttacaga aatcgaagct 1260

taa 1263

<210> 527  
 <211> 873  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 527  
 caaatggatt tcacatgggc actgaagtat gccactgaat ttttgggaac tgccattttg 60  
 atcattcttg ggaatggtgc agttgccaac gttgaactta aaggtacgaa aggtcaccaa 120  
 agtggctgga tcgtcatcgc tgttggttat ggtatggggg ttatgatccc agccttgatg 180  
 tttggtaacg tatctgggaa tcacatcaac cctgctttca ctctagggct tgcagttagc 240  
 ggtcttttcc cttgggcaca agtgggtacct tacattatcg cgcaagtctt gggggctatc 300  
 tttggccaag ccttagttgt ggcaacatac cgtccattct acttgaaaac tgaaaaccca 360  
 aataacatct tgggaacttt ctcaactatt tcaagtattg accatggtac aaaagaaagt 420  
 cgctatgcag caactgtcaa tggtttgatt aatgagtttg ttgggttcatt tgttttgttc 480  
 tttgcagctc ttggtttgac taaaaacttc tttggtgctg aagtgttca attcatgaaa 540  
 caaaaggcaa cagaagcagg acaaacagtt gatttttctg acttggtat taaagcacag 600  
 gtggctccac aactgcttc aggactttct gtggctcact tggcacttgg attcctcggt 660  
 atggcttttg taacatcact tggaggacct acaggacctg ccttgaaccc agcccgtagc 720  
 ttgggaccac gtctccttca tgctttcctt cccaaatcag ttcttgggtga gcataaaggc 780  
 gattcaaaat ggtggtattc ttgggtacca gtagtagcac ctatcgagc agcaattgag 840  
 gcagtagctg tattcaaatt cctttatctc taa 873

<210> 528  
 <211> 1416  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 528  
 gagaaggaga tgagttcagg taaaattgct caggttatcg gtcccgttgt agacgttttg 60  
 tttgcagcag gggaaaaact tcctgagatt aacaatgcac ttgtcgtcta caaaaatgac 120  
 gaaagaaaaa caaaaatcgt ccttgaagta gccttgaggt taggagatgg tatgggtcgt 180  
 actatcgcca tggaatcaac agatggggtg actcgtggaa tggaagtatt ggacacaggt 240  
 cgtccaatct ctgtaccagt aggtaaagaa actttgggac gtgtcttcaa cgttttggga 300

gataccattg acttggaagc tccttttaca gaagacgcag agcgtcagcc aattcataaa 360  
 aaagctccaa cttttgatga gttgtctacc tcttctgaaa tccttgaaac agggatcaag 420  
 gttattgacc ttcttgcccc ttaccttaaa ggtggtaaag ttggactttt cgggtggtgcc 480  
 ggagttggta aaactgtctt aatccaagaa ttgattcaca acattgcccc agagcacggt 540  
 ggtatttcag tatttgctgg tgttggggaa cgtactcgtg aggggaatga cctttactgg 600  
 gaaatgaaag aatcaggcgt tatcgagaaa acagccatgg tctttggtca gatgaatgag 660  
 ccaccaggag cacgtatgcg tgttgccctt actggtttga caatcgctga atacttccgt 720  
 gatgtggaag gccaaagacgt gcttctcttt atcgataata tcttccgttt cactcaggct 780  
 ggttcagaag tatctgccct tttgggtcgt atgccatcag ccgttggtta ccaaccaaca 840  
 cttgctacgg aaatgggtca attgcaagaa cgtatcacat caaccaagaa gggttctgta 900  
 acctctatcc aggctatcta tgtgccagcg gatgactata ctgaccacgc gccagcaaca 960  
 gccttcgctc acttggtatc aacaacaaac ttggaacgta agttggtaca attgggtatc 1020  
 taccagccg ttgaccact tgcttcaagc tcacgtgcct tggcacctga aatcggttga 1080  
 gaagagcact atgcagttgc tgctgaagta aaacgtgtcc ttcaacgtta ccatgaattg 1140  
 caagatatca ttgctatcct tggatatgat gagctttctg atgaagaaaa gaccttggtt 1200  
 gctcgcgccc gtcgtatcca gttcttcttg tcacaaaact tcaacgttgc ggaacaattt 1260  
 actggtcagc caggttctta tgttccagtt gctgaaactg tacgtggctt taaggaaatc 1320  
 cttgatggta aatacgacca cttgccagaa gatgccttcc gtggtgtagg ttctatcgaa 1380  
 gatgtgattg caaaagctga aaaaatggga ttttaa 1416

&lt;210&gt; 529

&lt;211&gt; 888

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 529

aggtgtcaga tggcagtatc tctaaatgat attaaaacaa aaatcgccctc aacaaaaaat 60  
 acgagtcaaa tcactaatgc catgcaaagt gtatcggctg ctaagctagg tcgttctgaa 120  
 gaagctgctc gcaacttcca agtttacgct cagaaagtgc gtaaaactttt gacagatatc 180  
 cttcatggta atggagctgg tgcttcaact aatccgatgt tgattagccg ttctgtgaag 240  
 aagacaggct atatcgttat cacttcagac cgcggtttgg ttggagggtta taattcctct 300

attttgaaag ctgttatgga gttgaaagaa gaataccacc cagacggtaa aggttttgaa 360  
 atgatctgta tcggtgggat gggagctgat ttctttaagg ctgcggtat tcaaccactt 420  
 tatgaattac gtggcttgtc agaccaacct agctttgatc aagttcgtaa gattatttca 480  
 aaaactgttg aaatgtacca aaatgaactc tttgatgagc tttatgtttg ctacaaccac 540  
 catgtcaata cgctaaccag tcaaatgcgt gtggaacaaa tgcttccgat tgttgacttg 600  
 gatccaaatg aagcggatga agagtacagc ttgacttttg aattggaaac cagccgagaa 660  
 gaaattctgg agcagttgtt gcctcagttt gcagaaagta tgatttacgg tgccattatc 720  
 gatgccaaga cagctgagaa tgctgcgggc atgacagcca tgcaaacagc gacagataat 780  
 gctaagaaag tcatcaatga tttgacaatt cagtataacc gtgccagaca ggcggcgatt 840  
 acacaagaaa ttacagaaat cgtagcaggt gctagtgcct tagaatag 888

<210> 530

<211> 1536

<212> DNA

<213> Streptococcus pneumoniae

<400> 530

agaaaatttg aaatagaaag tgggtgttctt ttggcaatta acgcacaaga aatcagcgct 60  
 ttaattaagc aacaaattga aaatttcaaa cccaattttg atgtgactga aacagggtgtt 120  
 gtaacctata tcggggacgg tatcgcgcgt gctcacggcc ttgaaaatgt catgagtgga 180  
 gagttgttga attttgaana cggtctcttat ggtatggctc aaaacttgga gtcaacagac 240  
 gttggtatta tcatcctagg tgactttaca gatatccgtg aaggcgatac aatccgccgt 300  
 acagggaaaa tcatggaagt ccctgtaggt gaaagtctga ttggtcgtgt tgtggatccg 360  
 cttggtcgtc cagttgacgg tcttggagaa atccacactg ataaaactcg tccagttagaa 420  
 gcaccagctc ctggtgttat gcaacgtaag tctgtttcag aaccattgca aactggtttg 480  
 aaagctattg acgcccttgt accgattggg cgtgggtcaac gtgagttgat tatcggtgac 540  
 cgtcagacag ggaaaacaac cattgcgatt gatacaatct tgaacaaaa agatcaagat 600  
 atgatctgta tctacgtcgc gattggacaa aaagaatcaa cagttcgtac gcaagtagaa 660  
 acacttcgtc agtacggtgc cttggactac acaatcgttg tgacagcctc tgcttcacaa 720  
 ccatctccat tgctcttctt agctccttat gctgggggtg ctatggcgga agaatttatg 780  
 tatcaaggta agcatgtttt gattgtatac gatgatctat caaaacaagc ggtagcttat 840

```

cgtgaactgt cgctcttgct tcgtcgtcct ccaggctcgtg aagccttccc aggggatggt      900
ttctatctcc acagccgttt gcttgagcgc tcagctaaag tttctgatga acttggtggt      960
ggatcaatta cagccctacc atttatcgag acacaagcag gagatatctc agcctatatc     1020
gcaaccaacg tgatttctat cactgatgga caaatcttcc ttggcgatgg cctcttcaat     1080
gcaggatattc gtccagccat cgatgcgggt tcactctgtat ctctgttagg tggttctgca     1140
caaatcaaag ccatgaagaa ggttgctggt acacttcgta tcgaccttgc ttcataccgt     1200
gagttggaag cctttactaa gtttggttct gacttggacg cagcaacaca ggctaagttg     1260
aaccgtggac gtcgtaccgt tgaggtcttg aaacaacctg ttcacaaacc attacctgtt     1320
gagaaacaag taaccattct ttatgctttg acacatggtt tcttggatac tgttccagta     1380
gatgatattg ttcgtttcga ggaagagttc catgccttct ttgatgctca acatccagag     1440
attttggaag ccattcgtga tacaaaagac ttgccagaag aagcagtctt ggatgctgcg     1500
attacagagt ttctcaatca atctagcttc caataa                                1536

```

```

<210> 531
<211> 567
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 531
tcagtatatc gatcagctag gagaagctta atggacaaga aaacagtaaa ggtaattgaa      60
aaatacagca tgccttttgt ccaattggta cttgaaaaag gagaagaaga ccgtatcttt     120
tcagacttga ctcaaatcaa gcaagttggt gaaaaaacag gtctgccttc ttttttaaaa     180
caagtggcag tagacgagtc ggataaggaa aaaacaattg cttttttcca agattctgtg     240
tcgcctttat tacaaaactt tatccagggt ctggcctaca atcacagagc aaatcttttt     300
tatgatgtgc ttgtagattg cttgaaccga cttgaaaaag aaacaaatcg atttgaagtg     360
acgattacgt ctgctcatcc tctaactgat gaacagaaga ctcgtttgct ccctttgatt     420
gagaaaaaaa tgtctctgaa agtaaggagt gtaaaagaac aaatcgatga aagtctcatt     480
ggtgggtttg tcatttttgc caatcacaag acaattgatg tgagtattaa acaacaactt     540
aaagttgtta aagaaaattt gaaatag                                567

```

```

<210> 532
<211> 498

```

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 532

```

ctgatgcacg taacagtagg tgaattaatt ggtaatttta ttttaatcac tggctctttt      60
attctttttgc tagtcttgat taaaaaattt gcatggctta atattacagg cattttcgaa      120
gaaagagctg aaaaaattgc ttcagatatt gacagagctg aagaagcccg tcaaaaagca      180
gaagtattgg ctcaaaaacg cgaagatgaa ttggctggta gccgtaaaga agctaagaca      240
atcattgaaa atgcaaagga aacagctgag caaagtaagg ctaatatctt agcagatgct      300
aaactagaag caggacactt aaaagaaaaa gccaatcaag aaattgctca aaataaagta      360
gaagctttac agagtgttaa ggggtgaggc gcagatttga ccatcagctt agctggtaaa      420
atcatctcac aaaaccttga cagtcatgcc cataaagcac tcattgatca gtatatcgat      480
cagctaggag aagcttaa                                     498

```

&lt;210&gt; 533

&lt;211&gt; 1419

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 533

```

attgaaagag gtagtgagat ggacgcgaaa ttaagatata aggcaaagaa gatcaagatt      60
gtcttttttg atattgatga tacattgcgg aattcaaaga cagggtttat tccaactaca      120
attcccactg tttttaaaca gttgcgtgaa aaaggaattt taacaggaat cgcctctgga      180
cgtggcattt ttggtgttgt tccagagatt cgtgatctca agcctgactt ttttgtaact      240
ttgaatgggg cttatatcga agataaaaaa ggtcagggtca tttatcagca tcagattgaa      300
aagtcagatg ttgaggagta tatctcttgg gctaagcaag aaggaattga gtatggcttg      360
gttgggagtc atgatgccaa gttgtcgact cgcaccgata tgatgagtga agctatcaat      420
ccaatttata ccgacttaga tgtagatccc gatttccatg aaaaagaaga tatctatcag      480
atgtggactt ttgaagataa gggagatgac ttgcacttgc ctgacagtct ctgagacaaa      540
cttcgcatgg ttcgttggca tcaacattcg tctgatattg tgccgatttc aggetccaaa      600
gcgacggggg tggaaaaggt tgtggaacac cttggcttga aaccagagaa ggtcatgggt      660
tttggagatg gtctcaacga cttggaactc tttgattatg ctggaatcag cgttgccatg      720
ggaatttctc atgataaaat caaagaaaaa gcagattata ttacaaaaac attagaagaa      780

```



gatggcattt ttgctgcctt agaagtattt ggtatggtag aaaaagaatt gcattttcca 840  
 caagtagaca ttgaaacagt agaaggtcct cttgcgacta ttaagaccaa tcacggagac 900  
 ttacgtatca agcttttccc tgaacatgct cctaaaacag tggctaactt tgtatctctt 960  
 tcaaaagatg gctactatga tgggtgcatt ttccaccgta ttatcaagga ctttatgatc 1020  
 caaggtggag acccaactgg aactggatatg ggtggcgagt caatctacgg cgaatctttt 1080  
 gaggatgaat tctcagaaga gctttacaat atccgtgggtg ctctttccat ggcaaatgct 1140  
 ggtccaaata ccaacggcag ccagttcttt atcgtgcaaa accaacacct accttattct 1200  
 aagaaagaaa ttactcgtgg tggttggcca gaaccgattg cagaaatcta tgccaatcaa 1260  
 ggtgggacac ctcacctaga ccgccgtcac acggtttttg gtcagttagc tgatgaagca 1320  
 tcttacgtg tcttgatgc cattgctgct gttgagacag gagctatgga caagccagtt 1380  
 gaagatggtg taattgaaac tattgaaatc gaggactaa 1419

<210> 534  
 <211> 252  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 534  
 aggagaaaaa acatgggtca acaacgtcgt ggcggattca aacgccgtaa aaaagttgat 60  
 tacatcgcag caaacaaaat tgaatatggt gattacaaag atactgagct tcttagccgt 120  
 ttcgtttcag aacgtgggaa aatccttcct cgtcgtgtaa caggaaacttc agctaaaaac 180  
 caacgtaaag taacaacagc tatcaaacgc gctcgcgtaa tggctttgat gcctttcgta 240  
 aacgaagatt aa 252

<210> 535  
 <211> 312  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 535  
 accaaaagga ggaacatatc aatggctaaa tacgaaattc tttatatcat tcgtccaaac 60  
 attgaagaag aagctaaaaa cgctttggta gcacgttttg actctatttt gactgacaac 120  
 ggtgcaactg ttgttgaatc aaaaacttgg gaaaaacgtc gtcttgcata cgaaatccaa 180  
 gatttccgtg aaggacttta ccacatcggt aacgttgaag caaatgacga tgcagctctt 240  
 aaagagtttg accgtctttc aaaaatcaac gctgacattc ttcgtcacat gatcgtcaaa 300

attgacgcgt aa 312

<210> 536

<211> 1638

<212> DNA

<213> Streptococcus pneumoniae

<400> 536

```

gctggatcac ttggaaggac gaatcattta ggaggaaagc aaatgaaacg aatagtcttt      60
gaacttattt ttatcgcaac gacctgggtat atcttttttac cgccccttaa cctgaccagc     120
tgggaatttc tcttcttcct ctgtgggcat ttgttagttg tggcaatatt atttggcttt      180
ggcaagggga taaaccttgt caaaacgggt catgtgcgcc acggttaaggc ggaagctgcc      240
ttaaatcttg agggtttcaa aatcaatcgg ttagggaaaa ttctgttagc ttcgattgga      300
ggaattcttc tcttggcagc tttggtttcc ttggtaactt ccagcatgtt tcaggctaaa      360
aattatgcca atgtagtcac ggttacggaa aaagacttta ctgaatttcc taagagtgc      420
accagtaagg ttcctatcct agatagaagt actgctgaaa aaattggaga ccgctacttg      480
ggttccctaa ccgataaggt gtcgcaatac gtagcggcag atacctatac ccaattgaca      540
attgatggga aaccttatcg ggtcacacca ctagaatatg cagaccctat caaatggttt      600
aacaatcaag ccaagggaat cggtgagtat attaagggtg acatggtaac tggaaatgcg      660
gatttggtgg acttgaagac accaatcaag tattcagact cggagtattt taaccgtgat      720
gtcaaacgtc acctgcgctt gaagtacccg accaaaatct ttaaaactcc atcttttgag      780
gtggacgatg agggcaatcc tttctatgta gcaacggttt accaaaagca atttggactt      840
gctgttcctc gtcctgcttc agtcattatc ttggatgcta caaatggaga aaccaaggaa      900
tacagcttat cagatgttcc agaatgggtg gacaggatct atccagcaga ggaaaccatt      960
gagcaaatca actacaacgg caagtacaag gacggtttct tgaatgccat gattttcaag     1020
aaaaacgtga ccagactac caatggctat aattacttgt ctatcggtaa tgacatctat     1080
ctctacacag gtgtgacgtc ggctaatacg gatgagagta atcttggttt catccttgaa     1140
aatatgcgaa caggagaaat cactaagtat agcttggctt ctgcgacaga agaatcagcc     1200
cgtgaatcag cagaagggtc tgttcaggag aaatcctaca aagcaacctt cccaatcctc     1260
atcaacctca atgacaagcc tctctacatc atgggcttga aggacaatgc tggcttggtc     1320
aaagagtacg ccctggtaga cgcagtcgag taccaaaatg ttatcgttgc tactacagtg     1380

```

gaagagatgc tcagcaagta tgccaataaa aacgaccttg aaattgacaa tgcaacgaca 1440  
 gaaagcatca atggagtagt agcagacctc aaatcagctg ttatcaaggg agacactgtc 1500  
 tacttcttta aagttgatgg caagatatac aaggccaagg cttcagtatc cgatgacctt 1560  
 ccttaccttg aaaatggtaa aaccttcgaa ggtcaagtag gaaaagacaa ttatctcaag 1620  
 acctttaagc tacggtaa 1638

<210> 537

<211> 2751

<212> DNA

<213> Streptococcus pneumoniae

<400> 537

aaagctatga cagaaagaga gtctgttttg cacacaatgt caaggaggag acacatgtca 60  
 aaagaacaaa aacgccaagc gttttatact cagagccctg aagaggctctt gcaggctgtg 120  
 gatgcgaccg agcaaggttt gtcacatcaagt gaggcggaaa agcgccttgc cgaatttggg 180  
 cacaatgaac tcgaagaagg cgagaaacga tcaatcttgg tcaaattcat cgagcaattt 240  
 aaggatttga tgattatcat cctagttgcg gcagcaatct tgtcagtcgt gacttctggg 300  
 ggggaagata tcgcagatgc cattatcatc ctagctgtgg ttatcatcaa cgctgccttt 360  
 ggtgtttacc aagaaggaaa agctgaagaa gctattgaag ccctcaaatac catgtctagt 420  
 ccagttgccc gcgttcttcg tgatggacac atggcagaga ttgactctaa agaattggta 480  
 ccaggcgata tcgttgccct tgaagcaggt gacgtggtac cagcggacct acgtttgata 540  
 gaagccaact ctcttaaaat tgaagaagca gccttgacag gtgaatctgt accagtcgaa 600  
 aaagacttgt cagtcgagct tgcgacagat gctggtattg gtgaccgtgt caacatggcc 660  
 ttccaaaact caaacgtaac ctatggtcgt gggatgggtg ttgttgtcaa tacaggtatg 720  
 tacactgaag ttggtcatat tgctggtatg cttcaagatg cggatgagac tgatacacca 780  
 ctcaaacaaa atttgaacaa cctttctaag gtcttgacct atgctatctt ggtcattgcc 840  
 cttgttactt ttgtagtggg tgtcttcatt caagggaaaa atccacttggt tgagttgttg 900  
 acttctgttg cccttgccgt tgcagccatt ccagaaggac ttctgctat cgttaccatc 960  
 gttctttctc ttggtactca agttttggcc aaacgacatt ccatcgttcg taagttgcc 1020  
 gcagttgaaa cacttggttc aactgaaatc atcgcttctg ataagactgg tacgctgact 1080  
 atgaacaaga tgacagtcga aaaagtcttc tacgatgcgg ttctacatga ctacagctgat 1140

gatattgaac taggtcttga aatgccacta cttcgttcag ttgtcttggc caatgatacg 1200  
 aaaatcgatg tggaaggtaa cttgattggg gacccaaccg aaacagcctt tatccaatat 1260  
 gccttggaca agggctatga tgtcaaaggt ttcttagaga aatatcctcg tgtagctgaa 1320  
 ttgccatttg actctgaccg taagctcatg tcaacagttc acccattgcc agatgggtcgt 1380  
 ttccttgtag cagtcaaggg tgcgccagac caactcttaa aacgttgtct tcttcgtgat 1440  
 aaggctgggg atattgctcc gattgatgag aaggttacaa atctcattcg tacaacaat 1500  
 tctgaaatgg ctcatcaagc cttgcgtgtc cttgcagggt cttataagat tatcgatagt 1560  
 attccagaaa atctcacttc tgaagagctt gaaaatgatt taatttttac tggtttgatt 1620  
 gggatgattg accctgaacg tcctgaagcc gctgaggctg ttcgtgtggc taaggaagcg 1680  
 ggaatccgtc caattatgat tacagggtgac caccaagaca cagcgggaagc cattgccaaa 1740  
 cgtttgggaa tcattgacgc aaacgataca gaaggtcacg ttttaactgg tgctgaactc 1800  
 aatgaactgt cagatgaaga atttgaaaaa gtcgttgggt aatactctgt ttatgcccg 1860  
 gtgtctccag aacacaaggt tcgtatcgtc aaggcttggc aaaaacaagg taaagtcgtt 1920  
 gccatgacag gtgacgggtg caatgacgcg ccagctctga aaacagccga tatcggtatc 1980  
 ggtatgggaa tcaactgtac agaggtttct aagggggcct ctgatatgat tcttgcagat 2040  
 gataactttg cgactattat cgtcgcagtg gaagaaggac gtaaggctct ctcaaacatt 2100  
 caaaagacta ttcagtacct actttctgct aatactgctg aagtattaac catcttctca 2160  
 tcaaccttgt ttggttggga tgtcttacag ccggttcac ttttgtggat caacttggta 2220  
 acggatacct tcccagctat cgctcttggg gttgaacctg cggaacctgg tgcatgaat 2280  
 cataaaccac gtggacgcaa ggcaagcttc ttctcagggt gtgttttgag ttctatcatt 2340  
 tatcaagggt tactccaagc agctcttgtt atgagtgttt atggccttgc gattgcttac 2400  
 ccagttcatg tgggtgacaa tcatgctatt catgcagatg ccctaacgat ggcctttgca 2460  
 acccttgggt tgattcagct cttccatgcc tacaatgtca agtctgtcta ccaatccatc 2520  
 ttgacagttg gccattcaa gtctaagacc ttttaactgg ccatcttggg atcctttatc 2580  
 cttctcatgg caacaatcgt tgtagaaccg cttgaaggaa tcttcacgt aaccaaacta 2640  
 gacttgtcac aatggggaat tggtatgggt ggaagcttct caatgattat catcgtcgaa 2700  
 atcgtaagt ttattcaacg caaactcggg tttgacaaga atgcgattta a 2751

<210> 538  
 <211> 891  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 538  
 gacgaaagtg ttttgatagg gaggatatca gggatgaatt ttcaacaatt atccaatctg 60  
 caatattgga ccagtttggt tgcaagtcca tggacgatag ctatcaatct gattgatatt 120  
 ttgattgttg cttatatattt ataccatttt acaaaagcta ttgcaggaac caagattatg 180  
 attttggtac gtggagtttt ggtgtttatt ttagctcaaa tccttgcaaa tatgattggg 240  
 ttgactacga tttcttggtt aatcaatcaa attattactt atgggggttat tgcggcggtt 300  
 gttatcttct ctccagagat tgggactggg ttggaacgtt tgggaagagc gacagatttc 360  
 ttttccaatg cccctattag tgctgaggaa cagatgattc gtgcctttgt taagtctggt 420  
 gaatacatga gtcctcgtaa aatcggggcc ttggttgcta ttcagcgtgt acgtaccttg 480  
 caggagtata tttcgacagg aattcccttg gatgctaaga tttctgcaga acttctcatt 540  
 aacattttta ttccaacac tcccctacat gatggtgcgg tgattatcaa agaagaacgt 600  
 atcgtgtga cgtctgccta tctgcccttg aaaaaaaca cagggatttc caaggaattt 660  
 gggaccagac accgggcggc tatcggttta tcagaagtct cagatgcctt gacttttgtc 720  
 gtatcagagg aaacgggagg aatttcgata acctataatg gaagggttaa gcacaacct 780  
 acacttgatg aatttgaaac agaattacgt gaaatcttac ttccaaaaga ggaagtgggt 840  
 cttagtttta aagaacgatt gctaggagga tggaaacatg aaaaaaata g 891

<210> 539  
 <211> 1260  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 539  
 aatgacagta tagaatggaa ggaaatcatg tctacaaata gaaaaaatga tatgatgggt 60  
 tattgctcat tttgtggcaa aaaccaagaa gaagtacaaa aaataattgc tggcaacaat 120  
 gcttttattt gtaatgaatg cgtggagtta gctcaggaaa tcattcgaga agaattgggt 180  
 gaggaagtct tggcagactt gtctgagggt ccaaaaccaa ttgaactcct ccatatcttg 240  
 aaccactatg taattggtca agatcgtgcc aagcgtgcct tggcagtggc ggtttataac 300  
 cactacaaac gcatcaattt ccacgataca cgcgaagagt cagaagatgt ggatttgcag 360

aagtcaaaca ttttgatgat tggcccaact gggtcagga aaactttcct tgcccagacc 420  
ttggctaaga gcttgaatgt accttttgct attgcggatg cgacagctct gacggaggct 480  
ggttatgtgg gtgaggatgt ggaaaatata ctccctcaaac tcttgcagggt tgctgacttt 540  
aacatcgaac gtgcagagcg tggcattatc tatgtggatg aaattgacaa gattgccaaag 600  
aagagtgaga atgtgtctat cacacgtgat gtttctgggt aaggggtgca acaagccctt 660  
ctcaagatta ttgagggaaac tgttgctagc gtaccgcctc aaggtggacg caaacatcca 720  
caacaagaga tgattcaagt ggatacaaaa aatatcctct tcatcgtggg tgggtgctttt 780  
gatggatttg aagaaattgt caaacaacgt ctgggtgaaa aagtcacgg atttggtcaa 840  
aataataagg cgattgacga aaacagctca tacatgcaag aaatcatcg tgaagacatt 900  
caaaaatttg gtattatccc tgagttgatt ggacgcttgc ctgtttttgc ggctccttgag 960  
caattgaccg ttgatgactt ggctcgcac ttgaaagagc caagaaatgc cttggtgaaa 1020  
caataccaaa ccttgctttc ttatgatgat gttgagttgg aatttgacga cgaagccctt 1080  
caagagattg ctaataaagc aatcgaacgg aagacagggg cgcgtggact tcgctccatc 1140  
atcgaagaaa ccatgctaga tgtcatgttt gaggtgccga gtcaggaaaa tgtgaaattg 1200  
gttcgcatca ctaaagaaac tgtagatgga acggataaac cgatcctaga aacagcctag 1260

<210> 540

<211> 1164

<212> DNA

<213> Streptococcus pneumoniae

<400> 540

tataattatc aaaagacaaa aggagttcac ctcatggtag aattgaatct taaaaatatt 60  
tacaaaaaat atccaaacag cgaacactat tcagttgaag atttcaactt gaacatcaaa 120  
gataaagaat ttatcgtttt cgtaggacct tcaggatgtg gtaaatcaac tacactccgt 180  
atgattgctg gtcttgaaga cattacagaa ggtactgcat ctatcgatgg cgtagttgtc 240  
aacgacgtag ctccaaaaga ccgtgatata gccatgggat tccaaaacta cgctctttac 300  
ccacacatga ctgtttatga caacatggct ttcggtttga aattgcgtaa atacagcaaa 360  
gaagacatta acaaacgtgt tcaagaagca gctgaaatac ttggattgaa agaattcttg 420  
gaacgtaaac cagctgacct ttcaggtggg caacgtcaac gtgttgccat ggggcgtgcg 480  
attgtccgtg atgcgaaagt attcttgatg gacgaacctt tgtcaaactt ggatgccaaa 540

```

cttcgtgtat caatgcgtgc tgaaatcgct aaaattcacc gtcgtatcgg agctacaact 600
atctatgtaa ctcacgacca aacagaagcg atgacacttg cagaccgtat cgttattatg 660
tcagctacta agaaccctgc tggtagaggt actatcggac gtgtagaaca aatcgggtact 720
cctcaagaag ttacaaaaa tccagttaac aaattcgttg caggattcat cggaagccca 780
gctatgaact tcatcaccgt gaaattgggt ggtagcgaaa ttgtttctga cggtttccgt 840
ttgaaagtgc cagaaggagc attgaaagt cttcgtgaaa aaggctacga aggaaaagaa 900
ttgatctttg gtatccgtcc agaagacgtg aatgcagaac ctgctttcct tgaaacattc 960
ccagactgtg ttgtaaaagc gactatctct gtatcagaac tgcttggttc agaatctcac 1020
ctttactgtc aagttggtaa agacgagttt gttgcaaaag ttgatgctcg tgactacttg 1080
caaacaggtg caacagttga gcttggattt gacttgaaca aagcacactt cttcgatgta 1140
gaaactgaaa aaacaatcta ctaa 1164

```

```

<210> 541
<211> 1638
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 541
aaagaaaagt ataaactaag ccctataggg tggcttcgca ccacctttag aaagaagaat 60
aacgtgaaat ttaatgaatt aaacttgtct gctgatttgc tagcagaaat tgaaaaagct 120
ggttttgtag aagctagtcc tatccaagaa caaactattc ctttggccct tgaaggcaag 180
gatgttatcg gtcaagctca gactggtaca ggaaaaactg cagcctttgg cttgcctacc 240
cttgaaaaaa tccgtacaga agaagcgact atccaagcct tggtcatcgc tccaactcgt 300
gaactagctg tccaaagtca agaagaactc ttccgctttg gtcgtagtaa gggagtcaaa 360
gtccgttcag tatatggcgg atcaagcatt gaaaaacaaa ttaaggctct taaatctggg 420
gcccatattg tggtaggaac tccaggtcgc ctcttggttg tgattaaacg caaggccttg 480
aaattacaag acattgaaac ctttatcctt gacgaagcgg atgaaatgct taacatgggc 540
ttccttgaag acatcgaagc cattatttcc cgtgtacctg agaaccgtca aactttgctt 600
ttctcagcaa ctatgccaga tgccatcaaa cgtatcgggt ttcagtttat gaaagcccct 660
gaacatgtca agattgcggc taaggaattg acaacagaat tgggtgacca gtactatatc 720
cgtgttaagg aacaagaaaa atttgacacc atgactcgtc tcatggatgt ggcacaacca 780

```

gaactcgcta ttgtatttgg tcgtaccaaa cgccgtgtgg atgaattgac tcgtgggtttg	840
aaaattcgtg gcttccgtgc agaaggaatt catggcgacc tagacaaaa caaacgtctt	900
cgtgtccttc gtgactttaa aaatggcaat cttgatgttt tggttgcgac agacgttgca	960
gcgcgtgggt tggatatttc aggtgtgacc catgtctaca actacgatat tccacaagat	1020
cctgagagtt atgttcaccg tatcggtcgt acaggtcgtg ctggtaagtc aggtcaatct	1080
attacttttg ttgctccaaa cgaaatgggt taccttcaaa tcattgaaaa cttgactaag	1140
aaacgcatga aaggtctcaa acctgcaagt gtagaagaat cttccaatc aaaaaaacag	1200
gtagctctca agaaaatcga acgtgatttt gcagatgaaa ccattcgtgc caactttgag	1260
aaatttggta aggatgctcg caaattgggt gctgagttta ctccagaaga attggcaatg	1320
tatatcttga gtctgacagt ccaagaccca gatagccttc cagaagtgga gattgcacgt	1380
gaaaaaccac taccgtttaa accatcaggt aatggtttcg gtggtaaagc taagggaggt	1440
cgtggaggcc gtcgtgggga cgaccgtcga gagcgtgatc gccgtggcaa tggtcgccgt	1500
gatgagttca aaaaaggaag tcgtggcaac gatcggtttg ataaggaaaa acgttaccgt	1560
aaggataata aaaaaccacg caatacttta agcgaaaagc aaacaggcctt tgttattcgt	1620
aacaaaggcg ataaataa	1638

&lt;210&gt; 542

&lt;211&gt; 1317

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 542

atgttaacat acgatttaat tgttattgga tttggtaaag ctggtaaaac actagcaggt	60
aaattggctt cagctggcaa aaaagttgcc ctcggtgaac gcagcaaggc tatgtacggt	120
ggaacttgta tcaacattgg ttgtatccca actaaaacct tgctagtgtc tgctgaaaag	180
gacttgtctt ttgaagaagt cattgctact aaaaacacga tcaactggtc cctcaacggt	240
aaaaactatg cgactgttgc tggtagaggc gtagatatct ttgatgcgga agctcacttc	300
ctttcaaata aagtcacga aatccaagct ggtgatgaaa agaaagaact gactgctgaa	360
acaatcgtca tcaacactgg tgctgtttca aacgtcttgc caatccctgg acttgctaca	420
agcaaaaaca tctttgactc aacaggatc caaagcttgg acaaattacc tgaaaaactt	480
ggaatccttg gtggcggaat tatcgggtctt gaatttgccg gcctttacaa caaacttgga	540



```

agcaagggtca cagtcctaga tgccttggat acattcctac ctctgcaga accttccatc      600
gcagctcttg ctaaacaata catggaagaa gatggcattg aattgcttca aaatatccat      660
actactgaaa tcaaaaacga tggtagacaa gtgcttgctg taactgaaga cgaaacttac      720
cgtttcgacg cccttctcta cgcaactgga cgcaaaccaa atgtagaacc acttcaactt      780
gaaaatacag atattgaact aactgaacgt ggtgctatta aagtagacaa aactgtcaa      840
acaaacgttc ctggtgtctt tgcagttgga gatgtcaacg gtggccttca atttacttac      900
atttcacttg atgacttccg tgttgtttac agctaccttg ctggagatgg cagctataca      960
cttgaagacc gtctcaatgt gccaaatact atgttcatca cacctgcact ttcacaagtt    1020
ggtttgactg aaagccaagc agctgatttg aaacttccat acgctgttaa ggaaatcccc    1080
gttgacgcaa tgcctcgtgg tcacgtaa at ggagaccttc gcggtgcctt caaagctgtt    1140
gtcaatactg aaacaaaaga aattcttggg gcaagcatct tctcagaagg ttctcaagaa    1200
atcatcaaca tcatcactgt tgctatggac aacaagattc cttacactta cttcacaaaa    1260
caaatcttca ctcaccaaac cttggctgag aacttgaatg acttgtttgc gatttaa      1317

```

<210> 543

<211> 2370

<212> DNA

<213> Streptococcus pneumoniae

<400> 543

```

aattctgtta aaaaaaatga tataatagaa tttatggata aaaataagat tatgggatta      60
acccaaagag aagtcaagga aagacaggct gagggtttgg tcaatgactt taccgcatca    120
gccagtacca gcacttggca aatcgtaaaa cgaaatgtct ttaccctttt taacgctttg    180
aactttgcca ttgctttggc tcttgccctt gtgcaggctt ggagcaatct ggtcttcttt    240
gctgttatct gctttaacgc tttttctggg attgtgaccg agctacgagc caaacacatg    300
gtggacaagc tcaatctcat gaccaaggaa aaggtaaaaa ccatccgtga tggtcaggaa    360
gttgctctta atcctgaaga attagtgcta ggagatgtca ttcgtttgtc tgcaggagag    420
cagattccta gtgatgcctt ggttttggaa ggctttgcgg aagtcaatga agccatgtta    480
acgggagaaa gtgatttggg gcaaaaggaa gttgacggct tacttttgtc aggaagtttc    540
ctagccagtg ggtcagtttt atctcaagtt caccatgtcg gtgcagacaa ctatgctgcc    600
aaactcatgc ttgaggctaa gaccgttaaa cccatcaact cccgtatcat gaaatcgctg    660

```

gacaagttgg ctggttttac tgggaagatt atcattccct ttggtctggc tctcttgetg	720
gaagccttgc ttttaaaagg cctgcctctc aagtcattccg ttgtaaactc gtcgacagct	780
cttttgggaa tggtgcctaa ggggaattgcc cttttgacca ttacttcgct cttgactgca	840
gtgattaagt tgggcttgaa aaaggtcttg gtgcaggaga tgtactctgt tgagaccttg	900
gcgcgcgtgg atatgctctg tctggacaag acgggtacca tcaccaagg aaagatgcag	960
gtggaggctg ttcttccgtt gacggaaacg tatggtgaag aggctattgc cagcatcttg	1020
actagctaca tggcccatag tgaggataag aatccaactg cccaagccat tcgccagcgt	1080
tttgtgggag atgttgctta tcctatgatt tccaatcttc ccttctcgag cgaccgcaag	1140
tggggggcta tggagttaga aggcttgggg acagttttct taggggcacc tgagatgttg	1200
cttgattctg aagtcccaga agctaggagag gccttggaag gaggatcacg tgtcttggtc	1260
ttagctctca gtcaggagaa attagaccat cacaaccac agaaaccatc tgatattcag	1320
gctctagcct tgctggaaat ctgggacccc attcgagagg gagcagcaga gacgctggac	1380
tatctccgtt ctcaggaggt gggactcaag attatctctg gtgacaatcc agttacggtg	1440
tccagcattg cccagaaggc tggttttgcg gactatcaca gctatgtaga ttgctcaaaa	1500
atcaccgatg aggaattgat ggccatggcg gaggagacag ctattttcgg acgtgtttcc	1560
cctcatcaaa agaaactcat catccaaacg ttgaaaaaag cgggacatac aacggctatg	1620
acaggggacg gggttaatga tatcttggcc ctctcgtagg cggattgttc tatcgtgatg	1680
gcggaggggg atccagcaac ccgtcagatt gccaatctgg ttctcttgaa ctcagacttt	1740
aatgatgttc ctgagattct ctctgagggg cgtcgcgtgg tcaataacat tgcccacatc	1800
gccccgattt tcttgataaa gaccatctat tccttcctgt tagcagtcac ctgtattgcc	1860
agtgccttac taggtcggtc agagtggatt ttgattttcc ccttcattcc gatccagatt	1920
accatgattg accagtttgt ggaaggtttc ccaccattcg ttctgacttt tgagcgaaat	1980
atcaaacctg ttgagcagaa ttctctcaga aaatccatgc ttcgtgccct accaagcgt	2040
ctcatggctg tcttcagcgt cctgtttgtg aaaatgtttg gcgcgagtca aggttggctc	2100
gagttagaaa tctcaactct actctattat ctcttggggg caattggttt cttatccgta	2160
tttagagcct gcatgccatt taccctatgg cgtgtcctct tgattgtttg gtcagtagga	2220
ggtttcctag ccacagctct cttcccaaga attcaaaaac tgcttgaaat ttcaacctta	2280

acagaacaaa cgttgcctgt ttatggtgtc atgatgttgg tctttaccgt gattttcatc 2340  
 ctgaccagtc gttaccaagc gaaaaaataa 2370

<210> 544  
 <211> 294  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 544  
 agccaaataa aaaggagaaa catcatggca atctcaaaag agaaaaaaaa tgaaatcatc 60  
 gcacaatatg cacgtcacga aggtgataca ggttcagtag aggttcaagt tgctgtcctt 120  
 acttgggaaa tcaaccacct taacgaacac atcaaacaac acaaaaaaga ccacgtact 180  
 taccgtggat tgatgaaaaa aatcggtcgc cgtcgtaact tgcttgcata cttgcgtaaa 240  
 aacgacgtta accgttaccg tgagttgatc aactctctag gacttcgtcg ctaa 294

<210> 545  
 <211> 1953  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 545  
 ttgcattccc tagtgatttt tgtaagata aatgcaaata caaatgaaag cgagaacaag 60  
 atgacacggt atcaagatga tttttatgat gctatcaatg gagaatggca acagacagct 120  
 gaaatcccag cagataagtc tcaaacagga ggttttgttg atttagacca ggaaattgaa 180  
 gacctgatgc tggcgacaac agacaagtgg ttagcaggtg aagaagtgcc tgaggatgct 240  
 atcttgga aaactttgtcaa ataccaccgc ctagttcgtg attttgacaa gagagaagct 300  
 gacggatatca cacctgtcctt accactcctt aaagaattcc aagaattgga gacttttgcg 360  
 gatttttacag ctaaactagc agagtttgag cttgcaggaa aaccaaactt ccttcctttt 420  
 ggtgtatcgc cagactttat ggatgctaga atcaatgttc tatgggctag cgctccaagc 480  
 acaatcttgc cagatacgac ctactatgca gaagaacatc ctcagecgga agagctcttg 540  
 actcttttga aagaaagcag cgcaaacttc ctcaaggctt atgatttctc tgatgaagaa 600  
 attgaagact tgctagaaaa aagacttgaa ttggaccgcc gagttgcggc agtgggtgctc 660  
 tctaatgaag aaagttcaga atatgctaaa ctctatcatc catattctta cgaagatttc 720  
 aagaaattcg cgctgcctt acctttggat gacttcttca aagcagttat tgggcaatta 780  
 ccagacaagg ttattgtaga cgaggaacgt ttctggcaag cagcagagca attctacagt 840

gaggaagcct ggtctctcct taaagcaacc ttgattttga gtgttgctca tctttcaacc 900  
 agctatttaa cagaggatat ccgtgttttg tctggcgct acagccgtgc cttttctgga 960  
 gttccagagg caaaagataa ggtcaaagca gcttatcatc tagcacaaga acctttcaag 1020  
 caagccctgg gtctttggta cgtccgtgag aagttctctc cagaagccaa ggcggatgtg 1080  
 gagaaaaaag tggcaaccat gattgatgtt tataaggagc gtctgcttaa gaatgactgg 1140  
 ctactccag aaacctgtaa acaggctatc gtgaagctca atgtgatcaa accttatatt 1200  
 ggctatccag agaattgcc tgcacgttac aaggataagg tagtgaatga aactgccagt 1260  
 ctttttgaga atgctctagc ctttgcgct gtggaaatca agcacagttg gagtaagtgg 1320  
 aaccagcctg tagattataa ggaatggggc atgcctgtc atatgggtcaa tgcctactac 1380  
 aatcctcaga agaacctgat tgtctttcca gcggccattt tacaggcgcc tttctatgac 1440  
 ttgcatcagt catcttctgc taactacggg ggtattgggg cagtgattgc ccatgaaatt 1500  
 tcccacgcct ttgatactaa cggggcttcc tttgacgaaa atggtagcct caaggattgg 1560  
 tggacagaga gcgactatgc tgccttcaag gagaaaacac aaaaagtcac tgaccaattt 1620  
 gatggacagg attcttatgg agcaaccatt aacggtaaatt tgactgtatc agaaaacgtg 1680  
 gctgacttgg gaggaatcgc agcagcgctt gaagcagcta agagagaagc agacttctca 1740  
 gcagaagagt tcttctacaa cttcggtcgc atctggcgca tgaaaggctg accagaattt 1800  
 atgaaacttt tggctagcgt cgatgtgcac gcaccagcca aactccgtgt caatgtgcaa 1860  
 gtaccaaact tcgacgattt ctttacaacc tatgatgtca aagaaggaga cggaatgtgg 1920  
 cgttcaccag aggagcgctg gattatttgg taa 1953

<210> 546

<211> 708

<212> DNA

<213> Streptococcus pneumoniae

<400> 546

aggagaatcc atctaattgg aaaattgggt tttgctcgcc acggtgagtc tgaatggaac 60  
 aaagctaacc ttttacttgg ttgggctgat gttgatttgt ctgaaaaagg tacacaacaa 120  
 gcgattgacg ctggtaaatt gatcaaagaa gctggatcgc aatttgacca agcttacact 180  
 tcagtattga aacgtgctat caaaacaact aacttggtc ttgaagcttc tgaccaattg 240  
 tgggttccag ttgaaaaatc atggcgcttg aacgaacgct actacggtgg tttgactgg 300

```

aaaaacaaag ctgaagctgc tgaacaatTT ggtgatgagc aagttcacat ctggcgctcgT 360
tcatacgatg tattgcctcc aaacatggac cgtgatgatg agcactcagc tcacacagac 420
cgTcgTtacg cttcacttga cgactcagtt atcccagatg ctgaaaactt gaaagtgact 480
ttggaacgtg ctcttccatt ctgggaagat aaaatcgctc cagctcttaa agatggtaaa 540
aacgtattcg taggagctca cggtaaactca atccgtgccc ttgtaaaaca catcaaaggt 600
ttgtcagatg acgagatcat ggacgtggaa atccctaact tcccaccatt ggtattcgaa 660
ttcgacgaaa aattgaacgt cgtttctgaa tactaccttg gaaaataa 708

```

```

<210> 547
<211> 549
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 547
gagagaacca tgtctttaa agatagattc gatagattta tagattattt tacggaggat 60
gaggattcaa gtctccctta tgaaaaaaga gatgagcctg tgtttacttc agtaaattct 120
tcacaggaac cggctctccc aatgaatcaa ccttcacagt cggctggcac aaaagagaac 180
aatatcacca gacttcatgc aagacaacag gaattggcaa atcagagtca gcgtgcaacg 240
gataaggTca ttatagatgt tcgttatcct agaaaatatg aggatgcaac agaaattgtt 300
gattttattgg caggaaacga aagtatcttg attgattttc agtatatgac agaggTgcag 360
gctcgTcgTt gtttggacta tttggatgga gcttgtcatg ttttagctgg aaatttgaaa 420
aaggtagctt ctaccatgta tttgttgaca ccagtgaacg ttattgtaaa tgttgaagat 480
atccgtttac cagatgaaga tcaacagggT gagttcggtt ttgatatgaa gcgaaataga 540
gtacgataa 549

```

```

<210> 548
<211> 1389
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 548
agaggaagcg atgtaatggc tagagaaggc ttttttacag gtctagatat tggaacaagc 60
tctgtcaagg tgcttTggc cgagcagaga aatggTgaat taaatgtaat tggcgTgagT 120
aatgccaaaa gtaaaggTgt aaaggatgga attattgttg atattgatgc agcagcaact 180

```

gctatcaagt cagccatttc ccaagcggaa gaaaaggcag gcatttcgat taaatcagtg 240  
 aatgtcggct tgcctggtaa tcttttgcag gtagaaccaa ctcaggggat gattccagta 300  
 acatctgata ctaaggaaat tacggatcaa gatgttgaaa atgttgtaa atcagctttg 360  
 acaaagagta tgacacctga ccgtgaagtc attaccttta ttctgaaga atttattgtg 420  
 gatggtttcc aagggtatcg tgaccacagt ggcattgatg gggttcgct tgaaatgcgt 480  
 ggtttgcttt atacaggacc tcgtactatc ttgcacaatt tgcgtaagac ggttgagcgt 540  
 gcagggtgtc aggttgaaaa tgttatcatt tcaccactag caatgggtca gtctgttttg 600  
 aacgaagggg aacgtgaatt tgggtgctaca gtgattgata tgggggcagg tcaaacgact 660  
 gtcgctacaa tccgtaatca agaactccag ttcacacata ttctccaaga aggtggagat 720  
 tatgtaacta aagatatctc caaggttttg aaaacctctc gcaaattagc ggaaggcttg 780  
 aaactgaatt acggggaagc ctatccgcct cttgcaagca aagaaacctt ccaagtagag 840  
 gttattggag aagtagaagc agtcgaagtg acggaagcct acttgtcaga aattatttct 900  
 gcacgaatca agcacatcct tgaacaaatc aagcaagaat tagatagaag gcgtctattg 960  
 gacctccctg gtggtattgt cttaatcggg ggggaatgcca tttaccagg tatggttgag 1020  
 cttgctcagg aagtcttttg cgtccgtgtc aagctttatg ttccaaatca agttggtatc 1080  
 cgtaatccag cctttgcgca tgtgattagt ttatcagaat ttgcgggtca attaacagaa 1140  
 gttaatcttt tggctcaggg agcgataaaa ggtgagaatg acttaagtca tcagccaatt 1200  
 agttttggtg ggatgctgca aaaaacagct cagtttgtac aatcaacgcc tgttcaacca 1260  
 gctcctgctc cagaagtaga gccggtggcg cctacagaac caatggcgga tttccaacaa 1320  
 gcttcacaaa ataaaccgaa attagcagat cgtttccgtg gattgatcgg aagcatgttt 1380  
 gacgaataa 1389

&lt;210&gt; 549

&lt;211&gt; 2073

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 549

gattttaagt tagaaatgag actgatttgt atgagaaaat ttaacagcca ttcgattccg 60  
 attcggctta atttattgtt ttcaatcgtc attttactct ttatgaccat tattggctgt 120  
 ttgttgata tgcagggttt gaacaaggat ttttacgaaa aaaagctagc ttcagctagt 180

cagaccaaga ttacaagcag ttcagcccggt ggggaaattt atgatgctag tggaaaacct	240
ttggtagaaa atacgttaaa gcaggttggt tcctttacgc gtagcaataa aatgacggct	300
acagacttaa aagaaacagc taaaaagtta ctgacttatg tgagcatcag ttctccaaat	360
ttgacagaac gccagctggc ggattactat ttggctgatc ctgaaatcta taaaaaata	420
gtggaagctc tccaagtga gaaacgcttg gattcagatg gcaatcgtct atccgaatca	480
gaactgtata acaatgcggc cgatagtgtg caaacgagtc aactaaacta tacagaggat	540
gaaaagaaaag aaatctatct ttttagtcag ttaaagtctg ttggaaactt tgcgacagga	600
accattgcga cagatcctct aaatgattct cagggtggctg ttattgcctc tatttcaaag	660
gagatgcctg gcattagtat ttctacttct tgggatagaa aggttttggg aacttccctt	720
tcttctatag ttgggagtggt atccagtga aaagctggtc tcccagcgga agaagcagaa	780
gcctatctta aaaaaggcta ttctctaaat gaccgtgtag gaacctccta tttggaaaag	840
caatatgaag agaccttaca aggaaaacgc tcggtaaaag aaatccatct ggataaatat	900
ggcaatatgg aaagcgtgga tacaattgag gaaggtagta agggaaacaa tatcaaaactg	960
accattgatt tggctttcca agatagcgtg gatgctttac tgaaaagtta tttcaattct	1020
gagctagaaa atggtggagc caagtattct gaagggtgtct atgcagtcgc ccttaaccca	1080
aaaacagggtg cggttttgtc tatgtcaggg attaaacatg acttgaaaac gggagagttg	1140
acgcctgatt ccttggggaaac ggtaaccaat gtctttgttc caggttcggg tgtcaaggcg	1200
gcgaccatca gctcagggtg ggaaaatgga gtcttgtcag gaaaccagac cttgacagac	1260
cagtccattg tcttccaagg ttcagctccc atcaattctt ggtatactca ggcttacggg	1320
tcattcccta tcacagcggc ccaagctctg gagtattcat caaataccta tatggtccaa	1380
acagccttag gtcttatggg gcaaacctat caaccaata tgtttgtcgg caccagcaat	1440
ctagagtctg ctatggagaa actgcgttca acctttggcg aatatggctt gggactgctg	1500
acaggaattg acctaccaga tgaatctact ggatttggtc ccaaagagta tagctttgct	1560
aattacatta ctaatgcctt tgggcagttt gataactata cgccgatgca gttggctcag	1620
tatgtagcaa ctattgcaaa taatggtggt cgtgtggctc ctcgatttgt tgaaggcatt	1680
tatggtaata atgataaggg aggactgggt gacttgattc agcaactgca accgacagag	1740
atgaataagg tcaatatatc cgactccgat atgagcatct tgcaccaagg tttttatcag	1800
gttgcccatg gtactagtgg attgacaact ggacgtgcct tttcaaagg tgccttggtg	1860

tccattagcg gaaaaacagg tacagccgaa agctatgtgg cagatgggtca gcaagcaacc 1920  
aataccaatg cgggtggccta tgccccatct gataatcccc aaatcgctgt cgcagtggtc 1980  
tttcctcata ataccaatct aacaaatggt gtaggacctt ccattgcgcg tgacattatc 2040  
aatctgtatc aaaaatacca tccaatgaat tag 2073

<210> 550  
<211> 930  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 550  
aatgaagaat atagagatag agtaatgagt gaattaatta gtgttgtggt accgatatac 60  
aatacgggaa aatatttagt ggagtgtgtc gagcatattc tgaagcaaac ctatcaaaat 120  
atagaaatta ttttagttga tgacggttct acggataatt ctggggaaat ttgtgatgct 180  
tttatgatgc aagataatcg tgtgcgagta ttgcatcaag aaaataaggg gggggcagca 240  
caagctaaaa atatggggat tagtgtagct aaggagagt acatcacgat tgttgattca 300  
gatgatatcg taaaagaaaa tatgattgaa actctttatc agcaagtcca agaaaaggat 360  
gcagatgttg ttatagggaa ttactataat tatgacgaaa gtgacgggaa tttttatttt 420  
tatgtaacag ggcaagattt ttgcgtcgaa gaattagcta tacaagaaat tatgaaccgt 480  
caagcaggag attggaaatt caatagctcg gcctttatat tgccgacatt taagttgatt 540  
aaaaagaat tattcaatga agttcacttt tcaaattggtc gccgctttga tgatgaagca 600  
actatgcacg gcttttatct tttagcctct aaaatcgtct ttataaacga taatctctat 660  
ctgtatagaa gacgttcagg aagcatcatg agaacggaat ttgatctttc ctgggcaaga 720  
gatattgttg aagtgttttc taagaaaata tcggattgtg tcttggtggtg ttgggatgtc 780  
tccgttctgc gtattcgatt tgtcaatctt ttaaaagatt ataagcaaac tttagaatac 840  
catcaattaa cagatactga ggaatataaa gatatttggt tcagattaaa gttgtttttt 900  
gatgcagaac aaagaaatgg taaaagtga 930

<210> 551  
<211> 345  
<212> DNA  
<213> Streptococcus pneumoniae  
<400> 551



gccaatataa ctaaaaaaag gagaaataca atggcaaaag caattacaga tgcaacattc 60  
 gaacaagaaa caaaagacgg tttgggtctta gtagacttct gggcaacttg gtgtgggtcca 120  
 tgtcgtatgc aagggtccaat cttggacaaa ttgtctgaag aactttcaga agatgtcttg 180  
 aaaatcgta aaatggacgt tgatgaaaat ccaaacacag ctctgtgcttt tggaatcatg 240  
 tctattccaa ctcttctctt caaaaaagac ggccaagttg tcaaacaagt tgcaggtggt 300  
 cacacagcag aacaaatcaa ggccatcatt gctgaattga gctaa 345

<210> 552  
 <211> 624  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 552  
 ttaaaggagt ttcatatgtc aaacgaaaaa aacacaaaca ctaacgtaga aaagaaagat 60  
 gctactgttg tagctcacga aatcaaaggg gaacttactt acgaagataa agttatccaa 120  
 aaaatcattg gtctttcact agaaaacggt tcaggtcttt tgggaatcga tgggtggtttc 180  
 ttctcaaadc ttaaagaaaa aatcggtaac agcgatgacg taacaagtgg tggttaacgta 240  
 gaagttggtg aaacacaagt tgcagttgac ttaaacgtta ttgttgagta ccaaaaaaat 300  
 gttccagctt tatattcaga aatcagagaa atcgatatctt cagaagttgc taaaatgact 360  
 gacttggaaa ttgttgaaat caacgtaaac gttgtcgaca tcaaaactaa agaacagcat 420  
 gaagcagact cagtaagcct tcaagatcgc gtatctgacg ttgctgaatc aacaggagaa 480  
 ttcacttcag aacaattcga aaaagctaaa tctgggtcttg gatctgggtt ctcaactgtt 540  
 caagaaaaag ttagcgaagg tgtagaagct gttaaagggtg cagcaaatgg tgtagtatct 600  
 cacgaaaaca ctctgtgtaa ctaa 624

<210> 553  
 <211> 1764  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 553  
 aaggagaaga agatgcagaa taaacaagaa caatggactg tattgaagcg cttgatgtct 60  
 tatctcaagc cttatggact cctgaccttt ttggcactca gttttctcct agcgacgacg 120  
 gtcattaaaa gtgtcatacc cctcgtgggt tcccacttta tcgaccagta tctcagcaat 180  
 cttaaccaac tagccgttac cgttttgctg gtctactatg gtctctacat cctacaaact 240

gtagttcagt atgtcggcaa tcttctcttt gcgcgcgtgt cttacagtat tgtagggat	300
attcgtcggg atgcctttgc caatatggag aaactgggca tgtcttactt tgacaagacg	360
ccagcaggtt ctatcgtttc tcgtttgacc aacgataccg agacgattag tgatatgttt	420
tctgggattt tatccagctt tatctcagca gtttttatct ttctgacaac cctttatacc	480
atgttggtgc tggattttcg tttgacggct ttagtcttgc tctttcttcc tttgattttc	540
ccttttggtca atctctatcg aaaaaagtca gtgaaaatca tcgagaaaac cagaagtctc	600
ttgtcagata tcaatagtaa gctggcagag aatatcgagg gaatcaggat tattcaggcc	660
tttaatcaag agaagcgcct gcaggcagaa tttgatgaaa tcaaccaaga acacttggtc	720
tacgccaaacc gttctgtagc cttggatgcc ctctttttga gacctgccat gagtttgctg	780
aaacttctag gctatgcagt cttgatggcc tactttggct accgtggttt ttctatcggg	840
ataacggctg ggaccatgta tgcctttatc cagtacatca accgcctttt tgacccttg	900
attgaggtga cgcaaaactt ttcaactctg caaacggcta tggtttctgc aggtcgtgtc	960
tttgccctga tagacgagag gacctatgaa cctcttcaag aaaatgggca agccaaagtc	1020
caagaaggca atatccgttt tgaacatgtg tgtttctcat atgacggtaa acatccgatt	1080
ctggatgaca tttctttctc tgttaataag ggtgaaacca ttgcctttgt aggtcataca	1140
ggttcaggga aatcgtctat tatcaatgtc ctcatgcgt tttatgaatt ccagtcaggg	1200
agagttctct tggatgatgt ggatatcagg gatttcagtc aagaagagct gagaaaaaac	1260
atcggtttgg tcttgcagga acccttctc tatcatggaa ctattaagtc caatatcgcc	1320
atgtaccaag aaaccagtga tgagcaggtt caggctgcgg cagcctttgt ggatgcagat	1380
tcctttatc aagaacttcc tcaggggtac gactccctg tttccgagcg tggttcagc	1440
ttctctactg ggcaacgcca gcttcttgcc tttgctagaa cagtcgccag ccagcctaaa	1500
atcctgattt tggatgaagc gacagccaat attgactctg aaacagaaag cttggttcaa	1560
gcttctctgg cgaagatgag acagggccga acaactattg ctatcgctca ccgcctttct	1620
actattcaag atgccaaactg catctatgtc ttggataagg gacgcattat cgagagtgga	1680
acccatgagg aactcttggc tctgggagga acctatcaca agatgtatag tttgcaggca	1740
ggggccatgg ccgatactct ttga	1764

&lt;210&gt; 554

&lt;211&gt; 480

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 554

```

aggaaagtat cggaaattat gaaaacgaaa caacttggtg catcagaaga ggtgtatgat      60
ttcttaaaag tcatctggcc tgattatgaa actgaaagcc gttacgataa cctaagttta      120
atcgtctgta ccttatcaga tcccgattgt gtgagatggt tatctgaaaa tatgaaattt      180
ggtgacgaaa aacaactagc tttgatgaag gaaaaatatg ggtgggaagt aggagataaa      240
ttgccagagt ggctacatag ctctatcat agattattgt taatagggtga attattggaa      300
agcaatctaa aactgaaaaa gtatacagta gaaattacag aaactttatc acgttttagta      360
agtatagagg ctgaaaatcc agatgaagcc gaacgacttg taagagaaaa gtataagagt      420
tgtgaaattg ttcttgatgc agatgatttt caggactatg aactagcat atatgaatag      480

```

&lt;210&gt; 555

&lt;211&gt; 1014

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 555

```

agaatggctg gaaaaagaga ttcattgtga gcatgtagaa ttatgacaaa taaaatttat      60
gaatataagg atgaccagga ctggtatggt gggctcttata gtatttttgg tggcgttaac      120
agtttgagcg actataagac agattttcct ctgtttgaat tctccaaaat atttgagat      180
gaagagtatg gtttcccgct ttcagttact gttttacgct atggttctat ctaccgtttg      240
ttctcctttg tggtagacat gcttaatcaa gaaatgggac gaaacttgga agttattcaa      300
cgtcatgggg ccctgctctt gggtgaaaat gggcaactct tgtatgtaga attgcctaaa      360
gaaggggtca atgttcatga tttctttgag acaagcaagg tcagagaaac cttgttgatt      420
gcgactcgta acgaaggtaa aaccaaggaa ttccgagcta tctttgataa gttaggctac      480
gatgtggaaa atcttaatga ctaccctgac ctgcctgaag tagcagaaac aggtatgacc      540
tttgaagaaa atgcccgcct taaggcagaa accatttctc aattaacggg caagatgggt      600
ttggcagatg attctgggtc caaagtcgat gtccttggtg gcttaccagg cgtctgggtca      660
gctcgtttcg cagggtgtgg agcaactgac cgtgaaaata atgccaaact cttgcacgaa      720
ttggccatgg tctttgaact caaggaccgc tcggctcagt tccacacaac cctagtcgta      780
gccagcccaa ataaggaaag tttagttggt gaagcagact ggtcagggtta tattaacttt      840

```

gaacctaagg gtgaaaatgg ctttggctat gatccccctct tccttgtagg agaaacaggt 900  
 gagtcatacag ctgaattaac cctggaagaa aaaaatagtc aatctcaccg tgccttagcc 960  
 gttaagaaac ttttggaggt atttccatca tggcaaagca aaccatcatt gtaa 1014

<210> 556  
 <211> 318  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 556  
 aacaaactgg tcagggtggc tagtttgtgg tataatgaaa gggactcaaa aagaaacagg 60  
 agaaaaatga tggatttact tttagcaatt gtattgattg tgctagcttt tctaggagga 120  
 gctctaggag gaatgtactt gggtcgttaag caaatcgaaa aagaatttgc tgacaaccca 180  
 cgtttgaatg ctgaagcagt tcgtactctt ttgagtgc aaatgtcaaaa accaagcgaa 240  
 gctaagggtac aacaagttta ccaccaaatac atccgccaac aaaaggcagc ccttgctaac 300  
 aataaaaaga aaaaataa 318

<210> 557  
 <211> 312  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 557  
 tatctatctc attatggagg aaatcagatg ttgaaaccat taggggaccg tgtgggtctta 60  
 aaaatagaag aaaaagaaca aactgttggg ggctttgtcc ttgcaggctc agcccaagaa 120  
 aaaacaaaaa cagctcaagt tgtggctact ggacaagggtg ttcgtacctt gaacgggtgac 180  
 ttgggttctc caagtgttaa aactggagat cgtgtcttag ttgaagccca cgcagggtctt 240  
 gatgtcaaag atggcgatga aaagtacatc atcgtaggcg aagctaacat tttggcaatc 300  
 attgaggaat ag 312

<210> 558  
 <211> 477  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 558  
 atgaaaggag ttacgaatat gacgccagaa gaaatgtacc tgacagagcg attagacgta 60  
 cagatagctc attttttaaa gaaaagcgtt caacatcgta ggcgctataa ggtattaaaa 120

ataacagaaa tcgtggcagg tttcctcata gctgtctttt gtgctattcc tatgccaggt 180  
 gatcgctacc gtttgatttc ggttgccetta tccagtctcg gcttgctgtg tgaggggatt 240  
 atcaatttgt ataatgcaaa ggaaaattgg atttcttacc aaaaaactgc gcaactcctg 300  
 gagaaagaaa aattcctcta tcaatgccaa acggagaaat atgcaggaaa gaccaaggct 360  
 tttgccctat ttgtcaagac atgcgaaggt cttatctcag aggagattaa ccagtgggaa 420  
 agtatccagt caaaagaagt ggcagctagt gcagatgctc cagttaaaaa agagtag 477

<210> 559

<211> 1176

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 559

gagaatagaa tggcgaaaaa accaaaaaaa ttagaagaaa tttcaaaaaa atttggggca 60  
 gaacgtgaaa aggccttgaa tgacgctctt aaattgattg agaaagactt tggtaaagga 120  
 tcaatcatgc gtttgggtga acgtgctggag caaaagggtgc aagtgatgag ctcaggttct 180  
 ttagctcttg acattgccct tggctcaggt gggtatccta agggacgtat catcgaaatc 240  
 tatggcccag agtcatctgg taagacaacg gttgcccttc atgcagttgc acaagcgcaa 300  
 aaagaagggtg ggattgctgc ctttatcgat gcggaacatg cccttgatcc agcttatgct 360  
 gcggcccttg gtgtcaatat tgacgaattg ctcttgcttc aaccagactc aggagagcaa 420  
 ggtcttgaga ttgcgggaaa attgattgac tcaggtgcag ttgatcttgt cgtagtcgac 480  
 tcagttgctg cccttgttcc tcgtgcggaa attgatggag atatcggaga tagccatgtt 540  
 ggtttgcagg ctcgtatgat gagccaggcc atgcgtaaac ttggcgcttc tatcaataaa 600  
 accaaaacaa ttgccatttt tatcaaccaa ttgcgtgaaa aagttggagt gatgtttgga 660  
 aatccagaaa caacaccggg cggacgtgct ttgaaattct atgcttcagt ccgcttgat 720  
 gttcgtggta atacacaaat taagggaact ggtgaccaa aagaaaccaa tgtcggtaaa 780  
 gaaactaaga ttaaggttgt aaaaaataag gtagctccac cgtttaagga agccgtagtt 840  
 gaaattatgt acggagaagg aatttctaag actggtgagc ttttgaagat tgcaagcgat 900  
 ttggatatta tcaaaaaagc aggggcttgg tattcttaca aagatgaaaa aattgggcaa 960  
 ggttctgaga atgctaagaa atacttggca gagcaccag aaatctttga tgaaattgat 1020  
 aagcaagtcc gttctaaatt tggcttgatt gatggagaag aagtttcaga acaagatact 1080

gaaaacaaaa aagatgagcc aaagaaagaa gaagcagtga atgaagaagt tccgcttgac 1140  
 ttaggcgatg aacttgaaat cgaaattgaa gaataa 1176

<210> 560

<211> 3720

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 560

acaagaataa gcagttcact tagaatagaa agggaagaaa tagtggttga tgtaaatacgt 60  
 tttaaaagta tgcaaatcac cctagcttct ccaagtaaag tccgttcattg gtcttatgga 120  
 gaagtcaaaa aacctgaaac aatcaattat cgtaccttga aaccagaacg tgaaggactc 180  
 tttgatgaag tgatctttgg tcctacaaaa gactgggaat gtgcttgtgg taagtacaaa 240  
 cgcattcgtt acagaggaat tgtttgtgac cgctgtgggg ttgaagtaac gcgtacgaaa 300  
 gttcgtcgtg agcgtatggg acatatcgaa ttgaaagctc ctgtatctca catctggtac 360  
 ttcaagggga ttccaagccg tatgggcttg acccttgata tgagccctcg tgccctcgag 420  
 gaagttatct actttgcggc ttatgtggtg attgatccta aggatacacc acttgagcac 480  
 aagtctatca tgacagagcg cgaataccga gagcgcttgc gtgaatatgg ttatggttca 540  
 tttgttgcca agatgggtgc ggaagccatc caagacctt tgaagcaagt agatcttgaa 600  
 aaagaaattg ctgaactcaa agaagaattg aaaacagcta ctggacaaaa gcgtgtcaaa 660  
 gccatccgtc gtttggtatg tttggatgcc ttttacaagt ctggaaacaa acctgaatgg 720  
 atgattctta acatccttcc gggtatccca ccagatcttc gtccaatggt gcagttggat 780  
 ggtggccgtt ttgcctcatc tgacttgaat gacctttacc gccgtgttat caaccgtaac 840  
 aaccgtttgg ctcgtttgct tgagttaaata gcaccaggta tcatcgttca aaatgagaag 900  
 cgtatgcttc aagaagcagt tgacgctttg attgacaatg gtcgtcgtgg tcgtccaatc 960  
 acaggaccag gtagccgtcc attgaaatca ttgagccaca tgcttaaagg taaacaagga 1020  
 cgcttccgtc aaaacttgct cggtaaacgt gttgacttct caggacgttc agttatcgcc 1080  
 gttggtccaa ctcttaagat gtaccaatgt ggtgtgccgc gtgaaatggc gattgaactc 1140  
 tttaaaccat ttgtcatgcg tgaaatcggt gcccggtgata tcgtgcaaaa cgtcaaagca 1200  
 gctaaacgct tgggtggaacg cggagatgag cgtatctggg atatccttga agaagtgatt 1260  
 aaagaacacc cagtgtttt gaaccgcgca ccgaccttc accgtttggg tatccaagcc 1320

ttcgagccag tcttgattga tggtaaggct cttcgcttgc acccacttgt ctgtgaagcc	1380
tacaatgctg actttgacgg ggaccaaagtg gccatccacg taccactttc agaagaagca	1440
caagcagaag ctcgatatcct catgctagct gctgagcaca tcttgaaccc gaaagatggg	1500
aaaccggtag ttactccatc tcaggacatg gttttgggta actactactt gaccatggaa	1560
gaagctgggc gcgaagggtga aggaatgggc ttcaaagacc gtgacgaagc ggttatggct	1620
taccgcaatg gttatgttca cctccactca cgtgttggta tcgcaacaga cagcctcaac	1680
aagccttgga cagaagagca aagacataag gtcttgctta caacagttgg taaaattctc	1740
ttcaacgata tcatgccaga ggggctacca tacttgcaag aaccaaaca tgccaacttg	1800
acagaagggtg ttccagctaa atacttcttg ccacttgggtg gagatatcaa ggaagctatc	1860
agcaatcttg agctcaaccc tccattcaag aagaaaaacc ttggaaatat catcgctgaa	1920
atcttcaaac gtttccgtac gacagaaact tctgccctac ttgaccgcat gaagaacctc	1980
ggttaccacc actcaactct tgcaggattg acagtgggta ttgccgatat cccagtcgtt	2040
gatgacaagg ctgaaatcat tgaagaatca cacaaacgtg tcgaacaaat caccaaaca	2100
ttccgctcgtg gtatgatcac agacgacgag cgttacaatg ctgttacagc tgaatggcgt	2160
gctgcccgtg aaaaacttga gaaacgcttg attgctaacc aagatcctaa gaaccaatc	2220
gttatgatga tggactctgg agcccggtgt aacatctcaa acttctcaca gcttgccggt	2280
atgcgtgggc tgatggctgc tccgaatgga cgtatcatgg aattgccaat cctttcaaac	2340
ttccgcgaag gtttgtcgggt attggaaatg ttcttctcaa ctacggtgc tcgtaaaggt	2400
atgaccgata cggcccttaa gacagccgac tcaggttact tgactcgtcg tttggctgac	2460
gttgcccaag acgttatcat ccgtgaggac gactgtggaa ctgaccgtgg tctcttgatc	2520
cgttctatcg cagaaggaaa agagatgatc gagtctctcg aagagcgtct caacggctcg	2580
tacactaaga aaactgttaa acatccagaa actgggtgcag tgattattgg tccaaatgaa	2640
ttgattacag aagacaaggc gcgtgaaatt gtcaatgctg gtgtggaaga agtgactatc	2700
cgttctgtat ttacatgtaa cactcgtcac ggtgtctgcc gtcactgtta cggtatcaac	2760
ttggcgactg gtgatgcgggt tgaagttggt gaagcagttg gtacaatcgc tgcccaatct	2820
atcggggaac ctggtacaca gcttacaatg cgtaccttcc acacaggtgg ggttgccctca	2880
aataccgata tcaactcaggg tcttcctcgt gtccaagaaa tctttgaagc ccgcaatcct	2940

aaaggggaag cggttattac agagggttaa ggacaagtta ctgctatcga agaagatgca 3000  
 tcaactcgta ccaagaaagt ctttggttaag ggtgaaactg gcgaagggtga atatgtcgtt 3060  
 ccatttacag ctcgatgctg tgcgaagtt gggggccaag tagcgcggtg tgctgctctg 3120  
 acagaagggt ctatccaacc aaaacgtctc cttgcagttc gtgatgtctt gtcagttgaa 3180  
 acgtaccttc tcggtgaagt acaaaaagtt taccgtagcc aaggggtaga aatcggtgac 3240  
 aaacacatcg aggtaatggt tcgtcaaatg atccgtaaag tccgtgtcat ggatccaggt 3300  
 gatacagatc ttctcatggg taccctcatg gatatcaatg actttacaga tgccaacaaa 3360  
 gatgtcctta tcgcaggtgg agttccagcg acaggtcgcc cagtccttat ggggaattacc 3420  
 aaagcctcac ttgaaacaaa cagtttcttg tcagcggctt ccttcagga aacaactcgt 3480  
 gtccttactg acgcagctat ccgtggttaag aaagaccatc tccttggtact taaagaaaat 3540  
 gttatcatcg gtaagatcat ccagctggt actggtatgg cccgttaccg taaccttgaa 3600  
 ccacatgctg tcaacgaaga agaatacctt aatcctccag tagaggaaga aggaaatgaa 3660  
 gaaacaacag aagtagttgt ggatactgcc gttgaaactg tggaagaaac agtagaataa 3720

<210> 561

<211> 1011

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 561

atttttgagg agttgtctat gaagaaaagt tttatccatc aacaagaaga aatttccttt 60  
 gtcaaaaaca cttttaccca gtatttgaaa gataagctag aagttgtcga agttcaagggt 120  
 cctatcttga gtaagggtcgg tgacggaatg caggacaacc tgtctggtgt ggaaaatcca 180  
 gtatcggtca aggttctcca aatccctgat gctacttatg aagtgggtga ctcacttget 240  
 aaatggaaac gccacacctt ggtcgtttt ggctttggtg aaggagaggg tctctttgtc 300  
 cacatgaaag cccttcgtcc agatgaggat tccttggtat caaccactc tgtttatggt 360  
 gaccagtggg actgggagaa ggttatccca aatggtaagc gtaacatcgt ttatctaaaa 420  
 gaaacagttg agaagattta taaggctatt cgcctgactg agctagctgt tgaagcccg 480  
 tatgacatcg agtctatctt gccaaaacaa attacctta tccatacaga agaattggta 540  
 gaacgtacc cagacttgac accgaaagaa cgtgaaaatg cgatttgtaa agaatttgga 600  
 gccgtctttt tgattggtat cggtggcgag ttgccagatg gtaaaccgca cgatggacgt 660



gcaccagact atgatgactg gacaagcgag tctgagaatg gctacaaggg tctaaatggg 720  
gatattcttg tctggaatga gtcttttaggt ggagcctttg agttgtcttc tatgggaatt 780  
cgtgtagatg aagaaactct tagacgtcag gtggaaatta caggtgatga agaccgcttg 840  
gaattggaat ggcacaagtc tttgttgaat ggtctattcc cattgacaat cgggtggagga 900  
attggacaat ctcgatggc catgttccta cttcgcaaga gacacatcgg agaagtgcaa 960  
acaagtgttt ggctcaaga agtcccgat acttacgaaa atattttgta g 1011

<210> 562  
<211> 837  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 562  
gaaatagaaa tgaaattaag aagaagtgat cggatggttg tcatttccaa ctatttgatt 60  
aataatcctt ataaactaac tagtctcaat acttttgctg aaaagtatga gtctgctaaa 120  
tcattccatct cagaagatat cgtcattatc aaacgcgcct ttgaggaaat tgaaatcggg 180  
catatccaga cagtgactgg ggctggcgga ggtgtcatct tcacaccgtc tatttcgagt 240  
caggatgcta aggaaatggg tgaagacttg cgtaccaagt tgtcagaaag tgaccgtatc 300  
ttgccagggtg gttatatcta tctgtctgat ttgcttagca caccagccat cttgaaaaat 360  
attggtcgtg ttattgcaa aagctttatg gaccaaaaaa ttgacgggt tatgaccgta 420  
gcaactaagg gtgtgccact tgcaaatgca gttgccaatg tcctcaatgt ctcttttgtc 480  
attgtgcgcc gtgacctgaa aattaccgaa ggttcaactg ttagcgtcaa ctatgtttca 540  
ggttcaagtg gtgaccgtat cgagaaaatg ttcctttcaa aacgtagtct taaggcaggc 600  
agccgtgtct tgattgtgga tgacttcttg aaaggtggcg gaacgggtcaa tgggtatgatt 660  
agtctcttgc gcgagttcga ctcagaactg gcaggtgtag cgggtcttgc ggacaatgcc 720  
caagaagaac gtgaaaagca gtttgactac aagtcactct tgaaggtaac caatattgat 780  
gtcaagaacc aagccatcga tgttgagggt ggcaatatct ttgacgaaga taaataa 837

<210> 563  
<211> 1224  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 563  
ggaaacaaga tgaaagaata taacaagtct agtaagttag agcatgttgc ttatgatatc 60

```

cgtggtcctg tattggaaga agccatgagg atgagagcga atggagaaaa gattttacgt 120
ctgaatacag gaaatccagc agaatttggc ttacagcgc cagacgaggt cattcatgac 180
ttgattatga atgagcgtga tagtgaaggc tattctgact ccaaagggat ttctcagcc 240
cgtaaggcca tcatgcagta ttgccagctg aagaaattcc caaacgtaga tactgatgat 300
atttaccttg gaaatggtgt cagtgaaggc attgtcatgt ccatgcaggg gcttttggac 360
aatggggatg aggtcttagt gccaatgcca gactatcctc tatggacggc ggctgtcagc 420
ctagctggag gaaatgccgt tcactatata tgtgatgaag ctgtggaatg gtaccagat 480
attgacgata tcaagtcaaa aatcacttcc aataccaagg caattgtcct tatcaatcca 540
aataacccaa ctggagccct ttatcctaag gaactcttgc tggagattat tgagattgcc 600
cgtcaaaacg atttgattat ctttgcggat gaaatctatg accgcatggt aatggacgga 660
catgtgcata cgcctgtggc gagcttggca ccagatgtct tctgtgtcag catgaatggt 720
ctgtcaaaat cccaccgcat agcaggtttc cgtgtgggtt ggatggctct gtctggccct 780
aagactcatg ttaagggcta tatcgaaggc ctcaatatgc tgtccaatat gcgcctttgc 840
tctaacgttt tggccaaca agtcgtacaa acttccttgg ggggtcacca atcagtcgat 900
gaattgcttc ttctggtgg acgaatctac gagcaaagaa atttcatcta taatgccatt 960
caagatatcc caggtttgtc tgccgttaaa ccaaggcgg ggctctatat cttcccaaaa 1020
atcgaccgca atatgtaccg tatcgatgat gatgagcagt ttgtccttga ttcttgaag 1080
caggaaaagg ttctcttggc tcatggtcga ggctttaact ggcaggaacc agaccattc 1140
cgtatcgttt accttcctcg tgttgatgag ttagcccaa tccaagaaaa gatgactcgt 1200
ttcttgaaac agtatcgtag atag 1224

```

&lt;210&gt; 564

&lt;211&gt; 528

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 564

```

aaaatacttt ttttgcttta cttctatagt gaaaagggtt acaattatag taagaaaatt 60
tcaggagggt tcattatggc acaacgttac caaaatatca tggtcgcaat cgatggttct 120
aaggaagcgg acttggtttt tgtcaaggga gttcattctg ctctacgaaa cgacgctaaa 180
ctcaccatcg cacatgtcat tgacacacgc gctctccaaa gcgtatccac ctttgatgct 240

```

gaagtttacg aagaactcca agtcgacgct gaaagtctga tgaaagagta cgaaaaacgt 300  
 gctaaagatg ctggggtagc agatgttcat atcgtcattg aaatgggaaa tccaagacc 360  
 ctgctagcac gtactattcc agatgccgag gaagtggacc tcatcctcgt tggcgcaact 420  
 ggtctcaacg cctttgaacg cctcttggtc ggctcttcat ctgaatacat actccgccat 480  
 gctaaggctg atttgctggt tgtgagagaa caagaaaaaa ccttataa 528

<210> 565

<211> 1113

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 565

aaacgaaatt ttcacatctt cacttttgta agtagatata gagcttcaat cagtacctct 60  
 acttgtaaaa gaatgtgtga gatagaaagg acaggaaaag gaatgaatgc agatgataca 120  
 gtaaccattt atgatgtcgc tcgtgaagca ggtgtttcca tggcgacggt cagccgtgtg 180  
 gtcaatggca ataaaaatgt aaaagagaat acccgtaaaa aagtgtctaga ggtaattgat 240  
 cgtttggatt atcgtcctaaa tgcagttgcg cgtgggtcttg caagtaaaaa gacaaccact 300  
 gtcgggtgtcg tgattccaaa tattaccaat gggtattttt cgagtttggc taaggggatt 360  
 gatgatattg cagaaatgta caagtacaat attgtcctag ctaatagcga tgaagataac 420  
 gagaaagaag tttctgttgt caataccctc ttttcaaagc aggtagatgg cattatctat 480  
 atgggggtatc acttgacaga taaaattcgc tcagaatttt cgcggttcacg tactccgatt 540  
 gttctcgcag gaactgtcga tgttgagcac cagttgccaa gtgtcaatat tgactataag 600  
 caagcaacaa ttgatgcagt gagttacctt gctaaagaaa atgagcgtat tgctttcgtt 660  
 agcgggtccgc tagtggatga catcaatggt aaggttcgtt tagttggcta caaggaaacc 720  
 ttgaaaaaag caggaatcac ttatagttag gggttggtat ttgaatctaa atatagctat 780  
 gatgatgggt acgccttagc agagcgtttg atttcatcaa atgcaactgc agcagttgtg 840  
 acagggtgatg agttggcagc aggagtcttg aacgggtttgg ctgataaggg tgtttctgtg 900  
 ccagaagatt ttgaaattat tactagtgat gattcacaaa tctcacgctt taccgtcca 960  
 aacttgacaa cgattgccca acctctttat gaccttggtg ccattagtag gcgtatgttg 1020  
 accaagatta tgcataagga agagttggaa gaacgtgaag ttctcttacc tcatgggttg 1080  
 acagaacgta gctcaacacg aaaacgtaaa tag 1113

<210> 566  
 <211> 591  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 566  
 aagattagtg gagttaatta cactagaaat cttctattta tgaaaggaaa tatcatggat 60  
 agttttgata aagggtgggtt tgttttacaa acttattctg gttatgaaaa taagggtgaaa 120  
 gaaaatctat tacaacgtgc acaaacctac aatatgttgg ataattttct acgcgttgaa 180  
 attccaacac aaacagtgc aagttgaaaa aatggaaaga gaaaagaagt agaagaaaat 240  
 cgctttccag gttatgttct tgtagaaatg gtcattgacag atgaagcttg gtttgttggt 300  
 cgaaacacac caaatgttac aggatttgtc ggatcacacg ggaacagatc aaaaccaact 360  
 ccattattgg aacaagaaat tcgcgacatt ttggatatcta tgggacaaac tgttcaagaa 420  
 tttgatttcg atgttgagat tgggtcaact gtacgtatta ttgatgggtgc ttttgcagac 480  
 tacactggta agattacaga aattgataat aacaaagtga aaatgattat ctctatgttt 540  
 ggtaatgaca cagttgcaga agtaaatcta aaccaaactc cagaattata a 591

<210> 567  
 <211> 2205  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 567  
 aataaacgca tgaaattaga taaattattt gagaaatttc tttctctttt taaaaaagaa 60  
 acaagtgaac tagaggactc tgattctact atcttacgtc gctctcgtag tgatcgaaaa 120  
 aaattagccc aagtaggtcc gattcgaaaa ttctggcgctc gttatcatct aacaaagatt 180  
 atccttatac taggtttgag tgcaggcttg ctagttggaa tctatttggt tgctgtagcc 240  
 aagtcgacca atgtcaatga tttgcaaaat gccttgaaaa ctcggtactct tatttttgac 300  
 cgtgaagaaa aagaggctgg tgccttgtct ggtcaaaagg gaacctatgt tgagctgact 360  
 gacatcagta aaaacttgca gaatgctggt attgacgacag aagaccgttc tttctataaa 420  
 aatgacggga ttaactatgg ccgttttttc ttggctattg tcaactgctgg acgttcaggt 480  
 ggtggctcta ccattacca acagctggct aaaaacgcct atttatcgca ggatcaaaact 540  
 gttgagagaa aagcgaaaga atttttcctt gccttagaat taagcaaaaa atatagtaag 600

gagcaaattc taaccatgta ccttaacaac gcttattttg gaaatgggtgt gtgggggtgta	660
gaagatgcga gtaagaaata ctttgaggtt tctgcatcag aagtgaagtct ggatcaagct	720
gcgactctgg cagggatgct caaggggccc gaactgtata atcccttgaa ttccgtagaa	780
gattctacta atcggcgcga tactgtcttg cagaatatgg ttgcagcagg atatattgat	840
aaaaaccaag aaaccaaagc tgctgaagtt gatatgactt cgcaattgca cgataagtat	900
gaaggaaaaa tctcagatta ccgttaccoc tcttattttg atgcgggtggg taatgaagct	960
gtttccaagt ataatctaac agaggaagag attgtcaata atgggtaccg catttacaca	1020
gagctggacc aaaactacca agcaaatatg cagattgttt atgaaaacac atcgctattt	1080
ccgagggcag aggatggaac gtttgctcaa tcaggaagtg tagccctcga accgaaaaca	1140
gggggagttc gtggagttgt cgggtcaagtt gctgacaatg ataaaactgg attccggaat	1200
ttcaactatg caaccaatc aaagcgtagt cctgggttcta caattaagcc tttagttggt	1260
tatacgccag cagttgaagc aagctgggct ttgaataagc agttggataa ccataccatg	1320
cagtatgaca gctataaggt tgataactat gcagggatca aaacgagtcg agaagttcct	1380
atgtatcaag ccttggcaga atcgcttaat ctacctgctg ttgccactgt taatgatttg	1440
ggtgtcgaca aggcttttga ggcaggcgaa aaattcggac tcaacatgga aaaggctcgac	1500
cgtgttcttg gtgtcgctt gggaagcggg gttgaaacca accctcttca aatgggtcaa	1560
gcatacgccg cctttgcaaa tgaaggttta atgcctgaag ctcatTTTTat tagtagaatt	1620
gaaaatgcta gtggacaagt tattgcgagt cataaaaatt cacaaaaacg ggtgattgat	1680
aagtctgtag ctgacaagat gaccagtatg atgttgggga ctttcaccaa cgggtaccgg	1740
attagttcat cgctgcaga ctatgtcatg gcagggaaaa ctggaacaac tgaagcagtt	1800
ttcaatccgg agtacacaag tgaccagtgg gtaattgggt atactccgga tgtagtgatt	1860
agccactggc ttggctttcc gaccactgat gaaaaccact atctagctgg ctctacttca	1920
aacggtgcag ctcatgtctt tagaaacatt gccaatacca ttttacctta tacgccagga	1980
agtaccttta cgggtgaaaa tgcttataag caaatggaa ttgcaccagc caatacaaaa	2040
agacaagtac aaaccaatga taatagccag acagatgata atttgtctga tattcgaggg	2100
cgtgcgcaaa gtctagtaga tgaggctagc cgggctatct cagatgcgaa gattaaggaa	2160
aaggctcaaa caatatggga ttcgatagtc aatctatttc gctaa	2205

<210> 568  
 <211> 1221  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 568  
 ttgaaaacgc ttataaaaggg gtatcatggt atgacaaaaa caattgcaat caatgcagga 60  
 agttcaagtt tgaaatggca attatactta atgccagaag aaaaagtatt ggcgaaaggt 120  
 ttgattgaac gtatcgggtt gaaagattca atttcaactg taaaatttga cggccgttct 180  
 gaacaacaaa ttttgatat tgaaaatcat atacaagccg ttaaaatatt attggatgac 240  
 ttgattcgtt tcgatattat caaggcttat gacgagatta caggtgttg acatcgtgtt 300  
 gttgctggtg gagaatattt caaagaatca acagttgttg agggagatgt tttagaaaaa 360  
 gttgaagagt tgagtttgtt ggctcctcta cacaacccgg ccaatgcagc aggtgttcgt 420  
 gccttcaagg aattgttgcc agacattacc agtgtagttg tttttgatac ttccttccac 480  
 acaagtatgc cagagaaagc ttatcgctac cctctaccaa caaatatta cacagaaaac 540  
 aaggttcgta aatacgggtc tcatggtaca agtcaccagt ttgtagcagg agaagctgca 600  
 aaactccttg gacgtccatt agaagacttg aagttaatta cctgtcatat tggtaacgga 660  
 ggctcaatta cagctgtgaa agccggcaaa tctgtagaca cttctatggg gttcactcct 720  
 cttggtggtg ttatgatggg aacgcgtaca ggggatattg atccagctat cattccttat 780  
 ttaatgcaat atacagagga ttttaacaca ccagaagata tcagtcgtgt tcttaaccgt 840  
 gaatcaggtc ttttgggagt ttctgcta tctagcgata tgccgcatat agaagcagct 900  
 gtagcagaag ggaatcacga ggctagcttg gcttatgaaa tgtatgttga ccgtatccaa 960  
 aaacatatcg gtcagtacct tgcagtgcta aatggagcag atgccattgt tttcacagca 1020  
 ggtgtcgggtg aaaatgcaga gagtttccgt cgtgatgtaa tctcagggat ttcgtgggtt 1080  
 ggttgatgatg ttgatgatga aaagaatgtc tttggcgta caggagacat ctcaacagag 1140  
 gcagctaaaa tccgtgtctt ggttattcca acagatgaag aattagtcac tgcccgtgac 1200  
 gttgaacgct tgaaaaaata a 1221

<210> 569  
 <211> 1098  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 569

actataaata ttacaaataa aaaaacggag gaggcgcttta tgaaagccta tacttatgtt 60  
aaaccaggac ttgcttcttt tgttgatgta gacaaaccag ttattcgcaa gccaacagac 120  
gctattgtgc gtattgtaaa aaccactatt tgtggaacag acctccatat tatcaaaggg 180  
gatgttccta cttgccaaag tgggtaccatt cttggccacg aagggattgg gattgttgaa 240  
gaagttgggg aaggagtttc caacttcaaa aaaggtgaca aggtcctgat ttcttgcgtc 300  
tgtgcctgtg gtaaatgcta ctactgtaaa aaaggaattt atgctcactg tgaagacgaa 360  
gggggctgga ttttcggtca cttgattgat ggtatgcagg ctgaatatct acgtgtccct 420  
catgcagata atactcttta ccatactcca gaagacttgt cagatgaagc tttggttatg 480  
ctgtcagaca ttctgcctac tggatatgaa attggtgtct taaaagggaa agtagaacct 540  
ggttcagcgc tagccattat tgggtcaggt ccagttggat tggctgctct tttaacagcc 600  
caattctatt caccagctaa attgattatg gtagacctag acgataaccg cttggaaact 660  
gccctatcat tcggtgcgac tcataagggt aattcttcag accctgaaaa agccattaaa 720  
gaaatttatg atttgacaga tggctcgtggg gtggatgtcg ctatcgaagc tgttggtatt 780  
cctgcaacat ttgatttctg tcaaaagatt atcgggtgtag acggaacggg tgccaactgt 840  
ggtgtgcatg gtaaaccagt tgaattcgat ttagataaac tttggattcg caacatcaat 900  
gtaacaactg gtttggtatc tacaatacgc actccacaat tgttgaaagc acttgaaagt 960  
cataagattg aaccggaaaa attggtaact cactatttca aactcagtga aattgaaaaa 1020  
gcctacgaag tcttcagtaa ggcagcagac caccatgcca ttaagggtcat tatcgaaaac 1080  
gatatctcag aagcctaa 1098

<210> 570  
<211> 1704  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 570  
ggagaaagta tgctgattca gaaaataaaa acctacaagt ggcaggccct ggcttcgctc 60  
ctgatgacag gcttgatggg tgctagttca cttctgcaac cgcgttatct gcagggaagtc 120  
ttaggcgccc tccttactgg gaaatatgaa gctatttata gtatcggggc ttggttgatt 180  
ggtgtggccg tagtcggtct agttgctggg ggactcaatg ttgtcctcgc agcctatatt 240  
gcccaaggag tttcatccga ccttcggggg gatgccttcc gtaaaattca aaccttttct 300

tatgctgata ttgaacaatt taatgcggga aatctagtcg ttcgaatgac aaatgatatc	360
aaccagattc agaacgttgt catgatgacc ttccaaattc ttttcagact tcccctcttg	420
ttcatcggtt cgtttatcct agcgggtcaa accttacctt ctctgtggtg ggtgattggt	480
ctcatggtag tcttgatttt tggtttgact gctgtcatga tgggaatgat ggggcctcgt	540
tttgccaagt ttcaaaccct tcttgagcgc atcaatgcca ttgccaagga aaatttacgt	600
ggcgttcgtg tggtaagtc ctttgtccaa gaaaaagagc aatttgctaa gtttacagag	660
gtctcagacg agcttcttgg tcaaaacctt tacattgggt atgccttttc agtagtgga	720
ccctttatga tgttggttgg ttacggggcg gtcttctctt ctatttggtt ggtcgcggga	780
atggttcagt cggatccgtc tgttggttgg tccatcgctt cttttgttaa ttacctaagc	840
cagattatct ttaccattgt tatggttgga tttttgggaa attctgtcag ccgtgccatg	900
atttccatgc gtcgtattcg agaaattctt gacgcagagc cagctatgac cttcaaggat	960
atcccagatg aagagttggt tgggaagtctt agctttgaaa atgtgacctt tacctatcca	1020
atggacaagg aaccgatgct gaaagatgtg agctttacta ttgaacctgg tcaaattggtt	1080
ggtgtagttg gagcgactgg tgcaggaaag tcaaccttgg ctcaattgat tccacgtctc	1140
tttgatccac aggacggggc cattaaaatc ggtggcaagg atattcgaga agtgagtga	1200
ggaaccctgc gtaaaacagt ttccatcggt ctccaacgtg ccattctttt tagtggaaacg	1260
attgcagata acttgagaca ggggaagggg aatgctactc tatttgaaat ggagcgcgca	1320
gccaatattg ccaggttag tgaattcatt catcgatgg agaaaacctt tgaaagtcca	1380
gttgaagaac ggggaaccaa tttctctggt ggacaaaaac aaaggatgtc gattgcgcgt	1440
gggattgtca gcaatccacg tattctgatt ttgatgatt cgacctcagc cttggatgcc	1500
aaatcagagc gcttgggtgca agaagctttg aataaggact tgaaggggac gacaaccatt	1560
attattgctc aaaaaattag ctcggttgct catgcagaca agatcttgggt tctaaatcaa	1620
ggacgattga ttggtcaagg tacgcatgca gacttggttg ccaacaatgc cgtttaccgt	1680
gaaatctatg aaacacagaa atga	1704

&lt;210&gt; 571

&lt;211&gt; 1050

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 571



```

aataagagaa agaactctat caaggaggaa atcatggaaa aacaaaccgt cgccgtcttg      60
gggcctgggt cttggggaac cgccctttca caagtcttaa atgacaatgg acacgaggta      120
cgtatttggg gaaatcttcc cgagcaaatac aatgaaatta atacacacca tactaataag      180
cactacttta aagatgtcgt tctagacgaa aatatcattg cctacaccga cttagcagaa      240
acattgaaag atgtggatgc gattttgttt gttgtcccaa caaaagtgac acgacttggt      300
gccagcaag ttgcacaaac cttggaccat aaggttatca tcatgcacgc atcaaagga      360
ttagaacctg atagccataa acgattatca accattcttg aagaagaaat tcctgaacat      420
ctccgtagtg atatcgctgt tgtttcaggg cctagtcatg cagaagagac cattgtgcgt      480
gacctaaact taataactgc tgcttctaaa gatttacaaa cagctcaata cgttcagaag      540
ctatttagta atcactactt ccgactttat accaatacgg atgttatcgg ggttgaaact      600
gctggtgctc ttaaaaatat tattgctgtc ggtgctggag ctttacctgg tcttggttt      660
ggtgataatg ctaaggcagc catcatcgct cgaggtttag cagaaatcac ccgcctaggg      720
gtagcactcg gggccagtcc attgaacctat agcggcttat ctggtgtggg agatttgatc      780
gtaacgggaa cttccatcca ctctcgtaac tggagagctg gagatgctct cggacgagga      840
gaatccctag ctgatataga agctaatatg ggcattgtaa tcgaaggaat ttcaacgact      900
cgagcagcct atgaactagc ccaagaactt ggagtctata tgcccattac acaggctatt      960
taccaagtta tttatcacgg aaccaataac aaagatgcca tttatgacat catgaacaat     1020
gaatttaaag cagaaaatga gtggtcttaa                                     1050

```

&lt;210&gt; 572

&lt;211&gt; 1284

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 572

```

gaggaataca ctatgtcatc taaatttatg aagagcgctg cggtgcttgg aactgctaca      60
cttgctagct tgcttttggg agcttgcgga agcaaaactg ctgataagcc tgctgattct      120
ggttcatctg aagtcaaaga actcactgta tatgtagacg agggatataa gagctatatt      180
gaagagggtg ctaaagctta tgaaaaagaa gctggagtaa aagtcactct taaaactggt      240
gatgctctag gaggtcttga taaactttct cttgacaacc aatctggtaa tgtccctgat      300
gttatgatgg ctccatacga ccgtgtaggt agccttggtt ctgacggaca actttcagaa      360

```

```

gtgaaattga gcgatggtgc taaaacagac gacacaacta aatctcttgt aacagctgct 420
aatggtaaag ttacggtgc tctgccgtt atcgagtcac ttgttatgta ctacaacaaa 480
gacttggtga aagatgctcc aaaaacattt gctgacttgg aaaaccttgc taaagatagc 540
aaatacgcat tcgctggtga agatggtaaa actactgcct tcctagctga ctggacaaac 600
ttctactata catatggact tcttgccggt aacggtgctt acgtctttgg ccaaacggt 660
aaagacgcta aagacatcgg tcttgcaaac gacggttcta tcgtaggtat caactacgct 720
aatcttgggt acgaaaaatg gcctaaaggt atgcaagata cagaagggtgc tggaaactta 780
atccaaactc aattccaaga aggtaaaaca gctgctatca tcgacggacc ttggaaagct 840
caagccttta aagatgctaa agtaaaactac ggagttgcaa ctatcccaac tcttccaaat 900
ggaaaaaat atgctgcatt cgggtggtgg aaagcttggg tcattcctca agccgttaag 960
aaccttgaag cttctcaaaa atttgtagac ttccttggtg caactgaaca acaaaaagta 1020
ttatatgata agactaacga aatcccagct aatactgagg ctcgttcata cgctgaaggt 1080
aaaaacgatg agttgacaac agctgttata aaacagttca agaactca accactgcca 1140
aacatctctc aaatgtctgc agtttgggat ccagcgaaaa atatgctctt tgatgctgta 1200
agtggcmeta aagatgctaa aacagctgct aacgatgctg taacattgat caaagaaaca 1260
atcaaacaaa aatttgggtga ataa 1284

```

```

<210> 573
<211> 1023
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 573
caggaggtca ttcttatgac tgaaaaacta atcaattcaa aaccaaattgg tgtattcgca 60
ttgattctca ttgagttgac aatcgactt ggtatcttta tatttataat ggggggttgg 120
tcggaaaaca tttttggaat tattatcgga cctttactaa tcgtaattgc aggtctagct 180
catgctgggt taaaagttgt caaacctcaa gaagctctgg ttctgacact ctttggtaac 240
tatacaggta ccatcaaaga acctggcttt tactttgtca atcccttcag cgtagcagtc 300
aaccctgcaa accacactcg acttgacaa agtggatgat ttagcacaaa atctcctttt 360
ttaggagcta aatcatmeta tgacaatgat gtaaactctg aaattggcaa gaaacagatt 420
tccctcaaag tcatgacctt gagcaattct cgtcaaaaaa tcaatgattg cttaggaaac 480

```

```

cctgtagaaa tcggtatcgc ggtaacttgg agagttgtcg ataccgctaa ggcagtcttc 540
aacgttgata actacaaaga atatctttca ttgcaatgtg atagcgccct ccgtaatat 600
gtccgcatct atccttacga tgtgtctcct aatgtggata ctacgggtga tgggcaagca 660
gatgaaggta gtctccgtgg ctctagcgaa attgttgcta accgtattcg tgaagaaatc 720
caaagtcgtg ttgaggatgc tggcttggaa atccttgaag cacgtatcac ttacctagct 780
tatgtctccag aaattgtgc cgttatgctt caacgccaac aagcatctgc cattattgat 840
gcacggaaga tgattgtaga tgggtgtgta ggaatggtg aaatggcact agaacggctc 900
aatgaagggg aattggtaga acttgacgaa gaacgaaaag ctgccatggt ttcaaattctc 960
cttgtcgttc tttgtggcaa tcatgatgca caaccaattg tcaacacagg aagcctttac 1020
taa 1023

```

<210> 574

<211> 1041

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 574

```

aaaatagaaa gaggaataa taaaatgaca aattcagtat tccaaggacg cagcttctta 60
gcagaaaaag actttaccg tgcagagtta gaatacctta ttggtctttc agctcacttg 120
aaagatttga aaaaacgcaa tattcaacac cactaccttg ctggcaagaa tatcgctctc 180
ctatttgaaa aaacatctac tcgtactcgt gcagccttta caactgcggc tatcgacctt 240
ggtgctcacc cagaatacct cggagcaa at gatattcagt tgggtaaaaa agaattctact 300
gaagatactg ctaaagtatt gggacgtatg tttgacggga ttgaattccg cggattcagc 360
caacgtatgg ttgaagaatt ggcagaattc tcaggcgttc cagtatggaa cggctctaact 420
gacgaatggc acccaactca aatgctcgct gactacttga ctgttcaaga aaacttcggt 480
cgcttgggaag gcttgacatt ggtatactgt ggtgatggac gtaacaacgt tgccaacagc 540
ttgctcgtaa caggtgctat ccttgggtgtc aatgttcaca tcttctcacc aaaagaactc 600
ttcccagaaa aagaaatcgt tgaattggca gaaggatttg ctaaagaaag tggcgccacat 660
gttctcatca ctgaagatgc tgatgaagca gttaaagatg cagacgttct ttacacagac 720
gtttgggtat caatgggtga agaagacaaa ttcgcagaac gtgtagctct tcttaaactc 780
taccaagtca atatggactt agttaaaaaa gcaggcaatg aaaacttgat cttcctacac 840

```

tgcttgccag cattccacga tactcacact gtttatggta aagacgttgc tgaaaaattt	900
ggtgtagaag aaatggaagt aacagacgaa gtcttccgca gcaagtacgc tcgccacttc	960
gatcaagcag aaaaccgtat gcacactatc aaagctgtta tggctgctac acttggtaac	1020
ctttatattc ctaaagtata a	1041

<210> 575  
 <211> 924  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 575	
aaaaataactt gtggagggttc cattatggca atatTTTTtca tgatttttct gattgtttgt	60
gtgtcctat tggatgtagt cacactgagt acagtttatg tggttcgtca gcagtcggtg	120
gcgattattg aacgctttgg gaaataccaa aagggtgcta atagcggtat tcatattcgc	180
ttgccttttg ggattgactc gattgcagca cggattcagt tgcgcttggt gcaaagtgat	240
attgtgggtg agactaagac caaggacaat gtgttcgtta tgatgaatgt agcgactcag	300
taccgtgtca acgagcagag cgtgacagat gcttactata aactcatacg tccagaatct	360
cagattaaat cttatatcga agatgctctt cgctcttctg ttccaaaatt aaccttggat	420
gaattgtttg agaaaaaaga tgagattgcc cttgaagttc aacaccaagt agcagaagaa	480
atgaccactt acggctacat tatcgtgaaa accttgatta ccaagggtcga accagatgca	540
gaagttaagc aatccatgaa tgaaatcaat gcggcgcaac gtaagcgggt cgcagcacia	600
gaattggcgg aagctgacaa gattaaaatt gtcactgcag ctgaagcaga agcagaaaaa	660
gaccgccttc atggtgtggg gattgccccaa caacgtaagg cgattgtgga tggattggca	720
gagtctatca ccgaactcaa ggaagccaat gttggcatga cagaagaaca aatcatgtct	780
atcctcttga ccaaccagta tttggatacc ttgaatacct ttgcctctaa aggaaatcaa	840
actatctttt taccaaatac tccaaatggg gtggatgata tccgaacaca aatcttgtca	900
gcccttcgcg ctgagaagaa ataa	924

<210> 576  
 <211> 558  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 576	
agattatcct ttaccagcgc ctttttctt ttaaaaatga gaaaatttcg gtataatagt	60

```

caaacaagggt caaggttttaa agagagaggt gggtttggtta tgagatttaa aaatacatcg      120
gatcatatttg aggcctacat caaggcgatt ttagatcaat ctggtatcgt ggagttgcaa      180
cggagtcagt tggcagatac ctttcaggtt gttcctagtc agattaacta cgtgatcaag      240
acacgcttta cggaagtag aggctacttg gttgaaagta agcgtggtgg cggaggctac      300
attcgtatag gacggattga gttttctagt catcatgaaa tgctccggga gctgctttac      360
tcgattggtg agcgagtcag tcaagaaatt tatgaggata ttctccagct tttggttgag      420
caggaattga tgaccaagca ggagatgaat ttgctagaat cagtagcttt ggatcgcgtt      480
ttaggagaag aagctccagt tgttcgagca aacatgctac gtcagatcat acaagaggta      540
gatagaaaag ggaagtaa                                     558

```

```

<210> 577
<211> 477
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 577
aatgaaggaa aaggagaaag aagaatgaaa gtaatctttt tagcagatgt taaaggaaaa      60
ggtaaaaaag gcgaaattaa ggaagtacca acaggggatg cgcaaaactt tcttatcaaa      120
aagaatctag ccaaagaagc gactgctcaa gctgtaggtg aacttcgtgg taaacaaaaa      180
tcggaagaaa aagctcacgc tgagatgatt gcagaaggaa aagcaattaa agcacaactt      240
gaagcagaag aaactgttgt agaatttggt gaaaaagttg gtccagatgg tcgtaccttt      300
ggttctatta ccaataagaa gattgcagaa gaattgcaaa agcaatttgg aattaagatt      360
gataaacgtc atattcaagt acaagctccg attcgagcgg ttggtttgat tgatgtgcca      420
gtgaaaatct atcaagatat cacaagtgta atcaatcttc gtgtgaaaga aggataa      477

```

```

<210> 578
<211> 564
<212> DNA
<213> Streptococcus pneumoniae

```

```

<400> 578
aaagaaggta ctcatatgat taaatatagt atccgtggtg aaaacctaga agtaacagaa      60
gcaattcgtg attatgtagt ttctaaactc gaaaagatcg aaaagtactt ccaaccagaa      120
caagagttgg atgcccgaat taacttaaaa gtttatcgtg aaaaaacggc taaagtggaa      180

```

gtaacgattc cgcttgatc tattactctc cgcgcagaag atgtatctca agatatgtat	240
ggttcaattg accttgtaac tgataaaatt gaacgtcaga ttcgtaaaaa taaaacaaaa	300
atcgagcgta aaaataaaaa taaggtagca actgggtcaat tatttacaga tgctttgggtg	360
gaagattcaa atattgtcca gtctaaagtt gttcgttcaa aacaaattga tttaaaacca	420
atggatttgg aagaagcaat tctacaaatg gatattattgg ggcattgattt ctttatctat	480
gtggatgttg aagatcagac aaccaatgtg atttatcgtc gtgaggatgg cgaaattggg	540
ttgttagagg ttaaagaatc ttaa	564

&lt;210&gt; 579

&lt;211&gt; 1080

&lt;212&gt; DNA

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 579

cccggctctc ctattttcaa aaaatatagg agaattaaaa tggcagaaat tacagctaaa	60
cttgtaaaag agttgcgtga aaaatctggg gccgggtgta tggacgctaa aaaagcgctt	120
gtagaaacag acgggtgacat cgaaaaagcg attgaattgc ttcgtgaaaa aggtatggct	180
aaggcagcta agaaagctga ccgtgttgct gcagaagggt tgactgggtg ttatgttaac	240
ggtaatgttg cagcagttat tgaagtaaac gctgaaactg acttcgttgc aaaaaacgct	300
caattcgttg aattggtaaa tactacagct aaagtcattg ctgaaggaaa acctgctaac	360
aacgaagaag ctcttgcttt gataatgcct tcagggtgaaa ctcttgaagc tgcatacgta	420
tctgcaacag caactatcgg agagaaaatc tcattccgtc gctttgcatt gattgaaaaa	480
acagacgcac aacactttgg agcataccaa cataacgggtg gacgtatcgg tgttatttca	540
gttggtgaag gtggagacga agcacttgct aaacaattgt caatgcacat cgcagcgatg	600
aaaccaacag ttctttctta caaagaattg gatgagcaat tcgttaaaga tgagttggca	660
caattgaatc acgttatcga ccaagacaac gaaagccgtg caatgggttaa taaaccagct	720
cttcacact tgaagtatgg atcaaaagct caattaactg atgatgttat tgctcaagct	780
gaagctgaca tcaaagctga attggctgca gaaggcaaac cagaaaaaat ctgggacaaa	840
attattccag gtaaaatgga tcgcttcatt cttgataaca ctaaagttga ccaagcttac	900
acacttcttg cacaagttta catcatggat gacagcaaga cagttgaagc ataccttgaa	960
tcagttaacg cttcggtagt tgagtttgct cgctttgaag ttggtgaagg tatcgagaaa	1020

gctgcaaacg acttcgaagc tgaagttgca gctacaatgg cagcagcctt gaataactaa 1080

<210> 580  
 <211> 873  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 580  
 tactcattct tgatgaattg tgaagcagtt gcccttgggt cgttttgcga gttgaagtca 60  
 agaagaggaa aaaaacaaaa aggagaaata ctcatggcag taatttcaat gaaacaactt 120  
 cttgaggctg gtgtacactt tggtcaccaa actcgtcgct ggaatcctaa gatggctaag 180  
 tacatcttta ctgaacgtaa cggaatccac gttatcgact tgcaacaaac tgtaaaatac 240  
 gctgaccaag catacgactt catgctgat gcagcagcta acgatgcagt tgtattgttc 300  
 gttgggtacta agaaacaagc agctgatgca gttgctgaag aagcagtacg ttcagggtcaa 360  
 tacttcatca accaccgttg gttgggtgga actcttaciaa actggggaac aatccaaaaa 420  
 cgtatcgctc gtttgaaaga aattaaacgt atggaagaag atggaacttt cgaagttctt 480  
 cctaagaaag aagttgcact tcttaacaaa caacgtgcgc gtcttgaaaa attcttgggc 540  
 ggtatcgaag atatgcctcg tatcccagat gtgatgtacg tagttgacct acataaagag 600  
 caaatcgctg ttaaagaagc taaaaaattg ggaatcccag ttgtagcgat ggttgacacc 660  
 aatactgac cagatgatat cgatgtaatc atcccagcta acgatgacgc tatccgtgct 720  
 gttaaattga tcacagctaa attggctgac gctattatcg aaggacgtca aggtgaggat 780  
 gcagtagcag ttgaagcaga atttgcagct ttagaaactc aagcagattc aattgaagaa 840  
 atcgttgaag ttgtagaagg cgacaacgct taa 873

<210> 581  
 <211> 834  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 581  
 tataaaggta gggatatgaa ccgtttttaa aatcaaaat atgtcattat tgtttttgtc 60  
 actgttctgc ttgtgtcagc tctcttagcg acgacttatt caagtacaat tgtgacaaaa 120  
 ttaggagatg gaatctcatt ggttgataga gttgtacaaa aaccttttca gtgggttgat 180  
 tctgtcaaat cagatttggc tcatttgaca cgaacatata atgaaaatga aagtttgaag 240  
 aaacagcttt accaattaga agttaaatca aatgaggtgg aaagttttaa gacagaaaat 300

gaacaactgc gccaatgct tgatatgaag tctaaattgc aagccacaaa gacttttagca 360  
gcagatgtta ttatgcgttc tccggtatct tggaagcagg agttgacctt agatgcagggt 420  
agatcaaaaag gtgcttctga gaacatgtta gctattgcaa atgggtggctt gattggggagt 480  
gtttcaaaaag tagaggagaa ctctactata gtcaaccttc tgacaaatac ggaaaatgct 540  
gataagatatt ctgttaaaaat tcaacatggc tctactacaa tttatggaat tattattggc 600  
tatgacaagg aaaatgacgt tcttaaaatt agccaattaa atagtaatag cgatattagt 660  
gcggggagata aggtgactac tgggtggatta ggaaacttta acgttgctga tattcctggt 720  
ggtgaagtgg ttgccacaac gcatagtaca gactatttga cagcagaagt aactgttaaa 780  
ttgagtgcag atactcataa tgtagatgtg atagaattag tggggaattc ataa 834

<210> 582  
<211> 846  
<212> DNA  
<213> Streptococcus pneumoniae

<400> 582  
agggacattt gggtcgaaat gaaatcaata attgatgtaa aaaatctttc ttttcgctat 60  
aaagaaaatc agaactacta cgatgtgaag gatattacgt ttcacgtgaa acgtggagaa 120  
tggcttttga ttgtagggca taatggtagt ggtaaataca cgacggttcg attaattgat 180  
ggcttactgg aagcagaatc cggagagatt gtaattgatg gccaacgttt gactgaggaa 240  
aatgttttga atatacgtcg tcaaactcgg atgggtttttc aaaatccaga caatcaattt 300  
gttggagcga ctgttgaaga tgatgttgct tttgggttgg aaaatcaggg acttttctcgt 360  
caagaaatga aaaagagagt ggaagaagct ctggcttttag ttggcatggt ggacttttaa 420  
aagagagagc cagcgcgtct atcaggtggc caaaagcaac gtgtggccat tgcaggtggt 480  
gtagccctaa gaccagctat tttaatctta gatgaagcaa cgagtatggt ggatcctgag 540  
gggcgtagag aacttatttg gacagtaaaa ggaattcgaa aagactatga tatgacggtc 600  
atttctatta cccatgattt ggaagaagtc gccatgagtg atcgcgtatt ggtcatgaaa 660  
aaaggggaaa ttgaatcaac tagtagtcca agggagcttt tctctcgaaa tgatttagat 720  
caaattggat tagacgatcc ttttgctaata caattaaaaa aatctttgag ccagaatggc 780  
tatgatttac ctgaaaatta tttgacagaa agtgagctag aggataagct atgggaattg 840  
ctctag 846



<210> 583  
 <211> 840  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 583  
 aaagaagggg tgacaagtat gagaaaaaaa acaattggag aggtttttacg attagctaga 60  
 atcaatcagg gattgagttt agatgaattg cagaaaaaga cagaaatcca gttagatatg 120  
 ttggaagcaa tggaagcaga cgatttcgat caacttccaa gtccttttta cacgcgttct 180  
 ttcttgaaaa aatatgcatg ggctgttgag ttagatgacc aaattgtttt ggatgcttat 240  
 gattctggga gtatgattac ttatgaggaa gtagatgttg atgaagatga gttgacaggt 300  
 cgtagacgtt caagtaagaa aaagaagaaa aaaacatcat ttttaccttt attttatattt 360  
 atcctttttg ctttatcgat ttttaatttt gtgacttatt atgtttggaa ctatattcaa 420  
 actcaaccag aggagccttc tctttctaata tacagtgttg ttcaatcaac aagttcaact 480  
 agctctgttc cccactcctc aagtagtagt tcttctagta tagaatcagc tataagtgtg 540  
 tcaggcgaag gaaatcatgt agaaatcgct tataagacaa gtaaggaaac agttaaattg 600  
 caattggcag tttcagatgt tacaagttgg gtcagtgttt cagaaagcga acttgagggc 660  
 ggtgtaacct tatcgccaaa gaagaaaagt gcagaagcaa cagttgcaac taaaagtcct 720  
 gtaacaatta cgttaggtgt tgtaaaagggt gttgatttga cagtagataa tcagactgtt 780  
 gatttatcga aattaacagc tcagactgga caaatcactg taacctttac taaaaattaa 840

<210> 584  
 <211> 1020  
 <212> DNA  
 <213> *Streptococcus pneumoniae*

<400> 584  
 atggaaaatc ttgtgaaaag cacaagttat acatatatac cggaggaaat catgtctttt 60  
 tctgatttaa agctgtttgc cttttcttct aataaagaat tggcagaacg tgtggcgag 120  
 gagattggga tagagttggg gaaatcaagt gttcgccaat tttcagatgg agagattcag 180  
 gtcaacattg aagaatcaat ccgtgggaaa cacgtcttta tcttacaatc aactagttcg 240  
 cctgtaaata acaatctgct tgaaattttg attatggtag atgctttgaa gcgtgcgag 300  
 gcagaatctg tcaatgttgt catgccttac tatgggtatg cacgtcagga tagaaaggcg 360

```

agagcgcgtg agccaatcac ttcaaaactt gtcgcaaata tgcttgaagt agctggagtg      420
gatcgtttat tgaccatoga cttgcatgct gcgcaaattc aaggattcct tgatattcct      480
gtggatcatt tgatgggtgc tcctctgatt gcagattatt ttgagcgtcg tggatatggt      540
ggttctgact atgtggttgt cagcccggaac catggagggg tgactcgtgc tcgtaagttg      600
gcagaatddd tgaaaacatc tatcgctatt attgataaac gtcgtagcgt tgataagatg      660
aatactagtg aagttatgaa tatcatcggt aaggttgaag gcaagacttg tatcttgatt      720
gatgatatga ttgataccgc tggaacgatt tgtcatgcgg cagatgctct tcggaagct      780
ggtgctgttg aagtctatgc aagctgtacg caccagttc tttctggtcc tgctacggac      840
aatatccaaa aatcagctat taagaaattg gttgttttgg ataccatcta tctgccagaa      900
gagcgtttga ttgataagat tgagcagatt tcaatcgtc atctcctagg ggatgctatc      960
gtacgtattc atgaaaaacg accactttct ccacttttcg atattgagaa aaaaatttaa    1020

```

&lt;210&gt; 585

&lt;211&gt; 672

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 585

```

gaggatatcta tggacttaac taagcgcttt aataaacagt tagataaaat tcaagtttcg      60
ttgattcgtc agtttgacca ggctatttcg gagattcctg gggctcttgcg tttgaccttg    120
ggggaacctg attttacaac gccagaccat gtcaaggagg cgggcaagcg agcgattgat      180
cagaaccaat cctactatac agggatgagt ggtctgctga ctctacgtca ggcagccagt      240
gactttgtta aggaaaagta ccaactggac tatgctcctg aaaatgaaat cttgggttaca      300
attggggcga cagaggcttt atctgcgact ttgacggcta ttttggaaga gggagacaag      360
gtacttttgc cagctcctgc ttatccaggc tatgaaccga ttgttaactt agttggggca      420
gaaattgttg agattgatac gactgaaaat ggttttgtct tgactcctga gatgttggag      480
aaggccattd tggagcaggg tgataagctc aaggcggtta ttctcaacta tccagccaat      540
ccgacaggaa ttacctacag tcgagagcag ttagaggcct tggcagctgt tttacgcaag      600
tacgaaattd ttgttgtctg tgatgaggtt tactcagaat tgacctacac aggcgaagcc      660
atgtgtctct ag                                                                672

```

&lt;210&gt; 586

&lt;211&gt; 1302

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

&lt;400&gt; 586

```

cacatgatca accgttactc tcgccctgag atggcgaata tttggagtga agaaaataaa      60
taccgtgctt ggcttgaggt ggaaatcctc tctgacgagg catgggctga gttgggggaa      120
atccctaagg aagatgtggc tttgattcgc aagaaggcgg actttgacat cgaccgtatt      180
ttggaaattg agcaggagac gcgccacgat gtggtggctt tcacgcgtgc ggtttctgag      240
actcttggtg aagagcgcaa gtgggttcac tatgggttaa cttctactga cgtggtggat      300
actgcttatg gttacctcta caagcaggcc aacgacatca tccgtcgtga ccttgaaaac      360
ttcactaata tcatcgctga caaggccaag gagcacaagt tcaccatcat gatggggcgt      420
actcatggtg tgcacgctga gccgacaacc tttggtctta aattagcaac ttggtacagc      480
gaaatgaaac gcaatatcga gcgcttcgag catgcggctg ctggtgtaga agctggtaag      540
atttctgggtg cggttgggaa ctttgccaat atcccaccat ttgtagagga gtatgtctgc      600
gataaacttg gcatccgtgc ccaagaaatc tctacacaag tccttcctcg tgaccttcac      660
gctgagtact ttgcggttct tgccagcatt gcgacttcaa tcgaacgtat ggcgactgag      720
attcgtggtc taaaaaatc tgagcaacgc gaagtagaag agttctttgc taaagggcaa      780
aaaggttctt cagcaatgcc tcacaaacgc aaccaatcg gttctgaaaa tatgactggt      840
ctggcgctg tcatcgtgg tcacatgatt acggcttatg aaaacgtcg tctctggcat      900
gaacgcgata tttctcactc atcagctgag cgtatcatca caccagatac gaccattttg      960
attgactaca tgctcaaccg ttttggaat atcgtcaaga acttgacagt cttcccagaa     1020
aatatgatcc gaaacatgaa ctcgactttt ggtcttatct ttagccaacg ggctatgttg     1080
acattgattg aaaaaggcat gaccctgag caagcctatg acttggtgca accaaaaaca     1140
gcctactctt gggacaacca agtagacttt aaaccacttc ttgaggcaga ttcagaagta     1200
acatcacgtc tcacacaaga agaaatcgat gaaatcttca acccagttta ttacacaaaa     1260
cgagtggatg atatctttga acgtcttgga ctaggtgatt aa                          1302

```

&lt;210&gt; 587

&lt;211&gt; 918

&lt;212&gt; DNA

<213> *Streptococcus pneumoniae*

<400> 587  
gaggtcattg ttatgataca atggtggcaa attttacttc tcactttgta ctcagcttat 60  
caaatctgtg atgagttgac gatcgtttca tctgcagggt cccctgtatt tgctgggttc 120  
attactgggt taatcatggg agatgtgact actggtttac ttatcgggtg taacttgcaa 180  
ctgttcgttc ttgggggttg taccttcggg ggtgcttctc gtatcgacgc aacttctggg 240  
gcggttcttg cgacagcctt ctctgtttca caaggaattg atgcaccgct tgccattact 300  
acaatcgctg taccagtagc agctctcttg acttacttcg acgttcttgg tcgtatgact 360  
actaccttct tcgctcaccg tgtggatgct gcaatcgaac gctttgacta taaagggtatt 420  
gaacgcaact acttgcttgg tgcgattccg tgggctctat ctogtgcct tccagtcttc 480  
tttgcccttg cttttgggtg tgcctttgta caatcagtag tagacttcgt tgaagcctac 540  
aaatgggttg cagatggctt gacacttgca ggacgtatgc ttccaggtct tggatttgca 600  
atcttgcttc gttaccttcc agttaaacgt aaccttcact accttgctat gggatttggt 660  
ttgacagcta tgttgactgt tctttactca tatgtaacag gtcttggtgg cgctgttgct 720  
ggtatcgtag gtactcttcc tgctgaagtt gctgaaaaaa ttgggttctgt gaacaacttc 780  
aaaggtttgt ctatgattgg tatttctatc gtaggtatct tccttgagct gcttcacttc 840  
aaaaatagcc aaaaagtagc tgtagcagca ccttctacac catcagaaag tggggaaatc 900  
gaagatgacg aattctaa 918

<210> 588  
<211> 855  
<212> DNA  
<213> *Streptococcus pneumoniae*

<400> 588  
cagcaccttc tacaccatca gaaagtgggg aaatcgaaga tgacgaattc taattacaaa 60  
cttacaaaag aagattttta tcaaatcaac aaacgtagct tgtttacttt ccaattaggt 120  
tggaactacg aacgtatgca agcttctggg tacctttaca tgatcttgcc tcagttgcgt 180  
aaaatgtatg gtgatggaac tcctgaattg aaagaaatga tgaaagttca tactcaattc 240  
ttcaatactt caccattctt ccataccatt atcgctgggt ttgaccttgc catggaagaa 300  
aaagatgggt taggttcaaa agacgccggt aacgggtatca agacagggtt gatgggacca 360  
ttcgctcttc ttggggatac aatctttggg tcacttgtag ctgctatcat ggggtcagtc 420  
gcagcaacta tggctatcgc tggccaacct tgggggatct tcctttggat tgcagttgca 480

gtagcgtatg acatcttccg ttggaaacag ttggaatttg cttacaaaga aggggttaac 540  
 cttatcaaca acatgcaaag taccttgaca gctttgattg acgctgcata tgtacttggt 600  
 gtcttcatga tgggtgctct tgtagcaaca gtgattaact ttgaaatttc ttacaagttg 660  
 ccaatcgggtg aaaagatgat tgattttcaa gacatcttga accaaatctt cccacgtttg 720  
 cttccagcaa tctttactgc ctttatcttc tggttgcttg gtaagaaagg tatgaactct 780  
 actaaagcta tcggtattat tatcgtactt gctttggctc tttctgccct tggtcacttt 840  
 gcacttggaa tgtaa 855

<210> 589

<211> 1182

<212> DNA

<213> Streptococcus pneumoniae

<400> 589

aaaaagagga actcaatgct acattataca aaagaagact tgctcgaatt ggggtgcagaa 60  
 atcactacgc gtgaaatcta ccaacagcct gatgtatgga gagaagcttt tgaattttat 120  
 caagcaaac gtgaagaaat tgcagccttc ctacaagaaa tcgctgataa acatgactat 180  
 attaagggtta tcttgacagg tgctgggact tctgcttatg tgggagatac cttgctacct 240  
 tattttaagg aagtctatga cgaacgcaa tggaatttca atgctattgc gacaacagat 300  
 atcgttgcca atccagcaac ctatttgaaa aaagatgtgg caactgtcct tgtgtctttt 360  
 gctcgtagtg ggaattcgcc tgaaagtttg gcgactgttg atttggccaa atccttggtg 420  
 gatgagcttt atcaagtgc gattacttgt gcagcagatg gtaaattggc tcttcaagct 480  
 cacggtgatg atcgtaatct cttgctcttg caaccagctg tctctaata gaagtgattt 540  
 gccatgactt ctagctttac gtctatgatg ttgacaactc tcttggctct tgatcctaca 600  
 gaatttgctg ttaagtctga acgttttgaa gttgtatcta gtcttgcccg taaagtttta 660  
 gacaaggcag aagatgtcaa agagctcgtt gatttagact ttaaccgtgt catctatcta 720  
 ggcgctggtc ctttcttttg acttgctcat gaagctcagc tcaagatttt ggaattaact 780  
 gctggtcaag ttgcgaccat gtatgaaagc ccagttggct tccgtcacgg tccaaaatct 840  
 cttatcaacg acaatacagt tgttttggtc tttggtacaa cgacagacta cactcgtaag 900  
 tacgacttgg acttggttcg tgaagttgct ggtgaccaga ttgctcgtcg tgttggtgctt 960  
 ttgagtgate aagcttttgg tcttgaaaat gtcaaagaag tggcccttgg ttgtggcggt 1020

gtcttgaatg atattttaccg tgtcttcctt tacatcgttt atgcccact ctttgcttta 1080  
 ttgacttcac tcaaggtaga aaataaacca gatacacgtt ctcctacagg tacagtaaac 1140  
 cgtgtagtac aaggtgtcat aattcacgaa tatcaaaagt aa 1182

<210> 590  
 <211> 654  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 590  
 ctatttccac cgaaatatta tttatatcag gaggacattc atatgtcacg ttatacagga 60  
 ccatcttggg aacaagctcg tcgtcttggc ctttacttta caggtacagg taaagaattg 120  
 gcacgtcgta actacgtacc aggacaacac ggaccaaaca accgttctaa attgtcagaa 180  
 tacggtttgc aattgggtga aaaacaaaaa cttcgtttca cttacgggtg aggtgaaaaa 240  
 caattccgta acttggtcgt acaagctaca aaaatcaaag gcggaatcct aggtttcaac 300  
 tttatgcttc ttttggaaac tcgtttggat aacgttggtt accgtcttgg tctcgcgact 360  
 actcgtcgtc aagctcgtca attcgtaaac cacggtcaca tccttggtga cgggaaacgc 420  
 gttgatatcc catcataccg cgtaactcca ggtcaagtga tctcagttcg tgaaaaatca 480  
 ttgaaagttc cagcaatcct tgaagcagta gaagctactc ttggacgtcc agcattcgta 540  
 tcattcgacg ctgaaaaatt ggaaggttca ttgactcgct tgccagaacg cgacgaaatc 600  
 aaccagaaa tcaacgaagc acttgctggt gaattctaca acaaaatggt gtaa 654

<210> 591  
 <211> 1032  
 <212> DNA  
 <213> Streptococcus pneumoniae

<400> 591  
 ataaaaaatt tagaaaattt aagaatagaa aagagaacaa atcttatggc aaaagatatt 60  
 cgtgtcttac tttactacct ttatactcca attgaaaatg cagagcaatt tgctgcagac 120  
 cacttggctt tctgtaaatc aatcggcctt aaaggccgta tcctagtcgc tgacgagggg 180  
 attaacggaa cagtttcagg tgactatgaa acaactcaaa aatacatgga ctacgttcac 240  
 agccttccag gaatggaaga actctgggtc aagattgacg aagaaaaatga acaagccttc 300  
 aagaagatgt ttgttcgcta caagaaagaa attgtccacc ttgggttggg agacaacgac 360

```

tttgacaatg acatcaaccc acttgaaaca acaggtgctt acttgtctcc aaaagagttc 420
aaagaagcgc ttcttgataa agataccggt gtccttgaca cacgtaacga ttatgagtac 480
gacctaggac atttccgtgg agctattcgc ccagatattc gcaacttccg tgagttacca 540
caatgggtcc gtgataacaa ggaaaaattc atggacaagc gtgtcgtggt ttactgtaca 600
ggtaggcgttc gctgtgagaa attctcaggc tggatgggtcc gtgaaggcta caaagatgtc 660
ggccaattgc acggaggaat cgcaacttac ggtaaagacc cagaagttca aggtgagctt 720
tgggatggga aaatgtacgt ctttgacgag cgtattgccg ttgatgtcaa ccatgtcaac 780
ccaactatcg tagggaaaga ctggtttgat ggaacaccat gtgaacgtta tgtcaactgt 840
ggaaatccat tctgtaaccg tcgtatcttg acatcagaag aaaatgaaga caagtacctt 900
cgtggatgct cacacgagtg ccgtgttcac ccacgtaacc gctatgtttc aaaaaatgaa 960
ttgacacaag ctgaagttat cgagcgcccta gccgctatcg gtgaaagctt ggatcaagca 1020
gctactgtat aa 1032

```

<210> 592  
 <211> 216  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 592

```

Met Asn Ile Ala Val Ile Gly Leu Gly His Val Gly Leu Ala Tyr Ala
1           5           10           15

```

```

Leu Leu Phe Ala Ser Lys Tyr Lys Val Val Ala Tyr Asp Ile Asp Ser
           20           25           30

```

```

Val Lys Ile Asn Asn Leu Lys Lys Gly Ile Leu Pro Ser Lys Asn Glu
           35           40           45

```

```

Glu Leu Met Lys Phe Phe Cys Glu Asn Asn Leu Asn Ile Thr Phe Phe
           50           55           60

```

```

Asp Thr Phe Ser Glu Ile Lys Asn Asn Ile Asp Tyr Tyr Ile Ile Ala
65           70           75           80

```

```

Leu Pro Thr Asp Tyr Asp Glu Lys Ile Gly Ser Phe Asn Thr Tyr Glu
           85           90           95

```

Ile Glu Gln Thr Val Ser Lys Ile Leu Arg Val Lys Pro Asn Gly Lys  
100 105 110

Ile Ile Leu Lys Ser Thr Val Pro Ile Gly Phe Ser Asn Lys Leu Lys  
115 120 125

Arg Leu Phe Asp Thr Lys Asn Ile Ile Phe Val Pro Glu Phe Leu Arg  
130 135 140

Glu Gly Cys Ser Ile Tyr Asp Asn Leu Tyr Pro Ser Arg Ile Val Val  
145 150 155 160

Gly Asp Glu Thr Val Glu Gly Arg Lys Ile Ala Glu Leu Phe Leu Ser  
165 170 175

Ile Ser Thr His Ser Thr Ala Asn Ile Lys Asn Val Met Leu Val Ser  
180 185 190

Pro Thr Glu Ala Glu Ala Ile Lys Leu Phe Ser Asn Thr Phe Leu Ala  
195 200 205

Leu Arg Val Ala Phe Leu Met Asn  
210 215

<210> 593

<211> 234

<212> PRT

<213> Streptococcus pneumoniae

<400> 593

Met Val Leu Arg Gly Val Pro Met Ser Gln Ile Asp Leu Gln Lys Leu  
1 5 10 15

Thr Lys Lys Asn Gln Glu Phe Val His Ile Ala Thr Gln Gln Phe Ile  
20 25 30

Lys Asp Gly Lys Thr Asp Ala Glu Ile Gln Thr Ile Phe Glu Glu Val  
35 40 45

Ile Pro Gln Ile Leu Glu Glu Gln Ser Lys Gly Thr Thr Ala Arg Ser  
50 55 60



Leu Tyr Gly Ala Pro Thr His Trp Ala His Ser Phe Thr Val Lys Glu  
65 70 75 80

Gln Tyr Glu Lys Glu His Pro Lys Glu Asn Asp Asp Pro Lys Leu Met  
85 90 95

Ile Met Asp Ser Ala Leu Phe Ile Thr Ser Leu Phe Ala Leu Val Ser  
100 105 110

Ala Leu Thr Thr Phe Phe Ala Ala Asp Gln Ala Phe Gly Tyr Gly Leu  
115 120 125

Ile Thr Leu Leu Leu Val Gly Leu Val Gly Gly Phe Ala Phe Tyr Leu  
130 135 140

Met Tyr Tyr Phe Val Tyr Gln Tyr Tyr Gly Pro Asp Met Asp Arg Ser  
145 150 155 160

Gln Arg Pro Pro Phe Trp Lys Ser Val Leu Val Ile Leu Ala Ser Met  
165 170 175

Phe Leu Trp Leu Leu Val Phe Phe Ala Thr Ser Phe Leu Pro Ala Ser  
180 185 190

Leu Asn Pro Val Leu Asp Pro Leu Pro Leu Ala Ile Ile Gly Ala Ala  
195 200 205

Leu Leu Ala Leu Arg Phe Tyr Leu Lys Lys Arg Leu Asn Ile Arg Ser  
210 215 220

Ala Ser Ala Gly Pro Thr Arg Tyr Gln Glu  
225 230

<210> 594  
<211> 314  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 594

Met Lys Gln Val Phe Leu Ser Thr Thr Thr Glu Phe Lys Glu Ile Asp  
1 5 10 15

Thr Leu Glu Pro Gly Thr Trp Ile Asn Leu Val Asn Pro Thr Gln Asn  
 20 25 30

Glu Ser Leu Glu Ile Ala Asn Thr Phe Asp Ile Asp Ile Ala Asp Leu  
 35 40 45

Arg Ala Pro Leu Asp Ala Glu Glu Met Ser Arg Ile Thr Ile Glu Asp  
 50 55 60

Glu Tyr Thr Leu Ile Ile Val Asp Val Pro Val Thr Glu Glu Arg Asn  
 65 70 75 80

Asn Arg Thr Tyr Tyr Val Thr Ile Pro Leu Gly Ile Ile Ile Thr Glu  
 85 90 95

Glu Thr Ile Ile Thr Thr Cys Leu Glu Pro Leu Pro Val Leu Asp Val  
 100 105 110

Phe Ile Asn Arg Arg Leu Arg Asn Phe Tyr Thr Phe Met Arg Ser Arg  
 115 120 125

Phe Ile Phe Gln Ile Leu Tyr Arg Asn Ala Glu Leu Tyr Leu Thr Ala  
 130 135 140

Leu Arg Ser Ile Asp Arg Lys Ser Glu Gln Ile Glu Ser Gln Leu His  
 145 150 155 160

Gln Ser Thr Arg Asn Glu Glu Leu Ile Glu Leu Met Glu Leu Glu Lys  
 165 170 175

Thr Ile Val Tyr Phe Lys Ala Ser Leu Lys Thr Asn Glu Arg Val Ile  
 180 185 190

Lys Lys Leu Thr Ser Ser Thr Ser Asn Ile Lys Lys Tyr Leu Glu Asp  
 195 200 205

Glu Asp Leu Leu Glu Asp Thr Leu Ile Glu Thr Gln Gln Ala Ile Glu  
 210 215 220

Met Ala Asp Ile Tyr Gly Asn Val Leu His Ser Met Thr Glu Thr Phe  
 225 230 235 240

Ala Ser Ile Ile Ser Asn Asn Gln Asn Asn Ile Met Lys Thr Leu Ala  
245 250 255

Leu Val Thr Ile Val Met Ser Ile Pro Thr Met Val Phe Ser Ala Tyr  
260 265 270

Gly Met Asn Phe Lys Asp Asn Glu Ile Pro Leu Asn Gly Glu Pro Asn  
275 280 285

Ala Phe Trp Leu Ile Val Phe Ile Ala Phe Ala Met Ser Val Ser Leu  
290 295 300

Thr Leu Tyr Leu Ile His Lys Lys Trp Phe  
305 310

<210> 595

<211> 102

<212> PRT

<213> Streptococcus pneumoniae

<400> 595

Met Ala Asn Lys Lys Ile Arg Ile Arg Leu Lys Ala Tyr Glu His Arg  
1 5 10 15

Thr Leu Asp Thr Ala Ala Ala Lys Ile Val Glu Ser Ala Thr Arg Thr  
20 25 30

Gly Ala Gln Val Ala Gly Pro Ile Pro Leu Pro Thr Glu Arg Ser Leu  
35 40 45

Tyr Thr Ile Ile Arg Ala Thr His Lys Tyr Lys Asp Ser Arg Glu Gln  
50 55 60

Phe Glu Met Arg Thr His Lys Arg Leu Ile Asp Ile Val Asn Pro Thr  
65 70 75 80

Gln Lys Thr Val Asp Ala Leu Met Lys Leu Asp Leu Pro Ser Gly Val  
85 90 95

Asn Val Glu Ile Lys Leu  
100

<210> 596  
 <211> 208  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 596

Met Thr Lys Gly Ile Leu Gly Lys Lys Val Gly Met Thr Gln Ile Phe  
 1 5 10 15

Thr Glu Ala Gly Glu Leu Ile Pro Val Thr Val Ile Glu Ala Thr Pro  
 20 25 30

Asn Val Val Leu Gln Val Lys Thr Val Glu Thr Asp Gly Tyr Asn Ala  
 35 40 45

Ile Gln Val Gly Phe Asp Asp Lys Arg Glu Val Leu Ser Asn Lys Pro  
 50 55 60

Ala Lys Gly His Val Ala Lys Ala Asn Thr Ala Pro Lys Arg Phe Ile  
 65 70 75 80

Arg Glu Phe Lys Asn Val Glu Gly Leu Glu Val Gly Ala Glu Ile Thr  
 85 90 95

Val Glu Thr Phe Ala Ala Gly Asp Val Val Asp Val Thr Gly Thr Ser  
 100 105 110

Lys Gly Lys Gly Phe Gln Gly Val Ile Lys Arg His Gly Gln Ser Arg  
 115 120 125

Gly Pro Met Ala His Gly Ser Arg Tyr His Arg Arg Pro Gly Ser Met  
 130 135 140

Gly Pro Val Ala Pro Asn Arg Val Phe Lys Gly Lys Asn Leu Ala Gly  
 145 150 155 160

Arg Met Gly Gly Asp Arg Val Thr Ile Gln Asn Leu Glu Val Val Gln  
 165 170 175

Val Val Pro Glu Lys Asn Val Ile Leu Ile Lys Gly Asn Val Pro Gly  
 180 185 190

Ala Lys Lys Ser Leu Ile Thr Ile Lys Ser Ala Val Lys Ala Gly Lys  
 195 200 205

<210> 597  
 <211> 207  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 597

Met Ala Asn Val Thr Leu Phe Asp Gln Thr Gly Lys Glu Ala Gly Gln  
 1 5 10 15

Val Val Leu Ser Asp Ala Val Phe Gly Ile Glu Pro Asn Glu Ser Val  
 20 25 30

Val Phe Asp Val Ile Ile Ser Gln Arg Ala Ser Leu Arg Gln Gly Thr  
 35 40 45

His Ala Val Lys Asn Arg Ser Ala Val Ser Gly Gly Gly Arg Lys Pro  
 50 55 60

Trp Arg Gln Lys Gly Thr Gly Arg Ala Arg Gln Gly Ser Ile Arg Ser  
 65 70 75 80

Pro Gln Trp Arg Gly Gly Gly Val Val Phe Gly Pro Thr Pro Arg Ser  
 85 90 95

Tyr Gly Tyr Lys Leu Pro Gln Lys Val Arg Arg Leu Ala Leu Lys Ser  
 100 105 110

Val Tyr Ser Glu Lys Val Ala Glu Asn Lys Phe Val Ala Val Asp Ala  
 115 120 125

Leu Ser Phe Thr Ala Pro Lys Thr Ala Glu Phe Ala Lys Val Leu Ala  
 130 135 140

Ala Leu Ser Ile Asp Ser Lys Val Leu Val Ile Leu Glu Glu Gly Asn  
 145 150 155 160

Glu Phe Ala Ala Leu Ser Ala Arg Asn Leu Pro Asn Val Lys Val Ala  
 165 170 175

Thr Ala Thr Thr Ala Ser Val Leu Asp Ile Ala Asn Ser Asp Lys Leu  
 180 185 190

Leu Val Thr Gln Ala Ala Ile Ser Lys Ile Glu Glu Val Leu Ala  
 195 200 205

<210> 598  
 <211> 98  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 598

Met Asn Leu Tyr Asp Val Ile Lys Lys Pro Val Ile Thr Glu Ser Ser  
 1 5 10 15

Met Ala Gln Leu Glu Ala Gly Lys Tyr Val Phe Glu Val Asp Thr Arg  
 20 25 30

Ala His Lys Leu Leu Ile Lys Gln Ala Val Glu Ala Ala Phe Glu Gly  
 35 40 45

Val Lys Val Ala Asn Val Asn Thr Ile Asn Val Lys Pro Lys Ala Lys  
 50 55 60

Arg Val Gly Arg Tyr Thr Gly Phe Thr Asn Lys Thr Lys Lys Ala Ile  
 65 70 75 80

Ile Thr Leu Thr Ala Asp Ser Lys Ala Ile Glu Leu Phe Ala Ala Glu  
 85 90 95

Ala Glu

<210> 599  
 <211> 277  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 599

Met Gly Ile Arg Val Tyr Lys Pro Thr Thr Asn Gly Arg Arg Asn Met  
 1 5 10 15

Thr Ser Leu Asp Phe Ala Glu Ile Thr Thr Ser Thr Pro Glu Lys Ser  
 20 25 30

Leu Leu Val Ala Leu Lys Ser Lys Ala Gly Arg Asn Asn Asn Gly Arg  
 35 40 45

Ile Thr Val Arg His Gln Gly Gly Gly His Lys Arg Phe Tyr Arg Leu  
 50 55 60

Val Asp Phe Lys Arg Asn Lys Asp Asn Val Glu Ala Val Val Lys Thr  
 65 70 75 80

Ile Glu Tyr Asp Pro Asn Arg Ser Ala Asn Ile Ala Leu Val His Tyr  
 85 90 95

Thr Asp Gly Val Lys Ala Tyr Ile Ile Ala Pro Lys Gly Leu Glu Val  
 100 105 110

Gly Gln Arg Ile Val Ser Gly Pro Glu Ala Asp Ile Lys Val Gly Asn  
 115 120 125

Ala Leu Pro Leu Ala Asn Ile Pro Val Gly Thr Leu Ile His Asn Ile  
 130 135 140

Glu Leu Lys Pro Gly Arg Gly Gly Glu Leu Val Arg Ala Ala Gly Ala  
 145 150 155 160

Ser Ala Gln Val Leu Gly Ser Glu Gly Lys Tyr Val Leu Val Arg Leu  
 165 170 175

Gln Ser Gly Glu Val Arg Met Ile Leu Gly Thr Cys Arg Ala Thr Val  
 180 185 190

Gly Val Val Gly Asn Glu Gln His Gly Leu Val Asn Leu Gly Lys Ala  
 195 200 205

Gly Arg Ser Arg Trp Lys Gly Ile Arg Pro Thr Val Arg Gly Ser Val  
 210 215 220

Met Asn Pro Asn Asp His Pro His Gly Gly Gly Glu Gly Lys Ala Pro  
 225 230 235 240





Ser Pro Arg Lys Ser Arg Leu Val Leu Asp Asn Ile Arg Gly Lys Ser  
20 25 30

Val Ala Asp Ala Ile Ala Ile Leu Thr Phe Thr Pro Asn Lys Ala Ala  
35 40 45

Glu Ile Ile Leu Lys Val Leu Asn Ser Ala Val Ala Asn Ala Glu Asn  
50 55 60

Asn Phe Gly Leu Asp Lys Ala Asn Leu Val Val Ser Glu Ala Phe Ala  
65 70 75 80

Asn Glu Gly Pro Thr Met Lys Arg Phe Arg Pro Arg Ala Lys Gly Ser  
85 90 95

Ala Ser Pro Ile Asn Lys Arg Thr Ala His Ile Thr Val Ala Val Ala  
100 105 110

Glu Lys

<210> 602  
<211> 217  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 602

Met Gly Gln Lys Val His Pro Ile Gly Met Arg Val Gly Ile Ile Arg  
1 5 10 15

Asp Trp Asp Ala Lys Trp Tyr Ala Glu Lys Glu Tyr Ala Asp Tyr Leu  
20 25 30

His Glu Asp Leu Ala Ile Arg Lys Phe Val Gln Lys Glu Leu Ala Asp  
35 40 45

Ala Ala Val Ser Thr Ile Glu Ile Glu Arg Ala Val Asn Lys Val Asn  
50 55 60

Val Ser Leu His Thr Ala Lys Pro Gly Met Val Ile Gly Lys Gly Gly  
65 70 75 80

Ala Asn Val Asp Ala Leu Arg Ala Lys Leu Asn Lys Leu Thr Gly Lys  
85 90 95

Gln Val His Ile Asn Ile Ile Glu Ile Lys Gln Pro Asp Leu Asp Ala  
100 105 110

His Leu Val Gly Glu Gly Ile Ala Arg Gln Leu Glu Gln Arg Val Ala  
115 120 125

Phe Arg Arg Ala Gln Lys Gln Ala Ile Gln Arg Ala Met Arg Ala Gly  
130 135 140

Ala Lys Gly Ile Lys Thr Gln Val Ser Gly Arg Leu Asn Gly Ala Asp  
145 150 155 160

Ile Ala Arg Ala Glu Gly Tyr Ser Glu Gly Thr Val Pro Leu His Thr  
165 170 175

Leu Arg Ala Asp Ile Asp Tyr Ala Trp Glu Glu Ala Asp Thr Thr Tyr  
180 185 190

Gly Lys Leu Gly Val Lys Val Trp Ile Tyr Arg Gly Glu Val Leu Pro  
195 200 205

Ala Arg Lys Asn Thr Lys Gly Gly Lys  
210 215

<210> 603

<211> 122

<212> PRT

<213> Streptococcus pneumoniae

<400> 603

Met Ile Gln Thr Glu Thr Arg Leu Lys Val Ala Asp Asn Ser Gly Ala  
1 5 10 15

Arg Glu Ile Leu Thr Ile Lys Val Leu Gly Gly Ser Gly Arg Lys Phe  
20 25 30

Ala Asn Ile Gly Asp Val Ile Val Ala Ser Val Lys Gln Ala Thr Pro  
35 40 45

Gly Gly Ala Val Lys Lys Gly Asp Val Val Lys Ala Val Ile Val Arg  
50 55 60

Thr Lys Ser Gly Ala Arg Arg Ala Asp Gly Ser Tyr Ile Lys Phe Asp  
65 70 75 80

Glu Asn Ala Ala Val Ile Ile Arg Glu Asp Lys Thr Pro Arg Gly Thr  
85 90 95

Arg Ile Phe Gly Pro Val Ala Arg Glu Leu Arg Glu Gly Gly Phe Met  
100 105 110

Lys Ile Val Ser Leu Ala Pro Glu Val Leu  
115 120

<210> 604  
<211> 101  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 604

Met Phe Val Lys Lys Gly Asp Lys Val Arg Val Ile Ala Gly Lys Asp  
1 5 10 15

Lys Gly Thr Glu Ala Val Val Leu Thr Ala Leu Pro Lys Val Asn Lys  
20 25 30

Val Ile Val Glu Gly Val Asn Ile Val Lys Lys His Gln Arg Pro Thr  
35 40 45

Asn Glu Leu Pro Gln Gly Gly Ile Ile Glu Lys Glu Ala Ala Ile His  
50 55 60

Val Ser Asn Val Gln Val Leu Asp Lys Asn Gly Val Ala Gly Arg Val  
65 70 75 80

Gly Tyr Lys Phe Val Asp Gly Lys Lys Val Arg Tyr Asn Lys Lys Ser  
85 90 95

Gly Glu Val Leu Asp  
100

<210> 605  
 <211> 180  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 605

Met Ala Asn Arg Leu Lys Glu Lys Tyr Leu Asn Glu Val Val Pro Ala  
 1 5 10 15

Leu Thr Glu Gln Phe Asn Tyr Ser Ser Val Met Ala Val Pro Lys Val  
 20 25 30

Asp Lys Ile Val Leu Asn Met Gly Val Gly Glu Ala Val Ser Asn Ala  
 35 40 45

Lys Ser Leu Glu Lys Ala Ala Glu Glu Leu Ala Leu Ile Ser Gly Gln  
 50 55 60

Lys Pro Leu Ile Thr Lys Ala Lys Lys Ser Ile Ala Gly Phe Arg Leu  
 65 70 75 80

Arg Glu Gly Val Ala Ile Gly Ala Lys Val Thr Leu Arg Gly Glu Arg  
 85 90 95

Met Tyr Glu Phe Leu Asp Lys Leu Val Ser Val Ser Leu Pro Arg Val  
 100 105 110

Arg Asp Phe His Gly Val Pro Thr Lys Ser Phe Asp Gly Arg Gly Asn  
 115 120 125

Tyr Thr Leu Gly Val Lys Glu Gln Leu Ile Phe Pro Glu Ile Asn Phe  
 130 135 140

Asp Asp Val Asp Lys Thr Arg Gly Leu Asp Ile Val Ile Val Thr Thr  
 145 150 155 160

Ala Asn Thr Asp Glu Glu Ser Arg Ala Leu Leu Thr Gly Leu Gly Met  
 165 170 175

Pro Phe Ala Lys  
 180

<210> 606  
 <211> 132  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 606

Met Val Met Thr Asp Pro Ile Ala Asp Phe Leu Thr Arg Ile Arg Asn  
 1 5 10 15

Ala Asn Gln Ala Lys His Glu Val Leu Glu Val Pro Ala Ser Asn Ile  
 20 25 30

Lys Lys Gly Ile Ala Glu Ile Leu Lys Arg Glu Gly Phe Val Lys Asn  
 35 40 45

Val Glu Ile Ile Glu Asp Asp Lys Gln Gly Val Ile Arg Val Phe Leu  
 50 55 60

Lys Tyr Gly Pro Asn Gly Glu Lys Val Ile Thr Asn Leu Lys Arg Val  
 65 70 75 80

Ser Lys Pro Gly Leu Arg Val Tyr Lys Lys Arg Glu Asp Leu Pro Lys  
 85 90 95

Val Leu Asn Gly Leu Gly Ile Ala Ile Leu Ser Thr Ser Glu Gly Leu  
 100 105 110

Leu Thr Asp Lys Glu Ala Arg Gln Lys Asn Val Gly Gly Glu Val Ile  
 115 120 125

Ala Tyr Val Trp  
 130

<210> 607  
 <211> 178  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 607

Met Ser Arg Ile Gly Asn Lys Val Ile Val Leu Pro Ala Gly Val Glu  
 1 5 10 15

Leu Ala Asn Asn Asp Asn Val Val Thr Val Lys Gly Ser Lys Gly Glu  
                   20                  25                  30

Leu Thr Arg Glu Phe Ser Lys Asp Ile Glu Ile Arg Val Glu Gly Thr  
           35                  40                  45

Glu Ile Thr Leu His Arg Pro Asn Asp Ser Lys Glu Met Lys Thr Ile  
       50                  55                  60

His Gly Thr Thr Arg Ala Leu Leu Asn Asn Met Val Val Gly Val Ser  
       65                  70                  75                  80

Glu Gly Phe Lys Lys Glu Leu Glu Met Arg Gly Val Gly Tyr Arg Ala  
                   85                  90                  95

Gln Leu Gln Gly Ser Lys Leu Val Leu Ala Val Gly Lys Ser His Pro  
                   100                  105                  110

Asp Glu Val Glu Ala Pro Glu Gly Ile Thr Phe Glu Leu Pro Asn Pro  
           115                  120                  125

Thr Thr Ile Val Val Ser Gly Ile Ser Lys Glu Val Val Gly Gln Thr  
       130                  135                  140

Ala Ala Tyr Val Arg Ser Leu Arg Ser Pro Glu Pro Tyr Lys Gly Lys  
       145                  150                  155                  160

Gly Ile Arg Tyr Val Gly Glu Phe Val Arg Arg Lys Glu Gly Lys Thr  
           165                  170                  175

Gly Lys

<210> 608

<211> 118

<212> PRT

<213> Streptococcus pneumoniae

<400> 608

Met Ile Ser Lys Pro Asp Lys Asn Lys Leu Arg Gln Lys Arg His Arg  
   1                  5                  10                  15

Arg Val Arg Gly Lys Leu Ser Gly Thr Ala Asp Arg Pro Arg Leu Asn  
20 25 30

Val Phe Arg Ser Asn Thr Gly Ile Tyr Ala Gln Val Ile Asp Asp Val  
35 40 45

Ala Gly Val Thr Leu Ala Ser Ala Ser Thr Leu Asp Lys Glu Val Ser  
50 55 60

Lys Gly Thr Lys Thr Glu Gln Ala Val Ala Val Gly Lys Leu Val Ala  
65 70 75 80

Glu Arg Ala Asn Ala Lys Gly Ile Ser Glu Val Val Phe Asp Arg Gly  
85 90 95

Gly Tyr Leu Tyr His Gly Arg Val Lys Ala Leu Ala Asp Ala Ala Arg  
100 105 110

Glu Asn Gly Leu Lys Phe  
115

<210> 609

<211> 164

<212> PRT

<213> Streptococcus pneumoniae

<400> 609

Met Ala Phe Lys Asp Asn Ala Val Glu Leu Glu Glu Arg Val Val Ala  
1 5 10 15

Val Asn Arg Val Thr Lys Val Val Lys Gly Gly Arg Arg Leu Arg Phe  
20 25 30

Ala Ala Leu Val Val Val Gly Asp His Asn Gly Arg Val Gly Phe Gly  
35 40 45

Thr Gly Lys Ala Gln Glu Val Pro Glu Ala Ile Arg Lys Ala Val Asp  
50 55 60

Asp Ala Lys Lys Asn Leu Ile Glu Val Pro Met Val Gly Thr Thr Ile  
65 70 75 80

Pro His Glu Val Leu Ser Glu Phe Gly Gly Ala Lys Val Leu Leu Lys  
                             85                            90                            95

Pro Ala Val Glu Gly Ser Gly Val Ala Ala Gly Gly Ala Val Arg Ala  
                             100                            105                            110

Val Val Glu Leu Ala Gly Val Ala Asp Ile Thr Ser Lys Ser Leu Gly  
                             115                            120                            125

Ser Asn Thr Pro Ile Asn Ile Val Arg Ala Thr Val Glu Gly Leu Lys  
                             130                            135                            140

Gln Leu Lys Arg Ala Glu Glu Ile Ala Ala Leu Arg Gly Ile Ser Val  
                             145                            150                            155                            160

Ser Asp Leu Ala

<210> 610

<211> 146

<212> PRT

<213> Streptococcus pneumoniae

<400> 610

Met Lys Leu His Glu Leu Lys Pro Ala Glu Gly Ser Arg Lys Val Arg  
   1                            5                            10                            15

Asn Arg Val Gly Arg Gly Thr Ser Ser Gly Asn Gly Lys Thr Ser Gly  
                             20                            25                            30

Arg Gly Gln Lys Gly Gln Lys Ala Arg Ser Gly Gly Gly Val Arg Leu  
                             35                            40                            45

Gly Phe Glu Gly Gly Gln Thr Pro Leu Phe Arg Arg Leu Pro Lys Arg  
                             50                            55                            60

Gly Phe Thr Asn Ile Asn Ala Lys Glu Tyr Ala Ile Val Asn Leu Asp  
   65                            70                            75                            80

Gln Leu Asn Val Phe Glu Asp Gly Ala Glu Val Thr Pro Val Val Leu  
                             85                            90                            95



Ile Glu Ala Gly Ile Val Lys Ala Glu Lys Ser Gly Ile Lys Ile Leu  
 100 105 110

Gly Asn Gly Glu Leu Thr Lys Lys Leu Thr Val Lys Ala Ala Lys Phe  
 115 120 125

Ser Lys Ser Ala Glu Glu Ala Ile Thr Ala Lys Gly Gly Ser Val Glu  
 130 135 140

Val Ile  
 145

<210> 611  
 <211> 436  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 611

Met Phe Phe Lys Leu Leu Arg Glu Ala Leu Lys Val Lys Gln Val Arg  
 1 5 10 15

Ser Lys Ile Leu Phe Thr Ile Phe Ile Val Leu Val Phe Arg Ile Gly  
 20 25 30

Thr Ser Ile Thr Val Pro Gly Val Asn Ala Asn Ser Leu Asn Ala Leu  
 35 40 45

Ser Gly Leu Ser Phe Leu Asn Met Leu Ser Leu Val Ser Gly Asn Ala  
 50 55 60

Leu Lys Asn Phe Ser Ile Phe Ala Leu Gly Val Ser Pro Tyr Ile Thr  
 65 70 75 80

Ala Ser Ile Val Val Gln Leu Leu Gln Met Asp Ile Leu Pro Lys Phe  
 85 90 95

Val Glu Trp Gly Lys Gln Gly Glu Val Gly Arg Arg Lys Leu Asn Gln  
 100 105 110

Ala Thr Arg Tyr Ile Ala Leu Val Leu Ala Phe Val Gln Ser Ile Gly  
 115 120 125

Ile Thr Ala Gly Phe Asn Thr Leu Ala Gly Ala Gln Leu Ile Lys Thr  
 130 135 140

Ala Leu Thr Pro Gln Val Phe Leu Thr Ile Gly Ile Ile Leu Thr Ala  
 145 150 155 160

Gly Ser Met Ile Val Thr Trp Leu Gly Glu Gln Ile Thr Asp Lys Gly  
 165 170 175

Tyr Gly Asn Gly Val Ser Met Ile Ile Phe Ala Gly Ile Val Ser Ser  
 180 185 190

Ile Pro Glu Met Ile Gln Gly Ile Tyr Val Asp Tyr Phe Val Asn Val  
 195 200 205

Pro Ser Ser Arg Ile Thr Ser Ser Ile Ile Phe Val Ile Ile Leu Ile  
 210 215 220

Ile Thr Val Leu Leu Ile Ile Tyr Phe Thr Thr Tyr Val Gln Gln Ala  
 225 230 235 240

Glu Tyr Lys Ile Pro Ile Gln Tyr Thr Lys Val Ala Gln Gly Ala Pro  
 245 250 255

Ser Ser Ser Tyr Leu Pro Leu Lys Val Asn Pro Ala Gly Val Ile Pro  
 260 265 270

Val Ile Phe Ala Ser Ser Ile Thr Ala Ala Pro Ala Ala Ile Leu Gln  
 275 280 285

Phe Leu Ser Ala Thr Gly His Asp Trp Ala Trp Val Arg Val Ala Gln  
 290 295 300

Glu Met Leu Ala Thr Thr Ser Pro Thr Gly Ile Ala Met Tyr Ala Leu  
 305 310 315 320

Leu Ile Ile Leu Phe Thr Phe Phe Tyr Thr Phe Val Gln Ile Asn Pro  
 325 330 335

Glu Lys Ala Ala Glu Ser Leu Gln Lys Ser Gly Ala Tyr Ile His Gly  
 340 345 350

Val Arg Pro Gly Lys Gly Thr Glu Glu Tyr Met Ser Lys Leu Leu Arg  
355 360 365

Arg Leu Ala Thr Val Gly Ser Leu Phe Leu Gly Val Ile Ser Ile Leu  
370 375 380

Pro Ile Ala Ala Lys Asp Val Phe Gly Leu Ser Asp Val Val Ala Phe  
385 390 395 400

Gly Gly Thr Ser Leu Leu Ile Ile Ile Ser Thr Gly Ile Glu Gly Ile  
405 410 415

Lys Gln Leu Glu Gly Tyr Leu Leu Lys Arg Lys Tyr Val Gly Phe Met  
420 425 430

Asp Arg Thr Glu  
435

<210> 612

<211> 212

<212> PRT

<213> Streptococcus pneumoniae

<400> 612

Met Asn Leu Leu Ile Met Gly Leu Pro Gly Ala Gly Lys Gly Thr Gln  
1 5 10 15

Ala Ala Lys Ile Val Glu Gln Phe His Val Ala His Ile Ser Thr Gly  
20 25 30

Asp Met Phe Arg Ala Ala Met Ala Asn Gln Thr Glu Met Gly Val Leu  
35 40 45

Ala Lys Ser Tyr Ile Asp Lys Gly Glu Leu Val Pro Asp Glu Val Thr  
50 55 60

Asn Gly Ile Val Lys Glu Arg Leu Ser Gln Asp Asp Ile Lys Glu Thr  
65 70 75 80

Gly Phe Leu Leu Asp Gly Tyr Pro Arg Thr Ile Glu Gln Ala His Ala  
85 90 95

Leu Asp Lys Thr Leu Ala Glu Leu Gly Ile Glu Leu Glu Gly Val Ile  
 100 105 110

Asn Ile Glu Val Asn Pro Asp Ser Leu Leu Glu Arg Leu Ser Gly Arg  
 115 120 125

Ile Ile His Arg Val Thr Gly Glu Thr Phe His Lys Val Phe Asn Pro  
 130 135 140

Pro Val Asp Tyr Lys Glu Glu Asp Tyr Tyr Gln Arg Glu Asp Asp Lys  
 145 150 155 160

Pro Glu Thr Val Lys Arg Arg Leu Asp Val Asn Ile Ala Gln Gly Glu  
 165 170 175

Pro Ile Ile Ala His Tyr Arg Ala Lys Gly Leu Val His Asp Ile Glu  
 180 185 190

Gly Asn Gln Asp Ile Asn Asp Val Phe Ser Asp Ile Glu Lys Val Leu  
 195 200 205

Thr Asn Leu Lys  
 210

<210> 613  
 <211> 121  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 613

Met Ala Arg Ile Ala Gly Val Asp Ile Pro Asn Asp Lys Arg Val Val  
 1 5 10 15

Ile Ser Leu Thr Tyr Val Tyr Gly Ile Gly Leu Ala Thr Ser Lys Lys  
 20 25 30

Ile Leu Ala Ala Ala Gly Ile Ser Glu Asp Val Arg Val Arg Asp Leu  
 35 40 45

Thr Ser Asp Gln Glu Asp Ala Ile Arg Arg Glu Val Asp Ala Ile Lys  
 50 55 60

Val Glu Gly Asp Leu Arg Arg Glu Val Asn Leu Asn Ile Lys Arg Leu  
65 70 75 80

Met Glu Ile Gly Ser Tyr Arg Gly Ile Arg His Arg Arg Gly Leu Pro  
85 90 95

Val Arg Gly Gln Asn Thr Lys Asn Asn Ala Arg Thr Arg Lys Gly Lys  
100 105 110

Ala Val Ala Ile Ala Gly Lys Lys Lys  
115 120

<210> 614  
<211> 127  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 614

Met Ala Lys Pro Thr Arg Lys Arg Arg Val Lys Lys Asn Ile Glu Ser  
1 5 10 15

Gly Ile Ala His Ile His Ala Thr Phe Asn Asn Thr Ile Val Met Ile  
20 25 30

Thr Asp Val His Gly Asn Ala Ile Ala Trp Ser Ser Ala Gly Ala Leu  
35 40 45

Gly Phe Lys Gly Ser Arg Lys Ser Thr Pro Phe Ala Ala Gln Met Ala  
50 55 60

Ser Glu Ala Ala Ala Lys Ser Ala Gln Glu His Gly Leu Lys Ser Val  
65 70 75 80

Glu Val Thr Val Lys Gly Pro Gly Ser Gly Arg Glu Ser Ala Ile Arg  
85 90 95

Ala Leu Ala Ala Ala Gly Leu Glu Val Thr Ala Ile Arg Asp Val Thr  
100 105 110

Pro Val Pro His Asn Gly Ala Arg Pro Pro Lys Arg Arg Arg Val  
115 120 125

<210> 615  
 <211> 128  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 615

Met Ala Tyr Arg Lys Leu Gly Arg Thr Ser Ser Gln Arg Lys Ala Met  
 1 5 10 15

Leu Arg Asp Leu Thr Thr Asp Leu Leu Ile Asn Glu Ser Ile Val Thr  
 20 25 30

Thr Glu Ala Arg Ala Lys Glu Ile Arg Lys Thr Val Glu Lys Met Ile  
 35 40 45

Thr Leu Gly Lys Arg Gly Asp Leu His Ala Arg Arg Gln Ala Ala Ala  
 50 55 60

Phe Val Arg Asn Glu Ile Ala Ser Glu Asn Tyr Asp Glu Ala Thr Asp  
 65 70 75 80

Lys Tyr Thr Ser Thr Thr Ala Leu Gln Lys Leu Phe Ser Glu Ile Ala  
 85 90 95

Pro Arg Tyr Ala Glu Arg Asn Gly Gly Tyr Thr Arg Ile Leu Lys Thr  
 100 105 110

Glu Ser Arg Arg Gly Asp Ala Ala Pro Met Ala Ile Ile Glu Leu Val  
 115 120 125

<210> 616  
 <211> 137  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 616

Met Pro Thr Ile Asn Gln Leu Val Arg Lys Pro Arg Lys Ser Lys Val  
 1 5 10 15

Glu Lys Ser Lys Ser Pro Ala Leu Asn Val Gly Tyr Asn Ser His Lys  
 20 25 30

Lys Val Gln Thr Asn Val Ser Ser Pro Gln Lys Arg Gly Val Ala Thr  
 35 40 45

Arg Val Gly Thr Met Thr Pro Lys Lys Pro Asn Ser Ala Leu Arg Lys  
 50 55 60

Phe Ala Arg Val Arg Leu Ser Asn Leu Ile Glu Val Thr Ala Tyr Ile  
 65 70 75 80

Pro Gly Ile Gly His Asn Leu Gln Glu His Ser Val Val Leu Leu Arg  
 85 90 95

Gly Gly Arg Val Lys Asp Leu Pro Gly Val Arg Tyr His Ile Val Arg  
 100 105 110

Gly Ala Leu Asp Thr Ala Gly Val Asn Asp Arg Lys Gln Gly Arg Ser  
 115 120 125

Lys Tyr Gly Thr Lys Arg Pro Lys Ala  
 130 135

<210> 617

<211> 156

<212> PRT

<213> Streptococcus pneumoniae

<400> 617

Met Ser Arg Lys Asn Arg Ala Pro Lys Arg Asp Val Leu Pro Asp Pro  
 1 5 10 15

Leu Tyr Asn Ser Gln Leu Val Thr Arg Leu Ile Asn Arg Val Met Leu  
 20 25 30

Asp Gly Lys Arg Gly Thr Ala Ala Ser Ile Val Tyr Gly Ala Phe Glu  
 35 40 45

Gln Ile Lys Glu Ala Thr Gly Asn Asp Ala Leu Glu Val Phe Glu Thr  
 50 55 60

Ala Met Glu Asn Ile Met Pro Val Leu Glu Val Arg Ala Arg Arg Val  
 65 70 75 80

Gly Gly Ser Asn Tyr Gln Val Pro Val Lys Val Arg Pro Glu Arg Arg  
85 90 95

Thr Thr Leu Gly Leu Arg Trp Leu Val Thr Ile Ala Arg Leu Arg Gly  
100 105 110

Glu His Thr Met Gln Asp Arg Leu Ala Lys Glu Ile Leu Asp Ala Ala  
115 120 125

Asn Asn Thr Gly Ala Ala Val Lys Lys Arg Glu Asp Thr His Arg Met  
130 135 140

Ala Glu Ala Asn Arg Ala Phe Ala His Phe Arg Trp  
145 150 155

<210> 618  
<211> 303  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 618

Met Thr Glu Lys Leu Gln Leu Thr Lys Ser Asp Arg Lys Lys Val Trp  
1 5 10 15

Trp Arg Ser Thr Phe Leu Gln Gly Ser Trp Asn Phe Glu Arg Met Gln  
20 25 30

Asn Leu Gly Trp Ala Tyr Thr Leu Ile Pro Ala Ile Lys Lys Leu Tyr  
35 40 45

Thr Lys Lys Glu Asp Gln Ile Ala Ala Leu Glu Arg His Leu Glu Phe  
50 55 60

Phe Asn Thr His Pro Tyr Val Ala Ala Pro Val Met Gly Val Thr Leu  
65 70 75 80

Ala Leu Glu Glu Glu Arg Ala Asn Gly Val Glu Ile Asp Asp Ala Ala  
85 90 95

Ile Gln Gly Val Lys Ile Gly Met Met Gly Pro Leu Ala Gly Ile Gly  
100 105 110



Asp Pro Val Phe Trp Phe Thr Val Arg Pro Ile Leu Gly Ser Leu Gly  
 115 120 125

Ala Ser Leu Ala Leu Thr Gly Asn Ile Leu Gly Pro Leu Leu Phe Phe  
 130 135 140

Val Ala Trp Asn Leu Ile Arg Met Ser Phe Leu Trp Tyr Val Gln Glu  
 145 150 155 160

Ile Gly Tyr Lys Ala Gly Ser Glu Ile Thr Lys Asp Met Ser Gly Gly  
 165 170 175

Ile Leu Gln Asp Ile Thr Lys Gly Ala Ser Ile Leu Gly Met Phe Ile  
 180 185 190

Leu Ala Val Leu Val Gln Arg Trp Val Asn Ile Lys Phe Ala Phe Asp  
 195 200 205

Val Ser Lys Val Gln Leu Asp Glu Lys Ala Tyr Ile His Trp Asp Lys  
 210 215 220

Leu Pro Glu Gly Ser Lys Gly Ile Gln Glu Ala Phe Ala Gln Val Gly  
 225 230 235 240

Gln Gly Leu Ser Gln Thr Pro Glu Lys Val Thr Thr Phe Gln Gln Asn  
 245 250 255

Leu Asp Met Leu Ile Pro Gly Leu Ser Gly Leu Leu Leu Thr Leu Leu  
 260 265 270

Cys Met Tyr Leu Leu Lys Lys Lys Val Ser Pro Ile Thr Ile Ile Leu  
 275 280 285

Ala Leu Phe Ala Val Gly Ile Val Ala His Val Leu His Ile Met  
 290 295 300

<210> 619

<211> 267

<212> PRT

<213> Streptococcus pneumoniae

<400> 619

Met Ser Ile Ile Ser Met Val Leu Val Val Val Val Ala Phe Phe Ala  
 1 5 10 15  
 Gly Leu Glu Gly Ile Leu Asp Gln Phe Gln Phe His Gln Pro Leu Val  
 20 25 30  
 Ala Cys Thr Leu Ile Gly Leu Val Thr Gly His Leu Glu Ala Gly Ile  
 35 40 45  
 Ile Leu Gly Gly Ser Leu Gln Met Ile Ala Leu Gly Trp Ser Asn Ile  
 50 55 60  
 Gly Ala Ala Ile Ala Pro Asp Ala Ala Leu Ala Ser Val Ala Ala Ala  
 65 70 75 80  
 Ile Ile Met Val Leu Gly Gly Asp Phe Thr Lys Thr Gly Ile Gly Val  
 85 90 95  
 Ala Gln Ala Val Ala Ile Pro Leu Ala Val Ala Gly Leu Phe Leu Thr  
 100 105 110  
 Met Ile Val Arg Thr Ile Ser Val Gly Leu Val His Thr Ala Asp Ala  
 115 120 125  
 Ala Ala Lys Lys Gly Asp Phe Gly Ala Val Glu Arg Ala His Phe Ile  
 130 135 140  
 Ala Leu Leu Phe Gln Gly Leu Arg Ile Ala Leu Pro Ala Ala Leu Leu  
 145 150 155 160  
 Leu Met Val Pro Thr Glu Thr Val Gln Ser Ile Leu Ser Ala Met Pro  
 165 170 175  
 Asp Trp Leu Lys Asp Gly Met Ala Ile Gly Gly Gly Met Val Val Ala  
 180 185 190  
 Val Gly Tyr Ala Met Val Ile Asn Met Met Ala Thr Arg Glu Val Trp  
 195 200 205  
 Pro Phe Phe Ala Leu Gly Phe Val Leu Ala Ala Val Ser Asp Ile Thr  
 210 215 220

Leu Ile Gly Phe Gly Ala Ile Gly Val Ala Ile Ala Leu Ile Tyr Leu  
 225 230 235 240

His Leu Ser Lys Thr Gly Gly Asn Gly Gly Gly Gly Ala Ala Thr Ser  
 245 250 255

Asn Asp Pro Ile Gly Asp Ile Leu Glu Asp Tyr  
 260 265

<210> 620

<211> 332

<212> PRT

<213> Streptococcus pneumoniae

<400> 620

Met Thr Ile Met Ser Ile Gly Ile Ile Ile Ala Ser His Gly Glu Phe  
 1 5 10 15

Ala Ala Gly Ile His Gln Ser Gly Ser Met Ile Phe Gly Glu Gln Glu  
 20 25 30

Lys Val Gln Val Val Thr Phe Met Pro Asn Glu Gly Pro Asp Asp Leu  
 35 40 45

Tyr Ala Lys Phe Asn Asn Ala Val Ala Ala Phe Asp Ala Glu Asp Glu  
 50 55 60

Val Leu Val Leu Ala Asp Leu Trp Ser Gly Ser Pro Phe Asn Gln Ala  
 65 70 75 80

Ser Arg Val Met Gly Glu Asn Pro Glu Arg Lys Phe Ala Ile Ile Thr  
 85 90 95

Gly Leu Asn Leu Pro Met Leu Ile Gln Ala Tyr Thr Glu Arg Leu Met  
 100 105 110

Asp Ala Ala Ala Gly Val Glu Lys Val Ala Ala Asn Ile Ile Lys Glu  
 115 120 125

Ala Lys Asp Gly Ile Lys Ala Leu Pro Glu Glu Leu Asn Pro Val Glu  
 130 135 140

Glu Val Ala Ser Ala Ala Ala Pro Val Ala Gln Thr Ala Ile Pro  
145 150 155 160

Glu Gly Thr Val Ile Gly Asp Gly Lys Leu Lys Ile Asn Leu Ala Arg  
165 170 175

Leu Asp Thr Arg Leu Leu His Gly Gln Val Ala Thr Ala Trp Thr Pro  
180 185 190

Asp Ser Lys Ala Asn Arg Ile Ile Val Ala Ser Asp Asn Val Ala Lys  
195 200 205

Asp Asp Leu Arg Lys Glu Leu Ile Lys Gln Ala Ala Pro Gly Asn Val  
210 215 220

Lys Ala Asn Val Val Pro Ile Gln Lys Leu Ile Glu Ile Ser Lys Asp  
225 230 235 240

Pro Arg Phe Gly Glu Thr His Ala Leu Ile Leu Phe Glu Thr Pro Gln  
245 250 255

Asp Ala Leu Arg Ala Ile Glu Gly Gly Val Pro Ile Lys Thr Leu Asn  
260 265 270

Val Gly Ser Met Ala His Ser Thr Gly Lys Thr Leu Val Asn Thr Val  
275 280 285

Leu Ser Met Asp Lys Glu Asp Val Ala Thr Phe Glu Lys Met Arg Asp  
290 295 300

Leu Gly Val Glu Phe Asp Val Arg Lys Val Pro Asn Asp Ser Lys Lys  
305 310 315 320

Asp Leu Phe Asp Leu Ile Asn Lys Ala Asn Val Lys  
325 330

<210> 621

<211> 339

<212> PRT

<213> Streptococcus pneumoniae

<400> 621

Met Lys Ala Val Val Val Asn Pro Glu Ser Thr Gly Val Ala Ile Glu  
 1 5 10 15  
 Glu Lys Val Leu Arg Pro Leu Glu Thr Gly Glu Ala Leu Val Glu Val  
 20 25 30  
 Glu Tyr Cys Gly Val Cys His Thr Asp Leu His Val Ala His Gly Asp  
 35 40 45  
 Phe Gly Gln Val Pro Gly Arg Val Leu Gly His Glu Gly Ile Gly Ile  
 50 55 60  
 Val Lys Glu Ile Ala Pro Asp Val Lys Ser Leu Lys Val Gly Asp Arg  
 65 70 75 80  
 Val Ser Val Ala Trp Phe Phe Glu Gly Cys Gly Thr Cys Glu Tyr Cys  
 85 90 95  
 Thr Thr Gly Arg Glu Thr Leu Cys Arg Thr Val Lys Asn Ala Gly Tyr  
 100 105 110  
 Ser Val Asp Gly Gly Met Ala Glu Gln Cys Ile Val Thr Ala Asp Tyr  
 115 120 125  
 Ala Val Lys Val Pro Asp Gly Leu Asp Pro Ala Gln Ala Ser Ser Ile  
 130 135 140  
 Thr Cys Ala Gly Val Thr Thr Tyr Lys Ala Ile Lys Glu Ala Lys Val  
 145 150 155 160  
 Glu Pro Gly Gln Trp Val Val Leu Tyr Gly Ala Gly Gly Leu Gly Asn  
 165 170 175  
 Leu Ala Val Gln Tyr Ala Lys Lys Val Phe Asn Ala His Val Ile Ala  
 180 185 190  
 Val Asp Ile Asn Asn Asp Lys Leu Ala Leu Ala Lys Glu Val Gly Ala  
 195 200 205  
 Asp Ile Val Ile Asn Gly Leu Glu Val Glu Asp Val Ala Gly Leu Ile  
 210 215 220

Lys Glu Lys Thr Asp Gly Gly Ala His Ser Ala Val Val Thr Ala Val  
225 230 235 240

Ser Lys Val Ala Phe Asn Gln Ala Val Asp Ser Ile Arg Ala Gly Gly  
245 250 255

Arg Val Val Ala Val Gly Leu Pro Ser Glu Met Met Glu Leu Ser Ile  
260 265 270

Val Lys Thr Val Leu Asp Gly Ile Gln Val Ile Gly Ser Leu Val Gly  
275 280 285

Thr Arg Lys Asp Leu Glu Glu Ala Phe Gln Phe Gly Ala Glu Gly Leu  
290 295 300

Val Val Pro Val Val Gln Lys Arg Pro Val Glu Asp Ala Val Ala Ile  
305 310 315 320

Phe Asp Glu Met Glu Lys Gly Gln Ile Gln Gly Arg Met Val Leu Asp  
325 330 335

Phe Thr His

<210> 622  
<211> 148  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 622

Met Asn Lys Thr Thr Phe Met Ala Lys Pro Gly Gln Val Glu Arg Lys  
1 5 10 15

Trp Tyr Val Val Asp Ala Thr Asp Val Pro Leu Gly Arg Leu Ser Ala  
20 25 30

Val Val Ala Ser Val Leu Arg Gly Lys Asn Lys Pro Thr Phe Thr Pro  
35 40 45

His Thr Asp Thr Gly Asp Phe Val Ile Val Ile Asn Ala Glu Lys Val  
50 55 60

Lys Leu Thr Gly Lys Lys Ala Thr Asp Lys Ile Tyr Tyr Thr His Ser  
65 70 75 80

Asn His Pro Gly Gly Leu Lys Gln Ile Ser Ala Gly Glu Leu Arg Ser  
85 90 95

Lys Asn Ala Val Arg Leu Ile Glu Lys Ser Val Lys Gly Met Leu Pro  
100 105 110

His Asn Thr Leu Gly Arg Ala Gln Gly Met Lys Leu Lys Val Phe Val  
115 120 125

Gly Ala Glu His Thr His Ala Ala Gln Gln Pro Glu Val Leu Asp Ile  
130 135 140

Ser Gly Leu Ile  
145

<210> 623  
<211> 130  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 623

Met Ser Gln Ala Gln Tyr Ala Gly Thr Gly Arg Arg Lys Asn Ala Val  
1 5 10 15

Ala Arg Val Arg Leu Val Pro Gly Thr Gly Lys Ile Thr Val Asn Lys  
20 25 30

Lys Asp Val Glu Glu Tyr Ile Pro His Ala Asp Leu Arg Leu Val Ile  
35 40 45

Asn Gln Pro Phe Ala Val Thr Ser Thr Val Gly Ser Tyr Asp Val Phe  
50 55 60

Val Asn Val Ile Gly Gly Gly Tyr Ala Gly Gln Ser Gly Ala Ile Arg  
65 70 75 80

His Gly Ile Ala Arg Ala Leu Leu Gln Val Asp Pro Asp Phe Arg Asp  
85 90 95

Ser Leu Lys Arg Ala Gly Leu Leu Thr Arg Asp Ser Arg Lys Val Glu  
 100 105 110

Arg Lys Lys Pro Gly Leu Lys Lys Ala Arg Lys Ala Ser Gln Phe Ser  
 115 120 125

Lys Arg  
 130

<210> 624  
 <211> 272  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 624

Met Thr Gly Ser Asn Lys Leu Thr Lys Arg Asp Tyr Leu Lys Thr Ser  
 1 5 10 15

Leu Arg Ala Phe Phe Cys Gln Asn Gly Phe Asn Tyr Ser Asn Tyr Gln  
 20 25 30

Gly Leu Gly Tyr Ala Asn Val Met Tyr Pro Ala Leu Lys Lys His Tyr  
 35 40 45

Gly Glu Asp Gln Glu Gly Phe Tyr Gln Ala Leu Glu Glu Asn Cys Glu  
 50 55 60

Phe Tyr Asn Thr Asn Pro His Phe Leu Pro Phe Ile Thr Ser Leu His  
 65 70 75 80

Leu Val Met Leu Glu Asn Gly Arg Pro Ala Lys Glu Thr Arg Ser Ile  
 85 90 95

Lys Met Ala Leu Met Gly Pro Leu Ala Gly Ile Gly Asp Ser Leu Ser  
 100 105 110

Gln Phe Cys Leu Ala Pro Leu Phe Ser Thr Ile Ala Ala Ser Phe Ala  
 115 120 125

Gln Glu Gly Leu Val Val Gly Pro Ile Leu Phe Phe Leu Ala Met Asn  
 130 135 140



Thr Ile Leu Thr Ala Ile Lys Leu Ser Thr Gly Leu Tyr Gly Tyr Lys  
145 150 155 160

Leu Gly Thr Thr Val Ile Asp Lys Leu Ser Glu Gln Met Ala Thr Ile  
165 170 175

Ser Arg Ile Ala Asn Ile Ile Gly Val Thr Val Ile Ala Gly Leu Ala  
180 185 190

Ala Thr Ser Val Lys Ile Met Val Pro Ile Thr Phe Ala Ala Gly Glu  
195 200 205

Val Lys Ala Asp Ala Lys Gln Ser Ile Val Ser Ile Gln Gly Met Leu  
210 215 220

Asp Lys Val Ala Pro Ala Leu Leu Pro Ala Leu Phe Thr Leu Leu Val  
225 230 235 240

Tyr Tyr Leu Ile Lys Glu Lys Lys Trp Thr Thr Tyr Lys Leu Val Ile  
245 250 255

Leu Thr Val Ile Ile Gly Ile Ile Gly Ser Trp Leu Lys Ile Ile Ala  
260 265 270

<210> 625  
<211> 494  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 625

Met Lys Lys Gln Ala Phe Ser Ser Glu Gln Tyr Leu Asn Leu Gln Arg  
1 5 10 15

Asp His Ile Leu Glu Arg Ile Asn Gln Phe Asp Gly Lys Leu Tyr Leu  
20 25 30

Glu Phe Gly Gly Lys Met Leu Glu Asp Phe His Ala Ala Arg Val Leu  
35 40 45

Pro Gly Tyr Glu Pro Asp Asn Lys Ile Lys Leu Leu Gln Glu Leu Lys  
50 55 60

Glu Gln Val Glu Val Val Ile Ala Ile Asn Ala Ser Asn Ile Glu His  
 65 70 75 80  
 Ser Lys Ala Arg Gly Asp Leu Gly Ile Ser Tyr Asp Gln Glu Val Leu  
 85 90 95  
 Arg Leu Ile Asp Lys Phe Asn Glu Leu Gly Ile Phe Val Gly Ser Val  
 100 105 110  
 Val Ile Thr Gln Tyr Ala Gly Gln Pro Ala Ala Asp Ala Phe Arg Asn  
 115 120 125  
 Gln Leu Glu Lys Asn Gly Ile Asp Ser Tyr Leu His Tyr Pro Ile Lys  
 130 135 140  
 Gly Tyr Pro Thr Asp Met Asp His Ile Ile Ser Pro Glu Gly Met Gly  
 145 150 155 160  
 Lys Asn Asp Tyr Ile Lys Thr Ser Arg Asn Leu Ile Val Val Thr Ala  
 165 170 175  
 Pro Gly Pro Gly Ser Gly Lys Leu Ala Thr Cys Met Ser Asn Met Tyr  
 180 185 190  
 His Asp Gln Ile Asn Gly Ile Lys Ser Gly Tyr Ala Lys Phe Glu Thr  
 195 200 205  
 Phe Pro Val Trp Asn Leu Pro Leu His His Pro Val Asn Leu Ala Tyr  
 210 215 220  
 Glu Ala Ala Thr Ala Asp Leu Asp Asp Val Asn Met Ile Asp Pro Phe  
 225 230 235 240  
 His Leu Gln Thr Tyr Gly Glu Thr Thr Val Asn Tyr Asn Arg Asp Ile  
 245 250 255  
 Glu Ile Phe Pro Val Leu Lys Arg Met Leu Glu Arg Ile Leu Gly Lys  
 260 265 270  
 Ser Pro Tyr Ala Ser Pro Thr Asp Met Gly Val Asn Met Val Gly Phe

275	280	285
Ala Ile Thr Asp Asp Glu 290	Ala Ala Val Glu Ala 295	Ser Lys Gln Glu Ile 300
Ile Arg Arg Tyr Tyr Gln Thr Val Leu Asp Phe Lys Ala Glu Lys Val 305	310	315 320
Gly Glu Ala Ala Val Lys Lys Ile Glu Leu Leu Met Asn Asp Leu Gly 325	330	335
Ile Thr Pro Ala Asp Arg Lys Val Ala Val Val Ala Arg Gln Lys Ala 340	345	350
Glu Glu Thr Gly Gly Pro Ala Leu Ala Phe Glu Leu Pro Asn Gly Glu 355	360	365
Ile Ile Thr Gly Lys Asn Ser Glu Leu Phe Gly Pro Thr Ala Ala Ala 370	375	380
Leu Ile Asn Ala Ile Lys Lys Ser Ala Asp Ile Ala Lys Glu Val Lys 385	390	395 400
Leu Ile Glu Pro Glu Val Val Lys Pro Ile Gln Gly Leu Lys Ile Asp 405	410	415
His Leu Gly Ser Arg Asn Pro Arg Leu His Ser Asn Glu Ile Leu Ile 420	425	430
Ala Leu Ala Ile Thr Ala Thr Glu Asn Pro Asp Ala Ala Arg Ala Met 435	440	445
Glu Glu Leu Gly Asn Leu Lys Gly Ser Glu Ala His Ser Thr Ile Ile 450	455	460
Leu Thr Asp Glu Asp Lys Asn Val Leu Arg Lys Leu Gly Ile Asn Val 465	470	475 480
Thr Phe Asp Pro Tyr Tyr Gln Tyr Asp Arg Leu Tyr Arg Lys 485	490	

<210> 626  
 <211> 719  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 626

Met Asn Lys Pro Thr Ile Leu Arg Leu Ile Lys Tyr Leu Ser Ile Ser  
 1 5 10 15

Phe Leu Ser Leu Val Ile Ala Ala Ile Val Leu Gly Gly Gly Val Phe  
 20 25 30

Phe Tyr Tyr Val Ser Lys Ala Pro Ser Leu Ser Glu Ser Lys Leu Val  
 35 40 45

Ala Thr Thr Ser Ser Lys Ile Tyr Asp Asn Lys Asn Gln Leu Ile Ala  
 50 55 60

Asp Leu Gly Ser Glu Arg Arg Val Asn Ala Gln Ala Asn Asp Ile Pro  
 65 70 75 80

Thr Asp Leu Val Lys Ala Ile Val Ser Ile Glu Asp His Arg Phe Phe  
 85 90 95

Asp His Arg Gly Ile Asp Thr Ile Arg Ile Leu Gly Ala Phe Leu Arg  
 100 105 110

Asn Leu Gln Ser Asn Ser Leu Gln Gly Gly Ser Thr Leu Thr Gln Gln  
 115 120 125

Leu Ile Lys Leu Thr Tyr Phe Ser Thr Ser Thr Ser Asp Gln Thr Ile  
 130 135 140

Ser Arg Lys Ala Gln Glu Ala Trp Leu Ala Ile Gln Leu Glu Gln Lys  
 145 150 155 160

Ala Thr Lys Gln Glu Ile Leu Thr Tyr Tyr Ile Asn Lys Val Tyr Met  
 165 170 175

Ser Asn Gly Asn Tyr Gly Met Gln Thr Ala Ala Gln Asn Tyr Tyr Gly  
 180 185 190

Lys Asp Leu Asn Asn Leu Ser Leu Pro Gln Leu Ala Leu Leu Ala Gly  
 195 200 205

Met Pro Gln Ala Pro Asn Gln Tyr Asp Pro Tyr Ser His Pro Glu Ala  
 210 215 220

Ala Gln Asp Arg Arg Asn Leu Val Leu Ser Glu Met Lys Asn Gln Gly  
 225 230 235 240

Tyr Ile Ser Ala Glu Gln Tyr Glu Lys Ala Val Asn Thr Pro Ile Thr  
 245 250 255

Asp Gly Leu Gln Ser Leu Lys Ser Ala Ser Asn Tyr Pro Ala Tyr Met  
 260 265 270

Asp Asn Tyr Leu Lys Glu Val Ile Asn Gln Val Glu Glu Glu Thr Gly  
 275 280 285

Tyr Asn Leu Leu Thr Thr Gly Met Asp Val Tyr Thr Asn Val Asp Gln  
 290 295 300

Glu Ala Gln Lys His Leu Trp Asp Ile Tyr Asn Thr Asp Glu Tyr Val  
 305 310 315 320

Ala Tyr Pro Asp Asp Glu Leu Gln Val Ala Ser Thr Ile Val Asp Val  
 325 330 335

Ser Asn Gly Lys Val Ile Ala Gln Leu Gly Ala Arg His Gln Ser Ser  
 340 345 350

Asn Val Ser Phe Gly Ile Asn Gln Ala Val Glu Thr Asn Arg Asp Trp  
 355 360 365

Gly Ser Thr Met Lys Pro Ile Thr Asp Tyr Ala Pro Ala Leu Glu Tyr  
 370 375 380

Gly Val Tyr Asp Ser Thr Ala Thr Ile Val His Asp Glu Pro Tyr Asn  
 385 390 395 400

Tyr Pro Gly Thr Asn Thr Pro Val Tyr Asn Trp Asp Arg Gly Tyr Phe  
 405 410 415

Gly Asn Ile Thr Leu Gln Tyr Ala Leu Gln Gln Ser Arg Asn Val Pro  
 420 425 430

Ala Val Glu Thr Leu Asn Lys Val Gly Leu Asn Arg Ala Lys Thr Phe  
 435 440 445

Leu Asn Gly Leu Gly Ile Asp Tyr Pro Ser Ile His Tyr Ser Asn Ala  
 450 455 460

Ile Ser Ser Asn Thr Thr Glu Ser Asp Lys Lys Tyr Gly Ala Ser Ser  
 465 470 475 480

Glu Lys Met Ala Ala Ala Tyr Ala Ala Phe Ala Asn Gly Gly Thr Tyr  
 485 490 495

Tyr Lys Pro Met Tyr Ile His Lys Val Val Phe Ser Asp Gly Ser Glu  
 500 505 510

Lys Glu Phe Ser Asn Val Gly Thr Arg Ala Met Lys Glu Thr Thr Ala  
 515 520 525

Tyr Met Met Thr Asp Met Met Lys Thr Val Leu Thr Tyr Gly Thr Gly  
 530 535 540

Arg Asn Ala Tyr Leu Ala Trp Leu Pro Gln Ala Gly Lys Thr Gly Thr  
 545 550 555 560

Ser Asn Tyr Thr Asp Glu Glu Ile Glu Asn His Ile Lys Thr Ser Gln  
 565 570 575

Phe Val Ala Pro Asp Glu Leu Phe Ala Gly Tyr Thr Arg Lys Tyr Ser  
 580 585 590

Met Ala Val Trp Thr Gly Tyr Ser Asn Arg Leu Thr Pro Leu Val Gly  
 595 600 605

Asn Gly Leu Thr Val Ala Ala Lys Val Tyr Arg Ser Met Met Thr Tyr  
 610 615 620

Leu Ser Glu Gly Ser Asn Pro Glu Asp Trp Asn Ile Pro Glu Gly Leu  
 625 630 635 640

Tyr Arg Asn Gly Glu Phe Val Phe Lys Asn Gly Ala Arg Ser Thr Trp  
645 650 655

Asn Ser Pro Ala Pro Gln Gln Pro Pro Ser Thr Glu Ser Ser Ser Ser  
660 665 670

Ser Ser Asp Ser Ser Thr Ser Gln Ser Ser Ser Thr Thr Pro Ser Thr  
675 680 685

Asn Asn Ser Thr Thr Thr Asn Pro Asn Asn Asn Thr Gln Gln Ser Asn  
690 695 700

Thr Thr Pro Asp Gln Gln Asn Gln Asn Pro Gln Pro Ala Gln Pro  
705 710 715

<210> 627

<211> 113

<212> PRT

<213> Streptococcus pneumoniae

<400> 627

Met Glu Arg Asp Met Ala Ser Ile Ile Phe Ser Ala Lys Asp Ile Phe  
1 5 10 15

Glu Gln Glu Phe Gly Arg Glu Val Arg Gly Tyr Asn Lys Val Glu Val  
20 25 30

Asp Glu Phe Leu Asp Asp Val Ile Lys Asp Tyr Glu Thr Tyr Ala Ala  
35 40 45

Leu Val Lys Ser Leu Arg Gln Glu Ile Ala Asp Leu Lys Glu Glu Leu  
50 55 60

Thr Arg Lys Pro Lys Pro Ser Pro Val Gln Ala Glu Pro Leu Glu Ala  
65 70 75 80

Ala Ile Thr Ser Ser Met Thr Asn Phe Asp Ile Leu Lys Arg Leu Asn  
85 90 95

Arg Leu Glu Lys Glu Val Phe Gly Lys Gln Ile Leu Asp Asn Ser Asp  
100 105 110

Phe

<210> 628  
 <211> 464  
 <212> PRT  
 <213> Streptococcus pneumoniae

&lt;400&gt; 628

Met Ser Lys Lys Arg Arg Asn Arg His Lys Lys Glu Gly Gln Glu Pro  
 1 5 10 15

Gln Phe Asp Phe Asp Glu Ala Lys Glu Leu Thr Val Gly Gln Ala Ile  
 20 25 30

Arg Lys Asn Glu Glu Val Glu Ser Gly Val Leu Pro Glu Asp Ser Ile  
 35 40 45

Leu Asp Lys Tyr Val Lys Gln His Arg Asp Glu Ile Glu Ala Asp Lys  
 50 55 60

Phe Ala Thr Arg Gln Tyr Lys Lys Glu Glu Phe Val Glu Thr Gln Ser  
 65 70 75 80

Leu Asp Asp Leu Ile Gln Glu Met Arg Glu Ala Val Glu Lys Ser Glu  
 85 90 95

Ala Ser Ser Glu Glu Val Pro Ser Ser Glu Asp Ile Leu Leu Pro Leu  
 100 105 110

Pro Leu Asp Asp Glu Glu Gln Gly Leu Asp Pro Leu Leu Leu Asp Asp  
 115 120 125

Glu Asn Pro Thr Glu Met Thr Glu Glu Val Glu Glu Glu Gln Asn Leu  
 130 135 140

Ser Arg Leu Asp Gln Glu Asp Ser Glu Lys Lys Ser Lys Lys Gly Phe  
 145 150 155 160

Ile Leu Thr Val Leu Ala Leu Val Ser Val Ile Ile Cys Val Ser Ala  
 165 170 175



Tyr Tyr Val Tyr Arg Gln Val Ala Arg Ser Thr Lys Glu Ile Glu Thr  
 180 185 190

Ser Gln Ser Thr Thr Ala Asn Gln Ser Asp Val Asp Asp Phe Asn Thr  
 195 200 205

Leu Tyr Asp Ala Phe Tyr Thr Asp Ser Asn Lys Thr Ala Leu Lys Asn  
 210 215 220

Ser Gln Phe Asp Lys Leu Ser Gln Leu Lys Thr Leu Leu Asp Lys Leu  
 225 230 235 240

Glu Gly Ser Arg Glu His Thr Leu Ala Lys Ser Lys Tyr Asp Ser Leu  
 245 250 255

Ala Thr Gln Ile Lys Ala Ile Gln Asp Val Asn Ala Gln Phe Glu Lys  
 260 265 270

Pro Ala Ile Val Asp Gly Val Leu Asp Thr Asn Ala Lys Ala Lys Ser  
 275 280 285

Asp Ala Lys Phe Thr Asp Ile Lys Thr Gly Asn Thr Glu Leu Asp Lys  
 290 295 300

Val Leu Asp Lys Ala Ile Ser Leu Gly Lys Ser Gln Gln Thr Ser Thr  
 305 310 315 320

Ser Ser Ser Ser Ser Ser Gln Thr Ser Ser Ser Ser Ser Ser Gln Ala  
 325 330 335

Ser Ser Asn Thr Thr Ser Glu Pro Lys Pro Ser Ser Ser Asn Glu Thr  
 340 345 350

Arg Ser Ser Arg Ser Glu Val Asn Met Gly Leu Ser Ser Ala Gly Val  
 355 360 365

Ala Val Gln Arg Ser Ala Ser Arg Val Ala Tyr Asn Gln Ser Ala Ile  
 370 375 380

Asp Asp Ser Asn Asn Ser Ala Trp Asp Phe Ala Asp Gly Val Leu Glu

385                                      390                                      395                                      400  
 Gln Ile Leu Ala Thr Ser Arg Ser Arg Gly Tyr Ile Thr Gly Asp Gln  
    405                                      410                                      415  
 Tyr Ile Leu Glu Arg Val Asn Ile Val Asn Gly Asn Gly Tyr Tyr Asn  
    420                                      425                                      430  
 Leu Tyr Lys Pro Asp Gly Thr Tyr Leu Phe Thr Leu Asn Cys Lys Thr  
    435                                      440                                      445  
 Gly Tyr Phe Val Gly Asn Gly Ala Gly His Ala Asp Asp Leu Asp Tyr  
    450                                      455                                      460  
  
 <210> 629  
 <211> 481  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 629  
 Met Lys Gln Glu Glu Cys Gln Met Thr Lys Ala Asn Phe Gly Val Val  
 1                                      5                                      10                                      15  
 Gly Met Ala Val Met Gly Arg Asn Leu Ala Leu Asn Ile Glu Ser Arg  
    20                                      25                                      30  
 Gly Tyr Thr Val Ala Ile Tyr Asn Arg Ser Lys Glu Lys Thr Glu Asp  
    35                                      40                                      45  
 Val Ile Ala Cys His Pro Glu Lys Asn Phe Val Pro Ser Tyr Asp Val  
    50                                      55                                      60  
 Glu Ser Phe Val Asn Ser Ile Glu Lys Pro Arg Arg Ile Met Leu Met  
 65                                      70                                      75                                      80  
 Val Gln Ala Gly Pro Gly Thr Asp Ala Thr Ile Gln Ala Leu Leu Pro  
    85                                      90                                      95  
 His Leu Asp Lys Gly Asp Ile Leu Ile Asp Gly Gly Asn Thr Phe Tyr  
    100                                      105                                      110  
 Lys Asp Thr Ile Arg Arg Asn Glu Glu Leu Ala Asn Ser Gly Ile Asn

115	120	125
Phe Ile Gly Thr Gly Val Ser Gly Gly Glu Lys Gly Ala Leu Glu Gly		
130	135	140
Pro Ser Ile Met Pro Gly Gly Gln Lys Glu Ala Tyr Glu Leu Val Ala		
145	150	155 160
Asp Val Leu Glu Glu Ile Ser Ala Lys Ala Pro Glu Asp Gly Lys Pro		
	165	170 175
Cys Val Thr Tyr Ile Gly Pro Asp Gly Ala Gly His Tyr Val Lys Met		
	180	185 190
Val His Asn Gly Ile Glu Tyr Gly Asp Met Gln Leu Ile Ala Glu Ser		
	195	200 205
Tyr Asp Leu Met Gln His Leu Leu Gly Leu Ser Ala Glu Asp Met Ala		
	210	215 220
Glu Ile Phe Thr Glu Trp Asn Lys Gly Glu Leu Asp Ser Tyr Leu Ile		
225	230	235 240
Glu Ile Thr Ala Asp Ile Leu Ser Arg Lys Asp Asp Glu Gly Gln Asp		
	245	250 255
Gly Pro Ile Val Asp Tyr Ile Leu Asp Ala Ala Gly Asn Lys Gly Thr		
	260	265 270
Gly Lys Trp Thr Ser Gln Ser Ser Leu Asp Leu Gly Val Pro Leu Ser		
	275	280 285
Leu Ile Thr Glu Ser Val Phe Ala Arg Tyr Ile Ser Thr Tyr Lys Glu		
	290	295 300
Glu Arg Val His Ala Ser Lys Val Leu Pro Lys Pro Ala Ala Phe Asn		
305	310	315 320
Phe Glu Gly Asp Lys Ala Glu Leu Ile Glu Lys Ile Arg Gln Ala Leu		
	325	330 335

Tyr Phe Ser Lys Ile Ile Ser Tyr Ala Gln Gly Phe Ala Gln Leu Arg  
 340 345 350

Val Ala Ser Lys Glu Asn Asn Trp Asn Leu Pro Phe Ala Asp Ile Ala  
 355 360 365

Ser Ile Trp Arg Asp Gly Cys Ile Ile Arg Ser Arg Phe Leu Gln Lys  
 370 375 380

Ile Thr Asp Ala Tyr Asn Arg Asp Ala Asp Leu Ala Asn Leu Leu Leu  
 385 390 395 400

Asp Glu Tyr Phe Leu Asp Val Thr Ala Lys Tyr Gln Gln Ala Val Arg  
 405 410 415

Asp Ile Val Ala Leu Ala Val Gln Ala Gly Val Pro Val Pro Thr Phe  
 420 425 430

Ser Ala Ala Ile Thr Tyr Phe Asp Ser Tyr Arg Ser Ala Asp Leu Pro  
 435 440 445

Ala Asn Leu Ile Gln Ala Gln Arg Asp Tyr Phe Gly Ala His Thr Tyr  
 450 455 460

Gln Arg Lys Asp Lys Glu Gly Thr Phe His Tyr Ser Trp Tyr Asp Glu  
 465 470 475 480

Lys

<210> 630

<211> 144

<212> PRT

<213> Streptococcus pneumoniae

<400> 630

Met Asp Tyr Gln Arg Ile Asn Glu Tyr Leu Thr Ser Ile Phe Asn Asn  
 1 5 10 15

Val Leu Val Ile Glu Glu Val Asn Leu Arg Gly Ser Arg Phe Lys Asp  
 20 25 30

Ile Ser Ile Lys Glu Met His Thr Ile Asp Val Ile Gly Lys Ala Pro  
 35 40 45

Asp Val Thr Pro Ser Gln Val Ser Lys Glu Leu Met Val Thr Leu Gly  
 50 55 60

Thr Val Thr Thr Ser Leu Asn Asn Leu Glu Arg Lys Gly Tyr Ile Glu  
 65 70 75 80

Arg Val Arg Ser Glu Gln Asp Arg Arg Val Val His Leu His Leu Thr  
 85 90 95

Lys Lys Gly Arg Leu Ile His Arg Leu His Lys Arg Phe His Lys Ala  
 100 105 110

Met Val Glu Lys Ile Ile Asp Gly Met Ser Glu Glu Glu Ile Ala Val  
 115 120 125

Met Gly Lys Gly Leu Thr Asn Leu Tyr Gln Phe Leu Glu Asp Leu Lys  
 130 135 140

<210> 631

<211> 74

<212> PRT

<213> Streptococcus pneumoniae

<400> 631

Met Ala Val Phe Glu Lys Val Gln Glu Ile Ile Val Glu Glu Leu Gly  
 1 5 10 15

Lys Asp Ala Ser Glu Val Thr Leu Glu Ser Thr Phe Asp Asp Leu Asp  
 20 25 30

Ala Asp Ser Leu Asp Leu Phe Gln Val Ile Ser Glu Ile Glu Asp Ala  
 35 40 45

Phe Asp Ile Gln Ile Glu Ala Glu Asn Asp Leu Lys Thr Val Gly Asp  
 50 55 60

Leu Val Ala Tyr Val Glu Glu Gln Ala Lys  
 65 70

<210> 632  
 <211> 774  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 632

Met Val Val Lys Thr Val Val Glu Ala Gln Asp Ile Phe Asp Lys Ala  
 1 5 10 15

Trp Glu Gly Phe Lys Gly Val Asp Trp Lys Glu Lys Ala Ser Val Ser  
 20 25 30

Arg Phe Val Gln Ala Asn Tyr Thr Pro Tyr Asp Gly Asp Glu Ser Phe  
 35 40 45

Leu Ala Gly Pro Thr Glu Arg Ser Leu His Ile Lys Lys Ile Val Glu  
 50 55 60

Glu Thr Lys Ala His Tyr Glu Glu Thr Arg Phe Pro Met Asp Thr Arg  
 65 70 75 80

Pro Thr Ser Ile Ala Asp Ile Pro Ala Gly Phe Ile Asp Lys Glu Asn  
 85 90 95

Glu Val Ile Phe Gly Ile Gln Asn Asp Glu Leu Phe Lys Leu Asn Phe  
 100 105 110

Met Pro Lys Gly Gly Ile Arg Met Ala Glu Thr Thr Leu Lys Glu Asn  
 115 120 125

Gly Tyr Glu Pro Asp Pro Ala Val His Glu Ile Phe Thr Lys Tyr Val  
 130 135 140

Thr Thr Val Asn Asp Gly Ile Phe Arg Ala Tyr Thr Ser Asn Ile Arg  
 145 150 155 160

Arg Ala Arg His Ala His Thr Val Thr Gly Leu Pro Asp Ala Tyr Ser  
 165 170 175

Arg Gly Arg Ile Ile Gly Val Tyr Ala Arg Leu Ala Leu Tyr Gly Ala  
 180 185 190

Asp Tyr Leu Met Gln Glu Lys Val Asn Asp Trp Asn Ala Ile Lys Glu  
 195 200 205

Ile Asp Glu Glu Thr Ile Arg Leu Arg Glu Glu Val Asn Leu Gln Tyr  
 210 215 220

Gln Ala Leu Gln Gln Val Val Arg Leu Gly Asp Leu Tyr Gly Val Asp  
 225 230 235 240

Val Arg Lys Pro Ala Met Asn Val Lys Glu Ala Ile Gln Trp Val Asn  
 245 250 255

Ile Ala Phe Met Ala Val Cys Arg Val Ile Asn Gly Ala Ala Thr Ser  
 260 265 270

Leu Gly Arg Val Pro Ile Val Leu Asp Ile Phe Ala Glu Arg Asp Leu  
 275 280 285

Ala Arg Gly Thr Phe Thr Glu Ser Glu Ile Gln Glu Phe Val Asp Asp  
 290 295 300

Phe Val Met Lys Leu Arg Thr Val Lys Phe Ala Arg Thr Lys Ala Tyr  
 305 310 315 320

Asp Gln Leu Tyr Ser Gly Asp Pro Thr Phe Ile Thr Thr Ser Met Ala  
 325 330 335

Gly Met Gly Asn Asp Gly Arg His Arg Val Thr Lys Met Asp Tyr Arg  
 340 345 350

Phe Leu Asn Thr Leu Asp Asn Ile Gly Asn Ser Pro Glu Pro Asn Leu  
 355 360 365

Thr Val Leu Trp Thr Asp Lys Leu Pro Tyr Asn Phe Arg Arg Tyr Cys  
 370 375 380

Met His Met Ser His Lys His Ser Ser Ile Gln Tyr Glu Gly Val Thr  
 385 390 395 400

Thr Met Ala Lys Asp Gly Tyr Gly Glu Met Ser Cys Ile Ser Cys Cys  
 405 410 415

Val Ser Pro Leu Asp Pro Glu Asn Glu Glu Gln Arg His Asn Ile Gln  
 420 425 430

Tyr Phe Gly Ala Arg Val Asn Val Leu Lys Ala Leu Leu Thr Gly Leu  
 435 440 445

Asn Gly Gly Tyr Asp Asp Val His Lys Asp Tyr Lys Val Phe Asp Ile  
 450 455 460

Glu Pro Ile Arg Asp Glu Val Leu Glu Phe Glu Ser Val Lys Ala Asn  
 465 470 475 480

Phe Glu Lys Ser Leu Asp Trp Leu Thr Asp Thr Tyr Val Asp Ala Leu  
 485 490 495

Asn Ile Ile His Tyr Met Thr Asp Arg Tyr Asn Tyr Glu Ala Val Gln  
 500 505 510

Met Ala Phe Leu Pro Thr Lys Gln Arg Ala Asn Met Gly Phe Gly Ile  
 515 520 525

Cys Gly Phe Ala Asn Thr Val Asp Thr Leu Ser Ala Ile Lys Tyr Ala  
 530 535 540

Thr Val Lys Pro Ile Arg Asp Glu Asp Gly Tyr Ile Tyr Asp Tyr Glu  
 545 550 555 560

Thr Ile Gly Asp Tyr Pro Arg Trp Gly Glu Asp Asp Pro Arg Ser Asn  
 565 570 575

Glu Leu Ala Glu Trp Leu Ile Glu Ala Tyr Thr Thr Arg Leu Arg Ser  
 580 585 590

His Lys Leu Tyr Lys Asp Ala Glu Ala Thr Val Ser Leu Leu Thr Ile  
 595 600 605

Thr Ser Asn Val Ala Tyr Ser Lys Gln Thr Gly Asn Ser Pro Val His  
 610 615 620

Lys Gly Val Tyr Leu Asn Glu Asp Gly Ser Val Asn Leu Ser Lys Leu  
 625 630 635 640



Glu Phe Phe Ser Pro Gly Ala Asn Pro Ser Asn Lys Ala Lys Gly Gly  
645 650 655

Trp Leu Gln Asn Leu Asn Ser Leu Ser Ser Leu Asp Phe Ser Tyr Ala  
660 665 670

Ala Asp Gly Ile Ser Leu Thr Thr Gln Val Ser Pro Arg Ala Leu Gly  
675 680 685

Lys Thr Arg Asp Glu Gln Val Asp Asn Leu Val Thr Ile Leu Asp Gly  
690 695 700

Tyr Phe Glu Asn Gly Gly Gln His Val Asn Leu Asn Val Met Asp Leu  
705 710 715 720

Asn Asp Val Tyr Glu Lys Ile Met Ser Gly Glu Asp Val Ile Val Arg  
725 730 735

Ile Ser Gly Tyr Cys Val Asn Thr Lys Tyr Leu Thr Pro Glu Gln Lys  
740 745 750

Thr Glu Leu Thr Gln Arg Val Phe His Glu Val Leu Ser Met Asp Asp  
755 760 765

Ala Leu Asp Ala Leu Ser  
770

<210> 633

<211> 535

<212> PRT

<213> Streptococcus pneumoniae

<400> 633

Met Ser Thr Lys Tyr Ile Phe Val Thr Gly Gly Val Val Ser Ser Ile  
1 5 10 15

Gly Lys Gly Ile Val Ala Ala Ser Leu Gly Arg Leu Leu Lys Asn Arg  
20 25 30

Gly Leu Lys Val Thr Ile Gln Lys Phe Asp Pro Tyr Ile Asn Ile Asp  
35 40 45

Pro Gly Thr Met Ser Pro Tyr Gln His Gly Glu Val Phe Val Thr Asp  
 50 55 60

Asp Gly Ala Glu Thr Asp Leu Asp Leu Gly His Tyr Glu Arg Phe Ile  
 65 70 75 80

Asp Ile Asn Leu Asn Lys Tyr Ser Asn Val Thr Thr Gly Lys Ile Tyr  
 85 90 95

Ser Glu Val Leu Arg Lys Glu Arg Arg Gly Glu Tyr Leu Gly Ala Thr  
 100 105 110

Val Gln Val Ile Pro His Ile Thr Asp Ala Leu Lys Glu Lys Ile Lys  
 115 120 125

Arg Ala Ala Leu Thr Thr Asp Ser Asp Val Ile Ile Thr Glu Val Gly  
 130 135 140

Gly Thr Val Gly Asp Ile Glu Ser Leu Pro Phe Leu Glu Ala Leu Arg  
 145 150 155 160

Gln Met Lys Ala Asp Val Gly Ala Asp Asn Val Met Tyr Ile His Thr  
 165 170 175

Thr Leu Leu Pro Tyr Leu Lys Ala Ala Gly Glu Met Lys Thr Lys Pro  
 180 185 190

Thr Gln His Ser Val Lys Glu Leu Arg Gly Leu Gly Ile Gln Pro Asn  
 195 200 205

Met Leu Val Ile Arg Thr Glu Glu Pro Ala Gly Gln Gly Ile Lys Asn  
 210 215 220

Lys Leu Ala Gln Phe Cys Asp Val Ala Pro Glu Ala Val Ile Glu Ser  
 225 230 235 240

Leu Asp Val Glu His Leu Tyr Gln Ile Pro Leu Asn Leu Gln Ala Gln  
 245 250 255

Gly Met Asp Gln Ile Val Cys Asp His Leu Lys Leu Asp Ala Pro Ala

260	265	270
Ala Asp Met Thr Glu Trp Ser	Ala Met Val Asp Lys	Val Met Asn Leu
275	280	285
Lys Lys Gln Val Lys Ile	Ser Leu Val Gly Lys Tyr	Val Glu Leu Gln
290	295	300
Asp Ala Tyr Ile Ser Val Val	Glu Ala Leu Lys His Ser Gly Tyr Val	
305	310	315
Asn Asp Ala Glu Val Lys Ile	Asn Trp Val Asn Ala Asn Asp	Val Thr
325	330	335
Ala Glu Asn Val Ala Glu Leu Leu	Ser Asp Ala Asp Gly Ile Ile Val	
340	345	350
Pro Gly Gly Phe Gly Gln Arg Gly Thr	Glu Gly Lys Ile Gln Ala Ile	
355	360	365
Arg Tyr Ala Arg Glu Asn Asp Val	Pro Met Leu Gly Val Cys Leu Gly	
370	375	380
Met Gln Leu Thr Cys Ile Glu Phe Ala Arg	His Val Leu Gly Leu Glu	
385	390	395
Gly Ala Asn Ser Ala Glu Leu Ala Pro	Glu Thr Lys Tyr Pro Ile Ile	
405	410	415
Asp Ile Met Arg Asp Gln Ile Asp Ile	Glu Asp Met Gly Gly Thr Leu	
420	425	430
Arg Leu Gly Leu Tyr Pro Ser Lys Leu Lys	Arg Gly Ser Lys Ala Ala	
435	440	445
Ala Ala Tyr His Asn Gln Glu Val Val	Gln Arg Arg His Arg His Arg	
450	455	460
Tyr Glu Phe Asn Asn Ala Phe Arg Glu Gln	Phe Glu Ala Ala Gly Phe	
465	470	475
		480

Val Phe Ser Gly Val Ser Pro Asp Asn Arg Leu Val Glu Ile Val Glu  
485 490 495

Ile Pro Glu Asn Lys Phe Phe Val Ala Cys Gln Tyr His Pro Glu Leu  
500 505 510

Ser Ser Arg Pro Asn Arg Pro Glu Glu Leu Tyr Thr Ala Phe Val Thr  
515 520 525

Ala Ala Val Glu Asn Ser Asn  
530 535

<210> 634

<211> 378

<212> PRT

<213> Streptococcus pneumoniae

<400> 634

Met Asn Asn Thr Glu Phe Tyr Asp Arg Leu Gly Val Ser Lys Asn Ala  
1 5 10 15

Ser Ala Asp Glu Ile Lys Lys Ala Tyr Arg Lys Leu Ser Lys Lys Tyr  
20 25 30

His Pro Asp Ile Asn Lys Glu Pro Gly Ala Glu Asp Lys Tyr Lys Glu  
35 40 45

Val Gln Glu Ala Tyr Glu Thr Leu Ser Asp Asp Gln Lys Arg Ala Ala  
50 55 60

Tyr Asp Gln Tyr Gly Ala Ala Gly Ala Asn Gly Gly Phe Gly Gly Ala  
65 70 75 80

Gly Gly Phe Gly Gly Phe Asn Gly Ala Gly Gly Phe Gly Gly Phe Glu  
85 90 95

Asp Ile Phe Ser Ser Phe Phe Gly Gly Gly Gly Ser Ser Arg Asn Pro  
100 105 110

Asn Ala Pro Arg Gln Gly Asp Asp Leu Gln Tyr Arg Val Asn Leu Thr  
115 120 125

Phe Glu Glu Ala Ile Phe Gly Thr Glu Lys Glu Val Lys Tyr His Arg  
 130 135 140

Glu Ala Gly Cys Arg Thr Cys Asn Gly Ser Gly Ala Lys Pro Gly Thr  
 145 150 155 160

Ser Pro Val Thr Cys Gly Arg Cys His Gly Ala Gly Val Ile Asn Val  
 165 170 175

Asp Thr Gln Thr Pro Leu Gly Met Met Arg Arg Gln Val Thr Cys Asp  
 180 185 190

Val Cys His Gly Arg Gly Lys Glu Ile Lys Tyr Pro Cys Thr Thr Cys  
 195 200 205

His Gly Thr Gly His Glu Lys Gln Ala His Ser Val His Val Lys Ile  
 210 215 220

Pro Ala Gly Val Glu Thr Gly Gln Gln Ile Arg Leu Ala Gly Gln Gly  
 225 230 235 240

Glu Ala Gly Phe Asn Gly Gly Pro Tyr Gly Asp Leu Tyr Val Val Val  
 245 250 255

Ser Val Glu Ala Ser Asp Lys Phe Glu Arg Glu Gly Thr Thr Ile Phe  
 260 265 270

Tyr Asn Leu Asn Leu Asn Phe Val Gln Ala Ala Leu Gly Asp Thr Val  
 275 280 285

Asp Ile Pro Thr Val His Gly Asp Val Glu Leu Val Ile Pro Glu Gly  
 290 295 300

Thr Gln Thr Gly Lys Lys Phe Arg Leu Arg Ser Lys Gly Ala Pro Ser  
 305 310 315 320

Leu Arg Gly Gly Ala Val Gly Asp Gln Tyr Val Thr Val Asn Val Val  
 325 330 335

Thr Pro Thr Gly Leu Asn Asp Arg Gln Lys Val Ala Leu Lys Glu Phe  
 340 345 350

Ala Ala Ala Gly Asp Leu Lys Val Asn Pro Lys Lys Lys Gly Phe Phe  
 355 360 365

Asp His Ile Lys Asp Ala Phe Asp Gly Glu  
 370 375

<210> 635  
 <211> 95  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 635

Met Lys Leu Ser Asn Leu Leu Leu Phe Ala Gly Ala Ala Ala Gly Ser  
 1 5 10 15

Tyr Leu Val Thr Lys Asn Arg Gln Thr Ile Thr Asp Glu Val Leu Asn  
 20 25 30

Thr Thr Asp Arg Val Gln Ala Ile Lys Asp Asp Val Asp Ile Ile Gln  
 35 40 45

Asn Ser Leu Gln Ile Ile Asn Gln Gln Lys Glu Leu Ile Lys Glu Tyr  
 50 55 60

Gln Glu Asp Leu Thr Tyr Lys Phe Lys Val Leu Glu Lys Asp Ile Gln  
 65 70 75 80

Thr Arg Leu Ala Val Ile Lys Glu Met Gln Gly Thr Glu Asp Lys  
 85 90 95

<210> 636  
 <211> 378  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 636

Met Ser Lys Glu Met Leu Glu Ala Phe Arg Ile Leu Glu Glu Asp Lys  
 1 5 10 15

Gly Ile Lys Lys Glu Asp Ile Ile Asp Ala Val Val Glu Ser Leu Arg  
 20 25 30

Ser Ala Tyr Arg Arg Arg Tyr Gly Gln Ser Asp Ser Val Ala Ile Asp  
 35 40 45  
 Phe Asn Glu Lys Thr Gly Asp Phe Thr Val Tyr Thr Val Arg Glu Val  
 50 55 60  
 Val Asp Glu Val Phe Asp Ser Arg Leu Glu Ile Ser Leu Lys Asp Ala  
 65 70 75 80  
 Leu Ala Ile Asn Ser Ala Tyr Glu Leu Gly Asp Lys Ile Lys Phe Glu  
 85 90 95  
 Glu Ala Pro Ala Glu Phe Gly Arg Val Ala Ala Gln Ser Ala Lys Gln  
 100 105 110  
 Thr Ile Met Glu Lys Met Arg Lys Gln Thr Arg Ala Ile Thr Tyr Asn  
 115 120 125  
 Thr Tyr Lys Glu His Glu Gln Glu Ile Met Ser Gly Thr Val Glu Arg  
 130 135 140  
 Phe Asp Asn Arg Phe Ile Tyr Val Asn Leu Gly Ser Ile Glu Ala Gln  
 145 150 155 160  
 Leu Ser Lys Gln Asp Gln Ile Pro Gly Glu Val Phe Ala Ser His Asp  
 165 170 175  
 Arg Ile Glu Val Tyr Val Tyr Lys Val Glu Asp Asn Pro Arg Gly Val  
 180 185 190  
 Asn Val Phe Val Ser Arg Ser His Pro Glu Met Ile Lys Arg Leu Met  
 195 200 205  
 Glu Gln Glu Ile Pro Glu Val Tyr Asp Gly Thr Val Glu Ile Met Ser  
 210 215 220  
 Val Ala Arg Glu Ala Gly Asp Arg Thr Lys Val Ala Val Arg Ser His  
 225 230 235 240  
 Asn Pro Asn Val Asp Ala Ile Gly Thr Ile Val Gly Arg Gly Gly Ala  
 245 250 255

Asn Ile Lys Lys Ile Thr Ser Lys Phe His Pro Ala Arg Tyr Asp Ala  
260 265 270

Lys Asn Asp Arg Met Val Pro Ile Glu Glu Asn Ile Asp Val Ile Glu  
275 280 285

Trp Val Ala Asp Pro Ala Glu Phe Ile Tyr Asn Ala Ile Ala Pro Ala  
290 295 300

Glu Val Asp Gln Val Ile Phe Asp Glu Asn Asp Ser Lys Arg Ala Leu  
305 310 315 320

Val Val Val Pro Asp Asn Lys Leu Ser Leu Ala Ile Gly Arg Arg Gly  
325 330 335

Gln Asn Val Arg Leu Ala Ala His Leu Thr Gly Tyr Arg Ile Asp Ile  
340 345 350

Lys Ser Ala Ser Glu Phe Glu Ala Met Glu Asp Ala Ala Ser Val Glu  
355 360 365

Leu Glu Val Glu Asn Asp Thr Val Glu Glu  
370 375

<210> 637

<211> 958

<212> PRT

<213> Streptococcus pneumoniae

<400> 637

Met Ser Lys Lys Arg Leu Tyr Glu Ile Ala Lys Glu Leu Gly Lys Glu  
1 5 10 15

Ser Lys Glu Val Val Ala Arg Ala Lys Glu Leu Gly Leu Asp Val Lys  
20 25 30

Ser His Ser Ser Ser Val Glu Glu Ala Val Ala Ala Lys Ile Ala Ala  
35 40 45

Ser Phe Lys Pro Ala Ala Ala Pro Lys Val Glu Ala Lys Pro Ala Ala  
50 55 60



Pro Lys Val Ser Ala Glu Lys Lys Ala Glu Lys Ser Glu Pro Ala Lys  
65 70 75 80

Pro Ala Val Ala Lys Glu Glu Ala Lys Pro Ala Ala Pro Lys Ala Ser  
85 90 95

Ala Glu Lys Lys Ala Glu Lys Ser Glu Pro Val Lys Pro Ala Val Ala  
100 105 110

Lys Glu Glu Ala Lys Pro Ala Glu Pro Val Thr Pro Lys Thr Glu Lys  
115 120 125

Val Ala Ala Lys Pro Gln Ser Arg Asn Phe Lys Ala Glu Arg Glu Ala  
130 135 140

Arg Ala Lys Glu Gln Ala Glu Arg Arg Lys Gln Asn Lys Gly Asn Asn  
145 150 155 160

Arg Asp Gln Gln Gln Asn Gly Asn Arg Gln Lys Asn Asp Gly Arg Asn  
165 170 175

Gly Gly Lys Gln Gly Gln Ser Asn Arg Asp Asn Arg Arg Phe Asn Asp  
180 185 190

Gln Ala Lys Lys Gln Gln Gly Gln Gln Lys Arg Arg Asn Glu Arg Arg  
195 200 205

Gln Gln Glu Asp Lys Arg Ser Asn Gln Ala Ala Pro Arg Ile Asp Phe  
210 215 220

Lys Ala Arg Ala Ala Ala Leu Lys Ala Glu Gln Asn Ala Glu Tyr Ala  
225 230 235 240

Arg Ser Ser Glu Glu Arg Phe Lys Gln Tyr Gln Ala Ala Lys Glu Ala  
245 250 255

Leu Ala Gln Ala Asn Lys Arg Lys Glu Pro Glu Glu Ile Phe Glu Glu  
260 265 270

Ala Ala Lys Leu Ala Glu Gln Ala Gln Gln Val Gln Ala Val Val Glu  
275 280 285

Val Val Pro Glu Lys Lys Glu Pro Ala Val Asp Thr Arg Arg Lys Lys  
 290 295 300

Gln Ala Arg Pro Asp Lys Asn Arg Asp Asp Tyr Asp His Glu Glu Asp  
 305 310 315 320

Gly Pro Arg Lys Gln Gln Lys Asn Arg Ser Ser Gln Asn Gln Val Arg  
 325 330 335

Asn Gln Lys Asn Ser Asn Trp Asn Asn Asn Lys Lys Asn Lys Lys Gly  
 340 345 350

Asn Asn Lys Asn Asn Arg Asn Gln Thr Pro Lys Pro Val Thr Glu Arg  
 355 360 365

Lys Phe His Glu Leu Pro Thr Glu Phe Glu Tyr Thr Asp Gly Met Thr  
 370 375 380

Val Ala Glu Ile Ala Lys Arg Ile Lys Arg Glu Pro Ala Glu Ile Val  
 385 390 395 400

Lys Lys Leu Phe Met Met Gly Val Met Ala Thr Gln Asn Gln Ser Leu  
 405 410 415

Asp Gly Glu Thr Ile Glu Leu Leu Met Val Asp Tyr Gly Ile Glu Ala  
 420 425 430

Lys Gln Lys Val Glu Val Asp Asn Ala Asp Ile Glu Arg Phe Phe Val  
 435 440 445

Glu Asp Gly Tyr Leu Asn Glu Asp Glu Leu Val Glu Arg Pro Pro Val  
 450 455 460

Val Thr Ile Met Gly His Val Asp His Gly Lys Thr Thr Leu Leu Asp  
 465 470 475 480

Thr Leu Arg Asn Ser Arg Val Ala Thr Gly Glu Ala Gly Gly Ile Thr  
 485 490 495

Gln His Ile Gly Ala Tyr Gln Ile Val Glu Asn Gly Lys Lys Ile Thr

500					505					510					
Phe	Leu	Asp	Thr	Pro	Gly	His	Ala	Ala	Phe	Thr	Ser	Met	Arg	Ala	Arg
	515						520					525			
Gly	Ala	Ser	Val	Thr	Asp	Ile	Thr	Ile	Leu	Val	Val	Ala	Ala	Asp	Asp
	530					535					540				
Gly	Val	Met	Pro	Gln	Thr	Ile	Glu	Ala	Ile	Asn	His	Ser	Lys	Ala	Ala
545						550					555				560
Asn	Val	Pro	Ile	Ile	Val	Ala	Ile	Asn	Lys	Ile	Asp	Lys	Pro	Gly	Ala
			565						570					575	
Asn	Pro	Glu	Arg	Val	Ile	Gly	Glu	Leu	Ala	Glu	His	Gly	Val	Met	Ser
			580					585					590		
Thr	Ala	Trp	Gly	Gly	Asp	Ser	Glu	Phe	Val	Glu	Ile	Ser	Ala	Lys	Phe
	595						600					605			
Asn	Gln	Asn	Ile	Glu	Glu	Leu	Leu	Glu	Thr	Val	Leu	Leu	Val	Ala	Glu
	610					615					620				
Ile	Gln	Glu	Leu	Lys	Ala	Asp	Pro	Thr	Val	Arg	Ala	Ile	Gly	Thr	Val
625						630					635				640
Ile	Glu	Ala	Arg	Leu	Asp	Lys	Gly	Lys	Gly	Ala	Val	Ala	Thr	Leu	Leu
			645					650						655	
Val	Gln	Gln	Gly	Thr	Leu	Asn	Val	Gln	Asp	Pro	Ile	Val	Val	Gly	Asn
			660					665					670		
Thr	Phe	Gly	Arg	Val	Arg	Ala	Met	Thr	Asn	Asp	Leu	Gly	Arg	Arg	Val
	675						680					685			
Lys	Val	Ala	Gly	Pro	Ser	Thr	Pro	Val	Ser	Ile	Thr	Gly	Leu	Asn	Glu
	690					695					700				
Ala	Pro	Met	Ala	Gly	Asp	His	Phe	Ala	Val	Tyr	Glu	Asp	Glu	Lys	Ser
705						710					715				720

Ala Arg Ala Ala Gly Glu Glu Arg Ala Lys Arg Ala Leu Met Lys Gln  
                             725                            730                            735

Arg Gln Ala Thr Gln Arg Val Ser Leu Glu Asn Leu Phe Asp Thr Leu  
                             740                            745                            750

Lys Ala Gly Glu Leu Lys Ser Val Asn Val Ile Ile Lys Ala Asp Val  
                             755                            760                            765

Gln Gly Ser Val Glu Ala Leu Ser Ala Ser Leu Gln Lys Ile Asp Val  
                             770                            775                            780

Glu Gly Val Lys Val Thr Ile Val His Ser Ala Val Gly Ala Ile Asn  
                             785                            790                            795                            800

Glu Ser Asp Val Thr Leu Ala Glu Ala Ser Asn Ala Phe Ile Val Gly  
                             805                            810                            815

Phe Asn Val Arg Pro Thr Pro Gln Ala Arg Gln Gln Ala Glu Ala Asp  
                             820                            825                            830

Asp Val Glu Ile Arg Leu His Ser Ile Ile Tyr Lys Val Ile Glu Glu  
                             835                            840                            845

Met Glu Glu Ala Met Lys Gly Met Leu Asp Pro Glu Phe Glu Glu Lys  
                             850                            855                            860

Val Ile Gly Glu Ala Val Ile Arg Glu Thr Phe Lys Val Ser Lys Val  
                             865                            870                            875                            880

Gly Thr Ile Gly Gly Phe Met Val Ile Asn Gly Lys Val Ala Arg Asp  
                             885                            890                            895

Ser Lys Val Arg Val Ile Arg Asp Gly Val Val Ile Tyr Asp Gly Glu  
                             900                            905                            910

Leu Ala Ser Leu Lys His Tyr Lys Asp Asp Val Lys Glu Val Thr Asn  
                             915                            920                            925

Gly Arg Glu Gly Gly Leu Met Ile Asp Gly Tyr Asn Asp Ile Lys Met  
                             930                            935                            940

Asp Asp Val Ile Glu Ala Tyr Val Met Glu Glu Ile Lys Arg  
 945 950 955

<210> 638  
 <211> 293  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 638

Met Ala Ile Val Ser Ala Glu Lys Phe Val Gln Ala Ala Arg Asp Asn  
 1 5 10 15

Gly Tyr Ala Val Gly Gly Phe Asn Thr Asn Asn Leu Glu Trp Thr Gln  
 20 25 30

Ala Ile Leu Arg Ala Ala Glu Ala Lys Lys Ala Pro Val Leu Ile Gln  
 35 40 45

Thr Ser Met Gly Ala Ala Lys Tyr Met Gly Gly Tyr Lys Val Ala Arg  
 50 55 60

Asn Leu Ile Ala Asn Leu Val Glu Ser Met Gly Ile Thr Val Pro Val  
 65 70 75 80

Ala Ile His Leu Asp His Gly His Tyr Glu Asp Ala Leu Glu Cys Ile  
 85 90 95

Glu Val Gly Tyr Thr Ser Ile Met Phe Asp Gly Ser His Leu Pro Val  
 100 105 110

Glu Glu Asn Leu Lys Leu Ala Lys Glu Val Val Glu Lys Ala His Ala  
 115 120 125

Lys Gly Ile Ser Val Glu Ala Glu Val Gly Thr Ile Gly Gly Glu Glu  
 130 135 140

Asp Gly Ile Ile Gly Lys Gly Glu Leu Ala Pro Ile Glu Asp Ala Lys  
 145 150 155 160

Ala Met Val Glu Thr Gly Ile Asp Phe Leu Ala Ala Gly Ile Gly Asn  
 165 170 175

Ile His Gly Pro Tyr Pro Val Asn Trp Glu Gly Leu Asp Leu Asp His  
 180 185 190

Leu Gln Lys Leu Thr Glu Ala Leu Pro Gly Phe Pro Ile Val Leu His  
 195 200 205

Gly Gly Ser Gly Ile Pro Asp Glu Gln Ile Gln Ala Ala Ile Lys Leu  
 210 215 220

Gly Val Ala Lys Val Asn Val Asn Thr Glu Cys Gln Ile Ala Phe Ala  
 225 230 235 240

Asn Ala Thr Arg Lys Phe Ala Arg Asp Tyr Glu Ala Asn Glu Ala Glu  
 245 250 255

Tyr Asp Lys Lys Lys Leu Phe Asp Pro Arg Lys Phe Leu Ala Asp Gly  
 260 265 270

Val Lys Ala Ile Gln Ala Ser Val Glu Glu Arg Ile Asp Val Phe Gly  
 275 280 285

Ser Glu Gly Lys Ala  
 290

<210> 639  
 <211> 141  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 639

Met Ala Lys Lys Val Glu Lys Leu Val Lys Leu Gln Ile Pro Ala Gly  
 1 5 10 15

Lys Ala Thr Pro Ala Pro Pro Val Gly Pro Ala Leu Gly Gln Ala Gly  
 20 25 30

Ile Asn Ile Met Gly Phe Thr Lys Glu Phe Asn Ala Arg Thr Ala Asp  
 35 40 45

Gln Ala Gly Met Ile Ile Pro Val Val Ile Ser Val Tyr Glu Asp Lys  
 50 55 60

Ser Phe Thr Phe Val Thr Lys Thr Pro Pro Ala Ala Val Leu Leu Lys  
65 70 75 80

Lys Ala Ala Gly Val Glu Lys Gly Ser Gly Thr Pro Asn Lys Thr Lys  
85 90 95

Val Ala Thr Val Thr Arg Ala Gln Val Gln Glu Ile Ala Glu Thr Lys  
100 105 110

Met Pro Asp Leu Asn Ala Ala Asn Val Glu Ser Ala Met Arg Met Ile  
115 120 125

Glu Gly Thr Ala Arg Ser Met Gly Phe Thr Val Val Asp  
130 135 140

<210> 640  
<211> 229  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 640

Met Ala Lys Lys Ser Lys Gln Leu Arg Ala Ala Leu Glu Lys Ile Asp  
1 5 10 15

Ser Thr Lys Ala Tyr Ser Val Glu Glu Ala Val Ala Leu Ala Lys Glu  
20 25 30

Thr Asn Phe Ala Lys Phe Asp Ala Thr Val Glu Val Ala Tyr Asn Leu  
35 40 45

Asn Ile Asp Val Lys Lys Ala Asp Gln Gln Ile Arg Gly Ala Met Val  
50 55 60

Leu Pro Asn Gly Thr Gly Lys Thr Ser Arg Val Leu Val Phe Ala Arg  
65 70 75 80

Gly Ala Lys Ala Glu Glu Ala Lys Ala Ala Gly Ala Asp Phe Val Gly  
85 90 95

Glu Asp Asp Leu Val Ala Lys Ile Asn Asp Gly Trp Leu Asp Phe Asp  
100 105 110

Val Val Ile Ala Thr Pro Asp Met Met Ala Leu Val Gly Arg Leu Gly  
 115 120 125

Arg Val Leu Gly Pro Arg Asn Leu Met Pro Asn Pro Lys Thr Gly Thr  
 130 135 140

Val Thr Met Asp Val Ala Lys Ala Val Glu Glu Ser Lys Gly Gly Lys  
 145 150 155 160

Ile Thr Tyr Arg Ala Asp Arg Ala Gly Asn Val Gln Ala Ile Ile Gly  
 165 170 175

Lys Val Ser Phe Glu Ala Glu Lys Leu Val Glu Asn Phe Lys Ala Phe  
 180 185 190

Asn Glu Thr Ile Gln Lys Ala Lys Pro Ala Thr Ala Lys Gly Thr Tyr  
 195 200 205

Val Thr Asn Leu Thr Ile Thr Thr Thr Gln Gly Val Gly Ile Lys Val  
 210 215 220

Asp Val Asn Ser Leu  
 225

<210> 641  
 <211> 620  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 641

Met Asn Ile Ile Glu Glu Ile Met Thr Lys Leu Arg Glu Asp Ile Arg  
 1 5 10 15

Asn Ile Ala Ile Ile Ala His Val Asp His Gly Lys Thr Thr Leu Val  
 20 25 30

Asp Glu Leu Leu Lys Gln Ser Glu Thr Leu Asp Ala Arg Thr Glu Leu  
 35 40 45

Ala Glu Arg Ala Met Asp Ser Asn Asp Ile Glu Lys Glu Arg Gly Ile  
 50 55 60



Thr Ile Leu Ala Lys Asn Thr Ala Val Ala Tyr Asn Gly Thr Arg Ile  
 65 70 75 80

Asn Ile Met Asp Thr Pro Gly His Ala Asp Phe Gly Gly Glu Val Glu  
 85 90 95

Arg Ile Met Lys Met Val Asp Gly Val Val Leu Val Val Asp Ala Tyr  
 100 105 110

Glu Gly Thr Met Pro Gln Thr Arg Phe Val Leu Lys Lys Ala Leu Glu  
 115 120 125

Gln Asp Leu Val Pro Ile Val Val Val Asn Lys Ile Asp Lys Pro Ser  
 130 135 140

Ala Arg Pro Ala Glu Val Val Asp Glu Val Leu Glu Leu Phe Ile Glu  
 145 150 155 160

Leu Gly Ala Asp Asp Asp Gln Leu Asp Phe Pro Val Val Tyr Ala Ser  
 165 170 175

Ala Ile Asn Gly Thr Ser Ser Leu Ser Asp Asp Pro Ala Asp Gln Glu  
 180 185 190

Ala Thr Met Ala Pro Ile Phe Asp Thr Ile Ile Asp His Ile Pro Ala  
 195 200 205

Pro Val Asp Asn Ser Asp Glu Pro Leu Gln Phe Gln Val Ser Leu Leu  
 210 215 220

Asp Tyr Asn Asp Phe Val Gly Arg Ile Gly Ile Gly Arg Val Phe Arg  
 225 230 235 240

Gly Thr Val Lys Val Gly Asp Gln Val Thr Leu Ser Lys Leu Asp Gly  
 245 250 255

Thr Thr Lys Asn Phe Arg Val Thr Lys Leu Phe Gly Phe Phe Gly Leu  
 260 265 270

Glu Arg Arg Glu Ile Gln Glu Ala Lys Ala Gly Asp Leu Ile Ala Val  
 275 280 285

Ser Gly Met Glu Asp Ile Phe Val Gly Glu Thr Ile Thr Pro Thr Asp  
 290 295 300

Ala Val Glu Ala Leu Pro Ile Leu His Ile Asp Glu Pro Thr Leu Gln  
 305 310 315 320

Met Thr Phe Leu Val Asn Asn Ser Pro Phe Ala Gly Lys Glu Gly Lys  
 325 330 335

Trp Val Thr Ser Arg Lys Val Glu Glu Arg Leu Gln Ala Glu Leu Gln  
 340 345 350

Thr Asp Val Ser Leu Arg Val Asp Pro Thr Asp Ser Pro Asp Lys Trp  
 355 360 365

Thr Val Ser Gly Arg Gly Glu Leu His Leu Ser Ile Leu Ile Glu Thr  
 370 375 380

Met Arg Arg Glu Gly Tyr Glu Leu Gln Val Ser Arg Pro Glu Val Ile  
 385 390 395 400

Val Lys Glu Ile Asp Gly Ile Lys Cys Glu Pro Phe Glu Arg Val Gln  
 405 410 415

Ile Asp Thr Pro Glu Glu Tyr Gln Gly Ser Val Ile Gln Ser Leu Ser  
 420 425 430

Glu Arg Lys Gly Glu Met Leu Asp Met Ile Ser Thr Gly Asn Gly Gln  
 435 440 445

Thr Arg Leu Val Phe Leu Val Pro Ala Arg Gly Leu Ile Gly Tyr Ser  
 450 455 460

Thr Glu Phe Leu Ser Met Thr Arg Gly Tyr Gly Ile Met Asn His Thr  
 465 470 475 480

Phe Asp Gln Tyr Leu Pro Leu Ile Pro Gly Glu Ile Gly Gly Arg His  
 485 490 495

Arg Gly Ala Leu Val Ser Ile Asp Ala Gly Lys Ala Thr Thr Tyr Ser

-723-

65					70						75				80
Ser	Ser	Pro	Ile	Ile	Met	Ala	Pro	Val	Ala	Ala	His	Lys	Leu	Ala	Asn
				85					90					95	
Glu	Gln	Gly	Glu	Val	Ala	Thr	Ala	Arg	Gly	Val	His	Glu	Phe	Gly	Ser
			100					105					110		
Leu	Tyr	Thr	Thr	Ser	Ser	Tyr	Ser	Thr	Val	Asp	Leu	Pro	Glu	Ile	Ser
		115					120					125			
Glu	Ala	Leu	Gln	Gly	Thr	Pro	His	Trp	Phe	Gln	Phe	Tyr	Phe	Ser	Lys
	130					135					140				
Asp	Asp	Gly	Ile	Asn	Arg	His	Ile	Met	Asp	Arg	Val	Lys	Ala	Glu	Gly
145					150					155					160
Tyr	Lys	Ala	Ile	Val	Leu	Thr	Ala	Asp	Ala	Thr	Val	Gly	Gly	Asn	Arg
				165					170					175	
Glu	Val	Asp	Lys	Arg	Asn	Gly	Phe	Val	Phe	Pro	Val	Gly	Met	Pro	Ile
			180					185					190		
Val	Glu	Glu	Tyr	Leu	Pro	Glu	Gly	Ala	Gly	Lys	Ser	Met	Asp	Phe	Val
		195					200					205			
Tyr	Lys	Ser	Ala	Lys	Gln	Arg	Leu	Ser	Pro	Arg	Asp	Val	Glu	Phe	Ile
	210					215					220				
Ala	Glu	Tyr	Ser	Gly	Leu	Pro	Val	Tyr	Val	Lys	Gly	Pro	Gln	Cys	Arg
225					230					235					240
Glu	Asp	Val	Glu	Arg	Ser	Leu	Ala	Ala	Gly	Ala	Ser	Gly	Ile	Trp	Val
				245					250					255	
Thr	Asn	His	Gly	Gly	Arg	Gln	Ile	Asp	Gly	Gly	Pro	Ala	Ala	Phe	Asp
			260					265					270		
Ser	Leu	Gln	Glu	Val	Ala	Glu	Ala	Val	Asp	Arg	Arg	Val	Pro	Ile	Val
		275					280					285			

Phe Asp Ser Gly Val Arg Arg Gly Gln His Val Phe Lys Ala Leu Ala  
 290 295 300

Ser Gly Ala Asp Leu Val Ala Ile Gly Arg Pro Val Ile Tyr Gly Leu  
 305 310 315 320

Ala Leu Gly Gly Ser Val Gly Val Arg Gln Val Phe Glu His Leu Asn  
 325 330 335

Ala Glu Leu Lys Thr Val Met Gln Leu Ser Gly Thr Gln Thr Ile Glu  
 340 345 350

Asp Val Lys His Phe Lys Leu Arg His Asn Pro Tyr Asn Pro Thr Phe  
 355 360 365

Pro Val Asp Pro Arg Asp Leu Lys Leu Tyr  
 370 375

<210> 643

<211> 314

<212> PRT

<213> Streptococcus pneumoniae

<400> 643

Met Ser Glu Pro Leu Phe Leu Gln Ser Val Met Gln Glu Lys Ile Trp  
 1 5 10 15

Gly Gly Ala Lys Leu Arg Asp Glu Phe Gly Tyr Asp Ile Pro Ser Glu  
 20 25 30

Lys Ile Gly Glu Tyr Trp Ala Ile Ser Ala His Pro Asn Gly Val Ser  
 35 40 45

Lys Val Ala Asn Gly Arg Tyr Glu Gly Thr Asp Leu Ala Thr Leu Tyr  
 50 55 60

Ala Glu His Arg Glu Leu Phe Gly Asn Arg Pro Glu Pro Val Phe Pro  
 65 70 75 80

Leu Leu Thr Lys Ile Leu Asp Ala Asn Asp Trp Leu Ser Val Gln Val  
 85 90 95

His Pro Asp Asp Ala Tyr Gly Leu Glu His Glu Gly Glu Leu Gly Lys  
 100 105 110

Thr Glu Cys Trp Tyr Ile Ile Ala Ala Asp Glu Gly Ser Glu Ile Ile  
 115 120 125

Tyr Gly His Asn Ala Lys Ser Lys Glu Glu Leu Arg Gln Gln Ile Glu  
 130 135 140

Asp Lys Asn Trp Asp Asp Leu Leu Thr Lys Val Pro Val Lys Ala Gly  
 145 150 155 160

Asp Phe Phe Tyr Val Pro Ser Gly Thr Met His Ala Ile Gly Ala Gly  
 165 170 175

Ile Leu Ile Leu Glu Thr Gln Gln Ser Ser Asp Thr Thr Tyr Arg Val  
 180 185 190

Tyr Asp Phe Asp Arg Lys Asp Asp Lys Gly Asn Leu Arg Glu Leu His  
 195 200 205

Leu Glu Lys Ser Ile Asp Val Leu Asn Ile Gly Glu Pro Ala Asn Ser  
 210 215 220

Arg Pro Val Thr Val Lys Ala Asp Asp Leu Arg Ser Thr Leu Leu Val  
 225 230 235 240

Ser Asn Asp Phe Phe Ala Val Tyr Lys Trp Glu Ile Thr Gly Lys Val  
 245 250 255

Asp Phe Glu Lys Thr Ala Asp Tyr Ser Leu Leu Ser Val Leu Ala Gly  
 260 265 270

Gln Gly Gln Leu Thr Val Asp Gly Lys Asn Tyr Pro Ile Gln Lys Gly  
 275 280 285

Ser His Phe Ile Leu Pro Ser Asp Val Glu Ala Trp Thr Leu Glu Gly  
 290 295 300

Gln Gly Leu Glu Leu Ile Val Ser His Pro  
 305 310

<210> 644  
 <211> 281  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 644

Met Thr Trp Lys Ile Ile Ala Asp Ser Gly Cys Asp Tyr Arg Gln Leu  
 1 5 10 15

Pro Thr Pro Ala Ile Asn Thr Thr Phe Val Ser Val Pro Leu Thr Ile  
 20 25 30

Gln Val Ala Asp Gln Val Phe Val Asp Asp Ala Ser Leu Asp Ile Asp  
 35 40 45

Gln Met Met Glu Thr Met Tyr Ala Thr Ala Glu Ala Ser Lys Ser Ala  
 50 55 60

Cys Pro Ser Pro Asp Asp Tyr Leu Arg Ala Phe Glu Gly Ala Lys Asn  
 65 70 75 80

Ile Phe Leu Val Thr Ile Thr Gly Thr Leu Ser Gly Ser His Asn Ser  
 85 90 95

Ala Gln Leu Ala Lys Asn Ile Tyr Leu Glu Asp His Pro Asp Thr Lys  
 100 105 110

Ile His Val Ile Asp Ser Leu Ser Ala Gly Gly Glu Val Asp Leu Leu  
 115 120 125

Val Glu Lys Leu Asn Asp Leu Ile Asp Gln Gly Leu Ser Phe Glu Glu  
 130 135 140

Val Val Glu Ala Ile Thr Ala Tyr Gln Glu Lys Thr Lys Leu Leu Phe  
 145 150 155 160

Val Leu Ala Lys Val Asp Asn Leu Val Lys Asn Gly Arg Leu Ser Lys  
 165 170 175

Leu Ile Gly Thr Val Val Gly Leu Leu Asn Ile Arg Met Val Gly Lys  
 180 185 190

Ala Ser Glu Thr Gly Thr Leu Glu Leu Leu Gln Lys Ala Arg Gly Ser  
195 200 205

Lys Lys Ser Val Gln Ala Ala Tyr Asp Glu Leu Val Lys Ala Gly Tyr  
210 215 220

Ala Gly Gly Arg Ile Val Met Ala Gln Arg Asn Asn Glu Lys Cys Cys  
225 230 235 240

Gln Gln Leu Ser Glu Arg Ile Arg Glu Thr Phe Pro Gln Ala Asp Ile  
245 250 255

Lys Ile Leu Pro Thr Ser Gly Leu Cys Ser Phe Tyr Ala Glu Glu Gly  
260 265 270

Gly Leu Leu Met Gly Tyr Glu Ile Asp  
275 280

<210> 645  
<211> 216  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 645

Met Lys Glu Gly Ile Pro Lys Met Gly Lys Ile Glu Val Ile Asn His  
1 5 10 15

Pro Leu Ile Gln His Lys Leu Ser Ile Leu Arg Arg Thr Asp Thr Ser  
20 25 30

Thr Lys Ala Phe Arg Glu Leu Val Asp Glu Ile Ala Met Leu Met Gly  
35 40 45

Tyr Glu Val Leu Arg Asp Leu Pro Leu Glu Asp Val Glu Ile Glu Thr  
50 55 60

Pro Ile Thr Lys Thr Val Gln Lys Gln Leu Ala Gly Lys Lys Leu Ala  
65 70 75 80

Ile Val Pro Ile Leu Arg Ala Gly Ile Gly Met Val Asp Gly Leu Leu  
85 90 95



Asn Leu Val Pro Ala Ala Lys Val Gly His Ile Gly Met Tyr Arg Asp  
 100 105 110

Glu Glu Thr Leu Gln Pro Val Glu Tyr Leu Val Lys Leu Pro Glu Asp  
 115 120 125

Ile Asp Gln Arg Gln Ile Phe Val Val Asp Pro Met Leu Ala Thr Gly  
 130 135 140

Gly Ser Ala Ile Leu Ala Val Asp Ser Leu Lys Lys Arg Gly Ala Ser  
 145 150 155 160

Asn Ile Lys Phe Val Cys Leu Val Ser Ala Pro Glu Gly Val Lys Ala  
 165 170 175

Leu Gln Glu Ala His Pro Asp Val Glu Ile Phe Thr Ala Ala Leu Asp  
 180 185 190

Glu Arg Leu Asn Glu His Gly Tyr Ile Val Pro Gly Leu Gly Asp Ala  
 195 200 205

Gly Asp Arg Leu Phe Gly Thr Lys  
 210 215

<210> 646  
 <211> 252  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 646

Met Ile Ser Pro Ser Ala Thr Gln Asp Gly Leu Thr Lys Gly Gln Asp  
 1 5 10 15

Tyr Leu Phe Ile Gly Thr Phe Gln Asp Ser Phe Gln Gly Lys Ile Ile  
 20 25 30

Ser Asn Tyr Val Ser Glu Lys Leu Asn Ala Lys Lys Val Val Leu Tyr  
 35 40 45

Thr Asp Asn Ala Ser Asp Tyr Ala Lys Gly Ile Ala Lys Ser Phe Arg  
 50 55 60

Glu Ser Tyr Lys Gly Glu Ile Val Ala Asp Glu Thr Phe Val Ala Gly  
 65 70 75 80  
 Asp Thr Asp Phe Gln Ala Ala Leu Thr Lys Met Lys Gly Lys Asp Phe  
 85 90 95  
 Asp Ala Ile Val Val Pro Gly Tyr Tyr Asn Glu Ala Gly Lys Ile Val  
 100 105 110  
 Asn Gln Ala Arg Gly Met Gly Ile Asp Lys Pro Ile Val Gly Gly Asp  
 115 120 125  
 Gly Phe Asn Gly Glu Glu Phe Val Gln Gln Ala Thr Ala Glu Lys Ala  
 130 135 140  
 Ser Asn Ile Tyr Phe Ile Ser Gly Phe Ser Thr Thr Val Glu Val Ser  
 145 150 155 160  
 Ala Lys Ala Lys Ala Phe Leu Asp Ala Tyr Arg Ala Lys Tyr Asn Glu  
 165 170 175  
 Glu Pro Ser Thr Phe Ala Ala Leu Ala Tyr Asp Ser Val His Leu Val  
 180 185 190  
 Ala Asn Ala Ala Lys Gly Ala Lys Asn Ser Gly Glu Ile Lys Asn Asn  
 195 200 205  
 Leu Ala Lys Thr Lys Asp Phe Glu Gly Val Thr Gly Gln Thr Ser Phe  
 210 215 220  
 Asp Ala Asp His Asn Thr Val Lys Thr Ala Tyr Met Met Thr Met Asn  
 225 230 235 240  
 Asn Gly Lys Val Glu Ala Ala Glu Val Val Lys Pro  
 245 250

<210> 647  
 <211> 396  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 647

Met Ser Glu Arg Lys Leu Phe Thr Ser Glu Ser Val Ser Glu Gly His  
 1 5 10 15  
 Pro Asp Lys Ile Ala Asp Gln Ile Ser Asp Ala Ile Leu Asp Ala Ile  
 20 25 30  
 Leu Ala Lys Asp Pro Glu Ala His Val Ala Ala Glu Thr Ala Val Tyr  
 35 40 45  
 Thr Gly Ser Val His Val Phe Gly Glu Ile Ser Thr Asn Ala Tyr Val  
 50 55 60  
 Asp Ile Asn Arg Val Val Arg Asp Thr Ile Ala Glu Ile Gly Tyr Thr  
 65 70 75 80  
 Asn Thr Glu Tyr Gly Phe Ser Ala Glu Thr Val Gly Val His Pro Ser  
 85 90 95  
 Leu Val Glu Gln Ser Pro Asp Ile Ala Gln Gly Val Asn Glu Ala Leu  
 100 105 110  
 Glu Val Arg Gly Asn Ala Asp Gln Asp Pro Leu Asp Leu Ile Gly Ala  
 115 120 125  
 Gly Asp Gln Gly Leu Met Phe Gly Phe Ala Val Asp Glu Thr Glu Glu  
 130 135 140  
 Leu Met Pro Leu Pro Ile Ala Leu Ser His Lys Leu Val Arg Arg Leu  
 145 150 155 160  
 Ala Glu Leu Arg Lys Ser Gly Glu Ile Ser Tyr Leu Arg Pro Asp Ala  
 165 170 175  
 Lys Ser Gln Val Thr Val Glu Tyr Asp Glu Asn Asp Arg Pro Val Arg  
 180 185 190  
 Val Asp Thr Val Val Ile Ser Thr Gln His Asp Pro Glu Ala Thr Asn  
 195 200 205  
 Glu Gln Ile His Gln Asp Val Ile Asp Lys Val Ile Lys Glu Val Ile  
 210 215 220

Pro Ser Ser Tyr Leu Asp Asp Lys Thr Lys Phe Phe Ile Asn Pro Thr  
225 230 235 240

Gly Arg Phe Val Ile Gly Gly Pro Gln Gly Asp Ser Gly Leu Thr Gly  
245 250 255

Arg Lys Ile Ile Val Asp Thr Tyr Gly Gly Tyr Ser Arg His Gly Gly  
260 265 270

Gly Ala Phe Ser Gly Lys Asp Ala Thr Lys Val Asp Arg Ser Ala Ser  
275 280 285

Tyr Ala Ala Arg Tyr Ile Ala Lys Asn Ile Val Ala Ala Asp Leu Ala  
290 295 300

Lys Lys Ala Glu Val Gln Leu Ala Tyr Ala Ile Gly Val Ala Gln Pro  
305 310 315 320

Val Ser Val Arg Ile Asp Thr Phe Gly Thr Gly Thr Val Ala Glu Ser  
325 330 335

Gln Leu Glu Lys Ala Ala Arg Gln Ile Phe Asp Leu Arg Pro Ala Gly  
340 345 350

Ile Ile Gln Met Leu Asp Leu Lys Arg Pro Ile Tyr Arg Gln Thr Ser  
355 360 365

Ala Tyr Gly His Met Gly Arg Thr Asp Ile Asp Leu Pro Trp Glu Arg  
370 375 380

Leu Asp Lys Val Asp Ala Leu Lys Glu Ala Val Lys  
385 390 395

<210> 648

<211> 90

<212> PRT

<213> Streptococcus pneumoniae

<400> 648

Met Ala Val Lys Ile Arg Leu Thr Arg Met Gly Ser Lys Lys Lys Pro  
1 5 10 15

Phe Tyr Arg Ile Asn Val Ala Asp Ser Arg Ser Pro Arg Asp Gly Arg  
20 25 30

Phe Ile Glu Thr Val Gly Thr Tyr Asn Pro Leu Val Ala Glu Asn Gln  
35 40 45

Val Thr Leu Lys Glu Asp Arg Val Leu Ala Trp Leu Ala Asn Gly Ala  
50 55 60

Gln Pro Ser Asp Thr Val Arg Asn Ile Leu Ser Lys Glu Gly Val Leu  
65 70 75 80

Lys Lys Phe His Asp Ser Lys Phe Ser Lys  
85 90

<210> 649  
<211> 112  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 649

Met Gln Val Ile Lys Arg Asn Gly Glu Ile Ala Glu Phe Asn Pro Asp  
1 5 10 15

Lys Ile Tyr Gln Ala Ile Leu Lys Ala Ala Gln Thr Val Tyr Val Leu  
20 25 30

Thr Asp Asp Leu Arg Gln Asn Leu Ala Gln Val Thr Lys Lys Val Val  
35 40 45

Leu Asp Leu Gln Glu Ala Lys Val Glu Arg Ala Thr Ile Ser Met Ile  
50 55 60

Gln Ser Met Val Glu His Arg Leu Leu Gly Ala Gly Tyr Ile Thr Ile  
65 70 75 80

Ala Glu His Tyr Ile Ser Tyr Arg Leu Gln Arg Asp Leu Glu Arg Ser  
85 90 95

Gly Tyr Gly Asp His Ile Ala Val His Leu His Phe Glu Gln Ile Arg  
100 105 110

<210> 650  
 <211> 752  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 650

Met Leu Cys Gln Asn Cys Lys Ile Asn Asp Ser Thr Ile His Leu Tyr  
 1 5 10 15

Thr Asn Leu Asn Gly Lys Gln Lys Gln Ile Asp Leu Cys Gln Asn Cys  
 20 25 30

Tyr Lys Ile Ile Lys Thr Asp Pro Asn Asn Ser Leu Phe Lys Gly Met  
 35 40 45

Thr Asp Leu Asn Asn Arg Asp Phe Asp Pro Phe Gly Asp Phe Phe Asn  
 50 55 60

Asp Leu Asn Asn Phe Arg Pro Ser Ser Asn Thr Pro Pro Ile Pro Pro  
 65 70 75 80

Thr Gln Ser Gly Gly Gly Tyr Gly Gly Asn Gly Gly Tyr Gly Ser Gln  
 85 90 95

Asn Arg Gly Ser Ala Gln Thr Pro Pro Pro Ser Gln Glu Lys Gly Leu  
 100 105 110

Leu Glu Glu Phe Gly Ile Asn Val Thr Glu Ile Ala Arg Arg Gly Asp  
 115 120 125

Ile Asp Pro Val Ile Gly Arg Asp Asp Glu Ile Ile Arg Val Ile Glu  
 130 135 140

Ile Leu Asn Arg Arg Thr Lys Asn Asn Pro Val Leu Ile Gly Glu Pro  
 145 150 155 160

Gly Val Gly Lys Thr Ala Val Val Glu Gly Leu Ala Gln Lys Ile Val  
 165 170 175

Asp Gly Asp Val Pro His Lys Leu Gln Gly Lys Gln Val Ile Arg Leu  
 180 185 190

Asp Val Val Ser Leu Val Gln Gly Thr Gly Ile Arg Gly Gln Phe Glu  
195 200 205

Glu Arg Met Gln Lys Leu Met Glu Glu Ile Arg Lys Arg Glu Asp Ile  
210 215 220

Ile Leu Phe Ile Asp Glu Ile His Glu Ile Val Gly Ala Gly Ser Ala  
225 230 235 240

Ser Asp Gly Asn Met Asp Ala Gly Asn Ile Leu Lys Pro Ala Leu Ala  
245 250 255

Arg Gly Glu Leu Gln Leu Val Gly Ala Thr Thr Leu Asn Glu Tyr Arg  
260 265 270

Ile Ile Glu Lys Asp Ala Ala Leu Glu Arg Arg Met Gln Pro Val Lys  
275 280 285

Val Asp Glu Pro Thr Val Asp Glu Thr Ile Thr Ile Leu Lys Gly Ile  
290 295 300

Gln Lys Lys Tyr Glu Asp Tyr His His Val Gln Tyr Thr Asp Ala Ala  
305 310 315 320

Ile Glu Ala Ala Ala Thr Leu Ser Asn Arg Tyr Ile Gln Asp Arg Phe  
325 330 335

Leu Pro Asp Lys Ala Ile Asp Leu Leu Asp Glu Ala Gly Ser Lys Met  
340 345 350

Asn Leu Thr Leu Asn Phe Val Asp Pro Lys Val Ile Asp Gln Arg Leu  
355 360 365

Ile Glu Ala Glu Asn Leu Lys Ser Gln Ala Thr Arg Glu Glu Asp Phe  
370 375 380

Glu Lys Ala Ala Tyr Phe Arg Asp Gln Ile Ala Lys Tyr Lys Glu Met  
385 390 395 400

Gln Lys Lys Lys Ile Thr Asp Gln Asp Thr Pro Ser Ile Ser Glu Lys

-736-



Leu Gly Glu Leu Gly Asn Phe Phe Ser Pro Glu Phe Met Asn Arg Phe  
625 630 635 640

Asp Gly Ile Ile Glu Phe Lys Ala Leu Ser Lys Asp Asn Leu Leu Gln  
645 650 655

Ile Val Glu Leu Met Leu Ala Asp Val Asn Lys Arg Leu Ser Ser Asn  
660 665 670

Asn Ile Arg Leu Asp Val Thr Asp Lys Val Lys Glu Lys Leu Val Asp  
675 680 685

Leu Gly Tyr Asp Pro Lys Met Gly Ala Arg Pro Leu Arg Arg Thr Ile  
690 695 700

Gln Asp Tyr Ile Glu Asp Thr Ile Thr Asp Tyr Tyr Leu Glu Asn Pro  
705 710 715 720

Ser Glu Lys Asp Leu Lys Ala Val Met Thr Ser Lys Gly Asn Ile Gln  
725 730 735

Ile Lys Ser Ala Lys Lys Ala Glu Val Lys Ser Ser Glu Lys Glu Lys  
740 745 750

<210> 651

<211> 400

<212> PRT

<213> Streptococcus pneumoniae

<400> 651

Met Asn Glu Phe Glu Asp Leu Leu Asn Ser Val Ser Gln Val Glu Thr  
1 5 10 15

Gly Asp Val Val Ser Ala Glu Val Leu Thr Val Asp Ala Thr Gln Ala  
20 25 30

Asn Val Ala Ile Ser Gly Thr Gly Val Glu Gly Val Leu Thr Leu Arg  
35 40 45

Glu Leu Thr Asn Asp Arg Asp Ala Asp Ile Asn Asp Phe Val Lys Val  
50 55 60

Gly Glu Val Leu Asp Val Leu Val Leu Arg Gln Val Val Gly Lys Asp  
 65 70 75 80  
 Thr Asp Thr Val Thr Tyr Leu Val Ser Lys Lys Arg Leu Glu Ala Arg  
 85 90 95  
 Lys Ala Trp Asp Lys Leu Val Gly Arg Glu Glu Glu Val Val Thr Val  
 100 105 110  
 Lys Gly Thr Arg Ala Val Lys Gly Gly Leu Ser Val Glu Phe Glu Gly  
 115 120 125  
 Val Arg Gly Phe Ile Pro Ala Ser Met Leu Asp Thr Arg Phe Val Arg  
 130 135 140  
 Asn Ala Glu Arg Phe Val Gly Gln Glu Phe Asp Thr Lys Ile Lys Glu  
 145 150 155 160  
 Val Asn Ala Lys Glu Asn Arg Phe Ile Leu Ser Arg Arg Glu Val Val  
 165 170 175  
 Glu Ala Ala Thr Ala Ala Ala Arg Ala Glu Val Phe Gly Lys Leu Ala  
 180 185 190  
 Val Gly Asp Val Val Thr Gly Lys Val Ala Arg Ile Thr Ser Phe Gly  
 195 200 205  
 Ala Phe Val Asp Leu Gly Gly Val Asp Gly Leu Val His Leu Thr Glu  
 210 215 220  
 Leu Ser His Glu Arg Asn Val Ser Pro Lys Ser Val Val Thr Val Gly  
 225 230 235 240  
 Glu Glu Ile Glu Val Lys Ile Leu Asp Leu Asn Glu Glu Glu Gly Arg  
 245 250 255  
 Val Ser Leu Ser Leu Lys Ala Thr Val Pro Gly Pro Trp Asp Gly Val  
 260 265 270  
 Glu Gln Lys Leu Ala Lys Gly Asp Val Val Glu Gly Thr Val Lys Arg  
 275 280 285

Leu Thr Asp Phe Gly Ala Phe Val Glu Val Leu Pro Gly Ile Asp Gly  
 290 295 300

Leu Val His Val Ser Gln Ile Ser His Lys Arg Ile Glu Asn Pro Lys  
 305 310 315 320

Glu Ala Leu Lys Val Gly Gln Glu Val Gln Val Lys Val Leu Glu Val  
 325 330 335

Asn Ala Asp Ala Glu Arg Val Ser Leu Ser Ile Lys Ala Leu Glu Glu  
 340 345 350

Arg Pro Ala Gln Glu Glu Gly Gln Lys Glu Glu Lys Arg Ala Ala Arg  
 355 360 365

Pro Arg Arg Pro Arg Arg Gln Glu Lys Arg Asp Phe Glu Leu Pro Glu  
 370 375 380

Thr Gln Thr Gly Phe Ser Met Ala Asp Leu Phe Gly Asp Ile Glu Leu  
 385 390 395 400

<210> 652

<211> 470

<212> PRT

<213> Streptococcus pneumoniae

<400> 652

Met Ala Glu Glu Arg Val Glu Pro Lys Pro Ile Asp Leu Gly Glu Tyr  
 1 5 10 15

Lys Phe Gly Phe His Asp Asp Val Glu Pro Val Leu Ser Thr Gly Lys  
 20 25 30

Gly Leu Asn Glu Gly Val Ile Arg Glu Leu Ser Ala Ala Lys Gly Glu  
 35 40 45

Pro Glu Trp Met Leu Glu Phe Arg Leu Lys Ser Tyr Glu Thr Phe Lys  
 50 55 60

Lys Met Pro Met Gln Thr Trp Gly Ala Asp Leu Ser Glu Ile Asp Phe  
 65 70 75 80

Asp Asp Leu Ile Tyr Tyr Gln Lys Pro Ser Asp Lys Pro Ala Arg Ser  
 85 90 95

Trp Asp Asp Val Pro Glu Lys Ile Lys Glu Thr Phe Glu Arg Ile Gly  
 100 105 110

Ile Pro Glu Ala Glu Arg Ala Tyr Leu Ala Gly Ala Ser Ala Gln Tyr  
 115 120 125

Glu Ser Glu Val Val Tyr His Asn Met Lys Glu Glu Phe Gln Lys Leu  
 130 135 140

Gly Ile Ile Phe Thr Asp Thr Asp Ser Ala Leu Lys Glu Tyr Pro Asp  
 145 150 155 160

Leu Phe Lys Gln Tyr Phe Ala Lys Leu Val Pro Pro Thr Asp Asn Lys  
 165 170 175

Leu Ala Ala Leu Asn Ser Ala Val Trp Ser Gly Gly Thr Phe Ile Tyr  
 180 185 190

Val Pro Lys Gly Val Lys Val Asp Ile Pro Leu Gln Thr Tyr Phe Arg  
 195 200 205

Ile Asn Asn Glu Asn Ile Gly Gln Phe Glu Arg Thr Leu Ile Ile Val  
 210 215 220

Asp Glu Gly Ala Ser Val Tyr Tyr Val Glu Gly Cys Thr Ala Pro Thr  
 225 230 235 240

Tyr Ser Ser Asn Ser Leu His Ala Ala Ile Val Glu Ile Phe Ala Leu  
 245 250 255

Asp Gly Ala Tyr Met Arg Tyr Thr Thr Ile Gln Asn Trp Ser Asp Asn  
 260 265 270

Val Tyr Asn Leu Val Thr Lys Arg Ala Lys Ala Gln Lys Asp Ala Thr  
 275 280 285

Val Glu Trp Ile Asp Gly Asn Leu Gly Ala Lys Thr Thr Met Lys Tyr  
 290 295 300

Pro Ser Val Tyr Leu Asp Gly Glu Gly Ala Arg Gly Thr Met Leu Ser  
305 310 315 320

Ile Ala Phe Ala Asn Ala Gly Gln His Gln Asp Thr Gly Ala Lys Met  
325 330 335

Ile His Asn Ala Pro His Thr Ser Ser Ser Ile Val Ser Lys Ser Ile  
340 345 350

Ala Lys Gly Gly Gly Lys Val Asp Tyr Arg Gly Gln Val Thr Phe Asn  
355 360 365

Lys Asn Ser Lys Lys Ser Val Ser His Ile Glu Cys Asp Thr Ile Ile  
370 375 380

Met Asp Asp Leu Ser Ala Ser Asp Thr Ile Pro Phe Asn Glu Ile His  
385 390 395 400

Asn Ser Gln Val Ala Leu Glu His Glu Ala Lys Val Ser Lys Ile Ser  
405 410 415

Glu Glu Gln Leu Tyr Tyr Leu Met Ser Arg Gly Leu Ser Glu Ser Glu  
420 425 430

Ala Thr Glu Met Ile Val Met Gly Phe Val Glu Pro Phe Thr Lys Glu  
435 440 445

Leu Pro Met Glu Tyr Ala Val Glu Leu Asn Arg Leu Ile Ser Tyr Glu  
450 455 460

Met Glu Gly Ser Val Gly  
465 470

<210> 653

<211> 413

<212> PRT

<213> Streptococcus pneumoniae

<400> 653

Met Lys Lys Ile Phe Leu Thr Leu Leu Thr Val Ser Leu Leu Gly Gly  
1 5 10 15

Ala Ser Thr Ala Val Ala Gln Asp Phe Thr Ile Ala Ala Lys His Ala  
 20 25 30

Ile Ala Val Glu Ala Asn Thr Gly Lys Ile Leu Tyr Glu Lys Asp Ala  
 35 40 45

Thr Gln Pro Val Glu Ile Ala Ser Ile Thr Lys Leu Ile Thr Val Tyr  
 50 55 60

Leu Val Tyr Glu Ala Leu Glu Asn Gly Ser Ile Thr Leu Ser Thr Pro  
 65 70 75 80

Val Asp Ile Ser Asp Tyr Pro Tyr Gln Leu Thr Thr Asn Ser Glu Ala  
 85 90 95

Ser Asn Ile Pro Met Glu Ala Arg Asn Tyr Thr Val Glu Glu Leu Leu  
 100 105 110

Glu Ala Thr Leu Val Ser Ser Ala Asn Ser Ala Ala Ile Ala Leu Ala  
 115 120 125

Glu Lys Ile Ala Gly Ser Glu Lys Asp Phe Val Asp Met Met Arg Ala  
 130 135 140

Lys Leu Leu Glu Trp Gly Ile Gln Asp Ala Thr Val Val Asn Thr Thr  
 145 150 155 160

Gly Leu Asn Asn Glu Thr Leu Gly Asp Asn Ile Tyr Pro Gly Ser Lys  
 165 170 175

Lys Asp Glu Glu Asn Lys Leu Ser Ala Tyr Asp Val Ala Ile Val Ala  
 180 185 190

Arg Asn Leu Ile Lys Lys Tyr Pro Gln Val Leu Glu Ile Thr Lys Lys  
 195 200 205

Pro Ser Ser Thr Phe Ala Gly Met Thr Ile Thr Ser Thr Asn Tyr Met  
 210 215 220

Leu Glu Gly Met Pro Ala Tyr Arg Gly Gly Phe Asp Gly Leu Lys Thr

225                      230                      235                      240  
 Gly Thr Thr Asp Lys Ala Gly Glu Ser Phe Val Gly Thr Thr Val Glu  
                                  245                      250                      255  
 Lys Gly Met Arg Val Ile Thr Val Val Leu Asn Ala Asp His Gln Asp  
                                  260                      265                      270  
 Asn Asn Pro Tyr Ala Arg Phe Thr Ala Thr Ser Ser Leu Met Asp Tyr  
                                  275                      280                      285  
 Ile Ser Ser Thr Phe Thr Leu Arg Lys Ile Val Gln Gln Gly Asp Ala  
                                  290                      295                      300  
 Tyr Gln Asp Ser Lys Ala Pro Val Gln Asp Gly Lys Glu Asp Thr Val  
 305                                   310                      315                      320  
 Thr Ala Val Ala Pro Glu Asp Ile Tyr Leu Ile Glu Arg Val Gly Asn  
                                  325                      330                      335  
 Gln Ser Ser Gln Ser Val Gln Phe Thr Pro Asp Ser Lys Ala Ile Pro  
                                  340                      345                      350  
 Ala Pro Leu Glu Ala Gly Thr Val Val Gly His Leu Thr Tyr Glu Asp  
                                  355                      360                      365  
 Lys Asp Leu Ile Gly Gln Gly Tyr Ile Thr Thr Glu Arg Pro Ser Phe  
                                  370                      375                      380  
 Glu Met Val Ala Asp Lys Lys Ile Glu Lys Ala Phe Phe Leu Lys Val  
 385                                   390                      395                      400  
 Trp Trp Asn Gln Phe Val Arg Phe Val Asn Glu Lys Leu  
                                  405                      410

<210> 654  
 <211> 335  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 654

Met Lys Arg Ile Ala Val Leu Thr Ser Gly Gly Asp Ala Pro Gly Met

1	5	10	15												
Asn	Ala	Ala	Ile	Arg	Ala	Val	Val	Arg	Gln	Ala	Ile	Ser	Glu	Gly	Met
			20					25					30		
Glu	Val	Phe	Gly	Ile	Tyr	Asp	Gly	Tyr	Ala	Gly	Met	Val	Ala	Gly	Glu
		35					40					45			
Ile	His	Pro	Leu	Asp	Ala	Ala	Ser	Val	Gly	Asp	Ile	Ile	Ser	Arg	Gly
	50					55					60				
Gly	Thr	Phe	Leu	His	Ser	Ala	Arg	Tyr	Pro	Glu	Phe	Ala	Gln	Leu	Glu
65					70					75					80
Gly	Gln	Leu	Lys	Gly	Ile	Glu	Gln	Leu	Lys	Lys	His	Gly	Ile	Glu	Gly
			85						90					95	
Val	Val	Val	Ile	Gly	Gly	Asp	Gly	Ser	Tyr	His	Gly	Ala	Met	Arg	Leu
			100					105						110	
Thr	Glu	His	Gly	Phe	Pro	Ala	Ile	Gly	Leu	Pro	Gly	Thr	Ile	Asp	Asn
		115					120					125			
Asp	Ile	Val	Gly	Thr	Asp	Phe	Thr	Ile	Gly	Phe	Asp	Thr	Ala	Val	Thr
	130					135					140				
Thr	Ala	Met	Asp	Ala	Ile	Asp	Lys	Ile	Arg	Asp	Thr	Ser	Ser	Ser	His
145					150					155					160
Arg	Arg	Thr	Phe	Val	Ile	Glu	Val	Met	Gly	Arg	Asn	Ala	Gly	Asp	Ile
			165						170					175	
Ala	Leu	Trp	Ala	Gly	Ile	Ala	Thr	Gly	Ala	Asp	Glu	Ile	Ile	Ile	Pro
			180					185						190	
Glu	Ala	Gly	Phe	Lys	Met	Glu	Asp	Ile	Val	Ala	Ser	Ile	Lys	Ala	Gly
		195					200					205			
Tyr	Glu	Cys	Gly	Lys	Lys	His	Asn	Ile	Ile	Val	Leu	Ala	Glu	Gly	Val
	210					215					220				



Met Ser Ala Ala Glu Phe Gly Gln Lys Leu Lys Glu Ala Gly Asp Thr  
225 230 235 240

Ser Asp Leu Arg Val Thr Glu Leu Gly His Ile Gln Arg Gly Gly Ser  
245 250 255

Pro Thr Ala Arg Asp Arg Val Leu Ala Ser Arg Met Gly Ala His Ala  
260 265 270

Val Lys Leu Leu Lys Glu Gly Ile Gly Gly Val Ala Val Gly Ile Arg  
275 280 285

Asn Glu Lys Met Val Glu Asn Pro Ile Leu Gly Thr Ala Glu Glu Gly  
290 295 300

Ala Leu Phe Ser Leu Thr Ala Glu Gly Lys Ile Val Val Asn Asn Pro  
305 310 315 320

His Lys Ala Asp Ile Glu Leu Ser Ser Leu Asn Lys Ser Leu Ser  
325 330 335

<210> 655

<211> 501

<212> PRT

<213> Streptococcus pneumoniae

<400> 655

Met Asn Lys Arg Val Lys Ile Val Ala Thr Leu Gly Pro Ala Val Glu  
1 5 10 15

Ile Arg Gly Gly Lys Lys Phe Gly Glu Asp Gly Tyr Trp Gly Glu Lys  
20 25 30

Leu Asp Val Glu Ala Ser Ala Lys Asn Ile Ala Lys Leu Ile Glu Ala  
35 40 45

Gly Ala Asn Thr Phe Arg Phe Asn Phe Ser His Gly Asp His Gln Glu  
50 55 60

Gln Gly Glu Arg Met Ala Thr Val Lys Leu Ala Glu Lys Ile Ala Gly  
65 70 75 80

Lys Lys Val Gly Phe Leu Leu Asp Thr Lys Gly Pro Glu Ile Arg Thr  
 85 90 95

Glu Leu Phe Glu Gly Glu Ala Lys Glu Tyr Ser Tyr Lys Thr Gly Glu  
 100 105 110

Lys Ile Arg Val Ala Thr Lys Gln Gly Ile Lys Ser Thr Arg Glu Val  
 115 120 125

Ile Ala Leu Asn Val Ala Gly Ala Leu Asp Ile Tyr Asp Asp Val Glu  
 130 135 140

Val Gly Arg Gln Val Leu Val Asp Asp Gly Lys Leu Gly Leu Arg Val  
 145 150 155 160

Val Ala Lys Asp Asp Ala Thr Arg Glu Phe Glu Val Glu Val Glu Asn  
 165 170 175

Asp Gly Ile Ile Ala Lys Gln Lys Gly Val Asn Ile Pro Asn Thr Lys  
 180 185 190

Ile Pro Phe Pro Ala Leu Ala Glu Arg Asp Asn Asp Asp Ile Arg Phe  
 195 200 205

Gly Leu Glu Gln Gly Ile Asn Phe Ile Ala Ile Ser Phe Val Arg Thr  
 210 215 220

Ala Lys Asp Val Asn Glu Val Arg Ala Ile Cys Glu Glu Thr Gly Asn  
 225 230 235 240

Gly His Val Gln Leu Phe Ala Lys Ile Glu Asn Gln Gln Gly Ile Asp  
 245 250 255

Asn Leu Asp Glu Ile Ile Glu Ala Ala Asp Gly Ile Met Ile Ala Arg  
 260 265 270

Gly Asp Met Gly Ile Glu Val Pro Phe Glu Met Val Pro Val Tyr Gln  
 275 280 285

Lys Met Ile Ile Lys Lys Val Asn Ala Ala Gly Lys Val Val Ile Thr  
 290 295 300

Ala Thr Asn Met Leu Glu Thr Met Thr Glu Lys Pro Arg Ala Thr Arg  
305 310 315 320

Ser Glu Val Ser Asp Val Phe Asn Ala Val Ile Asp Gly Thr Asp Ala  
325 330 335

Thr Met Leu Ser Gly Glu Ser Ala Asn Gly Lys Tyr Pro Leu Glu Ser  
340 345 350

Val Thr Thr Met Ala Thr Ile Asp Lys Asn Ala Gln Ala Leu Leu Asn  
355 360 365

Glu Tyr Gly Arg Leu Asp Ser Asp Ser Phe Glu Arg Asn Ser Lys Thr  
370 375 380

Glu Val Met Ala Ser Ala Val Lys Asp Ala Thr Ser Ser Met Asp Ile  
385 390 395 400

Lys Leu Val Val Thr Leu Thr Lys Thr Gly His Thr Ala Arg Leu Ile  
405 410 415

Ser Lys Tyr Arg Pro Asn Ala Asp Ile Leu Ala Leu Thr Phe Asp Glu  
420 425 430

Leu Thr Glu Arg Gly Leu Met Leu Asn Trp Gly Val Ile Pro Met Leu  
435 440 445

Thr Asp Ala Pro Ser Ser Thr Asp Asp Met Phe Glu Ile Ala Glu Arg  
450 455 460

Lys Ala Val Glu Ala Gly Leu Val Glu Ser Gly Asp Asp Ile Val Ile  
465 470 475 480

Val Ala Gly Val Pro Val Gly Glu Ala Val Arg Thr Asn Thr Met Arg  
485 490 495

Ile Arg Thr Val Arg  
500

<210> 656

<211> 491

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 656

Met Lys Glu Leu Asp Gln Asn Gln Ala Pro Ile Tyr Glu Ala Leu Val  
 1 5 10 15

Lys Leu Arg Lys Lys Arg Ile Val Pro Phe Asp Val Pro Gly His Lys  
 20 25 30

Arg Gly Arg Gly Asn Pro Glu Leu Val Glu Leu Leu Gly Glu Lys Cys  
 35 40 45

Val Gly Ile Asp Val Asn Ser Met Lys Pro Leu Asp Asn Leu Gly His  
 50 55 60

Pro Ile Ser Ile Ile Arg Asp Ala Glu Glu Leu Ala Ala Asp Ala Phe  
 65 70 75 80

Gly Ala Ser His Ala Phe Leu Met Ile Gly Gly Thr Thr Ser Ser Val  
 85 90 95

Gln Thr Met Ile Leu Ala Thr Cys Lys Ala Gly Asp Lys Ile Ile Leu  
 100 105 110

Pro Arg Asn Val His Lys Ser Ala Ile Asn Ala Leu Val Leu Cys Gly  
 115 120 125

Ala Ile Pro Ile Tyr Ile Glu Met Ser Val Asp Pro Lys Ile Gly Ile  
 130 135 140

Ala Leu Gly Leu Glu Asn Asp Arg Val Ala Gln Ala Ile Lys Asp His  
 145 150 155 160

Pro Asp Ala Lys Ala Ile Leu Ile Asn Asn Pro Thr Tyr Tyr Gly Ile  
 165 170 175

Cys Ser Asp Leu Lys Gly Leu Thr Glu Met Ala His Glu Ala Gly Met  
 180 185 190

Met Val Leu Val Asp Glu Ala His Gly Ala His Leu His Phe Thr Asp  
 195 200 205

Lys Leu Pro Ile Ser Ala Met Asp Ala Gly Ala Asp Met Ala Ala Val  
 210 215 220

Ser Met His Lys Ser Gly Gly Ser Leu Thr Gln Ser Ser Ile Leu Leu  
 225 230 235 240

Ile Gly Glu Gln Met Asn Ser Glu Tyr Val Arg Gln Ile Ile Asn Leu  
 245 250 255

Thr Gln Ser Thr Ser Ala Ser Tyr Leu Leu Met Ala Ser Leu Asp Ile  
 260 265 270

Ser Arg Arg Asn Leu Ala Leu Arg Gly Lys Glu Ser Phe Glu Lys Val  
 275 280 285

Ile Glu Leu Ser Glu Tyr Ala Arg Arg Glu Ile Asn Ala Ile Gly Gly  
 290 295 300

Tyr Tyr Ala Tyr Ser Lys Glu Leu Ile Asp Gly Val Ser Val Cys Asp  
 305 310 315 320

Phe Asp Val Thr Lys Leu Ser Val Tyr Thr Gln Gly Ile Gly Leu Thr  
 325 330 335

Gly Ile Glu Val Tyr Asp Leu Leu Arg Asp Glu Tyr Asp Ile Gln Ile  
 340 345 350

Glu Phe Gly Asp Ile Gly Asn Ile Leu Ala Tyr Ile Ser Ile Gly Asp  
 355 360 365

Arg Ile Gln Asp Ile Glu Arg Leu Val Gly Ala Leu Ala Asp Ile Lys  
 370 375 380

Arg Leu Tyr Ser Arg Asp Gly Lys Asp Leu Ile Ala Gly Glu Tyr Ile  
 385 390 395 400

Gln Pro Glu Leu Val Leu Ser Pro Gln Glu Ala Phe Tyr Ser Glu Arg  
 405 410 415

Lys Ser Leu Thr Leu Asp Asp Ser Val Gly Gln Val Cys Gly Glu Phe

-750-

115	120	125
Pro Arg Val Thr Ile Tyr Tyr Gln Asn Gly Leu Arg Phe Leu Arg Asn		
130	135	140
Cys Glu Asp Asp Tyr Asp Ile Ile Ile Asn Asp Ala Thr Asp Pro Phe		
145	150	155 160
Gly His Thr Glu Gly Leu Phe Thr Lys Glu Phe Tyr Gly Asn Ser Tyr		
	165	170 175
Arg Ala Leu Lys Glu Asp Gly Ile Met Ile Tyr Gln His Gly Ser Pro		
	180	185 190
Phe Phe Asp Glu Asp Glu Ser Ala Cys Arg Ser Met His Arg Lys Val		
	195	200 205
Asn Gln Ala Phe Pro Ile Ser Arg Val Tyr Gln Ala His Ile Pro Thr		
	210	215 220
Ser Pro Ala Gly Tyr Trp Leu Phe Gly Phe Ala Ser Lys Lys Tyr His		
	225	230 235 240
Pro Val Lys Asp Phe Asp Lys Glu Gly Trp Lys Lys Arg Gln Leu Phe		
	245	250 255
Thr Glu Tyr Tyr Thr Ala Asn Leu His Val Gly Ala Phe Met Leu Pro		
	260	265 270
Lys Tyr Val Glu Asp Ile Leu Glu Glu Glu Glu Gly Lys Lys		
	275	280 285
<210> 658		
<211> 291		
<212> PRT		
<213> Streptococcus pneumoniae		
<400> 658		
Met Arg Asn Val Arg Val Ala Thr Ile Gln Met Gln Cys Ala Lys Asp		
1	5	10 15
Val Ala Thr Asn Ile Gln Thr Ala Glu Arg Leu Val Arg Gln Ala Ala		

20	25	30
Glu Gln Gly Ala Gln Ile Ile Leu Leu Pro Glu Leu Phe Glu His Pro		
35	40	45
Tyr Phe Cys Gln Glu Arg Gln Tyr Asp Tyr Tyr Gln Tyr Ala Gln Ser		
50	55	60
Val Ala Glu Asn Thr Ala Ile Gln His Phe Lys Val Ile Ala Lys Glu		
65	70	75
Leu Gln Val Val Leu Pro Ile Ser Phe Tyr Glu Lys Asp Gly Asn Val		
85	90	95
Leu Tyr Asn Ser Ile Ala Val Ile Asp Ala Asp Gly Glu Val Leu Gly		
100	105	110
Val Tyr Arg Lys Thr His Ile Pro Asp Asp His Tyr Tyr Gln Glu Lys		
115	120	125
Phe Tyr Phe Thr Pro Gly Asn Thr Gly Phe Lys Val Trp Asn Thr Arg		
130	135	140
Tyr Ala Lys Ile Gly Ile Gly Ile Cys Trp Asp Gln Trp Phe Pro Glu		
145	150	155
Thr Ala Arg Cys Leu Ala Leu Asn Gly Ala Glu Leu Leu Phe Tyr Pro		
165	170	175
Thr Ala Ile Gly Ser Glu Pro Ile Leu Asp Thr Asp Ser Cys Gly His		
180	185	190
Trp Gln Arg Thr Met Gln Gly His Ala Ala Ala Asn Ile Val Pro Val		
195	200	205
Ile Ala Ala Asn Arg Tyr Gly Leu Glu Glu Val Thr Pro Ser Glu Glu		
210	215	220
Asn Gly Gly Gln Ser Ser Ser Leu Asp Phe Tyr Gly Ser Ser Phe Met		
225	230	235
		240



-753-

<210> 660  
 <211> 181  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 660  
  
 Met Glu Phe Glu Glu Lys Thr Leu Ser Arg Lys Glu Ile Tyr Gln Gly  
 1 5 10 15  
  
 Pro Ile Phe Lys Leu Val Gln Asp Gln Val Glu Leu Pro Glu Gly Lys  
 20 25 30  
  
 Gly Thr Ala Gln Arg Asp Leu Ile Phe His Asn Gly Ala Val Cys Val  
 35 40 45  
  
 Leu Ala Val Thr Asp Glu Gln Lys Leu Ile Leu Val Lys Gln Tyr Arg  
 50 55 60  
  
 Lys Ala Ile Glu Ala Val Ser Tyr Glu Ile Pro Ala Gly Lys Leu Glu  
 65 70 75 80  
  
 Val Gly Glu Asn Thr Ala Pro Val Ala Ala Ala Leu Arg Glu Leu Glu  
 85 90 95  
  
 Glu Glu Thr Ala Tyr Thr Gly Lys Leu Glu Leu Leu Tyr Asp Phe Tyr  
 100 105 110  
  
 Ser Ala Ile Gly Phe Cys Asn Glu Lys Leu Lys Leu Tyr Leu Ala Ser  
 115 120 125  
  
 Asp Leu Thr Lys Val Glu Asn Pro Arg Pro Gln Asp Glu Asp Glu Thr  
 130 135 140  
  
 Leu Glu Val Leu Glu Val Ser Leu Glu Glu Ala Lys Glu Leu Ile Gln  
 145 150 155 160  
  
 Ser Gly His Ile Cys Asp Ala Lys Thr Ile Met Ala Val Gln Tyr Trp  
 165 170 175  
  
 Glu Leu Gln Lys Lys  
 180

<210> 661  
 <211> 191  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 661

Met Asn Lys Gly Gly Gln Met Lys Lys Val Met Phe Ala Gly Leu Ser  
 1 5 10 15

Leu Leu Ser Leu Val Val Leu Met Ala Cys Gly Glu Glu Glu Thr Lys  
 20 25 30

Lys Thr Gln Ala Ala Gln Gln Pro Lys Gln Gln Thr Thr Val Gln Gln  
 35 40 45

Ile Ala Val Gly Lys Asp Ala Pro Asp Phe Thr Leu Gln Ser Met Asp  
 50 55 60

Gly Lys Glu Val Lys Leu Ser Asp Phe Lys Gly Lys Lys Val Tyr Leu  
 65 70 75 80

Lys Phe Trp Ala Ser Trp Cys Gly Pro Cys Lys Lys Ser Met Pro Glu  
 85 90 95

Leu Met Glu Leu Ala Ala Lys Pro Asp Arg Asp Phe Glu Ile Leu Thr  
 100 105 110

Val Ile Ala Pro Gly Ile Gln Gly Glu Lys Thr Val Glu Gln Phe Pro  
 115 120 125

Gln Trp Phe Gln Glu Gln Gly Tyr Lys Asp Ile Pro Val Leu Tyr Asp  
 130 135 140

Thr Lys Ala Thr Thr Phe Gln Ala Tyr Gln Ile Arg Ser Ile Pro Thr  
 145 150 155 160

Glu Tyr Leu Ile Asp Ser Gln Gly Lys Ile Gly Lys Ile Gln Phe Gly  
 165 170 175

Ala Ile Ser Asn Ala Asp Ala Glu Ala Ala Phe Lys Glu Met Asn  
 180 185 190

<210> 662  
 <211> 418  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 662

Met Ile Phe Asp Lys Asp Asp Phe Lys Ala Tyr Asp Ala Asp Leu Trp  
 1 5 10 15

Asn Ala Ile Ala Lys Glu Glu Glu Arg Gln Gln Asn Asn Ile Glu Leu  
 20 25 30

Ile Ala Ser Glu Asn Val Val Ser Lys Ala Val Met Ala Ala Gln Gly  
 35 40 45

Ser Ile Leu Thr Asn Lys Tyr Ala Glu Gly Tyr Pro Gly Arg Arg Tyr  
 50 55 60

Tyr Gly Gly Thr Asp Val Val Asp Val Val Glu Thr Leu Ala Ile Glu  
 65 70 75 80

Arg Ala Lys Glu Ile Phe Gly Ala Lys Phe Ala Asn Val Gln Pro His  
 85 90 95

Ser Gly Ser Gln Ala Asn Cys Ala Ala Tyr Met Ser Leu Ile Glu Pro  
 100 105 110

Gly Asp Thr Val Met Gly Met Asp Leu Ala Ser Gly Gly His Leu Thr  
 115 120 125

His Gly Ala Pro Val Ser Phe Ser Gly Gln Thr Tyr Asn Phe Val Ser  
 130 135 140

Tyr Ser Val Asp Pro Lys Thr Glu Leu Leu Asp Phe Asp Ala Ile Leu  
 145 150 155 160

Lys Gln Ala Gln Glu Val Lys Pro Lys Leu Ile Val Ala Gly Ala Ser  
 165 170 175

Ala Tyr Ser Gln Ile Ile Asp Phe Ser Lys Phe Arg Glu Ile Ala Asp  
 180 185 190

Ala Val Gly Ala Lys Leu Met Val Asp Met Ala His Ile Ala Gly Leu  
195 200 205

Val Ala Ala Gly Leu His Pro Ser Pro Val Pro Tyr Ala His Ile Thr  
210 215 220

Thr Thr Thr Thr His Lys Thr Leu Arg Gly Pro Arg Gly Gly Leu Ile  
225 230 235 240

Leu Thr Asn Asp Glu Glu Leu Ala Lys Lys Ile Asn Ser Ala Ile Phe  
245 250 255

Pro Gly Ile Gln Gly Gly Pro Leu Glu His Val Val Ala Ala Lys Ala  
260 265 270

Val Ser Phe Lys Glu Val Leu Asp Pro Ala Phe Lys Glu Tyr Ala Ala  
275 280 285

Asn Val Ile Lys Asn Ser Lys Ala Met Ala Asp Val Phe Leu Gln Asp  
290 295 300

Pro Asp Phe Arg Ile Ile Ser Gly Gly Thr Glu Asn His Leu Phe Leu  
305 310 315 320

Val Asp Val Thr Lys Val Val Glu Asn Gly Lys Val Ala Gln Asn Leu  
325 330 335

Leu Asp Glu Val Asn Ile Thr Leu Asn Lys Asn Ser Ile Pro Tyr Glu  
340 345 350

Ser Leu Ser Pro Phe Lys Thr Ser Gly Ile Arg Ile Gly Ala Ala Ala  
355 360 365

Ile Thr Ala Arg Gly Phe Gly Glu Glu Glu Ser Arg Lys Val Ala Glu  
370 375 380

Leu Ile Ile Lys Thr Leu Lys Asn Ser Glu Asn Glu Ala Val Leu Glu  
385 390 395 400

Glu Val Arg Ser Ala Val Lys Glu Leu Thr Asp Ala Phe Pro Leu Tyr  
405 410 415

Glu Asp

<210> 663  
 <211> 341  
 <212> PRT  
 <213> Streptococcus pneumoniae

&lt;400&gt; 663

Met Lys Asn Lys Phe Phe Leu Ile Ala Ile Leu Ala Met Cys Ile Val  
 1 5 10 15

Phe Ser Ala Cys Ser Ser Asn Ser Val Lys Asn Glu Glu Asn Thr Ser  
 20 25 30

Lys Glu His Ala Pro Asp Lys Ile Val Leu Asp His Ala Phe Gly Gln  
 35 40 45

Thr Ile Leu Asp Lys Lys Pro Glu Arg Val Ala Thr Ile Ala Trp Gly  
 50 55 60

Asn His Asp Val Ala Leu Ala Leu Gly Ile Val Pro Val Gly Phe Ser  
 65 70 75 80

Lys Ala Asn Tyr Gly Val Ser Ala Asp Lys Gly Val Leu Pro Trp Thr  
 85 90 95

Glu Glu Lys Ile Lys Glu Leu Asn Gly Lys Ala Asn Leu Phe Asp Asp  
 100 105 110

Leu Asp Gly Leu Asn Phe Glu Ala Ile Ser Asn Ser Lys Pro Asp Val  
 115 120 125

Ile Leu Ala Gly Tyr Ser Gly Ile Thr Lys Glu Asp Tyr Asp Thr Leu  
 130 135 140

Ser Lys Ile Ala Pro Val Ala Ala Tyr Lys Ser Lys Pro Trp Gln Thr  
 145 150 155 160

Leu Trp Arg Asp Met Ile Lys Ile Asp Ser Lys Ala Leu Gly Met Glu  
 165 170 175

Lys Glu Gly Asp Glu Leu Ile Lys Asn Thr Glu Ala Arg Ile Ser Lys  
180 185 190

Glu Leu Glu Lys His Pro Glu Ile Lys Gly Lys Ile Lys Gly Lys Lys  
195 200 205

Val Leu Phe Thr Met Ile Asn Ala Ala Asp Thr Ser Lys Phe Trp Ile  
210 215 220

Tyr Thr Ser Lys Asp Pro Arg Ala Asn Tyr Leu Thr Asp Leu Gly Leu  
225 230 235 240

Val Phe Pro Glu Ser Leu Lys Glu Phe Glu Ser Glu Asp Ser Phe Ala  
245 250 255

Lys Glu Ile Ser Ala Glu Glu Ala Asn Lys Ile Asn Asp Ala Asp Val  
260 265 270

Ile Ile Thr Tyr Gly Asp Asp Lys Thr Leu Glu Ala Leu Gln Lys Asp  
275 280 285

Pro Leu Leu Gly Lys Ile Asn Ala Ile Lys Asn Gly Ala Val Ala Val  
290 295 300

Ile Pro Asp Asn Thr Pro Leu Ala Ala Ser Cys Thr Pro Thr Pro Leu  
305 310 315 320

Ser Ile Asn Tyr Thr Ile Glu Glu Tyr Leu Asn Leu Leu Gly Asn Ala  
325 330 335

Cys Lys Asn Ala Lys  
340

<210> 664

<211> 898

<212> PRT

<213> Streptococcus pneumoniae

<400> 664

Met Ser Leu Gln Lys Leu Glu Asn Tyr Ser Asn Lys Ser Val Val Gln  
1 5 10 15

Glu Glu Val Leu Ile Leu Thr Glu Leu Leu Glu Asp Ile Thr Lys Asn  
 20 25 30

Met Leu Ala Pro Glu Thr Phe Glu Lys Ile Ile Gln Leu Lys Glu Leu  
 35 40 45

Ser Thr Gln Glu Asp Tyr Gln Gly Leu Asn Arg Leu Val Thr Ser Leu  
 50 55 60

Ser Asn Asp Glu Met Val Tyr Ile Ser Arg Tyr Phe Ser Ile Leu Pro  
 65 70 75 80

Leu Leu Ile Asn Ile Ser Glu Asp Val Asp Leu Ala Tyr Glu Ile Asn  
 85 90 95

His Gln Asn Asn Ile Asp Gln Asp Tyr Leu Gly Lys Leu Ser Thr Thr  
 100 105 110

Ile Lys Leu Val Ala Glu Lys Glu Asn Ala Val Glu Ile Leu Glu His  
 115 120 125

Leu Asn Val Val Pro Val Leu Thr Ala His Pro Thr Gln Val Gln Arg  
 130 135 140

Lys Ser Met Leu Asp Leu Thr Asn His Ile His Ser Leu Leu Arg Lys  
 145 150 155 160

Tyr Arg Asp Val Lys Leu Gly Leu Ile Asn Lys Asp Lys Trp Tyr Asn  
 165 170 175

Asp Leu Arg Arg Tyr Ile Glu Ile Ile Met Gln Thr Asp Met Ile Arg  
 180 185 190

Glu Lys Lys Leu Lys Val Thr Asn Glu Ile Thr Asn Ala Met Glu Tyr  
 195 200 205

Tyr Asn Ser Ser Phe Leu Lys Ala Val Pro His Leu Thr Thr Glu Tyr  
 210 215 220

Lys Arg Leu Ala Gln Ala His Gly Leu Asn Leu Lys Gln Ala Lys Pro  
 225 230 235 240



Ile Thr Met Gly Met Trp Ile Gly Gly Asp Arg Asp Gly Asn Pro Phe  
 245 250 255

Val Thr Ala Lys Thr Leu Lys Gln Ser Ala Leu Thr Gln Cys Glu Val  
 260 265 270

Ile Met Asn Tyr Tyr Asp Lys Lys Ile Tyr Gln Leu Tyr Arg Glu Phe  
 275 280 285

Ser Leu Ser Thr Ser Ile Val Asn Val Ser Lys Gln Val Arg Glu Met  
 290 295 300

Ala Arg Gln Ser Lys Asp Asn Ser Ile Tyr Arg Glu Lys Glu Leu Tyr  
 305 310 315 320

Arg Arg Ala Leu Phe Asp Ile Gln Ser Lys Ile Gln Ala Thr Lys Thr  
 325 330 335

Tyr Leu Ile Glu Asp Glu Glu Val Gly Thr Arg Tyr Glu Thr Ala Asn  
 340 345 350

Asp Phe Tyr Lys Asp Leu Ile Ala Ile Arg Asp Ser Leu Leu Glu Asn  
 355 360 365

Lys Gly Glu Ser Leu Ile Ser Gly Asp Phe Val Glu Leu Leu Gln Ala  
 370 375 380

Val Glu Ile Phe Gly Phe Tyr Leu Ala Ser Ile Asp Met Arg Gln Asp  
 385 390 395 400

Ser Ser Val Tyr Glu Ala Cys Val Ala Glu Leu Leu Lys Ser Ala Gly  
 405 410 415

Ile His Ser Arg Tyr Ser Glu Leu Ser Glu Glu Glu Lys Cys Asp Leu  
 420 425 430

Leu Leu Lys Glu Leu Glu Glu Asp Pro Arg Ile Leu Ser Ala Thr His  
 435 440 445

Ala Glu Lys Ser Glu Leu Leu Ala Lys Glu Leu Ala Ile Phe Lys Thr

450	455	460
Ala Arg Val Leu Lys Asp Lys Leu Gly Asp Asp Val Ile Arg Gln Thr		
465	470	475 480
Ile Ile Ser His Ala Thr Ser Leu Ser Asp Met Leu Glu Leu Ala Ile		
	485	490 495
Leu Leu Lys Glu Val Gly Leu Val Asp Thr Glu Arg Ala Arg Val Gln		
	500	505 510
Ile Val Pro Leu Phe Glu Thr Ile Glu Asp Leu Asp His Ser Glu Glu		
	515	520 525
Thr Met Arg Lys Tyr Leu Ser Leu Ser Leu Ala Lys Lys Trp Ile Asp		
	530 535	540
Ser Arg Asn Asn Tyr Gln Glu Ile Met Leu Gly Tyr Ser Asp Ser Asn		
545	550	555 560
Lys Asp Gly Gly Tyr Leu Ser Ser Cys Trp Thr Leu Tyr Lys Ala Gln		
	565	570 575
Gln Gln Leu Thr Ala Ile Gly Asp Glu Phe Gly Val Lys Val Thr Phe		
	580	585 590
Phe His Gly Arg Gly Gly Thr Val Gly Arg Gly Gly Gly Pro Thr Tyr		
	595	600 605
Glu Ala Ile Thr Ser Gln Pro Leu Lys Ser Ile Lys Asp Arg Ile Arg		
	610 615	620
Leu Thr Glu Gln Gly Glu Val Ile Gly Asn Lys Tyr Gly Asn Lys Asp		
625	630	635 640
Ala Ala Tyr Tyr Asn Leu Glu Met Leu Val Ser Ala Ala Ile Asn Arg		
	645	650 655
Met Ile Thr Gln Lys Lys Ser Asp Thr Asn Thr Pro Asn Arg Tyr Glu		
	660	665 670

Thr Ile Met Asp Gln Val Val Asp Arg Ser Tyr Asp Ile Tyr Arg Asp  
 675 680 685

Leu Val Phe Gly Asn Glu His Phe Tyr Asp Tyr Phe Phe Glu Ser Ser  
 690 695 700

Pro Ile Lys Ala Ile Ser Ser Phe Asn Ile Gly Ser Arg Pro Ala Ala  
 705 710 715 720

Arg Lys Thr Ile Thr Glu Ile Gly Gly Leu Arg Ala Ile Pro Trp Val  
 725 730 735

Phe Ser Trp Ser Gln Ser Arg Val Met Phe Pro Gly Trp Tyr Gly Val  
 740 745 750

Gly Ser Ser Phe Lys Glu Phe Ile Asn Lys Asn Pro Glu Asn Ile Ala  
 755 760 765

Ile Leu Arg Asp Met Tyr Gln Asn Trp Pro Phe Phe Gln Ser Leu Leu  
 770 775 780

Ser Asn Val Asp Met Val Leu Ser Lys Ser Asn Met Asn Ile Ala Phe  
 785 790 795 800

Glu Tyr Ala Lys Leu Cys Glu Asp Glu Gln Val Lys Ala Ile Tyr Glu  
 805 810 815

Thr Ile Leu Asn Glu Trp Gln Val Thr Lys Asn Val Ile Leu Ala Ile  
 820 825 830

Glu Gly His Asp Glu Leu Leu Ala Asp Asn Pro Tyr Leu Lys Ala Ser  
 835 840 845

Leu Asp Tyr Arg Met Pro Tyr Phe Asn Ile Leu Asn Tyr Ile Gln Leu  
 850 855 860

Glu Leu Ile Lys Arg Gln Arg Arg Gly Glu Leu Ser Ser Asp Gln Glu  
 865 870 875 880

Arg Leu Ile His Ile Thr Ile Asn Gly Ile Ala Thr Gly Leu Arg Asn  
 885 890 895

Ser Gly

<210> 665  
 <211> 115  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 665

Met Ala Phe Glu Lys Ile Ile Gln Leu Lys Asn Cys Arg Tyr Asp Tyr  
 1 5 10 15

Thr Leu Ser Pro Ser Val Lys Lys Phe Thr Leu Lys Asp Asn Thr Phe  
 20 25 30

Phe Glu Thr Lys Val Gly Asn Tyr Glu Leu Thr Arg Leu Leu Glu Lys  
 35 40 45

Val Pro Asn Ser Gly Glu Gly Phe Gln Leu Lys Ile Ile Ile Asn Lys  
 50 55 60

Glu Leu Thr Gly Ala Lys Ile Asn Ile Thr Asp Lys Phe Gly Leu Arg  
 65 70 75 80

Leu Val Asp Ile Phe Lys Ser Glu Asp His His Ile His Gln Glu Lys  
 85 90 95

Phe Tyr Phe Leu Met Asp Ser Leu Val Glu Arg Gly Val Phe Thr Lys  
 100 105 110

Ser Glu Arg  
 115

<210> 666  
 <211> 319  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 666

Met Ser Asp Arg Lys Asn Met Lys Leu Phe Ala Leu Asn Ser Asn Gln  
 1 5 10 15

Glu Ile Ala Gln Lys Ile Ala Gln Ala Val Gly Val Pro Leu Gly Lys  
 20 25 30

Leu Ser Ser Arg Gln Phe Ser Asp Gly Glu Ile Gln Val Asn Ile Glu  
 35 40 45

Glu Ser Val Arg Gly Tyr Asp Val Tyr Ile Ile Gln Ser Thr Ser Phe  
 50 55 60

Pro Val Asn Asn His Leu Met Glu Leu Leu Ile Met Val Asp Ala Cys  
 65 70 75 80

Val Arg Ala Ser Ala His Ser Ile Asn Val Val Leu Pro Tyr Phe Gly  
 85 90 95

Tyr Ala Arg Gln Asp Arg Ile Ala Cys Pro Arg Glu Pro Leu Thr Ala  
 100 105 110

Lys Leu Val Ala Asn Met Leu Val Lys Ala Gly Val Asp Arg Ile Leu  
 115 120 125

Thr Leu Asp Leu His Ala Val Gln Val Gln Gly Phe Phe Asp Ile Pro  
 130 135 140

Val Asp Asn Leu Phe Thr Val Pro Leu Phe Ala Lys His Tyr Cys Asp  
 145 150 155 160

Lys Gly Leu Leu Gly Ser Asp Val Val Val Val Ser Pro Lys Asn Ser  
 165 170 175

Gly Val Lys Arg Ala Arg Ser Leu Ala Glu Tyr Leu Asp Ala Pro Ile  
 180 185 190

Ala Ile Ile Asp Tyr Pro Gln Asp Asp Ala Thr Arg Asn Glu Gly Tyr  
 195 200 205

Ile Ile Gly Asp Val Glu Gly Lys Lys Ala Ile Leu Ile Asp Asp Ile  
 210 215 220

Leu Asn Thr Gly Arg Thr Phe Ser Glu Ala Ser Lys Ile Val Glu Arg  
 225 230 235 240

Glu Gly Ala Thr Glu Ile Tyr Ala Val Ser Ser His Gly Leu Phe Val  
245 250 255

Glu Gly Ala Ala Glu Leu Leu Asp Asn Thr Asn Ile Lys Glu Ile Leu  
260 265 270

Val Thr Asp Ser Val Ala Thr Lys Glu Lys Thr Pro Lys Asn Val Cys  
275 280 285

Tyr Ile Thr Ala Ser Glu Leu Ile Gly Asp Ala Ile Val Arg Ile His  
290 295 300

Glu Arg Lys Pro Val Ser Pro Leu Phe Ala Tyr Asn Lys Lys Lys  
305 310 315

<210> 667

<211> 474

<212> PRT

<213> Streptococcus pneumoniae

<400> 667

Met Thr Arg Tyr Gln Asn Leu Val Asn Gly Lys Trp Lys Ser Ser Glu  
1 5 10 15

Gln Glu Ile Thr Ile Tyr Ser Pro Ile Asn Gln Glu Glu Leu Gly Thr  
20 25 30

Val Pro Ala Met Thr Gln Thr Glu Ala Asp Glu Ala Met Gln Ala Ala  
35 40 45

Arg Ala Ala Leu Pro Ala Trp Arg Ala Leu Ser Ala Val Glu Arg Ala  
50 55 60

Ala Tyr Leu His Lys Thr Ala Ala Ile Leu Glu Arg Asp Lys Glu Glu  
65 70 75 80

Ile Gly Thr Ile Leu Ala Lys Glu Val Ala Lys Gly Ile Lys Ala Ala  
85 90 95

Ile Gly Glu Val Val Arg Thr Ala Asp Leu Ile Arg Tyr Ala Ala Glu  
100 105 110

Glu Gly Leu Arg Ile Thr Gly Gln Ala Met Glu Gly Gly Gly Phe Glu  
 115 120 125

Ala Thr Ser Lys Asn Lys Leu Ala Val Val Arg Arg Glu Pro Val Gly  
 130 135 140

Ile Val Leu Ala Ile Ala Pro Phe Asn Tyr Pro Val Asn Leu Ser Ala  
 145 150 155 160

Ser Lys Ile Ala Pro Ala Leu Ile Ala Gly Asn Val Val Met Phe Lys  
 165 170 175

Pro Pro Thr Gln Gly Ser Ile Ser Gly Leu Leu Leu Ala Lys Ala Phe  
 180 185 190

Glu Glu Ala Gly Ile Pro Ala Gly Val Phe Asn Thr Ile Thr Gly Arg  
 195 200 205

Gly Ser Glu Ile Gly Asp Tyr Ile Ile Glu His Lys Glu Val Asn Phe  
 210 215 220

Ile Asn Phe Thr Gly Ser Thr Pro Ile Gly Glu Arg Ile Gly Arg Leu  
 225 230 235 240

Ala Gly Met Arg Pro Ile Met Leu Glu Leu Gly Gly Lys Asp Ala Ala  
 245 250 255

Leu Val Leu Glu Asp Ala Asp Leu Glu His Ala Ala Lys Gln Ile Val  
 260 265 270

Ala Gly Ala Phe Ser Tyr Ser Gly Gln Arg Cys Thr Ala Ile Lys Arg  
 275 280 285

Val Ile Val Leu Glu Ser Val Ala Asp Lys Leu Ala Thr Leu Leu Gln  
 290 295 300

Glu Glu Val Ser Lys Leu Thr Val Gly Asp Pro Phe Asp Asn Ala Asp  
 305 310 315 320

Ile Thr Pro Val Ile Asp Asn Ala Ser Ala Asp Phe Ile Trp Gly Leu  
 325 330 335

Ile Glu Asp Ala Gln Glu Lys Glu Ala Gln Ala Leu Thr Pro Ile Lys  
340 345 350

Arg Glu Gly Asn Leu Leu Trp Pro Val Leu Phe Asp Gln Val Thr Lys  
355 360 365

Asp Met Lys Val Ala Trp Glu Glu Pro Phe Gly Pro Val Leu Pro Ile  
370 375 380

Ile Arg Val Ala Ser Val Glu Glu Ala Ile Ala Phe Ala Asn Glu Ser  
385 390 395 400

Glu Phe Gly Leu Gln Ser Ser Val Phe Thr Asn Asp Phe Lys Lys Ala  
405 410 415

Phe Glu Ile Ala Glu Lys Leu Glu Val Gly Thr Val His Ile Asn Asn  
420 425 430

Lys Thr Gln Arg Gly Pro Asp Asn Phe Pro Phe Leu Gly Val Lys Gly  
435 440 445

Ser Gly Ala Gly Val Gln Gly Ile Lys Tyr Ser Ile Glu Ala Met Thr  
450 455 460

Asn Val Lys Ser Ile Val Phe Asp Val Lys  
465 470

<210> 668

<211> 326

<212> PRT

<213> Streptococcus pneumoniae

<400> 668

Met Ala Leu Thr Glu Gln Lys Arg Val Arg Leu Glu Lys Leu Ser Asp  
1 5 10 15

Glu Asn Gly Ile Ile Ser Ala Leu Ala Phe Asp Gln Arg Gly Ala Leu  
20 25 30

Lys Arg Leu Met Val Lys His Gln Thr Glu Glu Pro Thr Val Ala Gln  
35 40 45



Met Glu Glu Leu Lys Val Leu Val Ala Asp Glu Leu Thr Lys Tyr Ala  
 50 55 60

Ser Ser Met Leu Leu Asp Pro Glu Tyr Gly Leu Pro Ala Thr Lys Ala  
 65 70 75 80

Leu Asp Glu Lys Ala Gly Leu Leu Leu Ala Tyr Glu Lys Thr Gly Tyr  
 85 90 95

Asp Thr Thr Ser Thr Lys Arg Leu Pro Asp Cys Leu Asp Val Trp Ser  
 100 105 110

Ala Lys Arg Ile Lys Glu Glu Gly Ala Asp Ala Val Lys Phe Leu Leu  
 115 120 125

Tyr Tyr Asp Val Asp Ser Ser Asp Glu Leu Asn Gln Glu Lys Gln Ala  
 130 135 140

Tyr Ile Glu Arg Ile Gly Ser Glu Cys Val Ala Glu Asp Ile Pro Phe  
 145 150 155 160

Phe Leu Glu Ile Leu Ala Tyr Asp Glu Lys Ile Ala Asp Ala Gly Ser  
 165 170 175

Val Glu Tyr Ala Lys Val Lys Pro His Lys Val Ile Gly Ala Met Lys  
 180 185 190

Val Phe Ser Asp Pro Arg Phe Asn Ile Asp Val Leu Lys Val Glu Val  
 195 200 205

Pro Val Asn Ile Lys Tyr Val Glu Gly Phe Ala Glu Gly Glu Val Val  
 210 215 220

Tyr Thr Arg Glu Glu Ala Ala Ala Phe Phe Lys Ala Gln Asp Glu Ala  
 225 230 235 240

Thr Asn Leu Pro Tyr Ile Tyr Leu Ser Ala Gly Val Ser Ala Lys Leu  
 245 250 255

Phe Gln Asp Thr Leu Val Phe Ala His Glu Ser Gly Ala Asn Phe Asn

260 265 270  
 Gly Val Leu Cys Gly Arg Ala Thr Trp Ala Gly Ser Val Glu Ala Tyr  
 275 280 285  
 Ile Lys Asp Gly Glu Ala Ala Ala Arg Glu Cys Val Arg Thr Thr Gly  
 290 295 300  
 Phe Glu Asn Ile Asp Glu Leu Asn Lys Val Leu Gln Arg Thr Ala Thr  
 305 310 315 320  
 Ser Trp Lys Glu Arg Val  
 325  
 <210> 669  
 <211> 171  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 669  
 Met Arg Ile Ala Ile Gly Cys Asp His Ile Val Thr Asp Glu Lys Met  
 1 5 10 15  
 Ala Val Ser Glu Phe Leu Lys Ser Lys Gly Tyr Glu Val Ile Asp Phe  
 20 25 30  
 Gly Thr Tyr Asp His Thr Arg Thr His Tyr Pro Ile Phe Gly Lys Lys  
 35 40 45  
 Val Gly Glu Ala Val Thr Ser Gly Gln Ala Asp Leu Gly Val Cys Ile  
 50 55 60  
 Cys Gly Thr Gly Val Gly Ile Asn Asn Ala Val Asn Lys Val Pro Gly  
 65 70 75 80  
 Val Arg Ser Ala Leu Val Arg Asp Met Thr Thr Ala Leu Tyr Ala Lys  
 85 90 95  
 Glu Gln Leu Asn Ala Asn Val Ile Gly Phe Gly Gly Lys Ile Thr Gly  
 100 105 110  
 Glu Leu Leu Met Cys Asp Ile Ile Glu Ala Phe Ile His Ala Glu Tyr

115                      120                      125  
 Lys Pro Thr Glu Glu Asn Lys Lys Leu Ile Ala Lys Ile Glu His Val  
     130                      135                      140  
 Glu Ser His Asn Ala Gln Gln Thr Asp Ala Asn Phe Phe Thr Glu Phe  
 145                      150                      155                      160  
 Leu Glu Lys Trp Asp Arg Gly Glu Tyr His Asp  
                     165                      170  
  
 <210> 670  
 <211> 141  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 670  
 Met Ser Ile Val Ile Gly Ala Asp Ala Ala Gly Leu Arg Leu Lys Glu  
 1                      5                      10                      15  
 Val Val Lys Asp Phe Leu Glu Lys Glu Asn Phe His Leu Val Asp Val  
                     20                      25                      30  
 Thr Ala Glu Gly Gln Asp Phe Val Asp Val Thr Leu Ala Val Ala Ala  
                     35                      40                      45  
 Glu Val Asn Lys Glu Glu Gln Asn Leu Gly Ile Val Ile Asp Ala Tyr  
                     50                      55                      60  
 Gly Ala Gly Pro Phe Ile Val Ala Thr Lys Ile Lys Gly Met Val Ala  
 65                      70                      75                      80  
 Ala Glu Val Ser Asp Glu Arg Ser Ala Tyr Met Thr Arg Gly His Asn  
                     85                      90                      95  
 Asn Ser Arg Met Ile Thr Met Gly Ala Gln Leu Val Gly Asp Glu Leu  
                     100                      105                      110  
 Ala Lys Asn Ile Ala Lys Gly Phe Val Asn Gly Lys Tyr Asp Gly Gly  
                     115                      120                      125  
 Arg His Gln Ile Arg Val Asp Met Leu Asn Lys Met Gly

130 135 140

<210> 671  
 <211> 628  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 671

Met Val Leu Ser Lys Tyr Gln Lys Gln Phe Ile Ile Asn Arg Tyr Pro  
 1 5 10 15

Glu Arg Lys Arg Ile Met Asn Leu Glu Glu Leu Lys Lys Arg Gln Glu  
 20 25 30

Lys Ile Arg Asn Phe Ser Ile Ile Ala His Ile Asp His Gly Lys Ser  
 35 40 45

Thr Leu Ala Asp Arg Ile Leu Glu Lys Thr Glu Thr Val Ser Ser Arg  
 50 55 60

Glu Met Gln Ala Gln Leu Leu Asp Ser Met Glu Leu Glu Arg Glu Arg  
 65 70 75 80

Gly Ile Thr Ile Lys Leu Asn Ala Ile Glu Leu Asn Tyr Thr Ala Lys  
 85 90 95

Asp Gly Glu Thr Tyr Ile Phe His Leu Ile Asp Thr Pro Gly His Val  
 100 105 110

Asp Phe Thr Tyr Glu Val Ser Arg Ser Leu Ala Ala Cys Glu Gly Ala  
 115 120 125

Ile Leu Val Val Asp Ala Ala Gln Gly Ile Glu Ala Gln Thr Leu Ala  
 130 135 140

Asn Val Tyr Leu Ala Leu Asp Asn Asp Leu Glu Ile Met Pro Ile Ile  
 145 150 155 160

Asn Lys Ile Asp Leu Pro Ala Ala Asp Pro Glu Arg Val Arg Thr Glu  
 165 170 175

Ile Glu Asp Val Ile Gly Leu Asp Ala Ser Glu Ala Val Leu Ala Ser

180	185	190
Ala Lys Ala Gly Ile Gly Ile Glu Glu Ile Leu Glu Gln Ile Val Glu 195 200 205		
Lys Val Pro Ala Pro Thr Gly Asp Val Thr Ala Pro Leu Lys Ala Leu 210 215 220		
Ile Phe Asp Ser Val Tyr Asp Ala Tyr Arg Gly Val Ile Leu Gln Val 225 230 235 240		
Arg Val Met Asp Gly Val Val Lys Pro Gly Asp Lys Ile Gln Leu Met 245 250 255		
Ser Asn Ser Lys Thr Phe Asp Val Ala Glu Val Gly Ile Phe Thr Pro 260 265 270		
Lys Ala Val Gly Arg Asp Phe Leu Ala Thr Gly Asp Val Gly Tyr Ile 275 280 285		
Ala Ala Ser Ile Lys Thr Val Gln Asp Thr Arg Val Gly Asp Thr Val 290 295 300		
Thr Leu Ala Thr Asn Pro Ala Ala Glu Pro Leu His Gly Tyr Lys Gln 305 310 315 320		
Met Asn Pro Met Val Phe Ala Gly Leu Tyr Pro Ile Glu Ser Asn Lys 325 330 335		
Tyr Asn Asp Leu Arg Glu Ala Leu Glu Lys Leu Gln Leu Asn Asp Ala 340 345 350		
Ser Leu Gln Phe Glu Pro Glu Thr Ser Gln Ala Leu Gly Phe Gly Phe 355 360 365		
Arg Cys Gly Phe Leu Gly Leu Leu His Met Asp Val Ile Gln Glu Arg 370 375 380		
Leu Glu Arg Glu Phe Asn Ile Asp Leu Ile Met Thr Ala Pro Ser Val 385 390 395 400		

Ile Tyr Lys Val Asn Leu Thr Asp Gly Glu Ser Met Asp Val Ser Asn  
 405 410 415

Pro Ser Glu Phe Pro Asp Pro Thr Lys Ile Ala Thr Ile Glu Glu Pro  
 420 425 430

Tyr Val Lys Ala Gln Ile Met Val Pro Gln Glu Phe Val Gly Ala Val  
 435 440 445

Met Glu Leu Ala Gln Arg Lys Arg Gly Asp Phe Val Thr Met Asp Tyr  
 450 455 460

Ile Asp Asp Asn Arg Val Asn Val Ile Tyr Gln Ile Pro Leu Ala Glu  
 465 470 475 480

Ile Val Phe Asp Phe Phe Asp Lys Leu Lys Ser Ser Thr Arg Gly Tyr  
 485 490 495

Ala Ser Phe Asp Tyr Glu Leu Ser Glu Tyr Arg Pro Ser Lys Leu Val  
 500 505 510

Lys Met Asp Ile Leu Leu Asn Gly Asp Lys Val Asp Ala Leu Ser Phe  
 515 520 525

Ile Val His Lys Asp Phe Ala Tyr Glu Arg Gly Lys Leu Ile Val Asp  
 530 535 540

Lys Leu Lys Lys Ile Ile Pro Arg Gln Gln Phe Glu Val Pro Ile Gln  
 545 550 555 560

Ala Ala Ile Gly His Lys Ile Val Ala Arg Thr Asp Ile Lys Ala Leu  
 565 570 575

Arg Lys Asn Val Leu Ala Lys Cys Tyr Gly Gly Asp Val Ser Arg Lys  
 580 585 590

Arg Lys Leu Leu Glu Lys Gln Lys Ala Gly Lys Lys Arg Met Lys Ser  
 595 600 605

Ile Gly Ser Val Glu Val Pro Gln Glu Ala Phe Leu Ser Val Leu Ser  
 610 615 620

Met Asp Glu Glu  
625

<210> 672  
<211> 448  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 672

Met Glu Met Glu Lys Tyr Leu Ser Val Thr Thr Leu Thr Lys Tyr Leu  
1 5 10 15

Lys Met Lys Phe Asp Lys Asp Pro Tyr Leu Glu Arg Val Tyr Leu Thr  
20 25 30

Gly Gln Val Ser Asn Phe Arg Lys Arg Pro Thr His Gln Tyr Phe Ser  
35 40 45

Leu Lys Asp Asp His Ala Val Ile Gln Ala Thr Ile Trp Ser Gly Ile  
50 55 60

Tyr Gln Lys Leu Gly Phe Asp Leu Glu Glu Gly Met Lys Ile Asn Val  
65 70 75 80

Ile Gly Arg Val Gln Val Tyr Glu Pro Ser Gly Ser Tyr Ser Ile Ile  
85 90 95

Ile Glu Lys Ala Glu Pro Asp Gly Val Gly Ala Leu Ala Ile Gln Phe  
100 105 110

Glu Gln Leu Lys Lys Lys Leu Thr Glu Glu Gly Leu Phe Gln Glu Arg  
115 120 125

Phe Lys Gln Ala Leu Pro Gln Phe Ser Lys Arg Ile Gly Val Val Thr  
130 135 140

Ser Arg Ser Gly Ala Val Ile Arg Asp Ile Ile Thr Thr Val Ser Arg  
145 150 155 160

Arg Phe Pro Gly Val Asp Ile Leu Leu Tyr Pro Thr Lys Val Gln Gly  
165 170 175

Glu Gly Ala Ala Glu Glu Ile Ala Arg Asn Ile Ala Arg Ala Asn Gln  
 180 185 190

Arg Asp Asp Leu Asp Leu Leu Ile Ile Gly Arg Gly Gly Gly Ser Ile  
 195 200 205

Glu Asp Leu Trp Ala Phe Asn Glu Glu Ile Val Val Arg Ala Ile Phe  
 210 215 220

Glu Ser Arg Leu Pro Val Ile Ser Ser Val Gly His Glu Thr Asp Val  
 225 230 235 240

Thr Leu Ala Asp Phe Val Ala Asp Arg Arg Ala Ala Thr Pro Thr Ala  
 245 250 255

Ala Ala Glu Leu Ala Thr Pro Val Thr Lys Leu Asp Val Leu Ala His  
 260 265 270

Leu Gln Asn Gln Glu Lys Arg Met Val Thr Ala Val Arg Asn Val Leu  
 275 280 285

Ser Lys Lys Gln Glu Ala Leu Lys Lys Cys Ser Gln Ser Val Ile Phe  
 290 295 300

Arg Gln Pro Glu Arg Leu Tyr Asp Gly Tyr Leu Gln Arg Leu Asp Gln  
 305 310 315 320

Leu Gln Leu Arg Leu Lys Gln Ser Leu Arg Thr Arg Ile Ser Asp Asn  
 325 330 335

Lys Gln Leu Val Gln Ala Arg Thr His Gln Leu Val Gln Leu Ser Pro  
 340 345 350

Val Thr Lys Ile Gln Arg Tyr Gln Asp Arg Leu Gly Gln Leu Asp Lys  
 355 360 365

Leu Leu Gly Ser Gln Met Ala Leu Val Tyr Asp Ala Lys Val Ala Glu  
 370 375 380

Ala Lys Arg Leu Ser Glu Ala Leu Leu Met Leu Asp Thr Ser Arg Ile  
 385 390 395 400



Val Ala Arg Gly Tyr Ala Ile Val Lys Lys Glu Glu Ser Val Val Asp  
405 410 415

Ser Val Glu Ser Leu Lys Lys Lys Asp Gln Val Thr Leu Leu Met Arg  
420 425 430

Asp Gly Gln Val Glu Leu Glu Val Lys Asp Val Lys Thr Lys Glu Ile  
435 440 445

<210> 673

<211> 247

<212> PRT

<213> Streptococcus pneumoniae

<400> 673

Met Ser Gln Lys Asn Asn Lys Lys Lys Asn Lys Arg Lys Asn Leu Leu  
1 5 10 15

Thr Asn Ile Leu Ala Gly Phe Leu Ile Leu Leu Ser Leu Ala Leu Ile  
20 25 30

Phe Asn Thr Gln Ile Arg Asn Ile Phe Ile Val Trp Asn Thr Asn Lys  
35 40 45

Tyr Gln Val Ser Gln Val Ser Lys Glu Lys Leu Glu Glu Asn Gln Asp  
50 55 60

Thr Glu Gly Asn Phe Asp Phe Asp Ser Val Lys Ala Ile Ser Ser Glu  
65 70 75 80

Ala Val Leu Thr Ser Gln Trp Asp Ala Gln Lys Leu Pro Val Ile Gly  
85 90 95

Gly Ile Ala Ile Pro Glu Leu Glu Met Asn Leu Pro Ile Phe Lys Gly  
100 105 110

Leu Asp Asn Val Asn Leu Phe Tyr Gly Ala Gly Thr Met Lys Arg Glu  
115 120 125

Gln Val Met Gly Glu Gly Asn Tyr Ser Leu Ala Ser His His Ile Phe  
130 135 140

Gly Val Asp Asn Ala Asn Lys Met Leu Phe Ser Pro Leu Asp Asn Ala  
145 150 155 160

Lys Asn Gly Met Lys Ile Tyr Leu Thr Asp Lys Asn Lys Val Tyr Thr  
165 170 175

Tyr Glu Ile Arg Glu Val Lys Arg Val Thr Pro Asp Arg Val Asp Glu  
180 185 190

Val Asp Asp Arg Asp Gly Val Asn Glu Ile Thr Leu Val Thr Cys Glu  
195 200 205

Asp Leu Ala Ala Thr Glu Arg Ile Ile Val Lys Gly Asp Leu Lys Glu  
210 215 220

Thr Lys Asp Tyr Ser Gln Thr Ser Asn Glu Ile Leu Thr Ala Phe Asn  
225 230 235 240

Gln Pro Tyr Lys Gln Phe Tyr  
245

<210> 674

<211> 332

<212> PRT

<213> Streptococcus pneumoniae

<400> 674

Met Phe Lys Thr Met Thr Ser Thr Lys Gln His Lys Lys Val Ile Leu  
1 5 10 15

Val Gly Asp Gly Ala Val Gly Ser Ser Tyr Ala Phe Ala Leu Val Asn  
20 25 30

Gln Gly Ile Ala Gln Glu Leu Gly Ile Ile Glu Ile Pro Gln Leu His  
35 40 45

Glu Lys Ala Val Gly Asp Ala Leu Asp Leu Ser His Ala Leu Ala Phe  
50 55 60

Thr Ser Pro Lys Lys Ile Tyr Ala Ala Gln Tyr Ser Asp Cys Ala Asp  
65 70 75 80

Ala Asp Leu Val Val Ile Thr Ala Gly Ala Pro Gln Lys Pro Gly Glu  
                             85                            90                            95

Thr Arg Leu Asp Leu Val Gly Lys Asn Leu Ala Ile Asn Lys Ser Ile  
                             100                            105                            110

Val Thr Gln Val Val Glu Ser Gly Phe Lys Gly Ile Phe Leu Val Ala  
                             115                            120                            125

Ala Asn Pro Val Asp Val Leu Thr Tyr Ser Thr Trp Lys Phe Ser Gly  
                             130                            135                            140

Phe Pro Lys Glu Arg Val Ile Gly Ser Gly Thr Ser Leu Asp Ser Ala  
                             145                            150                            155                            160

Arg Phe Arg Gln Ala Leu Ala Glu Lys Leu Asp Val Asp Ala Arg Ser  
                             165                            170                            175

Val His Ala Tyr Ile Met Gly Glu His Gly Asp Ser Glu Phe Ala Val  
                             180                            185                            190

Trp Ser His Ala Asn Ile Ala Gly Val Asn Leu Glu Glu Phe Leu Lys  
                             195                            200                            205

Asp Thr Gln Asn Val Gln Glu Ala Glu Leu Ile Glu Leu Phe Glu Gly  
                             210                            215                            220

Val Arg Asp Ala Ala Tyr Thr Ile Ile Asn Lys Lys Gly Ala Thr Tyr  
                             225                            230                            235                            240

Tyr Gly Ile Ala Val Ala Leu Ala Arg Ile Thr Lys Ala Ile Leu Asp  
                             245                            250                            255

Asp Glu Asn Ala Val Leu Pro Leu Ser Val Phe Gln Glu Gly Gln Tyr  
                             260                            265                            270

Gly Val Glu Asn Val Phe Ile Gly Gln Pro Ala Val Val Gly Ala His  
                             275                            280                            285

Gly Ile Val Arg Pro Val Asn Ile Pro Leu Asn Asp Ala Glu Thr Gln

290

295

300

Lys Met Gln Ala Ser Ala Lys Glu Leu Gln Ala Ile Ile Asp Glu Ala  
 305 310 315 320

Trp Lys Asn Pro Glu Phe Gln Glu Ala Ser Lys Asn  
 325 330

&lt;210&gt; 675

&lt;211&gt; 183

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 675

Met Ala Asn Ile Leu Leu Ala Val Thr Gly Ser Ile Ala Ser Tyr Lys  
 1 5 10 15

Ser Ala Asp Leu Val Ser Ser Leu Lys Lys Gln Gly His Gln Val Thr  
 20 25 30

Val Leu Met Thr Gln Ala Ala Thr Glu Phe Ile Gln Pro Leu Thr Leu  
 35 40 45

Gln Val Leu Ser Gln Asn Pro Val His Leu Asp Val Met Lys Glu Pro  
 50 55 60

Tyr Pro Asp Gln Val Asn His Ile Glu Leu Gly Lys Lys Ala Asp Leu  
 65 70 75 80

Phe Ile Val Val Pro Ala Thr Ala Asn Thr Ile Ala Lys Leu Ala His  
 85 90 95

Gly Phe Ala Asp Asn Met Val Thr Ser Thr Ala Leu Ala Leu Pro Ser  
 100 105 110

His Ile Pro Lys Leu Ile Ala Pro Ala Met Asn Thr Lys Met Tyr Asp  
 115 120 125

His Pro Val Thr Gln Asn Asn Leu Lys Thr Leu Glu Thr Tyr Gly Tyr  
 130 135 140

Gln Leu Ile Ala Pro Lys Glu Ser Leu Leu Ala Cys Gly Asp His Gly

Pro Tyr Ala Asn Tyr Glu Ser Val Arg Asn Ala Val Phe Ser Leu Glu

145                      150                      155                      160  
 Lys Arg Leu Ala Asp Leu Gly Val Asp Arg Lys Ser Cys His Ile Asp  
                                  165                      170                      175  
 Leu Val Pro Glu Asn Phe Ile Glu Ser Pro Gln Gly Arg Leu Tyr Leu  
                                  180                      185                      190  
 Ile Asp Trp Glu Tyr Ser Ser Met Asn Asp Pro Met Trp Asp Leu Ala  
                                  195                      200                      205  
 Ala Leu Phe Leu Glu Ser Glu Phe Thr Ser Gln Glu Glu Glu Thr Phe  
                                  210                      215                      220  
 Leu Ser His Tyr Glu Ser Asp Gln Thr Pro Val Ser His Glu Lys Ile  
                                  225                      230                      235                      240  
 Ala Ile Tyr Lys Ile Leu Gln Asp Thr Ile Trp Ser Leu Trp Thr Val  
                                  245                      250                      255  
 Tyr Lys Glu Glu Gln Gly Glu Asp Phe Gly Asp Tyr Gly Val Asn Arg  
                                  260                      265                      270  
 Tyr Gln Arg Ala Ile Lys Gly Leu Ala Ser Tyr Gly Gly Ser Asp Glu  
                                  275                      280                      285

Lys

<210> 677  
 <211> 267  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 677

Met Lys Gln Leu Thr Val Glu Asp Ala Lys Gln Ile Glu Leu Glu Ile  
 1                      5                      10                      15

Leu Asp Tyr Ile Asp Thr Leu Cys Lys Lys His Asn Ile Asn Tyr Ile  
                                  20                      25                      30

Ile Asn Tyr Gly Thr Leu Ile Gly Ala Val Arg His Glu Gly Phe Ile

35	40	45
Pro Trp Asp Asp Asp Ile Asp Leu Ser Met Pro Arg Glu Asp Tyr Gln		
50	55	60
Arg Phe Ile Asn Ile Phe Gln Lys Glu Lys Ser Lys Tyr Lys Leu Leu		
65	70	75 80
Ser Leu Glu Thr Asp Lys Asn Tyr Phe Asn Asn Phe Ile Lys Ile Thr		
	85	90 95
Asp Ser Thr Thr Lys Ile Ile Asp Thr Arg Asn Thr Lys Thr Tyr Glu		
	100	105 110
Ser Gly Ile Phe Ile Asp Ile Phe Pro Ile Asp Arg Phe Asp Asp Pro		
	115	120 125
Lys Val Ile Asp Thr Cys Tyr Lys Leu Glu Ser Phe Lys Leu Leu Ser		
	130	135 140
Phe Ser Lys His Lys Asn Ile Val Tyr Lys Asp Ser Leu Leu Lys Asp		
145	150	155 160
Trp Ile Arg Thr Ala Phe Trp Leu Leu Leu Arg Pro Val Ser Pro Arg		
	165	170 175
Tyr Phe Ala Asn Lys Ile Glu Lys Glu Ile Gln Lys Tyr Ser Arg Glu		
	180	185 190
Asn Gly Gln Tyr Met Ala Phe Ile Pro Ser Lys Phe Lys Glu Lys Glu		
	195	200 205
Val Phe Pro Ser Gly Thr Phe Asp Lys Thr Ile Asp Leu Pro Phe Glu		
	210	215 220
Asn Leu Ser Leu Pro Ala Pro Glu Lys Phe Asp Thr Ile Leu Thr Gln		
225	230	235 240
Phe Tyr Gly Asp Tyr Met Thr Leu Pro Pro Glu Glu Lys Arg Phe Tyr		
	245	250 255

Ser His Glu Phe His Ala Tyr Lys Leu Glu Asp  
260 265

<210> 678

<211> 115

<212> PRT

<213> Streptococcus pneumoniae

<400> 678

Met Asn Pro Leu Ile Gln Ser Leu Thr Glu Gly Gln Leu Arg Thr Asp  
1 5 10 15

Ile Pro Ser Phe Arg Pro Gly Asp Thr Val Arg Val His Ala Lys Val  
20 25 30

Val Glu Gly Asn Arg Glu Arg Ile Gln Ile Phe Glu Gly Val Val Ile  
35 40 45

Ala Arg Lys Gly Ala Gly Ile Ser Glu Asn Tyr Thr Val Arg Lys Ile  
50 55 60

Ser Asn Gly Val Gly Val Glu Arg Ile Phe Pro Ile His Thr Pro Arg  
65 70 75 80

Val Glu Lys Ile Glu Val Val Arg Tyr Gly Lys Val Arg Arg Ala Lys  
85 90 95

Leu Tyr Tyr Leu Arg Ala Leu Gln Gly Lys Ala Ala Arg Ile Lys Glu  
100 105 110

Ile Arg Arg  
115

<210> 679

<211> 147

<212> PRT

<213> Streptococcus pneumoniae

<400> 679

Met Ala Leu Ala Lys Ile Val Phe Ala Ser Met Thr Gly Asn Thr Glu  
1 5 10 15

Glu Ile Ala Asp Ile Val Ala Asp Lys Leu Arg Asp Leu Gly Leu Asp



20 25 30  
 Val Asp Val Asp Glu Cys Thr Thr Val Asp Ala Ser Asp Phe Leu Glu  
 35 40 45  
 Ala Asp Ile Ala Ile Val Ala Thr Tyr Thr Tyr Gly Asp Gly Glu Leu  
 50 55 60  
 Pro Asp Glu Met Met Asp Phe Tyr Glu Asp Leu Ala Asp Leu Asn Leu  
 65 70 75 80  
 Asn Gly Lys Ile Tyr Gly Val Val Gly Ser Gly Asp Thr Phe Tyr Asp  
 85 90 95  
 Glu Phe Cys Lys Ala Val Asp Asp Phe Asp Arg Val Phe Val Ser Thr  
 100 105 110  
 Gly Ala Glu Lys Gly Ser Glu Cys Val Lys Val Asp Leu Ser Ala Glu  
 115 120 125  
 Glu Glu Asp Ile Glu Arg Leu Glu Gln Phe Ala Glu Glu Leu Ala Ala  
 130 135 140  
 Lys Val Gly  
 145  
 <210> 680  
 <211> 127  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 680  
 Met Glu Glu Ile Thr Met Ala Leu Asn Ile Glu Asn Ile Ile Ala Glu  
 1 5 10 15  
 Ile Lys Glu Ala Ser Ile Leu Glu Leu Asn Asp Leu Val Lys Ala Ile  
 20 25 30  
 Glu Glu Glu Phe Gly Val Thr Ala Ala Ala Pro Val Ala Val Ala Ala  
 35 40 45  
 Ala Asp Ala Ala Asp Ala Gly Ala Ala Lys Asp Ser Phe Asp Val Glu

50                                      55                                      60  
 Leu Thr Ser Ala Gly Asp Lys Lys Val Gly Val Ile Lys Val Val Arg  
 65                                      70                                      75                                      80  
 Glu Ile Thr Gly Leu Gly Leu Lys Glu Ala Lys Glu Leu Val Asp Gly  
                                     85                                      90                                      95  
 Ala Pro Ala Leu Val Lys Glu Gly Val Ala Thr Ala Glu Ala Glu Glu  
                                     100                                      105                                      110  
 Ile Lys Ala Lys Leu Glu Glu Ala Gly Ala Ser Val Thr Leu Lys  
                                     115                                      120                                      125  
  
 <210> 681  
 <211> 170  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 681  
 Met Asn Thr Leu Met Ser Glu Ala Ile Ile Ala Lys Lys Ala Glu Leu  
 1                                      5                                      10                                      15  
 Val Asp Val Val Ala Glu Lys Met Lys Ala Ala Ala Ser Ile Val Val  
                                     20                                      25                                      30  
 Val Asp Ala Arg Gly Leu Thr Val Glu Gln Asp Thr Val Leu Arg Arg  
                                     35                                      40                                      45  
 Glu Leu Arg Gly Ser Glu Val Glu Tyr Lys Val Ile Lys Asn Ser Ile  
                                     50                                      55                                      60  
 Leu Arg Arg Ala Ala Glu Lys Ala Gly Leu Glu Asp Leu Ala Ser Val  
 65                                      70                                      75                                      80  
 Phe Val Gly Pro Ser Ala Val Ala Phe Ser Asn Glu Asp Val Ile Ala  
                                     85                                      90                                      95  
 Pro Ala Lys Ile Leu Asn Asp Phe Ser Lys Asn Ala Glu Ala Leu Glu  
                                     100                                      105                                      110  
 Ile Lys Gly Gly Ala Ile Glu Gly Ala Val Ala Ser Lys Glu Glu Ile

115                                      120                                      125  
 Leu Ala Leu Ala Thr Leu Pro Asn Arg Glu Gly Leu Leu Ser Met Leu  
     130                                      135                                      140  
 Leu Ser Val Leu Gln Ala Pro Val Arg Asn Val Ala Leu Ala Val Lys  
     145                                      150                                      155                                      160  
 Ala Val Ala Glu Ser Lys Glu Asp Ala Ala  
                                     165                                      170  
 <210> 682  
 <211> 596  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 682  
 Met Lys Ser Met His Pro Asn Met Glu Arg Arg Thr Arg Met Lys Arg  
     1                                      5                                      10                                      15  
 Gln Thr Val Asn Gln Thr Leu Lys Arg Leu Ala Val Asp Leu Ala Ser  
                                     20                                      25                                      30  
 His Pro Phe Leu Leu Phe Leu Ala Phe Leu Gly Thr Ile Ala Gln Val  
                                     35                                      40                                      45  
 Gly Leu Ser Ile Tyr Leu Pro Ile Leu Ile Gly Gln Val Ile Asp Gln  
     50                                      55                                      60  
 Val Leu Val Ala Gly Ser Ser Pro Val Phe Trp Gln Ile Phe Leu Gln  
     65                                      70                                      75                                      80  
 Met Leu Leu Val Val Ile Gly Asn Thr Leu Val Gln Trp Ala Asn Pro  
                                     85                                      90                                      95  
 Leu Leu Tyr Asn Arg Leu Ile Phe Ser Tyr Thr Arg Asp Leu Arg Glu  
                                     100                                      105                                      110  
 Arg Ile Ile His Lys Leu His Arg Leu Pro Ile Ala Phe Val Asp Arg  
     115                                      120                                      125  
 Gln Gly Ser Gly Glu Met Val Ser Arg Val Thr Thr Asp Ile Glu Gln

130	135	140
Leu Ala Ala Gly Leu Thr Met Ile Phe Asn Gln Phe Phe Ile Gly Val 145 150 155 160		
Leu Met Ile Leu Val Ser Ile Leu Ala Met Leu Gln Ile His Leu Leu 165 170 175		
Met Thr Leu Leu Val Leu Leu Leu Thr Pro Leu Ser Met Val Ile Ser 180 185 190		
Arg Phe Ile Ala Lys Lys Ser Tyr His Leu Phe Gln Lys Gln Thr Glu 195 200 205		
Thr Arg Gly Ile Gln Thr Gln Leu Ile Glu Glu Ser Leu Ser Gln Gln 210 215 220		
Thr Ile Ile Gln Ser Phe Asn Ala Gln Thr Glu Phe Ile Gln Arg Leu 225 230 235 240		
Arg Glu Ala His Asp Asn Tyr Ser Gly Tyr Ser Gln Ser Ala Ile Phe 245 250 255		
Tyr Ser Ser Thr Val Asn Pro Ser Thr Arg Phe Val Asn Ala Leu Ile 260 265 270		
Tyr Ala Leu Leu Ala Gly Val Gly Ala Tyr Arg Ile Met Met Gly Ser 275 280 285		
Ala Leu Thr Val Gly Arg Leu Val Thr Phe Leu Asn Tyr Val Gln Gln 290 295 300		
Tyr Thr Lys Pro Phe Asn Asp Ile Ser Ser Val Leu Ala Glu Leu Gln 305 310 315 320		
Ser Ala Leu Ala Cys Val Glu Arg Ile Tyr Gly Val Leu Asp Ser Pro 325 330 335		
Glu Val Ala Glu Thr Gly Lys Glu Val Leu Thr Thr Ser Asp Gln Val 340 345 350		

Lys Gly Ala Ile Ser Phe Lys His Val Ser Phe Gly Tyr His Pro Glu  
 355 360 365

Lys Ile Leu Ile Lys Asp Leu Ser Ile Asp Ile Pro Ala Gly Ser Lys  
 370 375 380

Val Ala Ile Val Gly Pro Thr Gly Ala Gly Lys Ser Thr Leu Ile Asn  
 385 390 395 400

Leu Leu Met Arg Phe Tyr Pro Ile Ser Ser Gly Asp Ile Leu Leu Asp  
 405 410 415

Gly Gln Ser Ile Tyr Asp Tyr Thr Arg Val Ser Leu Arg Gln Gln Phe  
 420 425 430

Gly Met Val Leu Gln Glu Thr Trp Leu Thr Gln Gly Thr Ile His Asp  
 435 440 445

Asn Ile Ala Phe Gly Asn Pro Glu Ala Ser Arg Glu Gln Val Ile Ala  
 450 455 460

Ala Ala Lys Ala Ala Asn Ala Asp Phe Phe Ile Gln Gln Leu Pro Gln  
 465 470 475 480

Gly Tyr Asp Thr Lys Leu Glu Asn Ala Gly Glu Ser Leu Ser Val Gly  
 485 490 495

Gln Ala Gln Leu Leu Thr Ile Ala Arg Val Phe Leu Ala Ile Pro Lys  
 500 505 510

Ile Leu Ile Leu Asp Glu Ala Thr Ser Ser Ile Asp Thr Arg Thr Glu  
 515 520 525

Val Leu Val Gln Asp Ala Phe Ala Lys Leu Met Lys Gly Arg Thr Ser  
 530 535 540

Phe Ile Ile Ala His Arg Leu Ser Thr Ile Gln Asp Ala Asp Leu Ile  
 545 550 555 560

Leu Val Leu Val Asp Gly Asp Ile Val Glu Tyr Gly Asn His Gln Glu  
 565 570 575

Leu Met Asp Arg Lys Gly Lys Tyr Tyr Gln Met Gln Lys Ala Ala Ala  
 580 585 590

Phe Ser Ser Glu  
 595

<210> 683  
 <211> 344  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 683

Met Phe Glu His Tyr Ser Val Ala Asp Leu Phe Ala Asn Leu Tyr Lys  
 1 5 10 15

Lys Arg Lys Ala Asn Ile Leu Ala Leu Ile Ala Leu Phe Ala Leu Ile  
 20 25 30

Ala Val Pro Phe Thr Ile Lys Ala Val Arg Asn Lys Asn Thr Val Lys  
 35 40 45

Asp Thr Thr Ser Tyr Ser Thr Tyr Leu Ile Tyr Lys Ile Thr Pro Pro  
 50 55 60

Lys Glu Ser Asp Lys Thr Ile Leu Asn His Gln Ile Gly Gly Tyr Ser  
 65 70 75 80

Asp Phe Tyr Gly Lys Leu Ile Asp Gly Asn Leu Asn Gly Ala Tyr Leu  
 85 90 95

Phe Asn Asp Val Glu Pro Ser Glu Leu Lys Lys Ile Ala Ser Glu Leu  
 100 105 110

Asp Thr Thr Glu Thr Thr Leu Lys Asn Ser Thr Asn Asp Tyr Trp Trp  
 115 120 125

Lys Lys Leu Thr Val Tyr Tyr Met Ile Asp Asp Ala Gly Val Gly Val  
 130 135 140

Lys Ile Leu Thr Ser Ser Lys Asp Ala Asn Asn Leu Leu Glu Lys Lys  
 145 150 155 160

Ile Asp Gly Leu Ile Glu Lys Phe Lys His Ala Tyr Ala Asn Val Lys  
 165 170 175

Ile Glu Lys Leu Glu Thr Ile Asn Ser Lys Glu Leu Asn Ala Asn Gly  
 180 185 190

Glu Thr Ala Leu Gly Leu Asn Val Lys Asn Leu Ile Leu Arg Leu Val  
 195 200 205

Val Ile Gly Val Val Cys Val Ile Leu Val Val Met Gly Asn Val Leu  
 210 215 220

Val Tyr Leu Phe Asn Pro Thr Ile Asn Arg Val Gly Asp Phe Ser Gln  
 225 230 235 240

Tyr Gln Ile Asp Phe Val Thr Glu Ile Thr Thr Ile Ala Asn Leu Ala  
 245 250 255

Asp Val Leu Ser Tyr Lys Asn Thr Gly Gln Glu Leu Thr Ile Val Ser  
 260 265 270

Ser Asn Lys Ala Ile Leu Asp Lys Leu Lys Gln Ser Gln Glu Ala Leu  
 275 280 285

Lys Gly Met His Phe Val Asp Leu Gln Asp Val Ser Ser Leu Leu Glu  
 290 295 300

Arg Asp Thr Val Leu Leu Val Glu Glu Tyr Gly Val Thr Arg Tyr Lys  
 305 310 315 320

Lys Phe Glu Gln Ser Leu Gln Ile Leu Arg Asn Leu Asn Arg Ser Ile  
 325 330 335

Leu Gly Val Ala Thr Phe Lys Leu  
 340

<210> 684

<211> 424

<212> PRT

<213> Streptococcus pneumoniae

<400> 684

Met Ser Lys Glu Asn Pro Leu Ser His His Glu Gln Leu Arg Tyr Asp  
 1 5 10 15  
 Tyr Leu Leu Lys Asn Ile His Tyr Leu Asn Glu Arg Glu Lys Asn Glu  
 20 25 30  
 Phe Ala Tyr Leu Gln Glu Lys Leu Thr Leu Ala Arg Gly Asn Ser Ser  
 35 40 45  
 Ser Ser Leu Glu Gln Glu Arg Glu Glu Gln Val Asp Leu Pro Ser Tyr  
 50 55 60  
 Ala Asn Arg Ser Arg Ser Gln Ser Lys Ser Gln Ala Leu Ser Phe Pro  
 65 70 75 80  
 Pro Lys Lys Lys Arg Arg Lys Leu Arg Leu Lys Arg Ile Phe Met Val  
 85 90 95  
 Ile Phe Ser Leu Leu Val Cys Val Ala Leu Ala Met Val Phe Met Phe  
 100 105 110  
 Leu Arg Gly Tyr Gln Asp Ala Ser Ala Lys Lys Thr Ala Asp Ala Arg  
 115 120 125  
 Ala Ala Gln Val Glu Val Phe Asn Gly Gln Asp Thr Arg Asp Gly Val  
 130 135 140  
 Asn Ile Leu Ile Met Gly Thr Asp Gly Arg Ile Gly Gln Asn Ser Val  
 145 150 155 160  
 Glu Thr Arg Thr Asp Ser Ile Met Val Leu Asn Val Gly Gly Ser Asp  
 165 170 175  
 Lys Lys Met Lys Leu Val Ser Phe Met Arg Asp Asn Leu Val Tyr Ile  
 180 185 190  
 Asp Gly Tyr Ser Gln Val Ile Asn Gly Arg Lys Gln Thr Asp Asn Lys  
 195 200 205  
 Leu Asn Val Ala Tyr Glu Leu Gly Glu Gln Glu Gly Gln Lys Gly Ala  
 210 215 220



Glu Met Val Arg Gln Val Leu Lys Asp Asn Phe Asp Leu Asp Ile Lys  
 225 230 235 240

Tyr Tyr Ala Leu Val Asp Phe Gln Ala Phe Ala Thr Ala Ile Asp Thr  
 245 250 255

Leu Phe Pro Asp Gly Val Thr Ile Asp Ala Gln Phe Ser Thr Leu Asn  
 260 265 270

Gly Arg Pro Leu Thr Glu Ala Thr Val Gly Asp Asp Leu Tyr Ala Thr  
 275 280 285

Glu Thr Glu Ser Pro Thr Gln Thr Ile Lys Val Gly Lys Gln Gln Met  
 290 295 300

Asn Gly Ser Thr Leu Leu Asn Tyr Ala Arg Phe Arg Asp Asp Asp Glu  
 305 310 315 320

Ala Asp Tyr Gly Arg Thr Lys Arg Gln Gln Gln Val Leu Thr Ala Ile  
 325 330 335

Leu Glu Gln Ile Lys Asp Pro Thr Lys Leu Phe Thr Gly Ser Glu Ala  
 340 345 350

Leu Gly Lys Val Phe Ala Met Thr Ser Thr Asn Val Pro Tyr Thr Phe  
 355 360 365

Leu Leu Thr Asn Gly Leu Ser Val Leu Asp Gly Ala Lys Asn Gly Ile  
 370 375 380

Glu Lys Leu Thr Ile Pro Glu Leu Gly Asp Trp Val Asp Ala Tyr Asp  
 385 390 395 400

Val Tyr Gly Gly Leu Gly Leu Leu Val Asp Gln Asn Lys Tyr Gln Thr  
 405 410 415

Lys Leu Ala Gln Met Gly Leu Arg  
 420

<210> 685

&lt;211&gt; 267

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 685

Met Ser Thr Tyr Asn Trp Asp Glu Lys His Ile Leu Thr Phe Pro Glu  
 1 5 10 15

Glu Lys Val Ala Leu Ser Thr Lys Asp Val His Val Tyr Tyr Gly Lys  
 20 25 30

Asn Glu Ser Ile Lys Gly Ile Asp Met Gln Phe Glu Arg Asn Lys Ile  
 35 40 45

Thr Ala Leu Ile Gly Pro Ser Gly Ser Gly Lys Ser Thr Tyr Leu Arg  
 50 55 60

Ser Leu Asn Arg Met Asn Asp Thr Ile Asp Ile Ala Lys Val Thr Gly  
 65 70 75 80

Gln Ile Leu Tyr Arg Gly Ile Asp Val Asn Arg Pro Glu Ile Asn Val  
 85 90 95

Tyr Glu Met Arg Lys His Ile Gly Met Val Phe Gln Arg Pro Asn Pro  
 100 105 110

Phe Ala Lys Ser Ile Tyr Arg Asn Ile Thr Phe Ala His Glu Arg Ala  
 115 120 125

Gly Val Lys Asp Lys Gln Val Leu Asp Glu Ile Val Glu Thr Ser Leu  
 130 135 140

Arg Gln Ala Ala Leu Trp Asp Gln Val Lys Asp Asp Leu His Lys Ser  
 145 150 155 160

Ala Leu Thr Leu Ser Gly Gly Gln Gln Gln Arg Leu Cys Ile Ala Arg  
 165 170 175

Ala Ile Ser Val Lys Pro Asp Ile Leu Leu Met Asp Glu Pro Ala Ser  
 180 185 190

Ala Leu Asp Pro Ile Ala Thr Met Gln Leu Glu Glu Thr Met Phe Glu

195                      200                      205  
 Leu Lys Lys Asn Phe Thr Ile Ile Ile Val Thr His Asn Met Gln Gln  
      210                      215                      220  
 Ala Ala Arg Ala Ser Asp Tyr Thr Gly Phe Phe Tyr Leu Gly Asp Leu  
      225                      230                      235                      240  
 Ile Glu Tyr Asp Lys Thr Ala Thr Ile Phe Gln Asn Ala Lys Leu Gln  
                          245                      250                      255  
 Ser Thr Asn Asp Tyr Val Ser Gly His Phe Gly  
                          260                      265  
  
 <210> 686  
 <211> 459  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 686  
 Met Ser Lys Ile Val Val Val Gly Ala Asn His Ala Gly Thr Ala Cys  
      1                      5                      10                      15  
 Ile Asn Thr Met Leu Asp Asn Phe Gly Asn Glu Asn Glu Ile Val Val  
                          20                      25                      30  
 Phe Asp Gln Asn Ser Asn Ile Ser Phe Leu Gly Cys Gly Met Ala Leu  
                          35                      40                      45  
 Trp Ile Gly Glu Gln Ile Asp Gly Ala Glu Gly Leu Phe Tyr Ser Asp  
      50                      55                      60  
 Lys Glu Lys Leu Glu Ala Lys Gly Ala Lys Val Tyr Met Asn Ser Pro  
      65                      70                      75                      80  
 Val Leu Ser Ile Asp Tyr Asp Asn Lys Val Val Thr Ala Glu Val Glu  
                          85                      90                      95  
 Gly Lys Glu His Lys Glu Ser Tyr Glu Lys Leu Ile Phe Ala Thr Gly  
                          100                      105                      110  
 Ser Thr Pro Ile Leu Pro Pro Ile Glu Gly Val Glu Ile Val Lys Gly

115	120	125
Asn Arg Glu Phe Lys Ala Thr Leu Glu Asn Val Gln Phe Val Lys Leu		
130	135	140
Tyr Gln Asn Ala Glu Glu Val Ile Asn Lys Leu Ser Asp Lys Ser Gln		
145	150	155 160
His Leu Asp Arg Ile Ala Val Val Gly Gly Gly Tyr Ile Gly Val Glu		
	165	170 175
Leu Ala Glu Ala Phe Glu Arg Leu Gly Lys Glu Val Val Leu Val Asp		
	180	185 190
Ile Val Asp Thr Val Leu Asn Gly Tyr Tyr Asp Lys Asp Phe Thr Gln		
	195	200 205
Met Met Ala Lys Asn Leu Glu Asp His Asn Ile Arg Leu Ala Leu Gly		
	210	215 220
Gln Thr Val Lys Ala Ile Glu Gly Asp Gly Lys Val Glu Arg Leu Ile		
	225	230 235 240
Thr Asp Lys Glu Ser Phe Asp Val Asp Met Val Ile Leu Ala Val Gly		
	245	250 255
Phe Arg Pro Asn Thr Ala Leu Ala Gly Gly Lys Ile Glu Leu Phe Arg		
	260	265 270
Asn Gly Ala Phe Leu Val Asp Lys Lys Gln Glu Thr Ser Ile Pro Asp		
	275	280 285
Val Tyr Ala Val Gly Asp Cys Ala Thr Val Tyr Asp Asn Ala Arg Lys		
	290	295 300
Asp Thr Ser Tyr Ile Ala Leu Ala Ser Asn Ala Val Arg Thr Gly Ile		
	305	310 315 320
Val Gly Ala Tyr Asn Ala Cys Gly His Glu Leu Glu Gly Ile Gly Val		
	325	330 335

Gln Gly Ser Asn Gly Ile Ser Ile Tyr Gly Leu His Met Val Ser Thr  
 340 345 350

Gly Leu Thr Leu Glu Lys Ala Lys Ala Ala Gly Tyr Asn Ala Thr Glu  
 355 360 365

Thr Gly Phe Asn Asp Leu Gln Lys Pro Glu Phe Met Lys His Asp Asn  
 370 375 380

His Glu Val Ala Ile Lys Ile Val Phe Asp Lys Asp Ser Arg Glu Ile  
 385 390 395 400

Leu Gly Ala Gln Met Val Ser His Asp Ile Ala Ile Ser Met Gly Ile  
 405 410 415

His Met Phe Ser Leu Ala Ile Gln Glu His Val Thr Ile Asp Lys Leu  
 420 425 430

Ala Leu Thr Asp Leu Phe Phe Leu Pro His Phe Asn Lys Pro Tyr Asn  
 435 440 445

Tyr Ile Thr Met Ala Ala Leu Thr Ala Glu Lys  
 450 455

<210> 687

<211> 404

<212> PRT

<213> Streptococcus pneumoniae

<400> 687

Met Glu Ala Phe Thr Gln Met Ala Lys Glu Lys Tyr Asp Arg Ser Lys  
 1 5 10 15

Pro His Val Asn Ile Gly Thr Ile Gly His Val Asp His Gly Lys Thr  
 20 25 30

Thr Leu Thr Ala Ala Ile Thr Thr Val Leu Ala Arg Arg Leu Pro Ser  
 35 40 45

Ser Val Asn Gln Pro Lys Asp Tyr Ala Ser Ile Asp Ala Ala Pro Glu  
 50 55 60

Glu Arg Glu Arg Gly Ile Thr Ile Asn Thr Ala His Val Glu Tyr Glu  
 65 70 75 80  
 Thr Glu Lys Arg His Tyr Ala His Ile Asp Ala Pro Gly His Ala Asp  
 85 90 95  
 Tyr Val Lys Asn Met Ile Thr Gly Ala Ala Gln Met Asp Gly Ala Ile  
 100 105 110  
 Leu Val Val Ala Ser Thr Asp Gly Pro Met Pro Gln Thr Arg Glu His  
 115 120 125  
 Ile Leu Leu Ser Arg Gln Val Gly Val Lys His Leu Ile Val Phe Met  
 130 135 140  
 Asn Lys Val Asp Leu Val Asp Asp Glu Glu Leu Leu Glu Leu Val Glu  
 145 150 155 160  
 Met Glu Ile Arg Asp Leu Leu Ser Glu Tyr Asp Phe Pro Gly Asp Asp  
 165 170 175  
 Leu Pro Val Ile Gln Gly Ser Ala Leu Lys Ala Leu Glu Gly Asp Ser  
 180 185 190  
 Lys Tyr Glu Asp Ile Val Met Glu Leu Met Asn Thr Val Asp Glu Tyr  
 195 200 205  
 Ile Pro Glu Pro Glu Arg Asp Thr Asp Lys Pro Leu Leu Leu Pro Val  
 210 215 220  
 Glu Asp Val Phe Ser Ile Thr Gly Arg Gly Thr Val Ala Ser Gly Arg  
 225 230 235 240  
 Ile Asp Arg Gly Ile Val Lys Val Asn Asp Glu Ile Glu Ile Val Gly  
 245 250 255  
 Ile Lys Glu Glu Thr Gln Lys Ala Val Val Thr Gly Val Glu Met Phe  
 260 265 270  
 Arg Lys Gln Leu Asp Glu Gly Leu Ala Gly Asp Asn Val Gly Val Leu  
 275 280 285

Leu Arg Gly Val Gln Arg Asp Glu Ile Glu Arg Gly Gln Val Ile Ala  
290 295 300

Lys Pro Gly Ser Ile Asn Pro His Thr Lys Phe Lys Gly Glu Val Tyr  
305 310 315 320

Ile Leu Thr Lys Glu Glu Gly Gly Arg His Thr Pro Phe Phe Asn Asn  
325 330 335

Tyr Arg Pro Gln Phe Tyr Phe Arg Thr Thr Asp Val Thr Gly Ser Ile  
340 345 350

Glu Leu Pro Ala Gly Thr Glu Met Val Met Pro Gly Asp Asn Val Thr  
355 360 365

Ile Asp Val Glu Leu Ile His Pro Ile Ala Val Glu Gln Gly Thr Thr  
370 375 380

Phe Ser Ile Arg Glu Gly Gly Arg Thr Val Gly Ser Gly Met Val Thr  
385 390 395 400

Glu Ile Glu Ala

<210> 688

<211> 289

<212> PRT

<213> Streptococcus pneumoniae

<400> 688

Met Asp Phe Thr Trp Ala Leu Lys Tyr Ala Thr Glu Phe Leu Gly Thr  
1 5 10 15

Ala Ile Leu Ile Ile Leu Gly Asn Gly Ala Val Ala Asn Val Glu Leu  
20 25 30

Lys Gly Thr Lys Gly His Gln Ser Gly Trp Ile Val Ile Ala Val Gly  
35 40 45

Tyr Gly Met Gly Val Met Ile Pro Ala Leu Met Phe Gly Asn Val Ser  
50 55 60

Gly Asn His Ile Asn Pro Ala Phe Thr Leu Gly Leu Ala Val Ser Gly  
 65 70 75 80

Leu Phe Pro Trp Ala Gln Val Val Pro Tyr Ile Ile Ala Gln Val Leu  
 85 90 95

Gly Ala Ile Phe Gly Gln Ala Leu Val Val Ala Thr Tyr Arg Pro Phe  
 100 105 110

Tyr Leu Lys Thr Glu Asn Pro Asn Asn Ile Leu Gly Thr Phe Ser Thr  
 115 120 125

Ile Ser Ser Ile Asp His Gly Thr Lys Glu Ser Arg Tyr Ala Ala Thr  
 130 135 140

Val Asn Gly Leu Ile Asn Glu Phe Val Gly Ser Phe Val Leu Phe Phe  
 145 150 155 160

Ala Ala Leu Gly Leu Thr Lys Asn Phe Phe Gly Ala Glu Val Leu Gln  
 165 170 175

Phe Met Lys Gln Lys Ala Thr Glu Ala Gly Gln Thr Val Asp Phe Ser  
 180 185 190

Asp Leu Ala Ile Lys Ala Gln Val Ala Pro His Thr Ala Ser Gly Leu  
 195 200 205

Ser Val Ala His Leu Ala Leu Gly Phe Leu Val Met Ala Leu Val Thr  
 210 215 220

Ser Leu Gly Gly Pro Thr Gly Pro Ala Leu Asn Pro Ala Arg Asp Leu  
 225 230 235 240

Gly Pro Arg Leu Leu His Ala Phe Leu Pro Lys Ser Val Leu Gly Glu  
 245 250 255

His Lys Gly Asp Ser Lys Trp Trp Tyr Ser Trp Val Pro Val Val Ala  
 260 265 270

Pro Ile Ala Ala Ala Ile Ala Ala Val Ala Val Phe Lys Phe Leu Tyr  
 275 280 285



Leu

&lt;210&gt; 689

&lt;211&gt; 468

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 689

Met Ser Ser Gly Lys Ile Ala Gln Val Ile Gly Pro Val Val Asp Val  
1 5 10 15

Leu Phe Ala Ala Gly Glu Lys Leu Pro Glu Ile Asn Asn Ala Leu Val  
20 25 30

Val Tyr Lys Asn Asp Glu Arg Lys Thr Lys Ile Val Leu Glu Val Ala  
35 40 45

Leu Glu Leu Gly Asp Gly Met Val Arg Thr Ile Ala Met Glu Ser Thr  
50 55 60

Asp Gly Leu Thr Arg Gly Met Glu Val Leu Asp Thr Gly Arg Pro Ile  
65 70 75 80

Ser Val Pro Val Gly Lys Glu Thr Leu Gly Arg Val Phe Asn Val Leu  
85 90 95

Gly Asp Thr Ile Asp Leu Glu Ala Pro Phe Thr Glu Asp Ala Glu Arg  
100 105 110

Gln Pro Ile His Lys Lys Ala Pro Thr Phe Asp Glu Leu Ser Thr Ser  
115 120 125

Ser Glu Ile Leu Glu Thr Gly Ile Lys Val Ile Asp Leu Leu Ala Pro  
130 135 140

Tyr Leu Lys Gly Gly Lys Val Gly Leu Phe Gly Gly Ala Gly Val Gly  
145 150 155 160

Lys Thr Val Leu Ile Gln Glu Leu Ile His Asn Ile Ala Gln Glu His  
165 170 175

Gly Gly Ile Ser Val Phe Ala Gly Val Gly Glu Arg Thr Arg Glu Gly  
 180 185 190

Asn Asp Leu Tyr Trp Glu Met Lys Glu Ser Gly Val Ile Glu Lys Thr  
 195 200 205

Ala Met Val Phe Gly Gln Met Asn Glu Pro Pro Gly Ala Arg Met Arg  
 210 215 220

Val Ala Leu Thr Gly Leu Thr Ile Ala Glu Tyr Phe Arg Asp Val Glu  
 225 230 235 240

Gly Gln Asp Val Leu Leu Phe Ile Asp Asn Ile Phe Arg Phe Thr Gln  
 245 250 255

Ala Gly Ser Glu Val Ser Ala Leu Leu Gly Arg Met Pro Ser Ala Val  
 260 265 270

Gly Tyr Gln Pro Thr Leu Ala Thr Glu Met Gly Gln Leu Gln Glu Arg  
 275 280 285

Ile Thr Ser Thr Lys Lys Gly Ser Val Thr Ser Ile Gln Ala Ile Tyr  
 290 295 300

Val Pro Ala Asp Asp Tyr Thr Asp Pro Ala Pro Ala Thr Ala Phe Ala  
 305 310 315 320

His Leu Asp Ser Thr Thr Asn Leu Glu Arg Lys Leu Val Gln Leu Gly  
 325 330 335

Ile Tyr Pro Ala Val Asp Pro Leu Ala Ser Ser Ser Arg Ala Leu Ala  
 340 345 350

Pro Glu Ile Val Gly Glu Glu His Tyr Ala Val Ala Ala Glu Val Lys  
 355 360 365

Arg Val Leu Gln Arg Tyr His Glu Leu Gln Asp Ile Ile Ala Ile Leu  
 370 375 380

Gly Met Asp Glu Leu Ser Asp Glu Glu Lys Thr Leu Val Ala Arg Ala

385                      390                      395                      400  
 Arg Arg Ile Gln Phe Phe Leu Ser Gln Asn Phe Asn Val Ala Glu Gln  
                                  405                      410                      415  
 Phe Thr Gly Gln Pro Gly Ser Tyr Val Pro Val Ala Glu Thr Val Arg  
                                  420                      425                      430  
 Gly Phe Lys Glu Ile Leu Asp Gly Lys Tyr Asp His Leu Pro Glu Asp  
                                  435                      440                      445  
 Ala Phe Arg Gly Val Gly Ser Ile Glu Asp Val Ile Ala Lys Ala Glu  
                                  450                      455                      460  
 Lys Met Gly Phe  
 465  
 <210> 690  
 <211> 292  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 690  
 Met Ala Val Ser Leu Asn Asp Ile Lys Thr Lys Ile Ala Ser Thr Lys  
 1                      5                      10                      15  
 Asn Thr Ser Gln Ile Thr Asn Ala Met Gln Met Val Ser Ala Ala Lys  
                                  20                      25                      30  
 Leu Gly Arg Ser Glu Glu Ala Ala Arg Asn Phe Gln Val Tyr Ala Gln  
                                  35                      40                      45  
 Lys Val Arg Lys Leu Leu Thr Asp Ile Leu His Gly Asn Gly Ala Gly  
                                  50                      55                      60  
 Ala Ser Thr Asn Pro Met Leu Ile Ser Arg Ser Val Lys Lys Thr Gly  
 65                      70                      75                      80  
 Tyr Ile Val Ile Thr Ser Asp Arg Gly Leu Val Gly Gly Tyr Asn Ser  
                                  85                      90                      95  
 Ser Ile Leu Lys Ala Val Met Glu Leu Lys Glu Glu Tyr His Pro Asp

```
<210> 691
<211> 501
<212> PRT
<213> Streptococcus pneumoniae
```

&lt;400&gt; 691

Met Ala Ile Asn Ala Gln Glu Ile Ser Ala Leu Ile Lys Gln Gln Ile  
 1 5 10 15

Glu Asn Phe Lys Pro Asn Phe Asp Val Thr Glu Thr Gly Val Val Thr  
 20 25 30

Tyr Ile Gly Asp Gly Ile Ala Arg Ala His Gly Leu Glu Asn Val Met  
 35 40 45

Ser Gly Glu Leu Leu Asn Phe Glu Asn Gly Ser Tyr Gly Met Ala Gln  
 50 55 60

Asn Leu Glu Ser Thr Asp Val Gly Ile Ile Ile Leu Gly Asp Phe Thr  
 65 70 75 80

Asp Ile Arg Glu Gly Asp Thr Ile Arg Arg Thr Gly Lys Ile Met Glu  
 85 90 95

Val Pro Val Gly Glu Ser Leu Ile Gly Arg Val Val Asp Pro Leu Gly  
 100 105 110

Arg Pro Val Asp Gly Leu Gly Glu Ile His Thr Asp Lys Thr Arg Pro  
 115 120 125

Val Glu Ala Pro Ala Pro Gly Val Met Gln Arg Lys Ser Val Ser Glu  
 130 135 140

Pro Leu Gln Thr Gly Leu Lys Ala Ile Asp Ala Leu Val Pro Ile Gly  
 145 150 155 160

Arg Gly Gln Arg Glu Leu Ile Ile Gly Asp Arg Gln Thr Gly Lys Thr  
 165 170 175

Thr Ile Ala Ile Asp Thr Ile Leu Asn Gln Lys Asp Gln Asp Met Ile  
 180 185 190

Cys Ile Tyr Val Ala Ile Gly Gln Lys Glu Ser Thr Val Arg Thr Gln  
 195 200 205

Val Glu Thr Leu Arg Gln Tyr Gly Ala Leu Asp Tyr Thr Ile Val Val  
 210 215 220  
 Thr Ala Ser Ala Ser Gln Pro Ser Pro Leu Leu Phe Leu Ala Pro Tyr  
 225 230 235 240  
 Ala Gly Val Ala Met Ala Glu Glu Phe Met Tyr Gln Gly Lys His Val  
 245 250 255  
 Leu Ile Val Tyr Asp Asp Leu Ser Lys Gln Ala Val Ala Tyr Arg Glu  
 260 265 270  
 Leu Ser Leu Leu Leu Arg Arg Pro Pro Gly Arg Glu Ala Phe Pro Gly  
 275 280 285  
 Asp Val Phe Tyr Leu His Ser Arg Leu Leu Glu Arg Ser Ala Lys Val  
 290 295 300  
 Ser Asp Glu Leu Gly Gly Gly Ser Ile Thr Ala Leu Pro Phe Ile Glu  
 305 310 315 320  
 Thr Gln Ala Gly Asp Ile Ser Ala Tyr Ile Ala Thr Asn Val Ile Ser  
 325 330 335  
 Ile Thr Asp Gly Gln Ile Phe Leu Gly Asp Gly Leu Phe Asn Ala Gly  
 340 345 350  
 Ile Arg Pro Ala Ile Asp Ala Gly Ser Ser Val Ser Arg Val Gly Gly  
 355 360 365  
 Ser Ala Gln Ile Lys Ala Met Lys Lys Val Ala Gly Thr Leu Arg Ile  
 370 375 380  
 Asp Leu Ala Ser Tyr Arg Glu Leu Glu Ala Phe Thr Lys Phe Gly Ser  
 385 390 395 400  
 Asp Leu Asp Ala Ala Thr Gln Ala Lys Leu Asn Arg Gly Arg Arg Thr  
 405 410 415  
 Val Glu Val Leu Lys Gln Pro Val His Lys Pro Leu Pro Val Glu Lys  
 420 425 430

Gln Val Thr Ile Leu Tyr Ala Leu Thr His Gly Phe Leu Asp Thr Val  
 435 440 445

Pro Val Asp Asp Ile Val Arg Phe Glu Glu Glu Phe His Ala Phe Phe  
 450 455 460

Asp Ala Gln His Pro Glu Ile Leu Glu Thr Ile Arg Asp Thr Lys Asp  
 465 470 475 480

Leu Pro Glu Glu Ala Val Leu Asp Ala Ala Ile Thr Glu Phe Leu Asn  
 485 490 495

Gln Ser Ser Phe Gln  
 500

<210> 692

<211> 178

<212> PRT

<213> Streptococcus pneumoniae

<400> 692

Met Asp Lys Lys Thr Val Lys Val Ile Glu Lys Tyr Ser Met Pro Phe  
 1 5 10 15

Val Gln Leu Val Leu Glu Lys Gly Glu Glu Asp Arg Ile Phe Ser Asp  
 20 25 30

Leu Thr Gln Ile Lys Gln Val Val Glu Lys Thr Gly Leu Pro Ser Phe  
 35 40 45

Leu Lys Gln Val Ala Val Asp Glu Ser Asp Lys Glu Lys Thr Ile Ala  
 50 55 60

Phe Phe Gln Asp Ser Val Ser Pro Leu Leu Gln Asn Phe Ile Gln Val  
 65 70 75 80

Leu Ala Tyr Asn His Arg Ala Asn Leu Phe Tyr Asp Val Leu Val Asp  
 85 90 95

Cys Leu Asn Arg Leu Glu Lys Glu Thr Asn Arg Phe Glu Val Thr Ile  
 100 105 110

Thr Ser Ala His Pro Leu Thr Asp Glu Gln Lys Thr Arg Leu Leu Pro  
 115 120 125

Leu Ile Glu Lys Lys Met Ser Leu Lys Val Arg Ser Val Lys Glu Gln  
 130 135 140

Ile Asp Glu Ser Leu Ile Gly Gly Phe Val Ile Phe Ala Asn His Lys  
 145 150 155 160

Thr Ile Asp Val Ser Ile Lys Gln Gln Leu Lys Val Val Lys Glu Asn  
 165 170 175

Leu Lys

<210> 693  
 <211> 164  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 693

Met His Val Thr Val Gly Glu Leu Ile Gly Asn Phe Ile Leu Ile Thr  
 1 5 10 15

Gly Ser Phe Ile Leu Leu Leu Val Leu Ile Lys Lys Phe Ala Trp Ser  
 20 25 30

Asn Ile Thr Gly Ile Phe Glu Glu Arg Ala Glu Lys Ile Ala Ser Asp  
 35 40 45

Ile Asp Arg Ala Glu Glu Ala Arg Gln Lys Ala Glu Val Leu Ala Gln  
 50 55 60

Lys Arg Glu Asp Glu Leu Ala Gly Ser Arg Lys Glu Ala Lys Thr Ile  
 65 70 75 80

Ile Glu Asn Ala Lys Glu Thr Ala Glu Gln Ser Lys Ala Asn Ile Leu  
 85 90 95

Ala Asp Ala Lys Leu Glu Ala Gly His Leu Lys Glu Lys Ala Asn Gln  
 100 105 110



Glu Ile Ala Gln Asn Lys Val Glu Ala Leu Gln Ser Val Lys Gly Glu  
 115 120 125

Val Ala Asp Leu Thr Ile Ser Leu Ala Gly Lys Ile Ile Ser Gln Asn  
 130 135 140

Leu Asp Ser His Ala His Lys Ala Leu Ile Asp Gln Tyr Ile Asp Gln  
 145 150 155 160

Leu Gly Glu Ala

<210> 694

<211> 466

<212> PRT

<213> Streptococcus pneumoniae

<400> 694

Met Asp Ala Lys Leu Arg Tyr Lys Ala Lys Lys Ile Lys Ile Val Phe  
 1 5 10 15

Phe Asp Ile Asp Asp Thr Leu Arg Asn Ser Lys Thr Gly Phe Ile Pro  
 20 25 30

Thr Thr Ile Pro Thr Val Phe Lys Gln Leu Arg Glu Lys Gly Ile Leu  
 35 40 45

Thr Gly Ile Ala Ser Gly Arg Gly Ile Phe Gly Val Val Pro Glu Ile  
 50 55 60

Arg Asp Leu Lys Pro Asp Phe Phe Val Thr Leu Asn Gly Ala Tyr Ile  
 65 70 75 80

Glu Asp Lys Lys Gly Gln Val Ile Tyr Gln His Gln Ile Glu Lys Ser  
 85 90 95

Asp Val Glu Glu Tyr Ile Ser Trp Ala Lys Gln Glu Gly Ile Glu Tyr  
 100 105 110

Gly Leu Val Gly Ser His Asp Ala Lys Leu Ser Thr Arg Thr Asp Met  
 115 120 125

Met Ser Glu Ala Ile Asn Pro Ile Tyr Pro Asp Leu Asp Val Asp Pro  
 130 135 140

Asp Phe His Glu Lys Glu Asp Ile Tyr Gln Met Trp Thr Phe Glu Asp  
 145 150 155 160

Lys Gly Asp Asp Leu His Leu Pro Asp Ser Leu Ser Asp Lys Leu Arg  
 165 170 175

Met Val Arg Trp His Gln His Ser Ser Asp Ile Val Pro Ile Ser Gly  
 180 185 190

Ser Lys Ala Thr Gly Val Glu Lys Val Val Glu His Leu Gly Leu Lys  
 195 200 205

Pro Glu Lys Val Met Val Phe Gly Asp Gly Leu Asn Asp Leu Glu Leu  
 210 215 220

Phe Asp Tyr Ala Gly Ile Ser Val Ala Met Gly Ile Ser His Asp Lys  
 225 230 235 240

Ile Lys Glu Lys Ala Asp Tyr Ile Thr Lys Thr Leu Glu Glu Asp Gly  
 245 250 255

Ile Phe Ala Ala Leu Glu Val Phe Gly Met Val Glu Lys Glu Leu His  
 260 265 270

Phe Pro Gln Val Asp Ile Glu Thr Val Glu Gly Pro Leu Ala Thr Ile  
 275 280 285

Lys Thr Asn His Gly Asp Leu Arg Ile Lys Leu Phe Pro Glu His Ala  
 290 295 300

Pro Lys Thr Val Ala Asn Phe Val Ser Leu Ser Lys Asp Gly Tyr Tyr  
 305 310 315 320

Asp Gly Val Ile Phe His Arg Ile Ile Lys Asp Phe Met Ile Gln Gly  
 325 330 335

Gly Asp Pro Thr Gly Thr Gly Met Gly Gly Glu Ser Ile Tyr Gly Glu  
 340 345 350

Ser Phe Glu Asp Glu Phe Ser Glu Glu Leu Tyr Asn Ile Arg Gly Ala  
355 360 365

Leu Ser Met Ala Asn Ala Gly Pro Asn Thr Asn Gly Ser Gln Phe Phe  
370 375 380

Ile Val Gln Asn Gln His Leu Pro Tyr Ser Lys Lys Glu Ile Thr Arg  
385 390 395 400

Gly Gly Trp Pro Glu Pro Ile Ala Glu Ile Tyr Ala Asn Gln Gly Gly  
405 410 415

Thr Pro His Leu Asp Arg Arg His Thr Val Phe Gly Gln Leu Ala Asp  
420 425 430

Glu Ala Ser Tyr Ala Val Leu Asp Ala Ile Ala Ala Val Glu Thr Gly  
435 440 445

Ala Met Asp Lys Pro Val Glu Asp Val Val Ile Glu Thr Ile Glu Ile  
450 455 460

Glu Asp  
465

<210> 695  
<211> 79  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 695

Met Ala Gln Gln Arg Arg Gly Gly Phe Lys Arg Arg Lys Lys Val Asp  
1 5 10 15

Tyr Ile Ala Ala Asn Lys Ile Glu Tyr Val Asp Tyr Lys Asp Thr Glu  
20 25 30

Leu Leu Ser Arg Phe Val Ser Glu Arg Gly Lys Ile Leu Pro Arg Arg  
35 40 45

Val Thr Gly Thr Ser Ala Lys Asn Gln Arg Lys Val Thr Thr Ala Ile  
50 55 60

Lys Arg Ala Arg Val Met Ala Leu Met Pro Phe Val Asn Glu Asp  
 65 70 75

<210> 696  
 <211> 96  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 696

Met Ala Lys Tyr Glu Ile Leu Tyr Ile Ile Arg Pro Asn Ile Glu Glu  
 1 5 10 15

Glu Ala Lys Asn Ala Leu Val Ala Arg Phe Asp Ser Ile Leu Thr Asp  
 20 25 30

Asn Gly Ala Thr Val Val Glu Ser Lys Thr Trp Glu Lys Arg Arg Leu  
 35 40 45

Ala Tyr Glu Ile Gln Asp Phe Arg Glu Gly Leu Tyr His Ile Val Asn  
 50 55 60

Val Glu Ala Asn Asp Asp Ala Ala Leu Lys Glu Phe Asp Arg Leu Ser  
 65 70 75 80

Lys Ile Asn Ala Asp Ile Leu Arg His Met Ile Val Lys Ile Asp Ala  
 85 90 95

<210> 697  
 <211> 531  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 697

Met Lys Arg Ile Val Phe Glu Leu Ile Phe Ile Ala Thr Thr Trp Tyr  
 1 5 10 15

Ile Phe Leu Pro Pro Leu Asn Leu Thr Ser Trp Glu Phe Leu Phe Phe  
 20 25 30

Leu Cys Gly His Leu Leu Val Val Ala Ile Leu Phe Gly Phe Gly Lys  
 35 40 45

Gly Ile Asn Leu Val Lys Thr Val His Val Arg His Gly Lys Ala Glu  
 50 55 60

Ala Ala Leu Asn Leu Glu Gly Phe Lys Ile Asn Arg Leu Gly Lys Ile  
 65 70 75 80

Leu Leu Ala Ser Ile Gly Gly Ile Leu Leu Leu Ala Ala Leu Val Ser  
 85 90 95

Leu Val Thr Ser Ser Met Phe Gln Ala Lys Asn Tyr Ala Asn Val Val  
 100 105 110

Thr Val Thr Glu Lys Asp Phe Thr Glu Phe Pro Lys Ser Asp Thr Ser  
 115 120 125

Lys Val Pro Ile Leu Asp Arg Ser Thr Ala Glu Lys Ile Gly Asp Arg  
 130 135 140

Tyr Leu Gly Ser Leu Thr Asp Lys Val Ser Gln Tyr Val Ala Ala Asp  
 145 150 155 160

Thr Tyr Thr Gln Leu Thr Ile Asp Gly Lys Pro Tyr Arg Val Thr Pro  
 165 170 175

Leu Glu Tyr Ala Asp Pro Ile Lys Trp Phe Asn Asn Gln Ala Lys Gly  
 180 185 190

Ile Gly Glu Tyr Ile Lys Val Asp Met Val Thr Gly Asn Ala Asp Leu  
 195 200 205

Val Asp Leu Lys Thr Pro Ile Lys Tyr Ser Asp Ser Glu Tyr Phe Asn  
 210 215 220

Arg Asp Val Lys Arg His Leu Arg Leu Lys Tyr Pro Thr Lys Ile Phe  
 225 230 235 240

Lys Thr Pro Ser Phe Glu Val Asp Asp Glu Gly Asn Pro Phe Tyr Val  
 245 250 255

Ala Thr Val Tyr Gln Lys Gln Phe Gly Leu Ala Val Pro Arg Pro Ala  
 260 265 270

Ser Val Ile Ile Leu Asp Ala Thr Asn Gly Glu Thr Lys Glu Tyr Ser  
 275 280 285

Leu Ser Asp Val Pro Glu Trp Val Asp Arg Ile Tyr Pro Ala Glu Glu  
 290 295 300

Thr Ile Glu Gln Ile Asn Tyr Asn Gly Lys Tyr Lys Asp Gly Phe Leu  
 305 310 315 320

Asn Ala Met Ile Ser Lys Lys Asn Val Thr Gln Thr Thr Asn Gly Tyr  
 325 330 335

Asn Tyr Leu Ser Ile Gly Asn Asp Ile Tyr Leu Tyr Thr Gly Val Thr  
 340 345 350

Ser Ala Asn Ala Asp Glu Ser Asn Leu Gly Phe Ile Leu Glu Asn Met  
 355 360 365

Arg Thr Gly Glu Ile Thr Lys Tyr Ser Leu Ala Ser Ala Thr Glu Glu  
 370 375 380

Ser Ala Arg Glu Ser Ala Glu Gly Ala Val Gln Glu Lys Ser Tyr Lys  
 385 390 395 400

Ala Thr Phe Pro Ile Leu Ile Asn Leu Asn Asp Lys Pro Leu Tyr Ile  
 405 410 415

Met Gly Leu Lys Asp Asn Ala Gly Leu Val Lys Glu Tyr Ala Leu Val  
 420 425 430

Asp Ala Val Glu Tyr Gln Asn Val Ile Val Ala Thr Thr Val Glu Glu  
 435 440 445

Met Leu Ser Lys Tyr Ala Asn Lys Asn Asp Leu Glu Ile Asp Asn Ala  
 450 455 460

Thr Thr Glu Ser Ile Asn Gly Val Val Ala Asp Leu Lys Ser Ala Val  
 465 470 475 480

Ile Lys Gly Asp Thr Val Tyr Phe Phe Lys Val Asp Gly Lys Ile Tyr

485                                      490                                      495  
 Lys Val Lys Ala Ser Val Ser Asp Asp Leu Pro Tyr Leu Glu Asn Gly  
    500                                      505                                      510  
 Lys Thr Phe Glu Gly Gln Val Gly Lys Asp Asn Tyr Leu Lys Thr Phe  
    515                                      520                                      525  
 Lys Leu Arg  
    530  
 <210> 698  
 <211> 914  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 698  
 Met Thr Glu Arg Glu Ser Val Leu His Thr Met Ser Arg Arg Arg His  
 1                                      5                                      10                                      15  
 Met Ser Lys Glu Gln Lys Arg Gln Ala Phe Tyr Thr Gln Ser Pro Glu  
    20                                      25                                      30  
 Glu Val Leu Gln Ala Val Asp Ala Thr Glu Gln Gly Leu Ser Ser Ser  
    35                                      40                                      45  
 Glu Ala Glu Lys Arg Leu Ala Glu Phe Gly His Asn Glu Leu Glu Glu  
    50                                      55                                      60  
 Gly Glu Lys Arg Ser Ile Leu Val Lys Phe Ile Glu Gln Phe Lys Asp  
 65                                      70                                      75                                      80  
 Leu Met Ile Ile Ile Leu Val Ala Ala Ala Ile Leu Ser Val Val Thr  
    85                                      90                                      95  
 Ser Gly Gly Glu Asp Ile Ala Asp Ala Ile Ile Ile Leu Ala Val Val  
    100                                      105                                      110  
 Ile Ile Asn Ala Ala Phe Gly Val Tyr Gln Glu Gly Lys Ala Glu Glu  
    115                                      120                                      125  
 Ala Ile Glu Ala Leu Lys Ser Met Ser Ser Pro Val Ala Arg Val Leu

130		135		140
Arg Asp Gly His Met Ala Glu Ile Asp Ser Lys Glu Leu Val Pro Gly				
145		150		155 160
Asp Ile Val Ala Leu Glu Ala Gly Asp Val Val Pro Ala Asp Leu Arg				
	165		170	175
Leu Ile Glu Ala Asn Ser Leu Lys Ile Glu Glu Ala Ala Leu Thr Gly				
	180		185	190
Glu Ser Val Pro Val Glu Lys Asp Leu Ser Val Glu Leu Ala Thr Asp				
	195		200	205
Ala Gly Ile Gly Asp Arg Val Asn Met Ala Phe Gln Asn Ser Asn Val				
	210		215	220
Thr Tyr Gly Arg Gly Met Gly Val Val Val Asn Thr Gly Met Tyr Thr				
	225		230	235 240
Glu Val Gly His Ile Ala Gly Met Leu Gln Asp Ala Asp Glu Thr Asp				
	245		250	255
Thr Pro Leu Lys Gln Asn Leu Asn Asn Leu Ser Lys Val Leu Thr Tyr				
	260		265	270
Ala Ile Leu Val Ile Ala Leu Val Thr Phe Val Val Gly Val Phe Ile				
	275		280	285
Gln Gly Lys Asn Pro Leu Gly Glu Leu Leu Thr Ser Val Ala Leu Ala				
	290		295	300
Val Ala Ala Ile Pro Glu Gly Leu Pro Ala Ile Val Thr Ile Val Leu				
	305		310	315 320
Ser Leu Gly Thr Gln Val Leu Ala Lys Arg His Ser Ile Val Arg Lys				
	325		330	335
Leu Pro Ala Val Glu Thr Leu Gly Ser Thr Glu Ile Ile Ala Ser Asp				
	340		345	350



Lys Thr Gly Thr Leu Thr Met Asn Lys Met Thr Val Glu Lys Val Phe  
 355 360 365  
 Tyr Asp Ala Val Leu His Asp Ser Ala Asp Asp Ile Glu Leu Gly Leu  
 370 375 380  
 Glu Met Pro Leu Leu Arg Ser Val Val Leu Ala Asn Asp Thr Lys Ile  
 385 390 395 400  
 Asp Val Glu Gly Asn Leu Ile Gly Asp Pro Thr Glu Thr Ala Phe Ile  
 405 410 415  
 Gln Tyr Ala Leu Asp Lys Gly Tyr Asp Val Lys Gly Phe Leu Glu Lys  
 420 425 430  
 Tyr Pro Arg Val Ala Glu Leu Pro Phe Asp Ser Asp Arg Lys Leu Met  
 435 440 445  
 Ser Thr Val His Pro Leu Pro Asp Gly Arg Phe Leu Val Ala Val Lys  
 450 455 460  
 Gly Ala Pro Asp Gln Leu Leu Lys Arg Cys Leu Leu Arg Asp Lys Ala  
 465 470 475 480  
 Gly Asp Ile Ala Pro Ile Asp Glu Lys Val Thr Asn Leu Ile Arg Thr  
 485 490 495  
 Asn Asn Ser Glu Met Ala His Gln Ala Leu Arg Val Leu Ala Gly Ala  
 500 505 510  
 Tyr Lys Ile Ile Asp Ser Ile Pro Glu Asn Leu Thr Ser Glu Glu Leu  
 515 520 525  
 Glu Asn Asp Leu Ile Phe Thr Gly Leu Ile Gly Met Ile Asp Pro Glu  
 530 535 540  
 Arg Pro Glu Ala Ala Glu Ala Val Arg Val Ala Lys Glu Ala Gly Ile  
 545 550 555 560  
 Arg Pro Ile Met Ile Thr Gly Asp His Gln Asp Thr Ala Glu Ala Ile  
 565 570 575

Ala Lys Arg Leu Gly Ile Ile Asp Ala Asn Asp Thr Glu Gly His Val  
 580 585 590

Leu Thr Gly Ala Glu Leu Asn Glu Leu Ser Asp Glu Glu Phe Glu Lys  
 595 600 605

Val Val Gly Gln Tyr Ser Val Tyr Ala Arg Val Ser Pro Glu His Lys  
 610 615 620

Val Arg Ile Val Lys Ala Trp Gln Lys Gln Gly Lys Val Val Ala Met  
 625 630 635 640

Thr Gly Asp Gly Val Asn Asp Ala Pro Ala Leu Lys Thr Ala Asp Ile  
 645 650 655

Gly Ile Gly Met Gly Ile Thr Gly Thr Glu Val Ser Lys Gly Ala Ser  
 660 665 670

Asp Met Ile Leu Ala Asp Asp Asn Phe Ala Thr Ile Ile Val Ala Val  
 675 680 685

Glu Glu Gly Arg Lys Val Phe Ser Asn Ile Gln Lys Thr Ile Gln Tyr  
 690 695 700

Leu Leu Ser Ala Asn Thr Ala Glu Val Leu Thr Ile Phe Leu Ser Thr  
 705 710 715 720

Leu Phe Gly Trp Asp Val Leu Gln Pro Val His Leu Leu Trp Ile Asn  
 725 730 735

Leu Val Thr Asp Thr Phe Pro Ala Ile Ala Leu Gly Val Glu Pro Ala  
 740 745 750

Glu Pro Gly Val Met Asn His Lys Pro Arg Gly Arg Lys Ala Ser Phe  
 755 760 765

Phe Ser Gly Gly Val Leu Ser Ser Ile Ile Tyr Gln Gly Val Leu Gln  
 770 775 780

Ala Ala Leu Val Met Ser Val Tyr Gly Leu Ala Ile Ala Tyr Pro Val  
 785 790 795 800

His Val Gly Asp Asn His Ala Ile His Ala Asp Ala Leu Thr Met Ala  
805 810 815

Phe Ala Thr Leu Gly Leu Ile Gln Leu Phe His Ala Tyr Asn Val Lys  
820 825 830

Ser Val Tyr Gln Ser Ile Leu Thr Val Gly Pro Phe Lys Ser Lys Thr  
835 840 845

Phe Asn Trp Ser Ile Leu Val Ser Phe Ile Leu Leu Met Ala Thr Ile  
850 855 860

Val Val Glu Pro Leu Glu Gly Ile Phe His Val Thr Lys Leu Asp Leu  
865 870 875 880

Ser Gln Trp Gly Ile Val Met Ala Gly Ser Phe Ser Met Ile Ile Ile  
885 890 895

Val Glu Ile Val Lys Phe Ile Gln Arg Lys Leu Gly Phe Asp Lys Asn  
900 905 910

Ala Ile

<210> 699  
<211> 292  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 699

Met Ile Gly Arg Ile Ser Gly Met Asn Phe Gln Gln Leu Ser Asn Leu  
1 5 10 15

Gln Tyr Trp Thr Ser Leu Phe Ala Ser Pro Trp Thr Ile Ala Ile Asn  
20 25 30

Leu Ile Asp Ile Leu Ile Val Ala Tyr Ile Leu Tyr His Phe Thr Lys  
35 40 45

Ala Ile Ala Gly Thr Lys Ile Met Ile Leu Val Arg Gly Val Leu Val  
50 55 60

Phe Ile Leu Ala Gln Ile Leu Ala Asn Met Ile Gly Leu Thr Thr Ile  
 65 70 75 80

Ser Trp Leu Ile Asn Gln Ile Ile Thr Tyr Gly Val Ile Ala Ala Val  
 85 90 95

Val Ile Phe Ser Pro Glu Ile Arg Thr Gly Leu Glu Arg Leu Gly Arg  
 100 105 110

Ala Thr Asp Phe Phe Ser Asn Ala Pro Ile Ser Ala Glu Glu Gln Met  
 115 120 125

Ile Arg Ala Phe Val Lys Ser Val Glu Tyr Met Ser Pro Arg Lys Ile  
 130 135 140

Gly Ala Leu Val Ala Ile Gln Arg Val Arg Thr Leu Gln Glu Tyr Ile  
 145 150 155 160

Ser Thr Gly Ile Pro Leu Asp Ala Lys Ile Ser Ala Glu Leu Leu Ile  
 165 170 175

Asn Ile Phe Ile Pro Asn Thr Pro Leu His Asp Gly Ala Val Ile Ile  
 180 185 190

Lys Glu Glu Arg Ile Ala Val Thr Ser Ala Tyr Leu Pro Leu Thr Lys  
 195 200 205

Asn Thr Gly Ile Ser Lys Glu Phe Gly Thr Arg His Arg Ala Ala Ile  
 210 215 220

Gly Leu Ser Glu Val Ser Asp Ala Leu Thr Phe Val Val Ser Glu Glu  
 225 230 235 240

Thr Gly Gly Ile Ser Ile Thr Tyr Asn Gly Arg Phe Lys His Asn Leu  
 245 250 255

Thr Leu Asp Glu Phe Glu Thr Glu Leu Arg Glu Ile Leu Leu Pro Lys  
 260 265 270

Glu Glu Val Gly Leu Ser Phe Lys Glu Arg Leu Leu Gly Gly Trp Lys

275

280

285

His Glu Lys Lys  
290

&lt;210&gt; 700

&lt;211&gt; 410

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 700

Met Ser Thr Asn Arg Lys Asn Asp Met Met Val Tyr Cys Ser Phe Cys  
1 5 10 15

Gly Lys Asn Gln Glu Glu Val Gln Lys Ile Ile Ala Gly Asn Asn Ala  
20 25 30

Phe Ile Cys Asn Glu Cys Val Glu Leu Ala Gln Glu Ile Ile Arg Glu  
35 40 45

Glu Leu Val Glu Glu Val Leu Ala Asp Leu Ser Glu Val Pro Lys Pro  
50 55 60

Ile Glu Leu Leu His Ile Leu Asn His Tyr Val Ile Gly Gln Asp Arg  
65 70 75 80

Ala Lys Arg Ala Leu Ala Val Ala Val Tyr Asn His Tyr Lys Arg Ile  
85 90 95

Asn Phe His Asp Thr Arg Glu Glu Ser Glu Asp Val Asp Leu Gln Lys  
100 105 110

Ser Asn Ile Leu Met Ile Gly Pro Thr Gly Ser Gly Lys Thr Phe Leu  
115 120 125

Ala Gln Thr Leu Ala Lys Ser Leu Asn Val Pro Phe Ala Ile Ala Asp  
130 135 140

Ala Thr Ala Leu Thr Glu Ala Gly Tyr Val Gly Glu Asp Val Glu Asn  
145 150 155 160

Ile Leu Leu Lys Leu Leu Gln Val Ala Asp Phe Asn Ile Glu Arg Ala

-822-

Ser Gln Glu Asn Val Lys Leu Val Arg Ile Thr Lys Glu Thr Val Asp  
 385 390 395 400

Gly Thr Asp Lys Pro Ile Leu Glu Thr Ala  
 405 410

<210> 701  
 <211> 376  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 701

Met Val Glu Leu Asn Leu Lys Asn Ile Tyr Lys Lys Tyr Pro Asn Ser  
 1 5 10 15

Glu His Tyr Ser Val Glu Asp Phe Asn Leu Asn Ile Lys Asp Lys Glu  
 20 25 30

Phe Ile Val Phe Val Gly Pro Ser Gly Cys Gly Lys Ser Thr Thr Leu  
 35 40 45

Arg Met Ile Ala Gly Leu Glu Asp Ile Thr Glu Gly Thr Ala Ser Ile  
 50 55 60

Asp Gly Val Val Val Asn Asp Val Ala Pro Lys Asp Arg Asp Ile Ala  
 65 70 75 80

Met Val Phe Gln Asn Tyr Ala Leu Tyr Pro His Met Thr Val Tyr Asp  
 85 90 95

Asn Met Ala Phe Gly Leu Lys Leu Arg Lys Tyr Ser Lys Glu Asp Ile  
 100 105 110

Asn Lys Arg Val Gln Glu Ala Ala Glu Ile Leu Gly Leu Lys Glu Phe  
 115 120 125

Leu Glu Arg Lys Pro Ala Asp Leu Ser Gly Gly Gln Arg Gln Arg Val  
 130 135 140

Ala Met Gly Arg Ala Ile Val Arg Asp Ala Lys Val Phe Leu Met Asp  
 145 150 155 160

Glu Pro Leu Ser Asn Leu Asp Ala Lys Leu Arg Val Ser Met Arg Ala  
 165 170 175

Glu Ile Ala Lys Ile His Arg Arg Ile Gly Ala Thr Thr Ile Tyr Val  
 180 185 190

Thr His Asp Gln Thr Glu Ala Met Thr Leu Ala Asp Arg Ile Val Ile  
 195 200 205

Met Ser Ala Thr Lys Asn Pro Ala Gly Thr Gly Thr Ile Gly Arg Val  
 210 215 220

Glu Gln Ile Gly Thr Pro Gln Glu Val Tyr Lys Asn Pro Val Asn Lys  
 225 230 235 240

Phe Val Ala Gly Phe Ile Gly Ser Pro Ala Met Asn Phe Ile Thr Val  
 245 250 255

Lys Leu Val Gly Ser Glu Ile Val Ser Asp Gly Phe Arg Leu Lys Val  
 260 265 270

Pro Glu Gly Ala Leu Lys Val Leu Arg Glu Lys Gly Tyr Glu Gly Lys  
 275 280 285

Glu Leu Ile Phe Gly Ile Arg Pro Glu Asp Val Asn Ala Glu Pro Ala  
 290 295 300

Phe Leu Glu Thr Phe Pro Asp Cys Val Val Lys Ala Thr Ile Ser Val  
 305 310 315 320

Ser Glu Leu Leu Gly Ser Glu Ser His Leu Tyr Cys Gln Val Gly Lys  
 325 330 335

Asp Glu Phe Val Ala Lys Val Asp Ala Arg Asp Tyr Leu Gln Thr Gly  
 340 345 350

Ala Thr Val Glu Leu Gly Phe Asp Leu Asn Lys Ala His Phe Phe Asp  
 355 360 365

Val Glu Thr Glu Lys Thr Ile Tyr  
 370 375



<210> 702  
 <211> 524  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 702

Met Lys Phe Asn Glu Leu Asn Leu Ser Ala Asp Leu Leu Ala Glu Ile  
 1 5 10 15

Glu Lys Ala Gly Phe Val Glu Ala Ser Pro Ile Gln Glu Gln Thr Ile  
 20 25 30

Pro Leu Ala Leu Glu Gly Lys Asp Val Ile Gly Gln Ala Gln Thr Gly  
 35 40 45

Thr Gly Lys Thr Ala Ala Phe Gly Leu Pro Thr Leu Glu Lys Ile Arg  
 50 55 60

Thr Glu Glu Ala Thr Ile Gln Ala Leu Val Ile Ala Pro Thr Arg Glu  
 65 70 75 80

Leu Ala Val Gln Ser Gln Glu Glu Leu Phe Arg Phe Gly Arg Ser Lys  
 85 90 95

Gly Val Lys Val Arg Ser Val Tyr Gly Gly Ser Ser Ile Glu Lys Gln  
 100 105 110

Ile Lys Ala Leu Lys Ser Gly Ala His Ile Val Val Gly Thr Pro Gly  
 115 120 125

Arg Leu Leu Asp Leu Ile Lys Arg Lys Ala Leu Lys Leu Gln Asp Ile  
 130 135 140

Glu Thr Leu Ile Leu Asp Glu Ala Asp Glu Met Leu Asn Met Gly Phe  
 145 150 155 160

Leu Glu Asp Ile Glu Ala Ile Ile Ser Arg Val Pro Glu Asn Arg Gln  
 165 170 175

Thr Leu Leu Phe Ser Ala Thr Met Pro Asp Ala Ile Lys Arg Ile Gly  
 180 185 190

Val Gln Phe Met Lys Ala Pro Glu His Val Lys Ile Ala Ala Lys Glu  
 195 200 205

Leu Thr Thr Glu Leu Val Asp Gln Tyr Tyr Ile Arg Val Lys Glu Gln  
 210 215 220

Glu Lys Phe Asp Thr Met Thr Arg Leu Met Asp Val Ala Gln Pro Glu  
 225 230 235 240

Leu Ala Ile Val Phe Gly Arg Thr Lys Arg Arg Val Asp Glu Leu Thr  
 245 250 255

Arg Gly Leu Lys Ile Arg Gly Phe Arg Ala Glu Gly Ile His Gly Asp  
 260 265 270

Leu Asp Gln Asn Lys Arg Leu Arg Val Leu Arg Asp Phe Lys Asn Gly  
 275 280 285

Asn Leu Asp Val Leu Val Ala Thr Asp Val Ala Ala Arg Gly Leu Asp  
 290 295 300

Ile Ser Gly Val Thr His Val Tyr Asn Tyr Asp Ile Pro Gln Asp Pro  
 305 310 315 320

Glu Ser Tyr Val His Arg Ile Gly Arg Thr Gly Arg Ala Gly Lys Ser  
 325 330 335

Gly Gln Ser Ile Thr Phe Val Ala Pro Asn Glu Met Gly Tyr Leu Gln  
 340 345 350

Ile Ile Glu Asn Leu Thr Lys Lys Arg Met Lys Gly Leu Lys Pro Ala  
 355 360 365

Ser Val Glu Glu Ser Phe Gln Ser Lys Lys Gln Val Ala Leu Lys Lys  
 370 375 380

Ile Glu Arg Asp Phe Ala Asp Glu Thr Ile Arg Ala Asn Phe Glu Lys  
 385 390 395 400

Phe Gly Lys Asp Ala Arg Lys Leu Ala Ala Glu Phe Thr Pro Glu Glu  
 405 410 415

Leu Ala Met Tyr Ile Leu Ser Leu Thr Val Gln Asp Pro Asp Ser Leu  
 420 425 430

Pro Glu Val Glu Ile Ala Arg Glu Lys Pro Leu Pro Phe Lys Pro Ser  
 435 440 445

Gly Asn Gly Phe Gly Gly Lys Ala Lys Gly Gly Arg Gly Gly Arg Arg  
 450 455 460

Gly Asp Asp Arg Arg Glu Arg Asp Arg Arg Gly Asn Gly Arg Arg Asp  
 465 470 475 480

Glu Phe Lys Lys Gly Ser Arg Gly Asn Asp Arg Phe Asp Lys Glu Lys  
 485 490 495

Arg Tyr Arg Lys Asp Asn Lys Lys Pro Arg Asn Thr Leu Ser Glu Lys  
 500 505 510

Gln Thr Gly Phe Val Ile Arg Asn Lys Gly Asp Lys  
 515 520

<210> 703  
 <211> 438  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 703

Met Leu Thr Tyr Asp Leu Ile Val Ile Gly Phe Gly Lys Ala Gly Lys  
 1 5 10 15

Thr Leu Ala Gly Lys Leu Ala Ser Ala Gly Lys Lys Val Ala Leu Val  
 20 25 30

Glu Arg Ser Lys Ala Met Tyr Gly Gly Thr Cys Ile Asn Ile Gly Cys  
 35 40 45

Ile Pro Thr Lys Thr Leu Leu Val Ala Ala Glu Lys Asp Leu Ser Phe  
 50 55 60

Glu Glu Val Ile Ala Thr Lys Asn Thr Ile Thr Gly Arg Leu Asn Gly  
 65 70 75 80

Lys Asn Tyr Ala Thr Val Ala Gly Thr Gly Val Asp Ile Phe Asp Ala  
85 90 95

Glu Ala His Phe Leu Ser Asn Lys Val Ile Glu Ile Gln Ala Gly Asp  
100 105 110

Glu Lys Lys Glu Leu Thr Ala Glu Thr Ile Val Ile Asn Thr Gly Ala  
115 120 125

Val Ser Asn Val Leu Pro Ile Pro Gly Leu Ala Thr Ser Lys Asn Ile  
130 135 140

Phe Asp Ser Thr Gly Ile Gln Ser Leu Asp Lys Leu Pro Glu Lys Leu  
145 150 155 160

Gly Ile Leu Gly Gly Gly Asn Ile Gly Leu Glu Phe Ala Gly Leu Tyr  
165 170 175

Asn Lys Leu Gly Ser Lys Val Thr Val Leu Asp Ala Leu Asp Thr Phe  
180 185 190

Leu Pro Arg Ala Glu Pro Ser Ile Ala Ala Leu Ala Lys Gln Tyr Met  
195 200 205

Glu Glu Asp Gly Ile Glu Leu Leu Gln Asn Ile His Thr Thr Glu Ile  
210 215 220

Lys Asn Asp Gly Asp Gln Val Leu Val Val Thr Glu Asp Glu Thr Tyr  
225 230 235 240

Arg Phe Asp Ala Leu Leu Tyr Ala Thr Gly Arg Lys Pro Asn Val Glu  
245 250 255

Pro Leu Gln Leu Glu Asn Thr Asp Ile Glu Leu Thr Glu Arg Gly Ala  
260 265 270

Ile Lys Val Asp Lys His Cys Gln Thr Asn Val Pro Gly Val Phe Ala  
275 280 285

Val Gly Asp Val Asn Gly Gly Leu Gln Phe Thr Tyr Ile Ser Leu Asp

290                      295                      300  
 Asp Phe Arg Val Val Tyr Ser Tyr Leu Ala Gly Asp Gly Ser Tyr Thr  
 305                      310                      315                      320  
 Leu Glu Asp Arg Leu Asn Val Pro Asn Thr Met Phe Ile Thr Pro Ala  
                     325                      330                      335  
 Leu Ser Gln Val Gly Leu Thr Glu Ser Gln Ala Ala Asp Leu Lys Leu  
                     340                      345                      350  
 Pro Tyr Ala Val Lys Glu Ile Pro Val Ala Ala Met Pro Arg Gly His  
                     355                      360                      365  
 Val Asn Gly Asp Leu Arg Gly Ala Phe Lys Ala Val Val Asn Thr Glu  
                     370                      375                      380  
 Thr Lys Glu Ile Leu Gly Ala Ser Ile Phe Ser Glu Gly Ser Gln Glu  
 385                      390                      395                      400  
 Ile Ile Asn Ile Ile Thr Val Ala Met Asp Asn Lys Ile Pro Tyr Thr  
                     405                      410                      415  
 Tyr Phe Thr Lys Gln Ile Phe Thr His Pro Thr Leu Ala Glu Asn Leu  
                     420                      425                      430  
 Asn Asp Leu Phe Ala Ile  
                     435  
  
 <210> 704  
 <211> 778  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 704  
  
 Met Asp Lys Asn Lys Ile Met Gly Leu Thr Gln Arg Glu Val Lys Glu  
 1                      5                      10                      15  
  
 Arg Gln Ala Glu Gly Leu Val Asn Asp Phe Thr Ala Ser Ala Ser Thr  
                     20                      25                      30  
  
 Ser Thr Trp Gln Ile Val Lys Arg Asn Val Phe Thr Leu Phe Asn Ala

35	40	45
Leu Asn Phe Ala Ile Ala Leu Ala Leu Ala Phe Val Gln Ala Trp Ser		
50	55	60
Asn Leu Val Phe Phe Ala Val Ile Cys Phe Asn Ala Phe Ser Gly Ile		
65	70	75 80
Val Thr Glu Leu Arg Ala Lys His Met Val Asp Lys Leu Asn Leu Met		
85	90	95
Thr Lys Glu Lys Val Lys Thr Ile Arg Asp Gly Gln Glu Val Ala Leu		
100	105	110
Asn Pro Glu Glu Leu Val Leu Gly Asp Val Ile Arg Leu Ser Ala Gly		
115	120	125
Glu Gln Ile Pro Ser Asp Ala Leu Val Leu Glu Gly Phe Ala Glu Val		
130	135	140
Asn Glu Ala Met Leu Thr Gly Glu Ser Asp Leu Val Gln Lys Glu Val		
145	150	155 160
Asp Gly Leu Leu Leu Ser Gly Ser Phe Leu Ala Ser Gly Ser Val Leu		
165	170	175
Ser Gln Val His His Val Gly Ala Asp Asn Tyr Ala Ala Lys Leu Met		
180	185	190
Leu Glu Ala Lys Thr Val Lys Pro Ile Asn Ser Arg Ile Met Lys Ser		
195	200	205
Leu Asp Lys Leu Ala Gly Phe Thr Gly Lys Ile Ile Ile Pro Phe Gly		
210	215	220
Leu Ala Leu Leu Leu Glu Ala Leu Leu Leu Lys Gly Leu Pro Leu Lys		
225	230	235 240
Ser Ser Val Val Asn Ser Ser Thr Ala Leu Leu Gly Met Leu Pro Lys		
245	250	255

Gly Ile Ala Leu Leu Thr Ile Thr Ser Leu Leu Thr Ala Val Ile Lys  
 260 265 270

Leu Gly Leu Lys Lys Val Leu Val Gln Glu Met Tyr Ser Val Glu Thr  
 275 280 285

Leu Ala Arg Val Asp Met Leu Cys Leu Asp Lys Thr Gly Thr Ile Thr  
 290 295 300

Gln Gly Lys Met Gln Val Glu Ala Val Leu Pro Leu Thr Glu Thr Tyr  
 305 310 315 320

Gly Glu Glu Ala Ile Ala Ser Ile Leu Thr Ser Tyr Met Ala His Ser  
 325 330 335

Glu Asp Lys Asn Pro Thr Ala Gln Ala Ile Arg Gln Arg Phe Val Gly  
 340 345 350

Asp Val Ala Tyr Pro Met Ile Ser Asn Leu Pro Phe Ser Ser Asp Arg  
 355 360 365

Lys Trp Gly Ala Met Glu Leu Glu Gly Leu Gly Thr Val Phe Leu Gly  
 370 375 380

Ala Pro Glu Met Leu Leu Asp Ser Glu Val Pro Glu Ala Arg Glu Ala  
 385 390 395 400

Leu Glu Arg Gly Ser Arg Val Leu Val Leu Ala Leu Ser Gln Glu Lys  
 405 410 415

Leu Asp His His Lys Pro Gln Lys Pro Ser Asp Ile Gln Ala Leu Ala  
 420 425 430

Leu Leu Glu Ile Leu Asp Pro Ile Arg Glu Gly Ala Ala Glu Thr Leu  
 435 440 445

Asp Tyr Leu Arg Ser Gln Glu Val Gly Leu Lys Ile Ile Ser Gly Asp  
 450 455 460

Asn Pro Val Thr Val Ser Ser Ile Ala Gln Lys Ala Gly Phe Ala Asp  
 465 470 475 480

Tyr His Ser Tyr Val Asp Cys Ser Lys Ile Thr Asp Glu Glu Leu Met  
 485 490 495  
 Ala Met Ala Glu Glu Thr Ala Ile Phe Gly Arg Val Ser Pro His Gln  
 500 505 510  
 Lys Lys Leu Ile Ile Gln Thr Leu Lys Lys Ala Gly His Thr Thr Ala  
 515 520 525  
 Met Thr Gly Asp Gly Val Asn Asp Ile Leu Ala Leu Arg Glu Ala Asp  
 530 535 540  
 Cys Ser Ile Val Met Ala Glu Gly Asp Pro Ala Thr Arg Gln Ile Ala  
 545 550 555 560  
 Asn Leu Val Leu Leu Asn Ser Asp Phe Asn Asp Val Pro Glu Ile Leu  
 565 570 575  
 Phe Glu Gly Arg Arg Val Val Asn Asn Ile Ala His Ile Ala Pro Ile  
 580 585 590  
 Phe Leu Ile Lys Thr Ile Tyr Ser Phe Leu Leu Ala Val Ile Cys Ile  
 595 600 605  
 Ala Ser Ala Leu Leu Gly Arg Ser Glu Trp Ile Leu Ile Phe Pro Phe  
 610 615 620  
 Ile Pro Ile Gln Ile Thr Met Ile Asp Gln Phe Val Glu Gly Phe Pro  
 625 630 635 640  
 Pro Phe Val Leu Thr Phe Glu Arg Asn Ile Lys Pro Val Glu Gln Asn  
 645 650 655  
 Phe Leu Arg Lys Ser Met Leu Arg Ala Leu Pro Ser Ala Leu Met Val  
 660 665 670  
 Val Phe Ser Val Leu Phe Val Lys Met Phe Gly Ala Ser Gln Gly Trp  
 675 680 685  
 Ser Glu Leu Glu Ile Ser Thr Leu Leu Tyr Tyr Leu Leu Gly Ser Ile  
 690 695 700



Gly Phe Leu Ser Val Phe Arg Ala Cys Met Pro Phe Thr Leu Trp Arg  
 705 710 715 720

Val Leu Leu Ile Val Trp Ser Val Gly Gly Phe Leu Ala Thr Ala Leu  
 725 730 735

Phe Pro Arg Ile Gln Lys Leu Leu Glu Ile Ser Thr Leu Thr Glu Gln  
 740 745 750

Thr Leu Pro Val Tyr Gly Val Met Met Leu Val Phe Thr Val Ile Phe  
 755 760 765

Ile Leu Thr Ser Arg Tyr Gln Ala Lys Lys  
 770 775

<210> 705  
 <211> 89  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 705

Met Ala Ile Ser Lys Glu Lys Lys Asn Glu Ile Ile Ala Gln Tyr Ala  
 1 5 10 15

Arg His Glu Gly Asp Thr Gly Ser Val Glu Val Gln Val Ala Val Leu  
 20 25 30

Thr Trp Glu Ile Asn His Leu Asn Glu His Ile Lys Gln His Lys Lys  
 35 40 45

Asp His Ala Thr Tyr Arg Gly Leu Met Lys Lys Ile Gly Arg Arg Arg  
 50 55 60

Asn Leu Leu Ala Tyr Leu Arg Lys Asn Asp Val Asn Arg Tyr Arg Glu  
 65 70 75 80

Leu Ile Asn Ser Leu Gly Leu Arg Arg  
 85

<210> 706  
 <211> 630

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 706

Met Thr Arg Tyr Gln Asp Asp Phe Tyr Asp Ala Ile Asn Gly Glu Trp  
 1 5 10 15

Gln Gln Thr Ala Glu Ile Pro Ala Asp Lys Ser Gln Thr Gly Gly Phe  
 20 25 30

Val Asp Leu Asp Gln Glu Ile Glu Asp Leu Met Leu Ala Thr Thr Asp  
 35 40 45

Lys Trp Leu Ala Gly Glu Glu Val Pro Glu Asp Ala Ile Leu Glu Asn  
 50 55 60

Phe Val Lys Tyr His Arg Leu Val Arg Asp Phe Asp Lys Arg Glu Ala  
 65 70 75 80

Asp Gly Ile Thr Pro Val Leu Pro Leu Leu Lys Glu Phe Gln Glu Leu  
 85 90 95

Glu Thr Phe Ala Asp Phe Thr Ala Lys Leu Ala Glu Phe Glu Leu Ala  
 100 105 110

Gly Lys Pro Asn Phe Leu Pro Phe Gly Val Ser Pro Asp Phe Met Asp  
 115 120 125

Ala Arg Ile Asn Val Leu Trp Ala Ser Ala Pro Ser Thr Ile Leu Pro  
 130 135 140

Asp Thr Thr Tyr Tyr Ala Glu Glu His Pro Gln Arg Glu Glu Leu Leu  
 145 150 155 160

Thr Leu Trp Lys Glu Ser Ser Ala Asn Leu Leu Lys Ala Tyr Asp Phe  
 165 170 175

Ser Asp Glu Glu Ile Glu Asp Leu Leu Glu Lys Arg Leu Glu Leu Asp  
 180 185 190

Arg Arg Val Ala Ala Val Val Leu Ser Asn Glu Glu Ser Ser Glu Tyr  
 195 200 205

Ala Lys Leu Tyr His Pro Tyr Ser Tyr Glu Asp Phe Lys Lys Phe Ala  
 210 215 220

Pro Ala Leu Pro Leu Asp Asp Phe Phe Lys Ala Val Ile Gly Gln Leu  
 225 230 235 240

Pro Asp Lys Val Ile Val Asp Glu Glu Arg Phe Trp Gln Ala Ala Glu  
 245 250 255

Gln Phe Tyr Ser Glu Glu Ala Trp Ser Leu Leu Lys Ala Thr Leu Ile  
 260 265 270

Leu Ser Val Val Asn Leu Ser Thr Ser Tyr Leu Thr Glu Asp Ile Arg  
 275 280 285

Val Leu Ser Gly Ala Tyr Ser Arg Ala Leu Ser Gly Val Pro Glu Ala  
 290 295 300

Lys Asp Lys Val Lys Ala Ala Tyr His Leu Ala Gln Glu Pro Phe Lys  
 305 310 315 320

Gln Ala Leu Gly Leu Trp Tyr Ala Arg Glu Lys Phe Ser Pro Glu Ala  
 325 330 335

Lys Ala Asp Val Glu Lys Lys Val Ala Thr Met Ile Asp Val Tyr Lys  
 340 345 350

Glu Arg Leu Leu Lys Asn Asp Trp Leu Thr Pro Glu Thr Cys Lys Gln  
 355 360 365

Ala Ile Val Lys Leu Asn Val Ile Lys Pro Tyr Ile Gly Tyr Pro Glu  
 370 375 380

Glu Leu Pro Ala Arg Tyr Lys Asp Lys Val Val Asn Glu Thr Ala Ser  
 385 390 395 400

Leu Phe Glu Asn Ala Leu Ala Phe Ala Arg Val Glu Ile Lys His Ser  
 405 410 415

Trp Ser Lys Trp Asn Gln Pro Val Asp Tyr Lys Glu Trp Gly Met Pro

420	425	430
Ala His Met Val Asn Ala Tyr Tyr Asn Pro Gln Lys Asn Leu Ile Val		
435	440	445
Phe Pro Ala Ala Ile Leu Gln Ala Pro Phe Tyr Asp Leu His Gln Ser		
450	455	460
Ser Ser Ala Asn Tyr Gly Gly Ile Gly Ala Val Ile Ala His Glu Ile		
465	470	475
Ser His Ala Phe Asp Thr Asn Gly Ala Ser Phe Asp Glu Asn Gly Ser		
485	490	495
Leu Lys Asp Trp Trp Thr Glu Ser Asp Tyr Ala Ala Phe Lys Glu Lys		
500	505	510
Thr Gln Lys Val Ile Asp Gln Phe Asp Gly Gln Asp Ser Tyr Gly Ala		
515	520	525
Thr Ile Asn Gly Lys Leu Thr Val Ser Glu Asn Val Ala Asp Leu Gly		
530	535	540
Gly Ile Ala Ala Ala Leu Glu Ala Ala Lys Arg Glu Ala Asp Phe Ser		
545	550	555
Ala Glu Glu Phe Phe Tyr Asn Phe Gly Arg Ile Trp Arg Met Lys Gly		
565	570	575
Arg Pro Glu Phe Met Lys Leu Leu Ala Ser Val Asp Val His Ala Pro		
580	585	590
Ala Lys Leu Arg Val Asn Val Gln Val Pro Asn Phe Asp Asp Phe Phe		
595	600	605
Thr Thr Tyr Asp Val Lys Glu Gly Asp Gly Met Trp Arg Ser Pro Glu		
610	615	620
Glu Arg Val Ile Ile Trp		
625	630	

<210> 707  
 <211> 230  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 707

Met Val Lys Leu Val Phe Ala Arg His Gly Glu Ser Glu Trp Asn Lys  
 1 5 10 15

Ala Asn Leu Phe Thr Gly Trp Ala Asp Val Asp Leu Ser Glu Lys Gly  
 20 25 30

Thr Gln Gln Ala Ile Asp Ala Gly Lys Leu Ile Lys Glu Ala Gly Ile  
 35 40 45

Glu Phe Asp Gln Ala Tyr Thr Ser Val Leu Lys Arg Ala Ile Lys Thr  
 50 55 60

Thr Asn Leu Ala Leu Glu Ala Ser Asp Gln Leu Trp Val Pro Val Glu  
 65 70 75 80

Lys Ser Trp Arg Leu Asn Glu Arg His Tyr Gly Gly Leu Thr Gly Lys  
 85 90 95

Asn Lys Ala Glu Ala Ala Glu Gln Phe Gly Asp Glu Gln Val His Ile  
 100 105 110

Trp Arg Arg Ser Tyr Asp Val Leu Pro Pro Asn Met Asp Arg Asp Asp  
 115 120 125

Glu His Ser Ala His Thr Asp Arg Arg Tyr Ala Ser Leu Asp Asp Ser  
 130 135 140

Val Ile Pro Asp Ala Glu Asn Leu Lys Val Thr Leu Glu Arg Ala Leu  
 145 150 155 160

Pro Phe Trp Glu Asp Lys Ile Ala Pro Ala Leu Lys Asp Gly Lys Asn  
 165 170 175

Val Phe Val Gly Ala His Gly Asn Ser Ile Arg Ala Leu Val Lys His  
 180 185 190

Ile Lys Gly Leu Ser Asp Asp Glu Ile Met Asp Val Glu Ile Pro Asn  
 195 200 205

Phe Pro Pro Leu Val Phe Glu Phe Asp Glu Lys Leu Asn Val Val Ser  
 210 215 220

Glu Tyr Tyr Leu Gly Lys  
 225 230

<210> 708  
 <211> 179  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 708

Met Ser Leu Lys Asp Arg Phe Asp Arg Phe Ile Asp Tyr Phe Thr Glu  
 1 5 10 15

Asp Glu Asp Ser Ser Leu Pro Tyr Glu Lys Arg Asp Glu Pro Val Phe  
 20 25 30

Thr Ser Val Asn Ser Ser Gln Glu Pro Ala Leu Pro Met Asn Gln Pro  
 35 40 45

Ser Gln Ser Ala Gly Thr Lys Glu Asn Asn Ile Thr Arg Leu His Ala  
 50 55 60

Arg Gln Gln Glu Leu Ala Asn Gln Ser Gln Arg Ala Thr Asp Lys Val  
 65 70 75 80

Ile Ile Asp Val Arg Tyr Pro Arg Lys Tyr Glu Asp Ala Thr Glu Ile  
 85 90 95

Val Asp Leu Leu Ala Gly Asn Glu Ser Ile Leu Ile Asp Phe Gln Tyr  
 100 105 110

Met Thr Glu Val Gln Ala Arg Arg Cys Leu Asp Tyr Leu Asp Gly Ala  
 115 120 125

Cys His Val Leu Ala Gly Asn Leu Lys Lys Val Ala Ser Thr Met Tyr  
 130 135 140

Leu Leu Thr Pro Val Asn Val Ile Val Asn Val Glu Asp Ile Arg Leu  
 145 150 155 160

Pro Asp Glu Asp Gln Gln Gly Glu Phe Gly Phe Asp Met Lys Arg Asn  
 165 170 175

Arg Val Arg

<210> 709  
 <211> 457  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 709

Met Ala Arg Glu Gly Phe Phe Thr Gly Leu Asp Ile Gly Thr Ser Ser  
 1 5 10 15

Val Lys Val Leu Val Ala Glu Gln Arg Asn Gly Glu Leu Asn Val Ile  
 20 25 30

Gly Val Ser Asn Ala Lys Ser Lys Gly Val Lys Asp Gly Ile Ile Val  
 35 40 45

Asp Ile Asp Ala Ala Ala Thr Ala Ile Lys Ser Ala Ile Ser Gln Ala  
 50 55 60

Glu Glu Lys Ala Gly Ile Ser Ile Lys Ser Val Asn Val Gly Leu Pro  
 65 70 75 80

Gly Asn Leu Leu Gln Val Glu Pro Thr Gln Gly Met Ile Pro Val Thr  
 85 90 95

Ser Asp Thr Lys Glu Ile Thr Asp Gln Asp Val Glu Asn Val Val Lys  
 100 105 110

Ser Ala Leu Thr Lys Ser Met Thr Pro Asp Arg Glu Val Ile Thr Phe  
 115 120 125

Ile Pro Glu Glu Phe Ile Val Asp Gly Phe Gln Gly Ile Arg Asp Pro  
 130 135 140

Arg Gly Met Met Gly Val Arg Leu Glu Met Arg Gly Leu Leu Tyr Thr  
 145 150 155 160

Gly Pro Arg Thr Ile Leu His Asn Leu Arg Lys Thr Val Glu Arg Ala  
 165 170 175

Gly Val Gln Val Glu Asn Val Ile Ile Ser Pro Leu Ala Met Val Gln  
 180 185 190

Ser Val Leu Asn Glu Gly Glu Arg Glu Phe Gly Ala Thr Val Ile Asp  
 195 200 205

Met Gly Ala Gly Gln Thr Thr Val Ala Thr Ile Arg Asn Gln Glu Leu  
 210 215 220

Gln Phe Thr His Ile Leu Gln Glu Gly Gly Asp Tyr Val Thr Lys Asp  
 225 230 235 240

Ile Ser Lys Val Leu Lys Thr Ser Arg Lys Leu Ala Glu Gly Leu Lys  
 245 250 255

Leu Asn Tyr Gly Glu Ala Tyr Pro Pro Leu Ala Ser Lys Glu Thr Phe  
 260 265 270

Gln Val Glu Val Ile Gly Glu Val Glu Ala Val Glu Val Thr Glu Ala  
 275 280 285

Tyr Leu Ser Glu Ile Ile Ser Ala Arg Ile Lys His Ile Leu Glu Gln  
 290 295 300

Ile Lys Gln Glu Leu Asp Arg Arg Arg Leu Leu Asp Leu Pro Gly Gly  
 305 310 315 320

Ile Val Leu Ile Gly Gly Asn Ala Ile Leu Pro Gly Met Val Glu Leu  
 325 330 335

Ala Gln Glu Val Phe Gly Val Arg Val Lys Leu Tyr Val Pro Asn Gln  
 340 345 350

Val Gly Ile Arg Asn Pro Ala Phe Ala His Val Ile Ser Leu Ser Glu  
 355 360 365



Phe Ala Gly Gln Leu Thr Glu Val Asn Leu Leu Ala Gln Gly Ala Ile  
370 375 380

Lys Gly Glu Asn Asp Leu Ser His Gln Pro Ile Ser Phe Gly Gly Met  
385 390 395 400

Leu Gln Lys Thr Ala Gln Phe Val Gln Ser Thr Pro Val Gln Pro Ala  
405 410 415

Pro Ala Pro Glu Val Glu Pro Val Ala Pro Thr Glu Pro Met Ala Asp  
420 425 430

Phe Gln Gln Ala Ser Gln Asn Lys Pro Lys Leu Ala Asp Arg Phe Arg  
435 440 445

Gly Leu Ile Gly Ser Met Phe Asp Glu  
450 455

<210> 710

<211> 685

<212> PRT

<213> Streptococcus pneumoniae

<400> 710

Met Arg Leu Ile Cys Met Arg Lys Phe Asn Ser His Ser Ile Pro Ile  
1 5 10 15

Arg Leu Asn Leu Leu Phe Ser Ile Val Ile Leu Leu Phe Met Thr Ile  
20 25 30

Ile Gly Arg Leu Leu Tyr Met Gln Val Leu Asn Lys Asp Phe Tyr Glu  
35 40 45

Lys Lys Leu Ala Ser Ala Ser Gln Thr Lys Ile Thr Ser Ser Ser Ala  
50 55 60

Arg Gly Glu Ile Tyr Asp Ala Ser Gly Lys Pro Leu Val Glu Asn Thr  
65 70 75 80

Leu Lys Gln Val Val Ser Phe Thr Arg Ser Asn Lys Met Thr Ala Thr  
85 90 95

Asp Leu Lys Glu Thr Ala Lys Lys Leu Leu Thr Tyr Val Ser Ile Ser  
 100 105 110

Ser Pro Asn Leu Thr Glu Arg Gln Leu Ala Asp Tyr Tyr Leu Ala Asp  
 115 120 125

Pro Glu Ile Tyr Lys Lys Ile Val Glu Ala Leu Pro Ser Glu Lys Arg  
 130 135 140

Leu Asp Ser Asp Gly Asn Arg Leu Ser Glu Ser Glu Leu Tyr Asn Asn  
 145 150 155 160

Ala Val Asp Ser Val Gln Thr Ser Gln Leu Asn Tyr Thr Glu Asp Glu  
 165 170 175

Lys Lys Glu Ile Tyr Leu Phe Ser Gln Leu Asn Ala Val Gly Asn Phe  
 180 185 190

Ala Thr Gly Thr Ile Ala Thr Asp Pro Leu Asn Asp Ser Gln Val Ala  
 195 200 205

Val Ile Ala Ser Ile Ser Lys Glu Met Pro Gly Ile Ser Ile Ser Thr  
 210 215 220

Ser Trp Asp Arg Lys Val Leu Glu Thr Ser Leu Ser Ser Ile Val Gly  
 225 230 235 240

Ser Val Ser Ser Glu Lys Ala Gly Leu Pro Ala Glu Glu Ala Glu Ala  
 245 250 255

Tyr Leu Lys Lys Gly Tyr Ser Leu Asn Asp Arg Val Gly Thr Ser Tyr  
 260 265 270

Leu Glu Lys Gln Tyr Glu Glu Thr Leu Gln Gly Lys Arg Ser Val Lys  
 275 280 285

Glu Ile His Leu Asp Lys Tyr Gly Asn Met Glu Ser Val Asp Thr Ile  
 290 295 300

Glu Glu Gly Ser Lys Gly Asn Asn Ile Lys Leu Thr Ile Asp Leu Ala  
 305 310 315 320

Phe Gln Asp Ser Val Asp Ala Leu Leu Lys Ser Tyr Phe Asn Ser Glu  
 325 330 335  
 Leu Glu Asn Gly Gly Ala Lys Tyr Ser Glu Gly Val Tyr Ala Val Ala  
 340 345 350  
 Leu Asn Pro Lys Thr Gly Ala Val Leu Ser Met Ser Gly Ile Lys His  
 355 360 365  
 Asp Leu Lys Thr Gly Glu Leu Thr Pro Asp Ser Leu Gly Thr Val Thr  
 370 375 380  
 Asn Val Phe Val Pro Gly Ser Val Val Lys Ala Ala Thr Ile Ser Ser  
 385 390 395 400  
 Gly Trp Glu Asn Gly Val Leu Ser Gly Asn Gln Thr Leu Thr Asp Gln  
 405 410 415  
 Ser Ile Val Phe Gln Gly Ser Ala Pro Ile Asn Ser Trp Tyr Thr Gln  
 420 425 430  
 Ala Tyr Gly Ser Phe Pro Ile Thr Ala Val Gln Ala Leu Glu Tyr Ser  
 435 440 445  
 Ser Asn Thr Tyr Met Val Gln Thr Ala Leu Gly Leu Met Gly Gln Thr  
 450 455 460  
 Tyr Gln Pro Asn Met Phe Val Gly Thr Ser Asn Leu Glu Ser Ala Met  
 465 470 475 480  
 Glu Lys Leu Arg Ser Thr Phe Gly Glu Tyr Gly Leu Gly Thr Ala Thr  
 485 490 495  
 Gly Ile Asp Leu Pro Asp Glu Ser Thr Gly Phe Val Pro Lys Glu Tyr  
 500 505 510  
 Ser Phe Ala Asn Tyr Ile Thr Asn Ala Phe Gly Gln Phe Asp Asn Tyr  
 515 520 525  
 Thr Pro Met Gln Leu Ala Gln Tyr Val Ala Thr Ile Ala Asn Asn Gly

530                      535                      540  
 Val Arg Val Ala Pro Arg Ile Val Glu Gly Ile Tyr Gly Asn Asn Asp  
 545                      550                      555                      560  
 Lys Gly Gly Leu Gly Asp Leu Ile Gln Gln Leu Gln Pro Thr Glu Met  
                     565                      570                      575  
 Asn Lys Val Asn Ile Ser Asp Ser Asp Met Ser Ile Leu His Gln Gly  
                     580                      585                      590  
 Phe Tyr Gln Val Ala His Gly Thr Ser Gly Leu Thr Thr Gly Arg Ala  
                     595                      600                      605  
 Phe Ser Asn Gly Ala Leu Val Ser Ile Ser Gly Lys Thr Gly Thr Ala  
                     610                      615                      620  
 Glu Ser Tyr Val Ala Asp Gly Gln Gln Ala Thr Asn Thr Asn Ala Val  
 625                      630                      635                      640  
 Ala Tyr Ala Pro Ser Asp Asn Pro Gln Ile Ala Val Ala Val Val Phe  
                     645                      650                      655  
 Pro His Asn Thr Asn Leu Thr Asn Gly Val Gly Pro Ser Ile Ala Arg  
                     660                      665                      670  
 Asp Ile Ile Asn Leu Tyr Gln Lys Tyr His Pro Met Asn  
                     675                      680                      685  
  
 <210> 711  
 <211> 301  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 711  
 Met Ser Glu Leu Ile Ser Val Val Val Pro Ile Tyr Asn Thr Gly Lys  
 1                      5                      10                      15  
 Tyr Leu Val Glu Cys Val Glu His Ile Leu Lys Gln Thr Tyr Gln Asn  
                     20                      25                      30  
 Ile Glu Ile Ile Leu Val Asp Asp Gly Ser Thr Asp Asn Ser Gly Glu

-845-

Ile Arg Phe Val Asn Leu Leu Lys Asp Tyr Lys Gln Thr Leu Glu Tyr  
 260 265 270

His Gln Leu Thr Asp Thr Glu Glu Tyr Lys Asp Ile Cys Phe Arg Leu  
 275 280 285

Lys Leu Phe Phe Asp Ala Glu Gln Arg Asn Gly Lys Ser  
 290 295 300

<210> 712  
 <211> 104  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 712

Met Ala Lys Ala Ile Thr Asp Ala Thr Phe Glu Gln Glu Thr Lys Asp  
 1 5 10 15

Gly Leu Val Leu Val Asp Phe Trp Ala Thr Trp Cys Gly Pro Cys Arg  
 20 25 30

Met Gln Gly Pro Ile Leu Asp Lys Leu Ser Glu Glu Leu Ser Glu Asp  
 35 40 45

Val Leu Lys Ile Val Lys Met Asp Val Asp Glu Asn Pro Asn Thr Ala  
 50 55 60

Arg Ala Phe Gly Ile Met Ser Ile Pro Thr Leu Leu Phe Lys Lys Asp  
 65 70 75 80

Gly Gln Val Val Lys Gln Val Ala Gly Val His Thr Ala Glu Gln Ile  
 85 90 95

Lys Ala Ile Ile Ala Glu Leu Ser  
 100

<210> 713  
 <211> 202  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 713

Met Ser Asn Glu Lys Asn Thr Asn Thr Asn Val Glu Lys Lys Asp Ala

```
<210> 714
<211> 583
<212> PRT
<213> Streptococcus pneumoniae
```

&lt;400&gt; 714

Met Gln Asn Lys Gln Glu Gln Trp Thr Val Leu Lys Arg Leu Met Ser  
1 5 10 15

Tyr Leu Lys Pro Tyr Gly Leu Leu Thr Phe Leu Ala Leu Ser Phe Leu  
20 25 30

Leu Ala Thr Thr Val Ile Lys Ser Val Ile Pro Leu Val Ala Ser His  
35 40 45

Phe Ile Asp Gln Tyr Leu Ser Asn Leu Asn Gln Leu Ala Val Thr Val  
50 55 60

Leu Leu Val Tyr Tyr Gly Leu Tyr Ile Leu Gln Thr Val Val Gln Tyr  
65 70 75 80

Val Gly Asn Leu Leu Phe Ala Arg Val Ser Tyr Ser Ile Val Arg Asp  
85 90 95

Ile Arg Arg Asp Ala Phe Ala Asn Met Glu Lys Leu Gly Met Ser Tyr  
100 105 110

Phe Asp Lys Thr Pro Ala Gly Ser Ile Val Ser Arg Leu Thr Asn Asp  
115 120 125

Thr Glu Thr Ile Ser Asp Met Phe Ser Gly Ile Leu Ser Ser Phe Ile  
130 135 140

Ser Ala Val Phe Ile Phe Leu Thr Thr Leu Tyr Thr Met Leu Val Leu  
145 150 155 160

Asp Phe Arg Leu Thr Ala Leu Val Leu Leu Phe Leu Pro Leu Ile Phe  
165 170 175

Leu Leu Val Asn Leu Tyr Arg Lys Lys Ser Val Lys Ile Ile Glu Lys  
180 185 190

Thr Arg Ser Leu Leu Ser Asp Ile Asn Ser Lys Leu Ala Glu Asn Ile  
195 200 205



Glu Gly Ile Arg Ile Ile Gln Ala Phe Asn Gln Glu Lys Arg Leu Gln  
 210 215 220  
 Ala Glu Phe Asp Glu Ile Asn Gln Glu His Leu Val Tyr Ala Asn Arg  
 225 230 235 240  
 Ser Val Ala Leu Asp Ala Leu Phe Leu Arg Pro Ala Met Ser Leu Leu  
 245 250 255  
 Lys Leu Leu Gly Tyr Ala Val Leu Met Ala Tyr Phe Gly Tyr Arg Gly  
 260 265 270  
 Phe Ser Ile Gly Ile Thr Val Gly Thr Met Tyr Ala Phe Ile Gln Tyr  
 275 280 285  
 Ile Asn Arg Leu Phe Asp Pro Leu Ile Glu Val Thr Gln Asn Phe Ser  
 290 295 300  
 Thr Leu Gln Thr Ala Met Val Ser Ala Gly Arg Val Phe Ala Leu Ile  
 305 310 315 320  
 Asp Glu Arg Thr Tyr Glu Pro Leu Gln Glu Asn Gly Gln Ala Lys Val  
 325 330 335  
 Gln Glu Gly Asn Ile Arg Phe Glu His Val Cys Phe Ser Tyr Asp Gly  
 340 345 350  
 Lys His Pro Ile Leu Asp Asp Ile Ser Phe Ser Val Asn Lys Gly Glu  
 355 360 365  
 Thr Ile Ala Phe Val Gly His Thr Gly Ser Gly Lys Ser Ser Ile Ile  
 370 375 380  
 Asn Val Leu Met Arg Phe Tyr Glu Phe Gln Ser Gly Arg Val Leu Leu  
 385 390 395 400  
 Asp Asp Val Asp Ile Arg Asp Phe Ser Gln Glu Glu Leu Arg Lys Asn  
 405 410 415  
 Ile Gly Leu Val Leu Gln Glu Pro Phe Leu Tyr His Gly Thr Ile Lys  
 420 425 430

Ser Asn Ile Ala Met Tyr Gln Glu Thr Ser Asp Glu Gln Val Gln Ala  
 435 440 445

Ala Ala Ala Phe Val Asp Ala Asp Ser Phe Ile Gln Glu Leu Pro Gln  
 450 455 460

Gly Tyr Asp Ser Pro Val Ser Glu Arg Gly Ser Ser Phe Ser Thr Gly  
 465 470 475 480

Gln Arg Gln Leu Leu Ala Phe Ala Arg Thr Val Ala Ser Gln Pro Lys  
 485 490 495

Ile Leu Ile Leu Asp Glu Ala Thr Ala Asn Ile Asp Ser Glu Thr Glu  
 500 505 510

Ser Leu Val Gln Ala Ser Leu Ala Lys Met Arg Gln Gly Arg Thr Thr  
 515 520 525

Ile Ala Ile Ala His Arg Leu Ser Thr Ile Gln Asp Ala Asn Cys Ile  
 530 535 540

Tyr Val Leu Asp Lys Gly Arg Ile Ile Glu Ser Gly Thr His Glu Glu  
 545 550 555 560

Leu Leu Ala Leu Gly Gly Thr Tyr His Lys Met Tyr Ser Leu Gln Ala  
 565 570 575

Gly Ala Met Ala Asp Thr Leu  
 580

<210> 715

<211> 153

<212> PRT

<213> Streptococcus pneumoniae

<400> 715

Met Lys Thr Lys Gln Leu Val Ala Ser Glu Glu Val Tyr Asp Phe Leu  
 1 5 10 15

Lys Val Ile Trp Pro Asp Tyr Glu Thr Glu Ser Arg Tyr Asp Asn Leu  
 20 25 30

Ser Leu Ile Val Cys Thr Leu Ser Asp Pro Asp Cys Val Arg Trp Leu  
 35 40 45

Ser Glu Asn Met Lys Phe Gly Asp Glu Lys Gln Leu Ala Leu Met Lys  
 50 55 60

Glu Lys Tyr Gly Trp Glu Val Gly Asp Lys Leu Pro Glu Trp Leu His  
 65 70 75 80

Ser Ser Tyr His Arg Leu Leu Leu Ile Gly Glu Leu Leu Glu Ser Asn  
 85 90 95

Leu Lys Leu Lys Lys Tyr Thr Val Glu Ile Thr Glu Thr Leu Ser Arg  
 100 105 110

Leu Val Ser Ile Glu Ala Glu Asn Pro Asp Glu Ala Glu Arg Leu Val  
 115 120 125

Arg Glu Lys Tyr Lys Ser Cys Glu Ile Val Leu Asp Ala Asp Asp Phe  
 130 135 140

Gln Asp Tyr Asp Thr Ser Ile Tyr Glu  
 145 150

<210> 716

<211> 336

<212> PRT

<213> Streptococcus pneumoniae

<400> 716

Met Ala Gly Lys Arg Asp Ser Cys Gly Ala Cys Arg Ile Met Thr Asn  
 1 5 10 15

Lys Ile Tyr Glu Tyr Lys Asp Asp Gln Asp Trp Tyr Val Gly Ser Tyr  
 20 25 30

Ser Ile Phe Gly Gly Val Asn Ser Leu Ser Asp Tyr Lys Thr Asp Phe  
 35 40 45

Pro Leu Phe Glu Phe Ser Lys Ile Phe Gly Asp Glu Glu Tyr Gly Phe  
 50 55 60

Pro Leu Ser Val Thr Val Leu Arg Tyr Gly Ser Ile Tyr Arg Leu Phe  
65 70 75 80

Ser Phe Val Val Asp Met Leu Asn Gln Glu Met Gly Arg Asn Leu Glu  
85 90 95

Val Ile Gln Arg His Gly Ala Leu Leu Leu Val Glu Asn Gly Gln Leu  
100 105 110

Leu Tyr Val Glu Leu Pro Lys Glu Gly Val Asn Val His Asp Phe Phe  
115 120 125

Glu Thr Ser Lys Val Arg Glu Thr Leu Leu Ile Ala Thr Arg Asn Glu  
130 135 140

Gly Lys Thr Lys Glu Phe Arg Ala Ile Phe Asp Lys Leu Gly Tyr Asp  
145 150 155 160

Val Glu Asn Leu Asn Asp Tyr Pro Asp Leu Pro Glu Val Ala Glu Thr  
165 170 175

Gly Met Thr Phe Glu Glu Asn Ala Arg Leu Lys Ala Glu Thr Ile Ser  
180 185 190

Gln Leu Thr Gly Lys Met Val Leu Ala Asp Asp Ser Gly Leu Lys Val  
195 200 205

Asp Val Leu Gly Gly Leu Pro Gly Val Trp Ser Ala Arg Phe Ala Gly  
210 215 220

Val Gly Ala Thr Asp Arg Glu Asn Asn Ala Lys Leu Leu His Glu Leu  
225 230 235 240

Ala Met Val Phe Glu Leu Lys Asp Arg Ser Ala Gln Phe His Thr Thr  
245 250 255

Leu Val Val Ala Ser Pro Asn Lys Glu Ser Leu Val Val Glu Ala Asp  
260 265 270

Trp Ser Gly Tyr Ile Asn Phe Glu Pro Lys Gly Glu Asn Gly Phe Gly  
275 280 285

Tyr Asp Pro Leu Phe Leu Val Gly Glu Thr Gly Glu Ser Ser Ala Glu  
290 295 300

Leu Thr Leu Glu Glu Lys Asn Ser Gln Ser His Arg Ala Leu Ala Val  
305 310 315 320

Lys Lys Leu Leu Glu Val Phe Pro Ser Trp Gln Ser Lys Pro Ser Leu  
325 330 335

<210> 717

<211> 100

<212> PRT

<213> Streptococcus pneumoniae

<400> 717

Met Ala Ser Leu Trp Tyr Asn Glu Arg Asp Ser Lys Arg Asn Arg Arg  
1 5 10 15

Lys Met Met Asp Leu Leu Leu Ala Ile Val Leu Ile Val Leu Ala Phe  
20 25 30

Leu Gly Gly Ala Leu Gly Gly Met Tyr Leu Val Arg Lys Gln Ile Glu  
35 40 45

Lys Glu Phe Ala Asp Asn Pro Arg Leu Asn Ala Glu Ala Val Arg Thr  
50 55 60

Leu Leu Ser Ala Asn Gly Gln Lys Pro Ser Glu Ala Lys Val Gln Gln  
65 70 75 80

Val Tyr His Gln Ile Ile Arg Gln Gln Lys Ala Ala Leu Ala Asn Asn  
85 90 95

Lys Lys Lys Lys  
100

<210> 718

<211> 94

<212> PRT

<213> Streptococcus pneumoniae

<400> 718

Met Leu Lys Pro Leu Gly Asp Arg Val Val Leu Lys Ile Glu Glu Lys  
1 5 10 15

Glu Gln Thr Val Gly Gly Phe Val Leu Ala Gly Ser Ala Gln Glu Lys  
20 25 30

Thr Lys Thr Ala Gln Val Val Ala Thr Gly Gln Gly Val Arg Thr Leu  
35 40 45

Asn Gly Asp Leu Val Ala Pro Ser Val Lys Thr Gly Asp Arg Val Leu  
50 55 60

Val Glu Ala His Ala Gly Leu Asp Val Lys Asp Gly Asp Glu Lys Tyr  
65 70 75 80

Ile Ile Val Gly Glu Ala Asn Ile Leu Ala Ile Ile Glu Glu  
85 90

<210> 719

<211> 158

<212> PRT

<213> Streptococcus pneumoniae

<400> 719

Met Lys Gly Val Thr Asn Met Thr Pro Glu Glu Met Tyr Leu Thr Glu  
1 5 10 15

Arg Leu Asp Val Gln Ile Ala His Phe Leu Lys Lys Ser Val Gln His  
20 25 30

Arg Arg Arg Tyr Lys Val Leu Lys Ile Thr Glu Ile Val Ala Gly Phe  
35 40 45

Leu Ile Ala Val Phe Cys Ala Ile Pro Met Pro Gly Asp Arg Tyr Arg  
50 55 60

Leu Ile Ser Val Ala Leu Ser Ser Leu Gly Leu Leu Cys Glu Gly Ile  
65 70 75 80

Ile Asn Leu Tyr Asn Ala Lys Glu Asn Trp Ile Ser Tyr Gln Lys Thr  
85 90 95

Ala Gln Leu Leu Glu Lys Glu Lys Phe Leu Tyr Gln Cys Gln Thr Glu  
100 105 110

Lys Tyr Ala Gly Lys Thr Lys Ala Phe Ala Leu Phe Val Lys Thr Cys  
115 120 125

Glu Gly Leu Ile Ser Glu Glu Ile Asn Gln Trp Glu Ser Ile Gln Ser  
130 135 140

Lys Glu Val Ala Ala Ser Ala Asp Ala Pro Val Lys Lys Glu  
145 150 155

<210> 720  
<211> 388  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 720

Met Ala Lys Lys Pro Lys Lys Leu Glu Glu Ile Ser Lys Lys Phe Gly  
1 5 10 15

Ala Glu Arg Glu Lys Ala Leu Asn Asp Ala Leu Lys Leu Ile Glu Lys  
20 25 30

Asp Phe Gly Lys Gly Ser Ile Met Arg Leu Gly Glu Arg Ala Glu Gln  
35 40 45

Lys Val Gln Val Met Ser Ser Gly Ser Leu Ala Leu Asp Ile Ala Leu  
50 55 60

Gly Ser Gly Gly Tyr Pro Lys Gly Arg Ile Ile Glu Ile Tyr Gly Pro  
65 70 75 80

Glu Ser Ser Gly Lys Thr Thr Val Ala Leu His Ala Val Ala Gln Ala  
85 90 95

Gln Lys Glu Gly Gly Ile Ala Ala Phe Ile Asp Ala Glu His Ala Leu  
100 105 110

Asp Pro Ala Tyr Ala Ala Ala Leu Gly Val Asn Ile Asp Glu Leu Leu  
115 120 125

Leu Ser Gln Pro Asp Ser Gly Glu Gln Gly Leu Glu Ile Ala Gly Lys  
 130 135 140

Leu Ile Asp Ser Gly Ala Val Asp Leu Val Val Val Asp Ser Val Ala  
 145 150 155 160

Ala Leu Val Pro Arg Ala Glu Ile Asp Gly Asp Ile Gly Asp Ser His  
 165 170 175

Val Gly Leu Gln Ala Arg Met Met Ser Gln Ala Met Arg Lys Leu Gly  
 180 185 190

Ala Ser Ile Asn Lys Thr Lys Thr Ile Ala Ile Phe Ile Asn Gln Leu  
 195 200 205

Arg Glu Lys Val Gly Val Met Phe Gly Asn Pro Glu Thr Thr Pro Gly  
 210 215 220

Gly Arg Ala Leu Lys Phe Tyr Ala Ser Val Arg Leu Asp Val Arg Gly  
 225 230 235 240

Asn Thr Gln Ile Lys Gly Thr Gly Asp Gln Lys Glu Thr Asn Val Gly  
 245 250 255

Lys Glu Thr Lys Ile Lys Val Val Lys Asn Lys Val Ala Pro Pro Phe  
 260 265 270

Lys Glu Ala Val Val Glu Ile Met Tyr Gly Glu Gly Ile Ser Lys Thr  
 275 280 285

Gly Glu Leu Leu Lys Ile Ala Ser Asp Leu Asp Ile Ile Lys Lys Ala  
 290 295 300

Gly Ala Trp Tyr Ser Tyr Lys Asp Glu Lys Ile Gly Gln Gly Ser Glu  
 305 310 315 320

Asn Ala Lys Lys Tyr Leu Ala Glu His Pro Glu Ile Phe Asp Glu Ile  
 325 330 335

Asp Lys Gln Val Arg Ser Lys Phe Gly Leu Ile Asp Gly Glu Glu Val  
 340 345 350



Ser Glu Gln Asp Thr Glu Asn Lys Lys Asp Glu Pro Lys Lys Glu Glu  
 355 360 365

Ala Val Asn Glu Glu Val Pro Leu Asp Leu Gly Asp Glu Leu Glu Ile  
 370 375 380

Glu Ile Glu Glu  
 385

<210> 721  
 <211> 1225  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 721

Met Val Asp Val Asn Arg Phe Lys Ser Met Gln Ile Thr Leu Ala Ser  
 1 5 10 15

Pro Ser Lys Val Arg Ser Trp Ser Tyr Gly Glu Val Lys Lys Pro Glu  
 20 25 30

Thr Ile Asn Tyr Arg Thr Leu Lys Pro Glu Arg Glu Gly Leu Phe Asp  
 35 40 45

Glu Val Ile Phe Gly Pro Thr Lys Asp Trp Glu Cys Ala Cys Gly Lys  
 50 55 60

Tyr Lys Arg Ile Arg Tyr Arg Gly Ile Val Cys Asp Arg Cys Gly Val  
 65 70 75 80

Glu Val Thr Arg Thr Lys Val Arg Arg Glu Arg Met Gly His Ile Glu  
 85 90 95

Leu Lys Ala Pro Val Ser His Ile Trp Tyr Phe Lys Gly Ile Pro Ser  
 100 105 110

Arg Met Gly Leu Thr Leu Asp Met Ser Pro Arg Ala Leu Glu Glu Val  
 115 120 125

Ile Tyr Phe Ala Ala Tyr Val Val Ile Asp Pro Lys Asp Thr Pro Leu  
 130 135 140

Glu His Lys Ser Ile Met Thr Glu Arg Glu Tyr Arg Glu Arg Leu Arg  
 145 150 155 160

Glu Tyr Gly Tyr Gly Ser Phe Val Ala Lys Met Gly Ala Glu Ala Ile  
 165 170 175

Gln Asp Leu Leu Lys Gln Val Asp Leu Glu Lys Glu Ile Ala Glu Leu  
 180 185 190

Lys Glu Glu Leu Lys Thr Ala Thr Gly Gln Lys Arg Val Lys Ala Ile  
 195 200 205

Arg Arg Leu Asp Val Leu Asp Ala Phe Tyr Lys Ser Gly Asn Lys Pro  
 210 215 220

Glu Trp Met Ile Leu Asn Ile Leu Pro Val Ile Pro Pro Asp Leu Arg  
 225 230 235 240

Pro Met Leu Gln Leu Asp Gly Gly Arg Phe Ala Ser Ser Asp Leu Asn  
 245 250 255

Asp Leu Tyr Arg Arg Val Ile Asn Arg Asn Asn Arg Leu Ala Arg Leu  
 260 265 270

Leu Glu Leu Asn Ala Pro Gly Ile Ile Val Gln Asn Glu Lys Arg Met  
 275 280 285

Leu Gln Glu Ala Val Asp Ala Leu Ile Asp Asn Gly Arg Arg Gly Arg  
 290 295 300

Pro Ile Thr Gly Pro Gly Ser Arg Pro Leu Lys Ser Leu Ser His Met  
 305 310 315 320

Leu Lys Gly Lys Gln Gly Arg Phe Arg Gln Asn Leu Leu Gly Lys Arg  
 325 330 335

Val Asp Phe Ser Gly Arg Ser Val Ile Ala Val Gly Pro Thr Leu Lys  
 340 345 350

Met Tyr Gln Cys Gly Val Pro Arg Glu Met Ala Ile Glu Leu Phe Lys

355	360	365
Pro Phe Val Met Arg Glu Ile Val Ala Arg Asp Ile Val Gln Asn Val		
370	375	380
Lys Ala Ala Lys Arg Leu Val Glu Arg Gly Asp Glu Arg Ile Trp Asp		
385	390	395
Ile Leu Glu Glu Val Ile Lys Glu His Pro Val Leu Leu Asn Arg Ala		
405	410	415
Pro Thr Leu His Arg Leu Gly Ile Gln Ala Phe Glu Pro Val Leu Ile		
420	425	430
Asp Gly Lys Ala Leu Arg Leu His Pro Leu Val Cys Glu Ala Tyr Asn		
435	440	445
Ala Asp Phe Asp Gly Asp Gln Met Ala Ile His Val Pro Leu Ser Glu		
450	455	460
Glu Ala Gln Ala Glu Ala Arg Ile Leu Met Leu Ala Ala Glu His Ile		
465	470	475
Leu Asn Pro Lys Asp Gly Lys Pro Val Val Thr Pro Ser Gln Asp Met		
485	490	495
Val Leu Gly Asn Tyr Tyr Leu Thr Met Glu Glu Ala Gly Arg Glu Gly		
500	505	510
Glu Gly Met Val Phe Lys Asp Arg Asp Glu Ala Val Met Ala Tyr Arg		
515	520	525
Asn Gly Tyr Val His Leu His Ser Arg Val Gly Ile Ala Thr Asp Ser		
530	535	540
Leu Asn Lys Pro Trp Thr Glu Glu Gln Arg His Lys Val Leu Leu Thr		
545	550	555
Thr Val Gly Lys Ile Leu Phe Asn Asp Ile Met Pro Glu Gly Leu Pro		
565	570	575

Tyr Leu Gln Glu Pro Asn Asn Ala Asn Leu Thr Glu Gly Val Pro Ala  
 580 585 590

Lys Tyr Phe Leu Pro Leu Gly Gly Asp Ile Lys Glu Ala Ile Ser Asn  
 595 600 605

Leu Glu Leu Asn Pro Pro Phe Lys Lys Lys Asn Leu Gly Asn Ile Ile  
 610 615 620

Ala Glu Ile Phe Lys Arg Phe Arg Thr Thr Glu Thr Ser Ala Leu Leu  
 625 630 635 640

Asp Arg Met Lys Asn Leu Gly Tyr His His Ser Thr Leu Ala Gly Leu  
 645 650 655

Thr Val Gly Ile Ala Asp Ile Pro Val Val Asp Asp Lys Ala Glu Ile  
 660 665 670

Ile Glu Glu Ser His Lys Arg Val Glu Gln Ile Thr Lys Gln Phe Arg  
 675 680 685

Arg Gly Met Ile Thr Asp Asp Glu Arg Tyr Asn Ala Val Thr Ala Glu  
 690 695 700

Trp Arg Ala Ala Arg Glu Lys Leu Glu Lys Arg Leu Ile Ala Asn Gln  
 705 710 715 720

Asp Pro Lys Asn Pro Ile Val Met Met Met Asp Ser Gly Ala Arg Gly  
 725 730 735

Asn Ile Ser Asn Phe Ser Gln Leu Ala Gly Met Arg Gly Leu Met Ala  
 740 745 750

Ala Pro Asn Gly Arg Ile Met Glu Leu Pro Ile Leu Ser Asn Phe Arg  
 755 760 765

Glu Gly Leu Ser Val Leu Glu Met Phe Phe Ser Thr His Gly Ala Arg  
 770 775 780

Lys Gly Met Thr Asp Thr Ala Leu Lys Thr Ala Asp Ser Gly Tyr Leu  
 785 790 795 800

Thr Arg Arg Leu Val Asp Val Ala Gln Asp Val Ile Ile Arg Glu Asp  
805 810 815

Asp Cys Gly Thr Asp Arg Gly Leu Leu Ile Arg Ser Ile Ala Glu Gly  
820 825 830

Lys Glu Met Ile Glu Ser Leu Glu Glu Arg Leu Asn Gly Arg Tyr Thr  
835 840 845

Lys Lys Thr Val Lys His Pro Glu Thr Gly Ala Val Ile Ile Gly Pro  
850 855 860

Asn Glu Leu Ile Thr Glu Asp Lys Ala Arg Glu Ile Val Asn Ala Gly  
865 870 875 880

Val Glu Glu Val Thr Ile Arg Ser Val Phe Thr Cys Asn Thr Arg His  
885 890 895

Gly Val Cys Arg His Cys Tyr Gly Ile Asn Leu Ala Thr Gly Asp Ala  
900 905 910

Val Glu Val Gly Glu Ala Val Gly Thr Ile Ala Ala Gln Ser Ile Gly  
915 920 925

Glu Pro Gly Thr Gln Leu Thr Met Arg Thr Phe His Thr Gly Gly Val  
930 935 940

Ala Ser Asn Thr Asp Ile Thr Gln Gly Leu Pro Arg Val Gln Glu Ile  
945 950 955 960

Phe Glu Ala Arg Asn Pro Lys Gly Glu Ala Val Ile Thr Glu Val Lys  
965 970 975

Gly Gln Val Thr Ala Ile Glu Glu Asp Ala Ser Thr Arg Thr Lys Lys  
980 985 990

Val Phe Val Lys Gly Glu Thr Gly Glu Gly Glu Tyr Val Val Pro Phe  
995 1000 1005

Thr Ala Arg Met Arg Val Glu Val Gly Gly Gln Val Ala Arg Gly  
1010 1015 1020

Ala Ala Leu Thr Glu Gly Ser Ile Gln Pro Lys Arg Leu Leu Ala  
 1025 1030 1035

Val Arg Asp Val Leu Ser Val Glu Thr Tyr Leu Leu Gly Glu Val  
 1040 1045 1050

Gln Lys Val Tyr Arg Ser Gln Gly Val Glu Ile Gly Asp Lys His  
 1055 1060 1065

Ile Glu Val Met Val Arg Gln Met Ile Arg Lys Val Arg Val Met  
 1070 1075 1080

Asp Pro Gly Asp Thr Asp Leu Leu Met Gly Thr Leu Met Asp Ile  
 1085 1090 1095

Asn Asp Phe Thr Asp Ala Asn Lys Asp Val Leu Ile Ala Gly Gly  
 1100 1105 1110

Val Pro Ala Thr Gly Arg Pro Val Leu Met Gly Ile Thr Lys Ala  
 1115 1120 1125

Ser Leu Glu Thr Asn Ser Phe Leu Ser Ala Ala Ser Phe Gln Glu  
 1130 1135 1140

Thr Thr Arg Val Leu Thr Asp Ala Ala Ile Arg Gly Lys Lys Asp  
 1145 1150 1155

His Leu Leu Gly Leu Lys Glu Asn Val Ile Ile Gly Lys Ile Ile  
 1160 1165 1170

Pro Ala Gly Thr Gly Met Ala Arg Tyr Arg Asn Leu Glu Pro His  
 1175 1180 1185

Ala Val Asn Glu Glu Glu Tyr Leu Asn Pro Pro Val Glu Glu Glu  
 1190 1195 1200

Gly Asn Glu Glu Thr Thr Glu Val Val Val Asp Thr Ala Val Glu  
 1205 1210 1215

Thr Val Glu Glu Thr Val Glu

1220

1225

<210> 722  
 <211> 332  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 722

Met Ser Met Lys Lys Ser Phe Ile His Gln Gln Glu Glu Ile Ser Phe  
 1 5 10 15

Val Lys Asn Thr Phe Thr Gln Tyr Leu Lys Asp Lys Leu Glu Val Val  
 20 25 30

Glu Val Gln Gly Pro Ile Leu Ser Lys Val Gly Asp Gly Met Gln Asp  
 35 40 45

Asn Leu Ser Gly Val Glu Asn Pro Val Ser Val Lys Val Leu Gln Ile  
 50 55 60

Pro Asp Ala Thr Tyr Glu Val Val His Ser Leu Ala Lys Trp Lys Arg  
 65 70 75 80

His Thr Leu Ala Arg Phe Gly Phe Gly Glu Gly Glu Gly Leu Phe Val  
 85 90 95

His Met Lys Ala Leu Arg Pro Asp Glu Asp Ser Leu Asp Ala Thr His  
 100 105 110

Ser Val Tyr Val Asp Gln Trp Asp Trp Glu Lys Val Ile Pro Asn Gly  
 115 120 125

Lys Arg Asn Ile Val Tyr Leu Lys Glu Thr Val Glu Lys Ile Tyr Lys  
 130 135 140

Ala Ile Arg Leu Thr Glu Leu Ala Val Glu Ala Arg Tyr Asp Ile Glu  
 145 150 155 160

Ser Ile Leu Pro Lys Gln Ile Thr Phe Ile His Thr Glu Glu Leu Val  
 165 170 175

Glu Arg Tyr Pro Asp Leu Thr Pro Lys Glu Arg Glu Asn Ala Ile Cys

180 185 190  
 Lys Glu Phe Gly Ala Val Phe Leu Ile Gly Ile Gly Gly Glu Leu Pro  
 195 200 205  
 Asp Gly Lys Pro His Asp Gly Arg Ala Pro Asp Tyr Asp Asp Trp Thr  
 210 215 220  
 Ser Glu Ser Glu Asn Gly Tyr Lys Gly Leu Asn Gly Asp Ile Leu Val  
 225 230 235 240  
 Trp Asn Glu Ser Leu Gly Gly Ala Phe Glu Leu Ser Ser Met Gly Ile  
 245 250 255  
 Arg Val Asp Glu Glu Thr Leu Arg Arg Gln Val Glu Ile Thr Gly Asp  
 260 265 270  
 Glu Asp Arg Leu Glu Leu Glu Trp His Lys Ser Leu Leu Asn Gly Leu  
 275 280 285  
 Phe Pro Leu Thr Ile Gly Gly Gly Ile Gly Gln Ser Arg Met Ala Met  
 290 295 300  
 Phe Leu Leu Arg Lys Arg His Ile Gly Glu Val Gln Thr Ser Val Trp  
 305 310 315 320  
 Pro Gln Glu Val Arg Asp Thr Tyr Glu Asn Ile Leu  
 325 330  
 <210> 723  
 <211> 275  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 723  
 Met Lys Leu Arg Arg Ser Asp Arg Met Val Val Ile Ser Asn Tyr Leu  
 1 5 10 15  
 Ile Asn Asn Pro Tyr Lys Leu Thr Ser Leu Asn Thr Phe Ala Glu Lys  
 20 25 30  
 Tyr Glu Ser Ala Lys Ser Ser Ile Ser Glu Asp Ile Val Ile Ile Lys



35	40	45
Arg Ala Phe Glu Glu Ile Glu Ile Gly His Ile Gln Thr Val Thr Gly		
50	55	60
Ala Gly Gly Gly Val Ile Phe Thr Pro Ser Ile Ser Ser Gln Asp Ala		
65	70	75
Lys Glu Met Val Glu Asp Leu Arg Thr Lys Leu Ser Glu Ser Asp Arg		
	85	90
Ile Leu Pro Gly Gly Tyr Ile Tyr Leu Ser Asp Leu Leu Ser Thr Pro		
	100	105
Ala Ile Leu Lys Asn Ile Gly Arg Ile Ile Ala Lys Ser Phe Met Asp		
	115	120
Gln Lys Ile Asp Ala Val Met Thr Val Ala Thr Lys Gly Val Pro Leu		
	130	135
Ala Asn Ala Val Ala Asn Val Leu Asn Val Ser Phe Val Ile Val Arg		
145	150	155
Arg Asp Leu Lys Ile Thr Glu Gly Ser Thr Val Ser Val Asn Tyr Val		
	165	170
Ser Gly Ser Ser Gly Asp Arg Ile Glu Lys Met Phe Leu Ser Lys Arg		
	180	185
Ser Leu Lys Ala Gly Ser Arg Val Leu Ile Val Asp Asp Phe Leu Lys		
	195	200
Gly Gly Gly Thr Val Asn Gly Met Ile Ser Leu Leu Arg Glu Phe Asp		
	210	215
Ser Glu Leu Ala Gly Val Ala Val Phe Ala Asp Asn Ala Gln Glu Glu		
225	230	235
Arg Glu Lys Gln Phe Asp Tyr Lys Ser Leu Leu Lys Val Thr Asn Ile		
	245	250
		255

Asp Val Lys Asn Gln Ala Ile Asp Val Glu Val Gly Asn Ile Phe Asp  
 260 265 270

Glu Asp Lys  
 275

<210> 724  
 <211> 404  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 724

Met Lys Glu Tyr Asn Lys Ser Ser Lys Leu Glu His Val Ala Tyr Asp  
 1 5 10 15

Ile Arg Gly Pro Val Leu Glu Glu Ala Met Arg Met Arg Ala Asn Gly  
 20 25 30

Glu Lys Ile Leu Arg Leu Asn Thr Gly Asn Pro Ala Glu Phe Gly Phe  
 35 40 45

Thr Ala Pro Asp Glu Val Ile His Asp Leu Ile Met Asn Ala Arg Asp  
 50 55 60

Ser Glu Gly Tyr Ser Asp Ser Lys Gly Ile Phe Ser Ala Arg Lys Ala  
 65 70 75 80

Ile Met Gln Tyr Cys Gln Leu Lys Lys Phe Pro Asn Val Asp Thr Asp  
 85 90 95

Asp Ile Tyr Leu Gly Asn Gly Val Ser Glu Leu Ile Val Met Ser Met  
 100 105 110

Gln Gly Leu Leu Asp Asn Gly Asp Glu Val Leu Val Pro Met Pro Asp  
 115 120 125

Tyr Pro Leu Trp Thr Ala Ala Val Ser Leu Ala Gly Gly Asn Ala Val  
 130 135 140

His Tyr Ile Cys Asp Glu Ala Val Glu Trp Tyr Pro Asp Ile Asp Asp  
 145 150 155 160

Ile Lys Ser Lys Ile Thr Ser Asn Thr Lys Ala Ile Val Leu Ile Asn  
 165 170 175  
 Pro Asn Asn Pro Thr Gly Ala Leu Tyr Pro Lys Glu Leu Leu Leu Glu  
 180 185 190  
 Ile Ile Glu Ile Ala Arg Gln Asn Asp Leu Ile Ile Phe Ala Asp Glu  
 195 200 205  
 Ile Tyr Asp Arg Met Val Met Asp Gly His Val His Thr Pro Val Ala  
 210 215 220  
 Ser Leu Ala Pro Asp Val Phe Cys Val Ser Met Asn Gly Leu Ser Lys  
 225 230 235 240  
 Ser His Arg Ile Ala Gly Phe Arg Val Gly Trp Met Val Leu Ser Gly  
 245 250 255  
 Pro Lys Thr His Val Lys Gly Tyr Ile Glu Gly Leu Asn Met Leu Ser  
 260 265 270  
 Asn Met Arg Leu Cys Ser Asn Val Leu Ala Gln Gln Val Val Gln Thr  
 275 280 285  
 Ser Leu Gly Gly His Gln Ser Val Asp Glu Leu Leu Leu Pro Gly Gly  
 290 295 300  
 Arg Ile Tyr Glu Gln Arg Asn Phe Ile Tyr Asn Ala Ile Gln Asp Ile  
 305 310 315 320  
 Pro Gly Leu Ser Ala Val Lys Pro Lys Ala Gly Leu Tyr Ile Phe Pro  
 325 330 335  
 Lys Ile Asp Arg Asn Met Tyr Arg Ile Asp Asp Asp Glu Gln Phe Val  
 340 345 350  
 Leu Asp Phe Leu Lys Gln Glu Lys Val Leu Leu Val His Gly Arg Gly  
 355 360 365  
 Phe Asn Trp Gln Glu Pro Asp His Phe Arg Ile Val Tyr Leu Pro Arg  
 370 375 380

Val Asp Glu Leu Ala Gln Ile Gln Glu Lys Met Thr Arg Phe Leu Lys  
 385 390 395 400

Gln Tyr Arg Arg

<210> 725  
 <211> 171  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 725

Met Leu Tyr Phe Tyr Ser Glu Lys Val Tyr Asn Tyr Ser Lys Lys Ile  
 1 5 10 15

Ser Gly Gly Phe Ile Met Ala Gln Arg Tyr Gln Asn Ile Met Val Ala  
 20 25 30

Ile Asp Gly Ser Lys Glu Ala Asp Leu Ala Phe Val Lys Gly Val His  
 35 40 45

Ser Ala Leu Arg Asn Asp Ala Lys Leu Thr Ile Ala His Val Ile Asp  
 50 55 60

Thr Arg Ala Leu Gln Ser Val Ser Thr Phe Asp Ala Glu Val Tyr Glu  
 65 70 75 80

Glu Leu Gln Val Asp Ala Glu Ser Leu Met Lys Glu Tyr Glu Lys Arg  
 85 90 95

Ala Lys Asp Ala Gly Val Ala Asp Val His Ile Val Ile Glu Met Gly  
 100 105 110

Asn Pro Lys Thr Leu Leu Ala Arg Thr Ile Pro Asp Ala Glu Glu Val  
 115 120 125

Asp Leu Ile Leu Val Gly Ala Thr Gly Leu Asn Ala Phe Glu Arg Leu  
 130 135 140

Leu Val Gly Ser Ser Ser Glu Tyr Ile Leu Arg His Ala Lys Val Asp  
 145 150 155 160

Leu Leu Val Val Arg Glu Gln Glu Lys Thr Leu  
 165 170

<210> 726

<211> 346

<212> PRT

<213> Streptococcus pneumoniae

<400> 726

Met Cys Glu Ile Glu Arg Thr Gly Lys Gly Met Asn Ala Asp Asp Thr  
 1 5 10 15

Val Thr Ile Tyr Asp Val Ala Arg Glu Ala Gly Val Ser Met Ala Thr  
 20 25 30

Val Ser Arg Val Val Asn Gly Asn Lys Asn Val Lys Glu Asn Thr Arg  
 35 40 45

Lys Lys Val Leu Glu Val Ile Asp Arg Leu Asp Tyr Arg Pro Asn Ala  
 50 55 60

Val Ala Arg Gly Leu Ala Ser Lys Lys Thr Thr Thr Val Gly Val Val  
 65 70 75 80

Ile Pro Asn Ile Thr Asn Gly Tyr Phe Ser Ser Leu Ala Lys Gly Ile  
 85 90 95

Asp Asp Ile Ala Glu Met Tyr Lys Tyr Asn Ile Val Leu Ala Asn Ser  
 100 105 110

Asp Glu Asp Asn Glu Lys Glu Val Ser Val Val Asn Thr Leu Phe Ser  
 115 120 125

Lys Gln Val Asp Gly Ile Ile Tyr Met Gly Tyr His Leu Thr Asp Lys  
 130 135 140

Ile Arg Ser Glu Phe Ser Arg Ser Arg Thr Pro Ile Val Leu Ala Gly  
 145 150 155 160

Thr Val Asp Val Glu His Gln Leu Pro Ser Val Asn Ile Asp Tyr Lys  
 165 170 175

Gln Ala Thr Ile Asp Ala Val Ser Tyr Leu Ala Lys Glu Asn Glu Arg  
 180 185 190

Ile Ala Phe Val Ser Gly Pro Leu Val Asp Asp Ile Asn Gly Lys Val  
 195 200 205

Arg Leu Val Gly Tyr Lys Glu Thr Leu Lys Lys Ala Gly Ile Thr Tyr  
 210 215 220

Ser Glu Gly Leu Val Phe Glu Ser Lys Tyr Ser Tyr Asp Asp Gly Tyr  
 225 230 235 240

Ala Leu Ala Glu Arg Leu Ile Ser Ser Asn Ala Thr Ala Ala Val Val  
 245 250 255

Thr Gly Asp Glu Leu Ala Ala Gly Val Leu Asn Gly Leu Ala Asp Lys  
 260 265 270

Gly Val Ser Val Pro Glu Asp Phe Glu Ile Ile Thr Ser Asp Asp Ser  
 275 280 285

Gln Ile Ser Arg Phe Thr Arg Pro Asn Leu Thr Thr Ile Ala Gln Pro  
 290 295 300

Leu Tyr Asp Leu Gly Ala Ile Ser Met Arg Met Leu Thr Lys Ile Met  
 305 310 315 320

His Lys Glu Glu Leu Glu Glu Arg Glu Val Leu Leu Pro His Gly Leu  
 325 330 335

Thr Glu Arg Ser Ser Thr Arg Lys Arg Lys  
 340 345

<210> 727

<211> 183

<212> PRT

<213> Streptococcus pneumoniae

<400> 727

Met Lys Gly Asn Ile Met Asp Ser Phe Asp Lys Gly Trp Phe Val Leu  
 1 5 10 15

Gln Thr Tyr Ser Gly Tyr Glu Asn Lys Val Lys Glu Asn Leu Leu Gln  
20 25 30

Arg Ala Gln Thr Tyr Asn Met Leu Asp Asn Ile Leu Arg Val Glu Ile  
35 40 45

Pro Thr Gln Thr Val Gln Val Glu Lys Asn Gly Lys Arg Lys Glu Val  
50 55 60

Glu Glu ~~Asn~~ Arg Phe Pro Gly Tyr Val Leu Val Glu Met Val Met Thr  
65 70 75 80

Asp Glu Ala Trp Phe Val Val Arg Asn Thr Pro Asn Val Thr Gly Phe  
85 90 95

Val Gly Ser His Gly Asn Arg Ser Lys Pro Thr Pro Leu Leu Glu Gln  
100 105 110

Glu Ile Arg Asp Ile Leu Val Ser Met Gly Gln Thr Val Gln Glu Phe  
115 120 125

Asp Phe Asp Val Glu Ile Gly Gln Thr Val Arg Ile Ile Asp Gly Ala  
130 135 140

Phe Ala Asp Tyr Thr Gly Lys Ile Thr Glu Ile Asp Asn Asn Lys Val  
145 150 155 160

Lys Met Ile Ile Ser Met Phe Gly Asn Asp Thr Val Ala Glu Val Asn  
165 170 175

Leu Asn Gln Ile Ala Glu Leu  
180

<210> 728

<211> 731

<212> PRT

<213> Streptococcus pneumoniae

<400> 728

Met Lys Leu Asp Lys Leu Phe Glu Lys Phe Leu Ser Leu Phe Lys Lys  
1 5 10 15

Glu Thr Ser Glu Leu Glu Asp Ser Asp Ser Thr Ile Leu Arg Arg Ser  
 20 25 30

Arg Ser Asp Arg Lys Lys Leu Ala Gln Val Gly Pro Ile Arg Lys Phe  
 35 40 45

Trp Arg Arg Tyr His Leu Thr Lys Ile Ile Leu Ile Leu Gly Leu Ser  
 50 55 60

Ala Gly Leu Leu Val Gly Ile Tyr Leu Phe Ala Val Ala Lys Ser Thr  
 65 70 75 80

Asn Val Asn Asp Leu Gln Asn Ala Leu Lys Thr Arg Thr Leu Ile Phe  
 85 90 95

Asp Arg Glu Glu Lys Glu Ala Gly Ala Leu Ser Gly Gln Lys Gly Thr  
 100 105 110

Tyr Val Glu Leu Thr Asp Ile Ser Lys Asn Leu Gln Asn Ala Val Ile  
 115 120 125

Ala Thr Glu Asp Arg Ser Phe Tyr Lys Asn Asp Gly Ile Asn Tyr Gly  
 130 135 140

Arg Phe Phe Leu Ala Ile Val Thr Ala Gly Arg Ser Gly Gly Gly Ser  
 145 150 155 160

Thr Ile Thr Gln Gln Leu Ala Lys Asn Ala Tyr Leu Ser Gln Asp Gln  
 165 170 175

Thr Val Glu Arg Lys Ala Lys Glu Phe Phe Leu Ala Leu Glu Leu Ser  
 180 185 190

Lys Lys Tyr Ser Lys Glu Gln Ile Leu Thr Met Tyr Leu Asn Asn Ala  
 195 200 205

Tyr Phe Gly Asn Gly Val Trp Gly Val Glu Asp Ala Ser Lys Lys Tyr  
 210 215 220

Phe Gly Val Ser Ala Ser Glu Val Ser Leu Asp Gln Ala Ala Thr Leu  
 225 230 235 240



Ala Gly Met Leu Lys Gly Pro Glu Leu Tyr Asn Pro Leu Asn Ser Val  
245 250 255

Glu Asp Ser Thr Asn Arg Arg Asp Thr Val Leu Gln Asn Met Val Ala  
260 265 270

Ala Gly Tyr Ile Asp Lys Asn Gln Glu Thr Lys Ala Ala Glu Val Asp  
275 280 285

Met Thr Ser Gln Leu His Asp Lys Tyr Glu Gly Lys Ile Ser Asp Tyr  
290 295 300

Arg Tyr Pro Ser Tyr Phe Asp Ala Val Val Asn Glu Ala Val Ser Lys  
305 310 315 320

Tyr Asn Leu Thr Glu Glu Glu Ile Val Asn Asn Gly Tyr Arg Ile Tyr  
325 330 335

Thr Glu Leu Asp Gln Asn Tyr Gln Ala Asn Met Gln Ile Val Tyr Glu  
340 345 350

Asn Thr Ser Leu Phe Pro Arg Ala Glu Asp Gly Thr Phe Ala Gln Ser  
355 360 365

Gly Ser Val Ala Leu Glu Pro Lys Thr Gly Gly Val Arg Gly Val Val  
370 375 380

Gly Gln Val Ala Asp Asn Asp Lys Thr Gly Phe Arg Asn Phe Asn Tyr  
385 390 395 400

Ala Thr Gln Ser Lys Arg Ser Pro Gly Ser Thr Ile Lys Pro Leu Val  
405 410 415

Val Tyr Thr Pro Ala Val Glu Ala Ser Trp Ala Leu Asn Lys Gln Leu  
420 425 430

Asp Asn His Thr Met Gln Tyr Asp Ser Tyr Lys Val Asp Asn Tyr Ala  
435 440 445

Gly Ile Lys Thr Ser Arg Glu Val Pro Met Tyr Gln Ala Leu Ala Glu

450		455		460
Ser Leu Asn Leu Pro Ala Val Ala Thr Val Asn Asp Leu Gly Val Asp				
465		470		475 480
Lys Ala Phe Glu Ala Gly Glu Lys Phe Gly Leu Asn Met Glu Lys Val				
	485		490	495
Asp Arg Val Leu Gly Val Ala Leu Gly Ser Gly Val Glu Thr Asn Pro				
	500		505	510
Leu Gln Met Ala Gln Ala Tyr Ala Ala Phe Ala Asn Glu Gly Leu Met				
	515		520	525
Pro Glu Ala His Phe Ile Ser Arg Ile Glu Asn Ala Ser Gly Gln Val				
	530		535	540
Ile Ala Ser His Lys Asn Ser Gln Lys Arg Val Ile Asp Lys Ser Val				
	545		550	555 560
Ala Asp Lys Met Thr Ser Met Met Leu Gly Thr Phe Thr Asn Gly Thr				
	565		570	575
Gly Ile Ser Ser Ser Pro Ala Asp Tyr Val Met Ala Gly Lys Thr Gly				
	580		585	590
Thr Thr Glu Ala Val Phe Asn Pro Glu Tyr Thr Ser Asp Gln Trp Val				
	595		600	605
Ile Gly Tyr Thr Pro Asp Val Val Ile Ser His Trp Leu Gly Phe Pro				
	610		615	620
Thr Thr Asp Glu Asn His Tyr Leu Ala Gly Ser Thr Ser Asn Gly Ala				
	625		630	635 640
Ala His Val Phe Arg Asn Ile Ala Asn Thr Ile Leu Pro Tyr Thr Pro				
	645		650	655
Gly Ser Thr Phe Thr Val Glu Asn Ala Tyr Lys Gln Asn Gly Ile Ala				
	660		665	670

Pro Ala Asn Thr Lys Arg Gln Val Gln Thr Asn Asp Asn Ser Gln Thr  
675 680 685

Asp Asp Asn Leu Ser Asp Ile Arg Gly Arg Ala Gln Ser Leu Val Asp  
690 695 700

Glu Ala Ser Arg Ala Ile Ser Asp Ala Lys Ile Lys Glu Lys Ala Gln  
705 710 715 720

Thr Ile Trp Asp Ser Ile Val Asn Leu Phe Arg  
725 730

<210> 729

<211> 396

<212> PRT

<213> Streptococcus pneumoniae

<400> 729

Met Thr Lys Thr Ile Ala Ile Asn Ala Gly Ser Ser Ser Leu Lys Trp  
1 5 10 15

Gln Leu Tyr Leu Met Pro Glu Glu Lys Val Leu Ala Lys Gly Leu Ile  
20 25 30

Glu Arg Ile Gly Leu Lys Asp Ser Ile Ser Thr Val Lys Phe Asp Gly  
35 40 45

Arg Ser Glu Gln Gln Ile Leu Asp Ile Glu Asn His Ile Gln Ala Val  
50 55 60

Lys Ile Leu Leu Asp Asp Leu Ile Arg Phe Asp Ile Ile Lys Ala Tyr  
65 70 75 80

Asp Glu Ile Thr Gly Val Gly His Arg Val Val Ala Gly Gly Glu Tyr  
85 90 95

Phe Lys Glu Ser Thr Val Val Glu Gly Asp Val Leu Glu Lys Val Glu  
100 105 110

Glu Leu Ser Leu Leu Ala Pro Leu His Asn Pro Ala Asn Ala Ala Gly  
115 120 125

Val Arg Ala Phe Lys Glu Leu Leu Pro Asp Ile Thr Ser Val Val Val  
 130 135 140

Phe Asp Thr Ser Phe His Thr Ser Met Pro Glu Lys Ala Tyr Arg Tyr  
 145 150 155 160

Pro Leu Pro Thr Lys Tyr Tyr Thr Glu Asn Lys Val Arg Lys Tyr Gly  
 165 170 175

Ala His Gly Thr Ser His Gln Phe Val Ala Gly Glu Ala Ala Lys Leu  
 180 185 190

Leu Gly Arg Pro Leu Glu Asp Leu Lys Leu Ile Thr Cys His Ile Gly  
 195 200 205

Asn Gly Gly Ser Ile Thr Ala Val Lys Ala Gly Lys Ser Val Asp Thr  
 210 215 220

Ser Met Gly Phe Thr Pro Leu Gly Gly Ile Met Met Gly Thr Arg Thr  
 225 230 235 240

Gly Asp Ile Asp Pro Ala Ile Ile Pro Tyr Leu Met Gln Tyr Thr Glu  
 245 250 255

Asp Phe Asn Thr Pro Glu Asp Ile Ser Arg Val Leu Asn Arg Glu Ser  
 260 265 270

Gly Leu Leu Gly Val Ser Ala Asn Ser Ser Asp Met Arg Asp Ile Glu  
 275 280 285

Ala Ala Val Ala Glu Gly Asn His Glu Ala Ser Leu Ala Tyr Glu Met  
 290 295 300

Tyr Val Asp Arg Ile Gln Lys His Ile Gly Gln Tyr Leu Ala Val Leu  
 305 310 315 320

Asn Gly Ala Asp Ala Ile Val Phe Thr Ala Gly Val Gly Glu Asn Ala  
 325 330 335

Glu Ser Phe Arg Arg Asp Val Ile Ser Gly Ile Ser Trp Phe Gly Cys  
 340 345 350

Asp Val Asp Asp Glu Lys Asn Val Phe Gly Val Thr Gly Asp Ile Ser  
 355 360 365

Thr Glu Ala Ala Lys Ile Arg Val Leu Val Ile Pro Thr Asp Glu Glu  
 370 375 380

Leu Val Ile Ala Arg Asp Val Glu Arg Leu Lys Lys  
 385 390 395

<210> 730

<211> 352

<212> PRT

<213> Streptococcus pneumoniae

<400> 730

Met Lys Ala Tyr Thr Tyr Val Lys Pro Gly Leu Ala Ser Phe Val Asp  
 1 5 10 15

Val Asp Lys Pro Val Ile Arg Lys Pro Thr Asp Ala Ile Val Arg Ile  
 20 25 30

Val Lys Thr Thr Ile Cys Gly Thr Asp Leu His Ile Ile Lys Gly Asp  
 35 40 45

Val Pro Thr Cys Gln Ser Gly Thr Ile Leu Gly His Glu Gly Ile Gly  
 50 55 60

Ile Val Glu Glu Val Gly Glu Gly Val Ser Asn Phe Lys Lys Gly Asp  
 65 70 75 80

Lys Val Leu Ile Ser Cys Val Cys Ala Cys Gly Lys Cys Tyr Tyr Cys  
 85 90 95

Lys Lys Gly Ile Tyr Ala His Cys Glu Asp Glu Gly Gly Trp Ile Phe  
 100 105 110

Gly His Leu Ile Asp Gly Met Gln Ala Glu Tyr Leu Arg Val Pro His  
 115 120 125

Ala Asp Asn Thr Leu Tyr His Thr Pro Glu Asp Leu Ser Asp Glu Ala  
 130 135 140

Leu Val Met Leu Ser Asp Ile Leu Pro Thr Gly Tyr Glu Ile Gly Val  
145 150 155 160

Leu Lys Gly Lys Val Glu Pro Gly Cys Ser Val Ala Ile Ile Gly Ser  
165 170 175

Gly Pro Val Gly Leu Ala Ala Leu Leu Thr Ala Gln Phe Tyr Ser Pro  
180 185 190

Ala Lys Leu Ile Met Val Asp Leu Asp Asp Asn Arg Leu Glu Thr Ala  
195 200 205

Leu Ser Phe Gly Ala Thr His Lys Val Asn Ser Ser Asp Pro Glu Lys  
210 215 220

Ala Ile Lys Glu Ile Tyr Asp Leu Thr Asp Gly Arg Gly Val Asp Val  
225 230 235 240

Ala Ile Glu Ala Val Gly Ile Pro Ala Thr Phe Asp Phe Cys Gln Lys  
245 250 255

Ile Ile Gly Val Asp Gly Thr Val Ala Asn Cys Gly Val His Gly Lys  
260 265 270

Pro Val Glu Phe Asp Leu Asp Lys Leu Trp Ile Arg Asn Ile Asn Val  
275 280 285

Thr Thr Gly Leu Val Ser Thr Asn Thr Thr Pro Gln Leu Leu Lys Ala  
290 295 300

Leu Glu Ser His Lys Ile Glu Pro Glu Lys Leu Val Thr His Tyr Phe  
305 310 315 320

Lys Leu Ser Glu Ile Glu Lys Ala Tyr Glu Val Phe Ser Lys Ala Ala  
325 330 335

Asp His His Ala Ile Lys Val Ile Ile Glu Asn Asp Ile Ser Glu Ala  
340 345 350

<210> 731

<211> 564

&lt;212&gt; PRT

&lt;213&gt; Streptococcus pneumoniae

&lt;400&gt; 731

Met Leu Ile Gln Lys Ile Lys Thr Tyr Lys Trp Gln Ala Leu Ala Ser  
 1 5 10 15

Leu Leu Met Thr Gly Leu Met Val Ala Ser Ser Leu Leu Gln Pro Arg  
 20 25 30

Tyr Leu Gln Glu Val Leu Gly Ala Leu Leu Thr Gly Lys Tyr Glu Ala  
 35 40 45

Ile Tyr Ser Ile Gly Ala Trp Leu Ile Gly Val Ala Val Val Gly Leu  
 50 55 60

Val Ala Gly Gly Leu Asn Val Val Leu Ala Ala Tyr Ile Ala Gln Gly  
 65 70 75 80

Val Ser Ser Asp Leu Arg Glu Asp Ala Phe Arg Lys Ile Gln Thr Phe  
 85 90 95

Ser Tyr Ala Asp Ile Glu Gln Phe Asn Ala Gly Asn Leu Val Val Arg  
 100 105 110

Met Thr Asn Asp Ile Asn Gln Ile Gln Asn Val Val Met Met Thr Phe  
 115 120 125

Gln Ile Leu Phe Arg Leu Pro Leu Leu Phe Ile Gly Ser Phe Ile Leu  
 130 135 140

Ala Val Gln Thr Leu Pro Ser Leu Trp Trp Val Ile Val Leu Met Val  
 145 150 155 160

Val Leu Ile Phe Gly Leu Thr Ala Val Met Met Gly Met Met Gly Pro  
 165 170 175

Arg Phe Ala Lys Phe Gln Thr Leu Leu Glu Arg Ile Asn Ala Ile Ala  
 180 185 190

Lys Glu Asn Leu Arg Gly Val Arg Val Val Lys Ser Phe Val Gln Glu  
 195 200 205

Lys Glu Gln Phe Ala Lys Phe Thr Glu Val Ser Asp Glu Leu Leu Gly  
 210 215 220

Gln Asn Leu Tyr Ile Gly Tyr Ala Phe Ser Val Val Glu Pro Phe Met  
 225 230 235 240

Met Leu Val Gly Tyr Gly Ala Val Phe Leu Ser Ile Trp Leu Val Ala  
 245 250 255

Gly Met Val Gln Ser Asp Pro Ser Val Val Gly Ser Ile Ala Ser Phe  
 260 265 270

Val Asn Tyr Leu Ser Gln Ile Ile Phe Thr Ile Val Met Val Gly Phe  
 275 280 285

Leu Gly Asn Ser Val Ser Arg Ala Met Ile Ser Met Arg Arg Ile Arg  
 290 295 300

Glu Ile Leu Asp Ala Glu Pro Ala Met Thr Phe Lys Asp Ile Pro Asp  
 305 310 315 320

Glu Glu Leu Val Gly Ser Leu Ser Phe Glu Asn Val Thr Phe Thr Tyr  
 325 330 335

Pro Met Asp Lys Glu Pro Met Leu Lys Asp Val Ser Phe Thr Ile Glu  
 340 345 350

Pro Gly Gln Met Val Gly Val Val Gly Ala Thr Gly Ala Gly Lys Ser  
 355 360 365

Thr Leu Ala Gln Leu Ile Pro Arg Leu Phe Asp Pro Gln Asp Gly Ala  
 370 375 380

Ile Lys Ile Gly Gly Lys Asp Ile Arg Glu Val Ser Glu Gly Thr Leu  
 385 390 395 400

Arg Lys Thr Val Ser Ile Val Leu Gln Arg Ala Ile Leu Phe Ser Gly  
 405 410 415

Thr Ile Ala Asp Asn Leu Arg Gln Gly Lys Gly Asn Ala Thr Leu Phe



Glu Thr Gln Lys

```
<210> 732
<211> 338
<212> PRT
<213> Streptococcus pneumoniae
```

**<400> 732**

Met Glu Lys Gln Thr Val Ala Val Leu Gly Pro Gly Ser Trp Gly Thr  
1 5 10 15

Ala Leu Ser Gln Val Leu Asn Asp Asn Gly His Glu Val Arg Ile Trp  
20 25 30

Gly Asn Leu Pro Glu Gln Ile Asn Glu Ile Asn Thr His His Thr Asn

35	40	45
Lys His Tyr Phe Lys Asp Val Val Leu Asp Glu Asn Ile Ile Ala Tyr		
50	55	60
Thr Asp Leu Ala Glu Thr Leu Lys Asp Val Asp Ala Ile Leu Phe Val		
65	70	75 80
Val Pro Thr Lys Val Thr Arg Leu Val Ala Gln Gln Val Ala Gln Thr		
	85	90 95
Leu Asp His Lys Val Ile Ile Met His Ala Ser Lys Gly Leu Glu Pro		
	100	105 110
Asp Ser His Lys Arg Leu Ser Thr Ile Leu Glu Glu Glu Ile Pro Glu		
	115	120 125
His Leu Arg Ser Asp Ile Val Val Val Ser Gly Pro Ser His Ala Glu		
	130	135 140
Glu Thr Ile Val Arg Asp Leu Thr Leu Ile Thr Ala Ala Ser Lys Asp		
145	150	155 160
Leu Gln Thr Ala Gln Tyr Val Gln Lys Leu Phe Ser Asn His Tyr Phe		
	165	170 175
Arg Leu Tyr Thr Asn Thr Asp Val Ile Gly Val Glu Thr Ala Gly Ala		
	180	185 190
Leu Lys Asn Ile Ile Ala Val Gly Ala Gly Ala Leu His Gly Leu Gly		
	195	200 205
Phe Gly Asp Asn Ala Lys Ala Ala Ile Ile Ala Arg Gly Leu Ala Glu		
	210	215 220
Ile Thr Arg Leu Gly Val Ala Leu Gly Ala Ser Pro Leu Thr Tyr Ser		
225	230	235 240
Gly Leu Ser Gly Val Gly Asp Leu Ile Val Thr Gly Thr Ser Ile His		
	245	250 255

Ser Arg Asn Trp Arg Ala Gly Asp Ala Leu Gly Arg Gly Glu Ser Leu  
 260 265 270

Ala Asp Ile Glu Ala Asn Met Gly Met Val Ile Glu Gly Ile Ser Thr  
 275 280 285

Thr Arg Ala Ala Tyr Glu Leu Ala Gln Glu Leu Gly Val Tyr Met Pro  
 290 295 300

Ile Thr Gln Ala Ile Tyr Gln Val Ile Tyr His Gly Thr Asn Ile Lys  
 305 310 315 320

Asp Ala Ile Tyr Asp Ile Met Asn Asn Glu Phe Lys Ala Glu Asn Glu  
 325 330 335

Trp Ser

<210> 733  
 <211> 423  
 <212> PRT  
 <213> Streptococcus pneumoniae  
 <400> 733

Met Ser Ser Lys Phe Met Lys Ser Ala Ala Val Leu Gly Thr Ala Thr  
 1 5 10 15

Leu Ala Ser Leu Leu Leu Val Ala Cys Gly Ser Lys Thr Ala Asp Lys  
 20 25 30

Pro Ala Asp Ser Gly Ser Ser Glu Val Lys Glu Leu Thr Val Tyr Val  
 35 40 45

Asp Glu Gly Tyr Lys Ser Tyr Ile Glu Glu Val Ala Lys Ala Tyr Glu  
 50 55 60

Lys Glu Ala Gly Val Lys Val Thr Leu Lys Thr Gly Asp Ala Leu Gly  
 65 70 75 80

Gly Leu Asp Lys Leu Ser Leu Asp Asn Gln Ser Gly Asn Val Pro Asp  
 85 90 95

Val Met Met Ala Pro Tyr Asp Arg Val Gly Ser Leu Gly Ser Asp Gly  
 100 105 110

Gln Leu Ser Glu Val Lys Leu Ser Asp Gly Ala Lys Thr Asp Asp Thr  
 115 120 125

Thr Lys Ser Leu Val Thr Ala Ala Asn Gly Lys Val Tyr Gly Ala Pro  
 130 135 140

Ala Val Ile Glu Ser Leu Val Met Tyr Tyr Asn Lys Asp Leu Val Lys  
 145 150 155 160

Asp Ala Pro Lys Thr Phe Ala Asp Leu Glu Asn Leu Ala Lys Asp Ser  
 165 170 175

Lys Tyr Ala Phe Ala Gly Glu Asp Gly Lys Thr Thr Ala Phe Leu Ala  
 180 185 190

Asp Trp Thr Asn Phe Tyr Tyr Thr Tyr Gly Leu Leu Ala Gly Asn Gly  
 195 200 205

Ala Tyr Val Phe Gly Gln Asn Gly Lys Asp Ala Lys Asp Ile Gly Leu  
 210 215 220

Ala Asn Asp Gly Ser Ile Val Gly Ile Asn Tyr Ala Lys Ser Trp Tyr  
 225 230 235 240

Glu Lys Trp Pro Lys Gly Met Gln Asp Thr Glu Gly Ala Gly Asn Leu  
 245 250 255

Ile Gln Thr Gln Phe Gln Glu Gly Lys Thr Ala Ala Ile Ile Asp Gly  
 260 265 270

Pro Trp Lys Ala Gln Ala Phe Lys Asp Ala Lys Val Asn Tyr Gly Val  
 275 280 285

Ala Thr Ile Pro Thr Leu Pro Asn Gly Lys Glu Tyr Ala Ala Phe Gly  
 290 295 300

Gly Gly Lys Ala Trp Val Ile Pro Gln Ala Val Lys Asn Leu Glu Ala  
 305 310 315 320

Ser Gln Lys Phe Val Asp Phe Leu Val Ala Thr Glu Gln Gln Lys Val  
 325 330 335

Leu Tyr Asp Lys Thr Asn Glu Ile Pro Ala Asn Thr Glu Ala Arg Ser  
 340 345 350

Tyr Ala Glu Gly Lys Asn Asp Glu Leu Thr Thr Ala Val Ile Lys Gln  
 355 360 365

Phe Lys Asn Thr Gln Pro Leu Pro Asn Ile Ser Gln Met Ser Ala Val  
 370 375 380

Trp Asp Pro Ala Lys Asn Met Leu Phe Asp Ala Val Ser Gly Gln Lys  
 385 390 395 400

Asp Ala Lys Thr Ala Ala Asn Asp Ala Val Thr Leu Ile Lys Glu Thr  
 405 410 415

Ile Lys Gln Lys Phe Gly Glu  
 420

<210> 734  
 <211> 335  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 734

Met Thr Glu Lys Leu Ile Asn Ser Lys Pro Asn Gly Val Phe Ala Leu  
 1 5 10 15

Ile Leu Ile Glu Leu Thr Ile Val Leu Gly Ile Phe Ile Phe Ile Met  
 20 25 30

Gly Val Gly Ser Glu Asn Ile Phe Gly Ile Ile Ile Gly Pro Leu Leu  
 35 40 45

Ile Val Ile Ala Gly Leu Ala His Ala Gly Leu Lys Val Val Lys Pro  
 50 55 60

Gln Glu Ala Leu Val Leu Thr Leu Phe Gly Asn Tyr Thr Gly Thr Ile  
 65 70 75 80

Lys Glu Pro Gly Phe Tyr Phe Val Asn Pro Phe Ser Val Ala Val Asn  
85 90 95

Pro Ala Asn His Thr Arg Leu Gly Gln Ser Gly Asp Val Ser Thr Lys  
100 105 110

Ser Pro Phe Leu Gly Ala Lys Ser Ser Asn Asp Asn Asp Val Asn Leu  
115 120 125

Glu Ile Gly Lys Lys Gln Ile Ser Leu Lys Val Met Thr Leu Ser Asn  
130 135 140

Ser Arg Gln Lys Ile Asn Asp Cys Leu Gly Asn Pro Val Glu Ile Gly  
145 150 155 160

Ile Ala Val Thr Trp Arg Val Val Asp Thr Ala Lys Ala Val Phe Asn  
165 170 175

Val Asp Asn Tyr Lys Glu Tyr Leu Ser Leu Gln Cys Asp Ser Ala Leu  
180 185 190

Arg Asn Ile Val Arg Ile Tyr Pro Tyr Asp Val Ser Pro Asn Val Asp  
195 200 205

Thr Thr Gly Asp Gly Gln Ala Asp Glu Gly Ser Leu Arg Gly Ser Ser  
210 215 220

Glu Ile Val Ala Asn Arg Ile Arg Glu Glu Ile Gln Ser Arg Val Glu  
225 230 235 240

Asp Ala Gly Leu Glu Ile Leu Glu Ala Arg Ile Thr Tyr Leu Ala Tyr  
245 250 255

Ala Pro Glu Ile Ala Ala Val Met Leu Gln Arg Gln Gln Ala Ser Ala  
260 265 270

Ile Ile Asp Ala Arg Lys Met Ile Val Asp Gly Ala Val Gly Met Val  
275 280 285

Glu Met Ala Leu Glu Arg Leu Asn Glu Gly Glu Leu Val Glu Leu Asp  
290 295 300

Glu Glu Arg Lys Ala Ala Met Val Ser Asn Leu Leu Val Val Leu Cys  
 305 310 315 320

Gly Asn His Asp Ala Gln Pro Ile Val Asn Thr Gly Ser Leu Tyr  
 325 330 335

<210> 735  
 <211> 338  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 735

Met Thr Asn Ser Val Phe Gln Gly Arg Ser Phe Leu Ala Glu Lys Asp  
 1 5 10 15

Phe Thr Arg Ala Glu Leu Glu Tyr Leu Ile Gly Leu Ser Ala His Leu  
 20 25 30

Lys Asp Leu Lys Lys Arg Asn Ile Gln His His Tyr Leu Ala Gly Lys  
 35 40 45

Asn Ile Ala Leu Leu Phe Glu Lys Thr Ser Thr Arg Thr Arg Ala Ala  
 50 55 60

Phe Thr Thr Ala Ala Ile Asp Leu Gly Ala His Pro Glu Tyr Leu Gly  
 65 70 75 80

Ala Asn Asp Ile Gln Leu Gly Lys Lys Glu Ser Thr Glu Asp Thr Ala  
 85 90 95

Lys Val Leu Gly Arg Met Phe Asp Gly Ile Glu Phe Arg Gly Phe Ser  
 100 105 110

Gln Arg Met Val Glu Glu Leu Ala Glu Phe Ser Gly Val Pro Val Trp  
 115 120 125

Asn Gly Leu Thr Asp Glu Trp His Pro Thr Gln Met Leu Ala Asp Tyr  
 130 135 140

Leu Thr Val Gln Glu Asn Phe Gly Arg Leu Glu Gly Leu Thr Leu Val  
 145 150 155 160

Tyr Cys Gly Asp Gly Arg Asn Asn Val Ala Asn Ser Leu Leu Val Thr  
 165 170 175

Gly Ala Ile Leu Gly Val Asn Val His Ile Phe Ser Pro Lys Glu Leu  
 180 185 190

Phe Pro Glu Lys Glu Ile Val Glu Leu Ala Glu Gly Phe Ala Lys Glu  
 195 200 205

Ser Gly Ala His Val Leu Ile Thr Glu Asp Ala Asp Glu Ala Val Lys  
 210 215 220

Asp Ala Asp Val Leu Tyr Thr Asp Val Trp Val Ser Met Gly Glu Glu  
 225 230 235 240

Asp Lys Phe Ala Glu Arg Val Ala Leu Leu Lys Pro Tyr Gln Val Asn  
 245 250 255

Met Asp Leu Val Lys Lys Ala Gly Asn Glu Asn Leu Ile Phe Leu His  
 260 265 270

Cys Leu Pro Ala Phe His Asp Thr His Thr Val Tyr Gly Lys Asp Val  
 275 280 285

Ala Glu Lys Phe Gly Val Glu Glu Met Glu Val Thr Asp Glu Val Phe  
 290 295 300

Arg Ser Lys Tyr Ala Arg His Phe Asp Gln Ala Glu Asn Arg Met His  
 305 310 315 320

Thr Ile Lys Ala Val Met Ala Ala Thr Leu Gly Asn Leu Tyr Ile Pro  
 325 330 335

Lys Val

<210> 736

<211> 299

<212> PRT

<213> Streptococcus pneumoniae



&lt;400&gt; 736

Met Ala Ile Phe Phe Met Ile Phe Leu Ile Val Cys Val Leu Leu Leu  
 1 5 10 15

Val Ile Val Thr Leu Ser Thr Val Tyr Val Val Arg Gln Gln Ser Val  
 20 25 30

Ala Ile Ile Glu Arg Phe Gly Lys Tyr Gln Lys Val Ala Asn Ser Gly  
 35 40 45

Ile ~~His~~ Ile ~~Arg~~ Leu Pro Phe Gly Ile Asp Ser Ile Ala Ala Arg Ile  
 50 55 60

Gln Leu Arg Leu Leu Gln Ser Asp Ile Val Val Glu Thr Lys Thr Lys  
 65 70 75 80

Asp Asn Val Phe Val Met Met Asn Val Ala Thr Gln Tyr Arg Val Asn  
 85 90 95

Glu Gln Ser Val Thr Asp Ala Tyr Tyr Lys Leu Ile Arg Pro Glu Ser  
 100 105 110

Gln Ile Lys Ser Tyr Ile Glu Asp Ala Leu Arg Ser Ser Val Pro Lys  
 115 120 125

Leu Thr Leu Asp Glu Leu Phe Glu Lys Lys Asp Glu Ile Ala Leu Glu  
 130 135 140

Val Gln His Gln Val Ala Glu Glu Met Thr Thr Tyr Gly Tyr Ile Ile  
 145 150 155 160

Val Lys Thr Leu Ile Thr Lys Val Glu Pro Asp Ala Glu Val Lys Gln  
 165 170 175

Ser Met Asn Glu Ile Asn Ala Ala Gln Arg Lys Arg Val Ala Ala Gln  
 180 185 190

Glu Leu Ala Glu Ala Asp Lys Ile Lys Ile Val Thr Ala Ala Glu Ala  
 195 200 205

Glu Ala Glu Lys Asp Arg Leu His Gly Val Gly Ile Ala Gln Gln Arg

210                                      215                                      220  
 Lys Ala Ile Val Asp Gly Leu Ala Glu Ser Ile Thr Glu Leu Lys Glu  
 225                                      230                                      235                                      240  
 Ala Asn Val Gly Met Thr Glu Glu Gln Ile Met Ser Ile Leu Leu Thr  
 245                                      250                                      255  
 Asn Gln Tyr Leu Asp Thr Leu Asn Thr Phe Ala Ser Lys Gly Asn Gln  
 260                                      265                                      270  
 Thr Ile Phe Leu Pro Asn Thr Pro Asn Gly Val Asp Asp Ile Arg Thr  
 275                                      280                                      285  
 Gln Ile Leu Ser Ala Leu Arg Ala Glu Lys Lys  
 290                                      295  
  
 <210> 737  
 <211> 173  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 737  
 Met Arg Lys Phe Arg Tyr Asn Ser Gln Thr Arg Ser Arg Phe Lys Glu  
 1                                      5                                      10                                      15  
 Arg Gly Gly Phe Val Met Arg Phe Lys Asn Thr Ser Asp His Ile Glu  
 20                                      25                                      30  
 Ala Tyr Ile Lys Ala Ile Leu Asp Gln Ser Gly Ile Val Glu Leu Gln  
 35                                      40                                      45  
 Arg Ser Gln Leu Ala Asp Thr Phe Gln Val Val Pro Ser Gln Ile Asn  
 50                                      55                                      60  
 Tyr Val Ile Lys Thr Arg Phe Thr Glu Ser Arg Gly Tyr Leu Val Glu  
 65                                      70                                      75                                      80  
 Ser Lys Arg Gly Gly Gly Gly Tyr Ile Arg Ile Gly Arg Ile Glu Phe  
 85                                      90                                      95  
 Ser Ser His His Glu Met Leu Arg Glu Leu Leu Tyr Ser Ile Gly Glu

-891-

115                      120                      125  
 Ile Asp Val Pro Val Lys Ile Tyr Gln Asp Ile Thr Ser Val Ile Asn  
 130                      135                      140  
  
 Leu Arg Val Lys Glu Gly  
 145                      150  
  
 <210> 739  
 <211> 182  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 739  
 Met Ile Lys Tyr Ser Ile Arg Gly Glu Asn Leu Glu Val Thr Glu Ala  
 1                      5                      10                      15  
  
 Ile Arg Asp Tyr Val Val Ser Lys Leu Glu Lys Ile Glu Lys Tyr Phe  
                     20                      25                      30  
  
 Gln Pro Glu Gln Glu Leu Asp Ala Arg Ile Asn Leu Lys Val Tyr Arg  
                     35                      40                      45  
  
 Glu Lys Thr Ala Lys Val Glu Val Thr Ile Pro Leu Gly Ser Ile Thr  
 50                      55                      60  
  
 Leu Arg Ala Glu Asp Val Ser Gln Asp Met Tyr Gly Ser Ile Asp Leu  
 65                      70                      75                      80  
  
 Val Thr Asp Lys Ile Glu Arg Gln Ile Arg Lys Asn Lys Thr Lys Ile  
                     85                      90                      95  
  
 Glu Arg Lys Asn Lys Asn Lys Val Ala Thr Gly Gln Leu Phe Thr Asp  
                     100                      105                      110  
  
 Ala Leu Val Glu Asp Ser Asn Ile Val Gln Ser Lys Val Val Arg Ser  
                     115                      120                      125  
  
 Lys Gln Ile Asp Leu Lys Pro Met Asp Leu Glu Glu Ala Ile Leu Gln  
 130                      135                      140  
  
 Met Asp Leu Leu Gly His Asp Phe Phe Ile Tyr Val Asp Val Glu Asp

145                      150                      155                      160  
 Gln Thr Thr Asn Val Ile Tyr Arg Arg Glu Asp Gly Glu Ile Gly Leu  
                          165                                      170                                      175  
 Leu Glu Val Lys Glu Ser  
                          180  
  
 <210> 740  
 <211> 346  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 740  
 Met Ala Glu Ile Thr Ala Lys Leu Val Lys Glu Leu Arg Glu Lys Ser  
 1                                      5                                      10                                      15  
 Gly Ala Gly Val Met Asp Ala Lys Lys Ala Leu Val Glu Thr Asp Gly  
                          20                                      25                                      30  
 Asp Ile Glu Lys Ala Ile Glu Leu Leu Arg Glu Lys Gly Met Ala Lys  
                          35                                      40                                      45  
 Ala Ala Lys Lys Ala Asp Arg Val Ala Ala Glu Gly Leu Thr Gly Val  
                          50                                      55                                      60  
 Tyr Val Asn Gly Asn Val Ala Ala Val Ile Glu Val Asn Ala Glu Thr  
 65                                      70                                      75                                      80  
 Asp Phe Val Ala Lys Asn Ala Gln Phe Val Glu Leu Val Asn Thr Thr  
                          85                                      90                                      95  
 Ala Lys Val Ile Ala Glu Gly Lys Pro Ala Asn Asn Glu Glu Ala Leu  
                          100                                      105                                      110  
 Ala Leu Ile Met Pro Ser Gly Glu Thr Leu Glu Ala Ala Tyr Val Ser  
                          115                                      120                                      125  
 Ala Thr Ala Thr Ile Gly Glu Lys Ile Ser Phe Arg Arg Phe Ala Leu  
                          130                                      135                                      140  
 Ile Glu Lys Thr Asp Ala Gln His Phe Gly Ala Tyr Gln His Asn Gly

145                      150                      155                      160  
 Gly Arg Ile Gly Val Ile Ser Val Val Glu Gly Gly Asp Glu Ala Leu  
                                  165                      170                      175  
 Ala Lys Gln Leu Ser Met His Ile Ala Ala Met Lys Pro Thr Val Leu  
                                  180                      185                      190  
 Ser Tyr Lys Glu Leu Asp Glu Gln Phe Val Lys Asp Glu Leu Ala Gln  
                                  195                      200                      205  
 Leu Asn His Val Ile Asp Gln Asp Asn Glu Ser Arg Ala Met Val Asn  
                                  210                      215                      220  
 Lys Pro Ala Leu Pro His Leu Lys Tyr Gly Ser Lys Ala Gln Leu Thr  
                                  225                      230                      235                      240  
 Asp Asp Val Ile Ala Gln Ala Glu Ala Asp Ile Lys Ala Glu Leu Ala  
                                  245                      250                      255  
 Ala Glu Gly Lys Pro Glu Lys Ile Trp Asp Lys Ile Ile Pro Gly Lys  
                                  260                      265                      270  
 Met Asp Arg Phe Met Leu Asp Asn Thr Lys Val Asp Gln Ala Tyr Thr  
                                  275                      280                      285  
 Leu Leu Ala Gln Val Tyr Ile Met Asp Asp Ser Lys Thr Val Glu Ala  
                                  290                      295                      300  
 Tyr Leu Glu Ser Val Asn Ala Ser Val Val Glu Phe Ala Arg Phe Glu  
                                  305                      310                      315                      320  
 Val Gly Glu Gly Ile Glu Lys Ala Ala Asn Asp Phe Glu Ala Glu Val  
                                  325                      330                      335  
 Ala Ala Thr Met Ala Ala Ala Leu Asn Asn  
                                  340                      345  
  
 <210> 741  
 <211> 286  
 <212> PRT  
 <213> Streptococcus pneumoniae

&lt;400&gt; 741

Met Asn Cys Glu Ala Val Ala Leu Gly Ser Phe Cys Glu Leu Lys Ser  
 1 5 10 15

Arg Arg Gly Lys Lys Gln Lys Gly Glu Ile Leu Met Ala Val Ile Ser  
 20 25 30

Met Lys Gln Leu Leu Glu Ala Gly Val His Phe Gly His Gln Thr Arg  
 35 40 45

Arg Trp Asn Pro Lys Met Ala Lys Tyr Ile Phe Thr Glu Arg Asn Gly  
 50 55 60

Ile His Val Ile Asp Leu Gln Gln Thr Val Lys Tyr Ala Asp Gln Ala  
 65 70 75 80

Tyr Asp Phe Met Arg Asp Ala Ala Ala Asn Asp Ala Val Val Leu Phe  
 85 90 95

Val Gly Thr Lys Lys Gln Ala Ala Asp Ala Val Ala Glu Glu Ala Val  
 100 105 110

Arg Ser Gly Gln Tyr Phe Ile Asn His Arg Trp Leu Gly Gly Thr Leu  
 115 120 125

Thr Asn Trp Gly Thr Ile Gln Lys Arg Ile Ala Arg Leu Lys Glu Ile  
 130 135 140

Lys Arg Met Glu Glu Asp Gly Thr Phe Glu Val Leu Pro Lys Lys Glu  
 145 150 155 160

Val Ala Leu Leu Asn Lys Gln Arg Ala Arg Leu Glu Lys Phe Leu Gly  
 165 170 175

Gly Ile Glu Asp Met Pro Arg Ile Pro Asp Val Met Tyr Val Val Asp  
 180 185 190

Pro His Lys Glu Gln Ile Ala Val Lys Glu Ala Lys Lys Leu Gly Ile  
 195 200 205

Pro Val Val Ala Met Val Asp Thr Asn Thr Asp Pro Asp Asp Ile Asp  
210 215 220

Val Ile Ile Pro Ala Asn Asp Asp Ala Ile Arg Ala Val Lys Leu Ile  
225 230 235 240

Thr Ala Lys Leu Ala Asp Ala Ile Ile Glu Gly Arg Gln Gly Glu Asp  
245 250 255

Ala Val Ala Val Glu Ala Glu Phe Ala Ala Leu Glu Thr Gln Ala Asp  
260 265 270

Ser Ile Glu Glu Ile Val Glu Val Val Glu Gly Asp Asn Ala  
275 280 285

<210> 742

<211> 272

<212> PRT

<213> Streptococcus pneumoniae

<400> 742

Met Asn Arg Phe Lys Lys Ser Lys Tyr Val Ile Ile Val Phe Val Thr  
1 5 10 15

Val Leu Leu Val Ser Ala Leu Leu Ala Thr Thr Tyr Ser Ser Thr Ile  
20 25 30

Val Thr Lys Leu Gly Asp Gly Ile Ser Leu Val Asp Arg Val Val Gln  
35 40 45

Lys Pro Phe Gln Trp Phe Asp Ser Val Lys Ser Asp Leu Ala His Leu  
50 55 60

Thr Arg Thr Tyr Asn Glu Asn Glu Ser Leu Lys Lys Gln Leu Tyr Gln  
65 70 75 80

Leu Glu Val Lys Ser Asn Glu Val Glu Ser Leu Lys Thr Glu Asn Glu  
85 90 95

Gln Leu Arg Gln Leu Leu Asp Met Lys Ser Lys Leu Gln Ala Thr Lys  
100 105 110



Thr Leu Ala Ala Asp Val Ile Met Arg Ser Pro Val Ser Trp Lys Gln  
 115 120 125

Glu Leu Thr Leu Asp Ala Gly Arg Ser Lys Gly Ala Ser Glu Asn Met  
 130 135 140

Leu Ala Ile Ala Asn Gly Gly Leu Ile Gly Ser Val Ser Lys Val Glu  
 145 150 155 160

Glu Asn Ser Thr Ile Val Asn Leu Leu Thr Asn Thr Glu Asn Ala Asp  
 165 170 175

Lys Ile Ser Val Lys Ile Gln His Gly Ser Thr Thr Ile Tyr Gly Ile  
 180 185 190

Ile Ile Gly Tyr Asp Lys Glu Asn Asp Val Leu Lys Ile Ser Gln Leu  
 195 200 205

Asn Ser Asn Ser Asp Ile Ser Ala Gly Asp Lys Val Thr Thr Gly Gly  
 210 215 220

Leu Gly Asn Phe Asn Val Ala Asp Ile Pro Val Gly Glu Val Val Ala  
 225 230 235 240

Thr Thr His Ser Thr Asp Tyr Leu Thr Arg Glu Val Thr Val Lys Leu  
 245 250 255

Ser Ala Asp Thr His Asn Val Asp Val Ile Glu Leu Val Gly Asn Ser  
 260 265 270

<210> 743

<211> 275

<212> PRT

<213> Streptococcus pneumoniae

<400> 743

Met Lys Ser Ile Ile Asp Val Lys Asn Leu Ser Phe Arg Tyr Lys Glu  
 1 5 10 15

Asn Gln Asn Tyr Tyr Asp Val Lys Asp Ile Thr Phe His Val Lys Arg  
 20 25 30

Gly Glu Trp Leu Ser Ile Val Gly His Asn Gly Ser Gly Lys Ser Thr  
 35 40 45  
 Thr Val Arg Leu Ile Asp Gly Leu Leu Glu Ala Glu Ser Gly Glu Ile  
 50 55 60  
 Val Ile Asp Gly Gln Arg Leu Thr Glu Glu Asn Val Trp Asn Ile Arg  
 65 70 75 80  
 Arg Gln Ile Gly Met Val Phe Gln Asn Pro Asp Asn Gln Phe Val Gly  
 85 90 95  
 Ala Thr Val Glu Asp Asp Val Ala Phe Gly Leu Glu Asn Gln Gly Leu  
 100 105 110  
 Ser Arg Gln Glu Met Lys Lys Arg Val Glu Glu Ala Leu Ala Leu Val  
 115 120 125  
 Gly Met Leu Asp Phe Lys Lys Arg Glu Pro Ala Arg Leu Ser Gly Gly  
 130 135 140  
 Gln Lys Gln Arg Val Ala Ile Ala Gly Val Val Ala Leu Arg Pro Ala  
 145 150 155 160  
 Ile Leu Ile Leu Asp Glu Ala Thr Ser Met Leu Asp Pro Glu Gly Arg  
 165 170 175  
 Arg Glu Leu Ile Gly Thr Val Lys Gly Ile Arg Lys Asp Tyr Asp Met  
 180 185 190  
 Thr Val Ile Ser Ile Thr His Asp Leu Glu Glu Val Ala Met Ser Asp  
 195 200 205  
 Arg Val Leu Val Met Lys Lys Gly Glu Ile Glu Ser Thr Ser Ser Pro  
 210 215 220  
 Arg Glu Leu Phe Ser Arg Asn Asp Leu Asp Gln Ile Gly Leu Asp Asp  
 225 230 235 240  
 Pro Phe Ala Asn Gln Leu Lys Lys Ser Leu Ser Gln Asn Gly Tyr Asp  
 245 250 255

Leu Pro Glu Asn Tyr Leu Thr Glu Ser Glu Leu Glu Asp Lys Leu Trp  
 260 265 270

Glu Leu Leu  
 275

<210> 744  
 <211> 276  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 744

Met Thr Ser Met Arg Lys Lys Thr Ile Gly Glu Val Leu Arg Leu Ala  
 1 5 10 15

Arg Ile Asn Gln Gly Leu Ser Leu Asp Glu Leu Gln Lys Lys Thr Glu  
 20 25 30

Ile Gln Leu Asp Met Leu Glu Ala Met Glu Ala Asp Asp Phe Asp Gln  
 35 40 45

Leu Pro Ser Pro Phe Tyr Thr Arg Ser Phe Leu Lys Lys Tyr Ala Trp  
 50 55 60

Ala Val Glu Leu Asp Asp Gln Ile Val Leu Asp Ala Tyr Asp Ser Gly  
 65 70 75 80

Ser Met Ile Thr Tyr Glu Glu Val Asp Val Asp Glu Asp Glu Leu Thr  
 85 90 95

Gly Arg Arg Arg Ser Ser Lys Lys Lys Lys Lys Lys Thr Ser Phe Leu  
 100 105 110

Pro Leu Phe Tyr Phe Ile Leu Phe Ala Leu Ser Ile Leu Ile Phe Val  
 115 120 125

Thr Tyr Tyr Val Trp Asn Tyr Ile Gln Thr Gln Pro Glu Glu Pro Ser  
 130 135 140

Leu Ser Asn Tyr Ser Val Val Gln Ser Thr Ser Ser Thr Ser Ser Val  
 145 150 155 160

Pro His Ser Ser Ser Ser Ser Ser Ser Ser Ile Glu Ser Ala Ile Ser  
165 170 175

Val Ser Gly Glu Gly Asn His Val Glu Ile Ala Tyr Lys Thr Ser Lys  
180 185 190

Glu Thr Val Lys Leu Gln Leu Ala Val Ser Asp Val Thr Ser Trp Val  
195 200 205

Ser Val Ser Glu Ser Glu Leu Glu Gly Gly Val Thr Leu Ser Pro Lys  
210 215 220

Lys Lys Ser Ala Glu Ala Thr Val Ala Thr Lys Ser Pro Val Thr Ile  
225 230 235 240

Thr Leu Gly Val Val Lys Gly Val Asp Leu Thr Val Asp Asn Gln Thr  
245 250 255

Val Asp Leu Ser Lys Leu Thr Ala Gln Thr Gly Gln Ile Thr Val Thr  
260 265 270

Phe Thr Lys Asn  
275

<210> 745  
<211> 339  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 745

Met Glu Asn Leu Val Lys Ser Thr Ser Tyr Thr Tyr Ile Pro Glu Glu  
1 5 10 15

Ile Met Ser Phe Ser Asp Leu Lys Leu Phe Ala Leu Ser Ser Asn Lys  
20 25 30

Glu Leu Ala Glu Arg Val Ala Gln Glu Ile Gly Ile Glu Leu Gly Lys  
35 40 45

Ser Ser Val Arg Gln Phe Ser Asp Gly Glu Ile Gln Val Asn Ile Glu  
50 55 60

Glu Ser Ile Arg Gly Lys His Val Phe Ile Leu Gln Ser Thr Ser Ser  
 65 70 75 80

Pro Val Asn Asp Asn Leu Leu Glu Ile Leu Ile Met Val Asp Ala Leu  
 85 90 95

Lys Arg Ala Ser Ala Glu Ser Val Asn Val Val Met Pro Tyr Tyr Gly  
 100 105 110

Tyr Ala Arg Gln Asp Arg Lys Ala Arg Ala Arg Glu Pro Ile Thr Ser  
 115 120 125

Lys Leu Val Ala Asn Met Leu Glu Val Ala Gly Val Asp Arg Leu Leu  
 130 135 140

Thr Ile Asp Leu His Ala Ala Gln Ile Gln Gly Phe Phe Asp Ile Pro  
 145 150 155 160

Val Asp His Leu Met Gly Ala Pro Leu Ile Ala Asp Tyr Phe Glu Arg  
 165 170 175

Arg Gly Met Val Gly Ser Asp Tyr Val Val Val Ser Pro Asp His Gly  
 180 185 190

Gly Val Thr Arg Ala Arg Lys Leu Ala Glu Phe Leu Lys Thr Ser Ile  
 195 200 205

Ala Ile Ile Asp Lys Arg Arg Ser Val Asp Lys Met Asn Thr Ser Glu  
 210 215 220

Val Met Asn Ile Ile Gly Lys Val Glu Gly Lys Thr Cys Ile Leu Ile  
 225 230 235 240

Asp Asp Met Ile Asp Thr Ala Gly Thr Ile Cys His Ala Ala Asp Ala  
 245 250 255

Leu Ala Glu Ala Gly Ala Val Glu Val Tyr Ala Ser Cys Thr His Pro  
 260 265 270

Val Leu Ser Gly Pro Ala Thr Asp Asn Ile Gln Lys Ser Ala Ile Lys  
 275 280 285

Lys Leu Val Val Leu Asp Thr Ile Tyr Leu Pro Glu Glu Arg Leu Ile  
 290 295 300

Asp Lys Ile Glu Gln Ile Ser Ile Ala His Leu Leu Gly Asp Ala Ile  
 305 310 315 320

Val Arg Ile His Glu Lys Arg Pro Leu Ser Pro Leu Phe Asp Ile Glu  
 325 330 335

Lys Lys Ile

<210> 746

<211> 220

<212> PRT

<213> Streptococcus pneumoniae

<400> 746

Met Asp Leu Thr Lys Arg Phe Asn Lys Gln Leu Asp Lys Ile Gln Val  
 1 5 10 15

Ser Leu Ile Arg Gln Phe Asp Gln Ala Ile Ser Glu Ile Pro Gly Val  
 20 25 30

Leu Arg Leu Thr Leu Gly Glu Pro Asp Phe Thr Thr Pro Asp His Val  
 35 40 45

Lys Glu Ala Gly Lys Arg Ala Ile Asp Gln Asn Gln Ser Tyr Tyr Thr  
 50 55 60

Gly Met Ser Gly Leu Leu Thr Leu Arg Gln Ala Ala Ser Asp Phe Val  
 65 70 75 80

Lys Glu Lys Tyr Gln Leu Asp Tyr Ala Pro Glu Asn Glu Ile Leu Val  
 85 90 95

Thr Ile Gly Ala Thr Glu Ala Leu Ser Ala Thr Leu Thr Ala Ile Leu  
 100 105 110

Glu Glu Gly Asp Lys Val Leu Leu Pro Ala Pro Ala Tyr Pro Gly Tyr  
 115 120 125

Glu Pro Ile Val Asn Leu Val Gly Ala Glu Ile Val Glu Ile Asp Thr  
130 135 140

Thr Glu Asn Gly Phe Val Leu Thr Pro Glu Met Leu Glu Lys Ala Ile  
145 150 155 160

Leu Glu Gln Gly Asp Lys Leu Lys Ala Val Ile Leu Asn Tyr Pro Ala  
165 170 175

Asn Pro Thr Gly Ile Thr Tyr Ser Arg Glu Gln Leu Glu Ala Leu Ala  
180 185 190

Ala Val Leu Arg Lys Tyr Glu Ile Phe Val Val Cys Asp Glu Val Tyr  
195 200 205

Ser Glu Leu Thr Tyr Thr Gly Glu Ala Met Cys Leu  
210 215 220

<210> 747

<211> 432

<212> PRT

<213> Streptococcus pneumoniae

<400> 747

Met Ile Asn Arg Tyr Ser Arg Pro Glu Met Ala Asn Ile Trp Ser Glu  
1 5 10 15

Glu Asn Lys Tyr Arg Ala Trp Leu Glu Val Glu Ile Leu Ser Asp Glu  
20 25 30

Ala Trp Ala Glu Leu Gly Glu Ile Pro Lys Glu Asp Val Ala Leu Ile  
35 40 45

Arg Lys Lys Ala Asp Phe Asp Ile Asp Arg Ile Leu Glu Ile Glu Gln  
50 55 60

Glu Thr Arg His Asp Val Val Ala Phe Thr Arg Ala Val Ser Glu Thr  
65 70 75 80

Leu Gly Glu Glu Arg Lys Trp Val His Tyr Gly Leu Thr Ser Thr Asp  
85 90 95

Val Val Asp Thr Ala Tyr Gly Tyr Leu Tyr Lys Gln Ala Asn Asp Ile  
 100 105 110

Ile Arg Arg Asp Leu Glu Asn Phe Thr Asn Ile Ile Ala Asp Lys Ala  
 115 120 125

Lys Glu His Lys Phe Thr Ile Met Met Gly Arg Thr His Gly Val His  
 130 135 140

Ala Glu Pro Thr Thr Phe Gly Leu Lys Leu Ala Thr Trp Tyr Ser Glu  
 145 150 155 160

Met Lys Arg Asn Ile Glu Arg Phe Glu His Ala Ala Ala Gly Val Glu  
 165 170 175

Ala Gly Lys Ile Ser Gly Ala Val Gly Asn Phe Ala Asn Ile Pro Pro  
 180 185 190

Phe Val Glu Glu Tyr Val Cys Asp Lys Leu Gly Ile Arg Ala Gln Glu  
 195 200 205

Ile Ser Thr Gln Val Leu Pro Arg Asp Leu His Ala Glu Tyr Phe Ala  
 210 215 220

Val Leu Ala Ser Ile Ala Thr Ser Ile Glu Arg Met Ala Thr Glu Ile  
 225 230 235 240

Arg Gly Leu Gln Lys Ser Glu Gln Arg Glu Val Glu Glu Phe Phe Ala  
 245 250 255

Lys Gly Gln Lys Gly Ser Ser Ala Met Pro His Lys Arg Asn Pro Ile  
 260 265 270

Gly Ser Glu Asn Met Thr Gly Leu Ala Arg Val Ile Arg Gly His Met  
 275 280 285

Ile Thr Ala Tyr Glu Asn Val Ala Leu Trp His Glu Arg Asp Ile Ser  
 290 295 300

His Ser Ser Ala Glu Arg Ile Ile Thr Pro Asp Thr Thr Ile Leu Ile



305                      310                      315                      320  
 Asp Tyr Met Leu Asn Arg Phe Gly Asn Ile Val Lys Asn Leu Thr Val  
                                  325                                   330                                   335  
 Phe Pro Glu Asn Met Ile Arg Asn Met Asn Ser Thr Phe Gly Leu Ile  
                                  340                                   345                                   350  
 Phe Ser Gln Arg Ala Met Leu Thr Leu Ile Glu Lys Gly Met Thr Arg  
                                  355                                   360                                   365  
 Glu Gln Ala Tyr Asp Leu Val Gln Pro Lys Thr Ala Tyr Ser Trp Asp  
                                  370                                   375                                   380  
 Asn Gln Val Asp Phe Lys Pro Leu Leu Glu Ala Asp Ser Glu Val Thr  
                                  385                                   390                                   395                                   400  
 Ser Arg Leu Thr Gln Glu Glu Ile Asp Glu Ile Phe Asn Pro Val Tyr  
                                  405                                   410                                   415  
 Tyr Thr Lys Arg Val Asp Asp Ile Phe Glu Arg Leu Gly Leu Gly Asp  
                                  420                                   425                                   430  
  
 <210> 748  
 <211> 301  
 <212> PRT  
 <213> Streptococcus pneumoniae  
  
 <400> 748  
 Met Ile Gln Trp Trp Gln Ile Leu Leu Leu Thr Leu Tyr Ser Ala Tyr  
 1                                   5                                   10                                   15  
  
 Gln Ile Cys Asp Glu Leu Thr Ile Val Ser Ser Ala Gly Ser Pro Val  
                                  20                                   25                                   30  
  
 Phe Ala Gly Phe Ile Thr Gly Leu Ile Met Gly Asp Val Thr Thr Gly  
                                  35                                   40                                   45  
  
 Leu Leu Ile Gly Gly Asn Leu Gln Leu Phe Val Leu Gly Val Gly Thr  
                                  50                                   55                                   60  
  
 Phe Gly Gly Ala Ser Arg Ile Asp Ala Thr Ser Gly Ala Val Leu Ala

-906-

Thr Pro Ser Glu Ser Gly Glu Ile Glu Asp Asp Glu Phe  
 290 295 300

<210> 749

<211> 276

<212> PRT

<213> Streptococcus pneumoniae

<400> 749

Met Gly Lys Ser Lys Met Thr Asn Ser Asn Tyr Lys Leu Thr Lys Glu  
 1 5 10 15

Asp Phe Asn Gln Ile Asn Lys Arg Ser Leu Phe Thr Phe Gln Leu Gly  
 20 25 30

Trp Asn Tyr Glu Arg Met Gln Ala Ser Gly Tyr Leu Tyr Met Ile Leu  
 35 40 45

Pro Gln Leu Arg Lys Met Tyr Gly Asp Gly Thr Pro Glu Leu Lys Glu  
 50 55 60

Met Met Lys Val His Thr Gln Phe Phe Asn Thr Ser Pro Phe Phe His  
 65 70 75 80

Thr Ile Ile Ala Gly Phe Asp Leu Ala Met Glu Glu Lys Asp Gly Val  
 85 90 95

Gly Ser Lys Asp Ala Val Asn Gly Ile Lys Thr Gly Leu Met Gly Pro  
 100 105 110

Phe Ala Pro Leu Gly Asp Thr Ile Phe Gly Ser Leu Val Pro Ala Ile  
 115 120 125

Met Gly Ser Val Ala Ala Thr Met Ala Ile Ala Gly Gln Pro Trp Gly  
 130 135 140

Ile Phe Leu Trp Ile Ala Val Ala Val Ala Tyr Asp Ile Phe Arg Trp  
 145 150 155 160

Lys Gln Leu Glu Phe Ala Tyr Lys Glu Gly Val Asn Leu Ile Asn Asn  
 165 170 175

Met Gln Ser Thr Leu Thr Ala Leu Ile Asp Ala Ala Ser Val Leu Gly  
 180 185 190

Val Phe Met Met Gly Ala Leu Val Ala Thr Val Ile Asn Phe Glu Ile  
 195 200 205

Ser Tyr Lys Leu Pro Ile Gly Glu Lys Met Ile Asp Phe Gln Asp Ile  
 210 215 220

Leu Asn Gln Ile Phe Pro Arg Leu Leu Pro Ala Ile Phe Thr Ala Phe  
 225 230 235 240

Ile Phe Trp Leu Leu Gly Lys Lys Gly Met Asn Ser Thr Lys Ala Ile  
 245 250 255

Gly Ile Ile Ile Val Leu Ala Leu Ala Leu Ser Ala Leu Gly His Phe  
 260 265 270

Ala Leu Gly Met  
 275

<210> 750  
 <211> 388  
 <212> PRT  
 <213> Streptococcus pneumoniae

<400> 750

Met Leu His Tyr Thr Lys Glu Asp Leu Leu Glu Leu Gly Ala Glu Ile  
 1 5 10 15

Thr Thr Arg Glu Ile Tyr Gln Gln Pro Asp Val Trp Arg Glu Ala Phe  
 20 25 30

Glu Phe Tyr Gln Ala Lys Arg Glu Glu Ile Ala Ala Phe Leu Gln Glu  
 35 40 45

Ile Ala Asp Lys His Asp Tyr Ile Lys Val Ile Leu Thr Gly Ala Gly  
 50 55 60

Thr Ser Ala Tyr Val Gly Asp Thr Leu Leu Pro Tyr Phe Lys Glu Val  
 65 70 75 80

Tyr Asp Glu Arg Lys Trp Asn Phe Asn Ala Ile Ala Thr Thr Asp Ile  
85 90 95

Val Ala Asn Pro Ala Thr Tyr Leu Lys Lys Asp Val Ala Thr Val Leu  
100 105 110

Val Ser Phe Ala Arg Ser Gly Asn Ser Pro Glu Ser Leu Ala Thr Val  
115 120 125

Asp Leu Ala Lys Ser Leu Val Asp Glu Leu Tyr Gln Val Thr Ile Thr  
130 135 140

Cys Ala Ala Asp Gly Lys Leu Ala Leu Gln Ala His Gly Asp Asp Arg  
145 150 155 160

Asn Leu Leu Leu Leu Gln Pro Ala Val Ser Asn Asp Ala Gly Phe Ala  
165 170 175

Met Thr Ser Ser Phe Thr Ser Met Met Leu Thr Thr Leu Leu Val Phe  
180 185 190

Asp Pro Thr Glu Phe Ala Val Lys Ser Glu Arg Phe Glu Val Val Ser  
195 200 205

Ser Leu Ala Arg Lys Val Leu Asp Lys Ala Glu Asp Val Lys Glu Leu  
210 215 220

Val Asp Leu Asp Phe Asn Arg Val Ile Tyr Leu Gly Ala Gly Pro Phe  
225 230 235 240

Phe Gly Leu Ala His Glu Ala Gln Leu Lys Ile Leu Glu Leu Thr Ala  
245 250 255

Gly Gln Val Ala Thr Met Tyr Glu Ser Pro Val Gly Phe Arg His Gly  
260 265 270

Pro Lys Ser Leu Ile Asn Asp Asn Thr Val Val Leu Val Phe Gly Thr  
275 280 285

Thr Thr Asp Tyr Thr Arg Lys Tyr Asp Leu Asp Leu Val Arg Glu Val  
290 295 300

Ala Gly Asp Gln Ile Ala Arg Arg Val Val Leu Leu Ser Asp Gln Ala  
305 310 315 320

Phe Gly Leu Glu Asn Val Lys Glu Val Ala Leu Gly Cys Gly Gly Val  
325 330 335

Leu Asn Asp Ile Tyr Arg Val Phe Pro Tyr Ile Val Tyr Ala Gln Leu  
340 345 350

Phe Ala Leu Leu Thr Ser Leu Lys Val Glu Asn Lys Pro Asp Thr Pro  
355 360 365

Ser Pro Thr Gly Thr Val Asn Arg Val Val Gln Gly Val Ile Ile His  
370 375 380

Glu Tyr Gln Lys  
385

<210> 751  
<211> 203  
<212> PRT  
<213> Streptococcus pneumoniae

<400> 751

Met Ser Arg Tyr Thr Gly Pro Ser Trp Lys Gln Ala Arg Arg Leu Gly  
1 5 10 15

Leu Ser Leu Thr Gly Thr Gly Lys Glu Leu Ala Arg Arg Asn Tyr Val  
20 25 30

Pro Gly Gln His Gly Pro Asn Asn Arg Ser Lys Leu Ser Glu Tyr Gly  
35 40 45

Leu Gln Leu Ala Glu Lys Gln Lys Leu Arg Phe Thr Tyr Gly Val Gly  
50 55 60

Glu Lys Gln Phe Arg Asn Leu Phe Val Gln Ala Thr Lys Ile Lys Gly  
65 70 75 80

Gly Ile Leu Gly Phe Asn Phe Met Leu Leu Leu Glu Arg Arg Leu Asp  
85 90 95

Asn Val Val Tyr Arg Leu Gly Leu Ala Thr Thr Arg Arg Gln Ala Arg  
 100 105 110

Gln Phe Val Asn His Gly His Ile Leu Val Asp Gly Lys Arg Val Asp  
 115 120 125

Ile Pro Ser Tyr Arg Val Thr Pro Gly Gln Val Ile Ser Val Arg Glu  
 130 135 140

Lys Ser Leu Lys Val Pro Ala Ile Leu Glu Ala Val Glu Ala Thr Leu  
 145 150 155 160

Gly Arg Pro Ala Phe Val Ser Phe Asp Ala Glu Lys Leu Glu Gly Ser  
 165 170 175

Leu Thr Arg Leu Pro Glu Arg Asp Glu Ile Asn Pro Glu Ile Asn Glu  
 180 185 190

Ala Leu Val Val Glu Phe Tyr Asn Lys Met Leu  
 195 200

<210> 752

<211> 328

<212> PRT

<213> Streptococcus pneumoniae

<400> 752

Met Ala Lys Asp Ile Arg Val Leu Leu Tyr Tyr Leu Tyr Thr Pro Ile  
 1 5 10 15

Glu Asn Ala Glu Gln Phe Ala Ala Asp His Leu Ala Phe Cys Lys Ser  
 20 25 30

Ile Gly Leu Lys Gly Arg Ile Leu Val Ala Asp Glu Gly Ile Asn Gly  
 35 40 45

Thr Val Ser Gly Asp Tyr Glu Thr Thr Gln Lys Tyr Met Asp Tyr Val  
 50 55 60

His Ser Leu Pro Gly Met Glu Glu Leu Trp Phe Lys Ile Asp Glu Glu  
 65 70 75 80

Asn Glu Gln Ala Phe Lys Lys Met Phe Val Arg Tyr Lys Lys Glu Ile  
                             85                            90                            95

Val His Leu Gly Leu Glu Asp Asn Asp Phe Asp Asn Asp Ile Asn Pro  
                             100                            105                            110

Leu Glu Thr Thr Gly Ala Tyr Leu Ser Pro Lys Glu Phe Lys Glu Ala  
                             115                            120                            125

Leu Leu Asp Lys Asp Thr Val Val Leu Asp Thr Arg Asn Asp Tyr Glu  
                             130                            135                            140

Tyr Asp Leu Gly His Phe Arg Gly Ala Ile Arg Pro Asp Ile Arg Asn  
                             145                            150                            155                            160

Phe Arg Glu Leu Pro Gln Trp Val Arg Asp Asn Lys Glu Lys Phe Met  
                             165                            170                            175

Asp Lys Arg Val Val Val Tyr Cys Thr Gly Gly Val Arg Cys Glu Lys  
                             180                            185                            190

Phe Ser Gly Trp Met Val Arg Glu Gly Tyr Lys Asp Val Gly Gln Leu  
                             195                            200                            205

His Gly Gly Ile Ala Thr Tyr Gly Lys Asp Pro Glu Val Gln Gly Glu  
                             210                            215                            220

Leu Trp Asp Gly Lys Met Tyr Val Phe Asp Glu Arg Ile Ala Val Asp  
                             225                            230                            235                            240

Val Asn His Val Asn Pro Thr Ile Val Gly Lys Asp Trp Phe Asp Gly  
                             245                            250                            255

Thr Pro Cys Glu Arg Tyr Val Asn Cys Gly Asn Pro Phe Cys Asn Arg  
                             260                            265                            270

Arg Ile Leu Thr Ser Glu Glu Asn Glu Asp Lys Tyr Leu Arg Gly Cys  
                             275                            280                            285

Ser His Glu Cys Arg Val His Pro Arg Asn Arg Tyr Val Ser Lys Asn  
                             290                            295                            300



Glu Leu Thr Gln Ala Glu Val Ile Glu Arg Leu Ala Ala Ile Gly Glu  
 305 310 315 320

Ser Leu Asp Gln Ala Ala Thr Val  
 325

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
24 October 2002 (24.10.2002)

PCT

(10) International Publication Number  
**WO 2002/083855 A3**

(51) International Patent Classification<sup>7</sup>: C12N 15/00,  
9/16, 1/20, C12Q 1/68, 1/30, C07H 21/04, C12P 19/34

(74) Agents: BRAZIL, Bill, T. et al.; Wyeth, Patent Law De-  
partment, Five Giralda Farms, Madison, NJ 07940 (US).

(21) International Application Number:  
PCT/US2002/011524

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,  
SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,  
VN, YU, ZA, ZM, ZW.

(22) International Filing Date: 12 April 2002 (12.04.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/283,948 16 April 2001 (16.04.2001) US  
60/284,443 18 April 2001 (18.04.2001) US

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,  
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent  
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,  
NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): WYETH  
HOLDINGS CORPORATION [US/US]; Five Giralda  
Farms, Madison, NJ 07940 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): ZAGURSKY,  
Robert, John [US/US]; 569 Fox Hunt Drive, Victor, NY  
14564 (US). MASI, Amy, Wadhams [US/US]; 326 Grand  
Circle, Caledonia, NY 14423 (US). GREEN, Bruce,  
Arthur [US/US]; 49 Northfield Gate, Pittsford, NY  
14534 (US). CHAKRAVARTI, Deb, Narayan [IN/US]; 2  
Fairway Crossing, Pittsford, NY 14534 (US). RUSSELL,  
David, Parrish [US/US]; 240 North Pleasant Street,  
Canandaigua, NY 14424 (US). WOOTERS, Joseph,  
Lawrence [US/US]; 9 Glenley Terrace, Brighton, MA  
02135 (US).

**Published:**

- with international search report
- before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

(88) Date of publication of the international search report:  
15 December 2005

*For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.*

(54) Title: NOVEL STREPTOCOCCUS PNEUMONIAE OPEN READING FRAMES ENCODING POLYPEPTIDE ANTIGENS  
AND USES THEREOF

(57) Abstract: The present invention relates to newly identified open reading frames comprised within the genomic nucleotide sequence of *Streptococcus pneumoniae*, wherein the open reading frames encode polypeptides that are surface localized on *Streptococcus pneumoniae*. Thus, the invention relates to *Streptococcus pneumoniae* open reading frames that encode polypeptide antigens, polypeptides, preferably antigenic polypeptides, encoded by the *Streptococcus pneumoniae* open reading frames, vectors comprising open reading frame sequences and cells or animals transformed with these vectors. The invention relates also to methods of detecting these nucleic acids or polypeptides and kits for diagnosing *Streptococcus pneumoniae* infection. The invention finally relates to pharmaceutical compositions, in particular immunogenic compositions, for the prevention and/or treatment of bacterial infection, in particular infections with *Streptococcus pneumoniae*. In particular embodiments, the immunogenic compositions are used for the treatment or prevention of systemic diseases which are induced or exacerbated by *Streptococcus pneumoniae*. In other embodiments, the immunogenic compositions are used for the treatment or prevention of non-systemic diseases, particularly of the otitis media, which are induced or exacerbated by *Streptococcus pneumoniae*.

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/11524

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C12N 15/00, 9/16, 1/20; C12Q 1/68, 1/30; C07H 21/04; C12P 19/34

US CL : 435/320.1, 172.3, 196, 252.3, 69.7, 6, 5, 91.2; 530/350; 536/23.7, 23.4, 29.3, 24.32, 24.33

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/320.1, 172.3, 196, 252.3, 69.7, 6, 5, 91.2; 530/350; 536/23.7, 23.4, 29.3, 24.32, 24.33

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
Please See Continuation Sheet

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6,420,135 B1 (KUNSCHE et al) 16 July 2002 (16.07.2002), especially abstract, claims and ORF1, 2 and 3	1-24, 59-67, 80-83, 90, 99-102 and 105 in part
X	US 6,887,663 B1 (CHOI et al) 03 May 2005 (05.03.2005), especially abstract, claims, examples and sequence number 56.	1-24, 59-67, 80-85, 90, 99-102 and 105 in part

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"B" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document refusing to us and disclosure, use, utilization or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"G" document member of the same patent family

Date of the actual completion of the international search

08 August 2005 (08.08.2005)

Date of mailing of the international search report

02 NOV 2005

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US  
Commissioner of Patents  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

Facsimile No. 571-273-8300

Authorized officer

Padmanabhi V. Baskar

Telephone No. 571-272-1600

*James Ford*  
*for*

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/11524

### Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claim Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

### Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:  
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: Claims 1-24, 59-67, 80-85, 90, 99-102 and 105 in part

Remark on Protest

☐  
☐

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.

## INTERNATIONAL SEARCH REPORT

PCT/US02/11524

### BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

1. This application contains the following inventions or groups of inventions, which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Group I, Claims 1-24, 59-67, 80-85, 90, 99-102 and 105 in part drawn to isolated polynucleotide, recombinant expression vector, host cell, an immunogenic composition DNA chip, a kit and a method of producing protein.

Further restriction to one SEQ.ID.NO required (see paragraph # 4).

Group II, Claims 25-58, 72-79, 86-89, 91 in part are drawn to an isolated polypeptide, immunogenic composition, pharmaceutical composition and a polypeptide chip.

Further restriction to one SEQ.ID.NO required (see paragraph # 4).

Group III Claims 68-71, and 103-104 in part drawn to an antibody and a kit.

Further restriction to one SEQ.ID.NO required (see paragraph # 4).

Group IV Claims 92-94 in part drawn to a method for of immunizing against *S. pneumoniae*.

Further restriction to one SEQ.ID.NO required (see paragraph # 4).

Groups V Claim 95 in part drawn to a method for detecting and identification of *S. pneumoniae* using hybridization.

Further restriction to one SEQ.ID.NO required (see paragraph # 4).

Group VI Claim 96 in part drawn to a method for detecting and identification of *S. pneumoniae* using PCR.

Further restriction to one SEQ.ID.NO required (see paragraph # 4).

Group VII Claim 97-98 in part drawn to a method for detecting and identification of *S. pneumoniae* by immuno assay i.e., detection of immune complex.

Further restriction to one SEQ.ID.NO required (see paragraph # 4).

The inventions listed as Groups 1-7 (In Part) do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

2. The technical feature of linking Groups I-VII appears to be that they all relate to polynucleotide, polypeptide and antibody.

The technical feature of linking groups appears to be that they are all related to peptides, nucleic acids and antibodies and methods of using peptides, nucleic acids and antibodies.

However, Kunsch et al US-PAT-NO: 6420135 disclose an isolated polynucleotide sequence comprising a fragment sequence SEQ.ID.NO: 3 or 46 or 38 (see claims) and thus read on group I. Therefore, the technical feature of linking groups I-VII does not constitute a special technical feature as defined by PCT Rule 13.2, as it does not define a contribution over the prior art and hence unity of invention is lacking.

The special technical feature of Group I is considered to be polynucleotide, which is made up of nucleic acids.

The special technical feature of Group II considered to be polypeptide that shares no common structure, property and function with Group I since peptides contain amino acids and do not share the same or a corresponding technical feature with Group I nucleic acids

The special technical feature of Group III considered to be antibody that shares no common structure, property and function from Inventions I-375 and 376-350 since it has an inherent affinity, avidity, and specificity that DNA or a simple protein is not capable of expressing and do not require each other for their practice.

## INTERNATIONAL SEARCH REPORT

PCT/US02/11524

The technical feature linking groups IV-VII is considered to be methods utilizing products that share no common structure, property and function so as to form a single general inventive concept under Rule 13.1. Hence, unity is lacking among groups.

3. Pursuant to 37 C.F.R. § 1.475 (d), the ISA/US considers that where multiple products, processes and methods are claimed, the main invention shall consist of the first invention of the category first mentioned in the claims and the first recited invention of each of the other categories related thereto. Accordingly the main invention For Example: (Group 1) comprises Claims 1-24, 59-67, 80-85, 90, 99-102 and 105 in part drawn to an isolated polynucleotide, SEQ.ID.NO: 1, recombinant expression vector, host cell, an immunogenic composition, DNA chip, a kit and a method for producing the protein which is the first product and first method.

Further pursuant to 37 C.F.R. § 1.475 (d), the ISA/US considers that any feature which the subsequently recited products and methods share with the main invention does not constitute a special technical feature within the meaning of PCT Rule 13.2 and that each of such products and methods accordingly defines a separate invention. Therefore, the groups of inventions below do not constitute a special technical feature within the meaning of PCT Rule 13.2 and that each of such products and methods accordingly defines a separate invention.

4. For each group of inventions I-VII above, restriction to one of the following SEQ.ID.NO is also required under PCT Rule 13.1 because, under PCT Rule 13.2. Therefore, election is required of one of inventions I-VII and one of SEQ.ID.NO: 1-215 and 431-591.

Inventions SEQ.ID.NO: 1-215 and 431-591 are not so linked as to under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The claimed polypeptides and polynucleotides (i.e., SEQ.ID.NO 1-215-431-591) share no common special technical feature because the polynucleotides and peptides have no common structure (i.e., no common sequence) as evidenced by their sequences SEQ.ID.NO 1-215-431-591. These sequences that share no common structure as polynucleotides and polypeptides and are not linked by the same the same or a corresponding special technical feature so as to form a single general inventive concept. Therefore, where structural identity is required, such as for hybridization or expression of protein or binding of antibody, each sequence appears perform a different function in that peptides elicit an antibody response and nucleic acids encode peptides that specifically bind to an antibody. Thus they share no common structure and function so as to form a single general inventive concept under Rule 13.1. Hence, unity is lacking among groups SEQ.ID.NOS.

Applicant is required under PCT Rule 13.1 because, under PCT Rule 13.2 to elect a single disclosed SEQ.ID.NO from any group elected.

### Continuation of B. FIELDS SEARCHED Item 3:

MEDLINE, STN, A -GENSEQ, N-GENSEQ, EST, DERWENT, SWISS-PROT, PIR, USPTOWEST, SWISSPTREMBL, GENEMBL, PUBLISHED APPLICATIONS AND ISSUED PATENTS, search terms: Streptococcus, pneumoniae, open reading frames, peptides, nucleic acid, fragment, SEQ.ID.NO:1, degenerate variant

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**